




Grain Elevator

Rouse

4486

4468

BM 4461

4460

4459

4458

4457

4456

4455

4454

4453

4452

4451

4450

4449

4448

4447

4446

4445

4444

4443

4442

4441

4440

4439

4438

4437

4436

4435

4434

4433

4432

4431

4430

4429

4428

4427

4426

4425

4424

4423

4422

4421

4420

4419

4418

4417

4416

4415

4414

4413

4412

4411

4410

4409

4408

4407

4406

4405

4404

4403

4402

4401

4400

4399

4398

4397

4396

4395

4394

4393

4392

4391

4390

4389

4388

4387

4386

4385

4384

4383

4382

4381

4380

4379

4378

4377

4376

4375

4374

4373

4372

4371

4370

4369

4368

4367

4366

4365

4364

4363

4362

4361

4360

4359

4358

4357

4356

4355

4354

4353

4352

4351

4350

4349

4348

4347

4346

4345

4344

4343

4342

4341

4340

4339

4338

4337

4336

4335

4334

4333

4332

4331

4330

4329

4328

4327

4326

4325

4324

4323

4322

4321

4320

4319

4318

4317

4316

4315

4314

4313

4312

4311

4310

4309

4308

4307

4306

4305

4304

4303

4302

4301

4300

4299

4298

4297

4296

4295

4294

4293

4292

4291

4290

4289

4288

4287

4286

4285

4284

4283

4282

4281

4280

4279

4278

4277

4276

4275

4274

4273

4272

4271

4270

4269

4268

4267

4266

4265

4264

4263

4262

4261

4260

4259

4258

4257

4256

4255

4254

4253

4252

4251

4250

4249

4248

4247

4246

4245

4244

4243

4242

4241

4240

4239

4238

4237

4236

4235

4234

4233

4232

4231

4230

4229

4228

4227

4226

4225

4224

4223

4222

4221

4220

4219

4218

4217

4216

4215

4214

4213

4212

4211

4210

4209

4208

4207

4206

4205

4204

4203

4202

4201

4200

4199

4198

4197

4196

4195

4194

4193

4192

4191

4190

4189

4188

4187

4186

4185

4184

4183

4182

4181

4180

4179

4178

4177

4176

4175

4174

4173

4172

4171

4170

4169

4168

4167

4166

4165

4164

4163

4162

4161

4160

4159

4158

4157

4156


4155

4154

4153

4152

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	BT Pump Make	Pump Serial No. or Discharge Size
	<i>General Electric</i>	60	<i>XD 415025</i>	<i>Benjamin Johnston</i>	<i>8" discharge</i>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Pressure Gauge</i>	<i>Fluid</i>	<i>Achcroft</i>			<i>100 PSI</i>	
<i>Olympic Well Probe</i>	<i>Submersible</i>	<i>Olympic</i>	<i>500</i>		<i>500'</i>	


2. Measurements: *Operating pressure 70 PSI*
Dynamic Pumping Depth 26'

RECEIVED

MAY 17 1995



Watson



T
R
3
4
E
35

T3S

T
3
S

R34E

#35-08830

MICROFILMET
MAY 17 1995

43
910

2
7.5

3
16.6

4
23.7

HEL
8
29.4

HEL
9
6.0

HEL
10
1.0

1640
3114

037

1061

(34.6)

(39)

NHEL
1
73.6

39.4

HEL
1
65.4

35-08936

984

11.9

25.0

2538

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08830

Priority: November 1, 1989

Maximum Diversion Rate:

1.27 CFS

This is to certify, that H HOMER ANDERSON
3632 S 1470 W

ST GEORGE UT 84770

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 1, 1989; and has submitted Proof of Beneficial Use on January 15, 1992. An examination indicates that the works have a diversion capacity of 1.900 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.27 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 3, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
03S	34E	3	Lot 3 (NENW)	3.4	Lot 4 (NWNW)	34.6	SWNW	39	
			SENE	3					80

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is transferred, leased or used on any other place of use without the approval of the Department.

MAY 17 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**



WATER RIGHT NO. 35-08830

CONDITIONS/REMARKS:

8. Right 35-08936 is also diverted through the point of diversion described above.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 320.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of MAY, 1995.

Acting for


R. Keith Higginson, Director

RECORDED

MAY 17 1995

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08830

Date of Priority: November 1, 1989 **Maximum Diversion Rate:** 1.27 CFS
Comes now H HOMER ANDERSON
3632 S 1470 W
ST GEORGE UT 84770 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08830, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.27 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWNW, Sec. 3, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
03S	34E	3	Lot 3 (NENW)	3.4	Lot 4 (NWNW)	34.6	SWNW	39	
			SEnw	3					80

Total number of acres irrigated: 80

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at St George, Utah, this 21 day of April, 1995.

Michael

H. Homer Anderson
(Signature)

MAY 17 1995

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08830

FOR DEPARTMENT USE ONLY

Preliminary check by ____ Fee = 50.00 Receipted by JW # C032529 Date 4-24-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 35-08830 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
8. Right 35-08936 is also diverted through the point of diversion described above.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 320.0 af for the lands above.

Witness my hand this 2ND day of MAY, 1995.

Acting for


R. Keith Higginson, Director

MAY 17 1995

RECEIVED

JAN 15 1992

STATE OF IDAHO

For Office Use Only
 Amt. of Fee \$ 125.00
 Date 1/15/92
 Receipt No. CG22934
 Received by WLB

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08830 Telephone No. 684-4297

Name(s) of Permit Holder(s): H. Homer Anderson

Post Office Address: 873 W 100 S Blackfoot Id 83221

Source of Water: Groundwater

If ground water, well driller's name: Fridley Drilling Date drilled: 4-18-90 to 5-7-90

Extent of Use:
 Domestic _____ (No. of households) Irrigation 80 (No. of acres)
 Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.6 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5-28-90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Michael Driscoll (Renter) 684-4125
 Name Telephone No.
270 South 1300 West Blackfoot, Idaho 83221
 Address

UNRECORDED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 07 1992

1-13-92 H. Homer Anderson Owner
 Date Signature (and title if on behalf of a company or organization)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single ownership
domestic use or stockwater use of
less than 13,000 gallons per day.

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08830

Proposed Priority: November 1, 1989 Maximum Diversion Rate: 1.60 CFS

This is to certify, that **H. HOMER ANDERSON**

873 W. 100 S.

BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	1.60 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 3, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	3	NWNW 40	SWNW 40		80

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 9 cubic feet per second for each acre of land.

MICROFILMED

APR 17 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08830

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of April, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

APR 17 1990

Ident. No. 35-08830

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: H. HOMER ANDERSON 208-684-4297
Address: 873 W. 100 S.
BLACKFOOT, ID 83221
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNW Sec. 3, Township 03N, Range 34E
BINGHAM County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 04/01 | 11/01 | 1.600 | | |
5. Total quantity appropriated is:
1.600 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO SPRINKLERS
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 12 inches; proposed depth of well is 100
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION
- | TWN | RGE | SEC | ACRES | ACRES | ACRES | TOTAL |
|-----|-----|-----|---------|---------|-------|-------|
| 03N | 34E | 3 | NWNW 40 | SWNW 40 | | 80 |
| S | | | | | | 80 |
- Total number of acres irrigated:
10. Describe any other water rights used for the same purposes.
SHARES IN DANSKIN DITCH

MICROFILMED

APR 17 1990

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

H. Homer Anderson
Applicant

Received by HWS Date 11-1-89 Time 10:20 Preliminary check by _____


Fee \$ 65.00 Receipted by HWS # EO11091 Date 11-1-89

Publication prepared by LB Date 3-15-92 Published in Morning News

Publication approved (1u) Date 3-30-90

MICROFILMED

APR 17 1990



R34E

T
3A
S

MICROFILMED

APR 17 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1995

H HOMER ANDERSON
3632 S 1470 W
ST GEORGE UT 84770

RE: WATER RIGHT NO. 35-08830

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAY 17 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 10, 1995

H HOMER ANDERSON
3632 S 1470 W
ST GEORGE UT 84770

RE: WATER RIGHT NO. 35-08830

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
MAY 17 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 35-08830 DATE 3/16/95
3/9/95

NAME Change OK Or Address Change?

PRIORITY DATE ✓ Advance? Advanced to:
Order to reinstate needed?
Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed?
✓ Overlaps?

PLACE OF USE ✓ Amendment needed? Add Gou lots 3+4
✓ Overlaps? Add NENW 1/4 & SENW 1/4's
PERMIT 35-08936 - DO NOT CONSIDER
at .63 CFS

DIV RATE ✓ Permit/fee limits: 1.6 CFS
System Rate
1.9 ÷ 120 acres
= .0158 per acre
SPRINKLER Meas Q = 1.90 Theo Q = 1.87 Recommend: NO 1.07
Theo reduced by using a PL of 36' rather
than the SL of 26'. (80 x .02 = 1.6 CFS)
Combined rates exceed capacity NO NEW

ANNUAL VOLUME ✓ Volume Limit: Season: 4.0 (4-1 to 10-31)
✓ Calculations: 80 x 4 = 320
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable NO

USES ✓ Change in Nature of Use or additional uses?
Amendment necessary?

REMARKS ✓ Multiple p/d(s) in 1/4 1/4?
✓ Other WB3-WB3-WB7 (DANSKIN DITCH CO)
add WB6

CONDITIONS ✓ Watermaster control - District
✓ Measuring/Locking Devices
✓ Irrigation Overlap
✓ Other NON-TRUST 048/049 (keep)
✓ Water Quality Heat/Cool/Fish verified

COMMENTS: Did not consider 35-08936 in overlap review - is still
w permit.
Amend p/u

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>1.6</u>	<u>320</u>	Adjustment Memo Needed	<u>NO/YES</u>
	<u>1.27</u>	<u>(REMARKS)</u>	LICENSE	
			AMENDMENT LETTER	<u>P41+P38+S05</u>
			SECOND AMENDMENT LETTER	<u>P42+S05</u>

3/9/95

COMPOSITE PLAT OF
Nº3 SOUTH, RANGE Nº34 EAST. OF THE BC

354

35-08830

S. 89° 50' E.		79.75		S. 89° 50' E.		79.80		S. 89° 35' E.		80.10		S. 89° 35' E.		80.51		S. 89°	
4	3	2	1	4	3	2	1	4	3	2	1	4	3	2	1	4	
38.50	39.97	39.95	39.92	39.90	39.87	39.85	39.82	40.03	40.28	40.49	40.72	40.72	40.84	40.57	40.49	40.42	
5	40	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
38.58	Sec. 6	634.20	639.44	639.44	639.44	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	
6	80	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
38.62	7	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
38.66	8	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
S. 89° 42' E.		79.73		WEST		S. 0° 14' W.		S. 89° 46' W.		S. 0° 13' W.		N. 89° 50' W.		NORTH		NORTH	
79.73		79.73		80.20		80.20		80.30		80.30		80.12		80.12		80.12	
38.66	80	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
2	80	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
38.62	Sec. 7	634.42	639.44	639.44	639.44	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	641.50	
3	80	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
38.59	4	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
38.55	5	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 26 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08830

1. Owner: H. HOMER ANDERSON

Phone No. 208-684-4297

Current Address: 3032 S. 1470 W. ST. George, Utah 84770
823 W. 100 S. BLACKFOOT, ID 83221

2. Accompanied by: N/A

EXAM DATE: 2/26/93

Address: N/A

Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER

tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 35-08936 on adjacent acres

2. Other water rights with the same point of diversion: 35-08936

(See Field Exam)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	3	3S	34E	BIDGHAM	U.S. G.S. QUAD.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3S	34E	3					3.4	34.6	39	3									80

RECEIVED
MAY 1 1995

MAY 17 1995

RECEIVED

2. Measurements: *Hydraulic Pumping depth 26'*
70 PSI


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Hydraulic Well Tester</i>	<i>Hydraulic</i>	<i>Hydraulic</i>	<i>500</i>		<i>500'</i>	
<i>Pressure Gauge</i>	<i>Fluid</i>	<i>Alkath</i>			<i>100 PSI</i>	

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>Hydraulic</i>	<i>60</i>	<i>XD415025</i>	<i>Hydraulic</i>	<i>8" discharge</i>

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

60 HP. General Electric Pump to 8" portable main line,
supplying water to 4 1/4 mile hand lines with 45 buds
per line (9/64 Orifice).

* Corner of circle just to east of this point of decision
are being irrigated by this pump + hand lines.

It appears that more acres are irrigated from this well
than are covered by permits 35-08830 + 35-08936.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

MAY 17 1995

Measured Method:

Additional Computation Sheets Attached

$$Q = \frac{(60 \times 8.814 \times 10^{-7}) \times (26') \times (70 \text{ PSI} \times 2.308)}{48 \text{ in} \times 45 \text{ ft} \times 4.75 \text{ gpm}} = 1.97 \text{ cfs} \quad (885.8 \text{ gpm})$$

* allow 1.605 for 8000 as per request.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 80^{ave} \times 4.4 = 320 \text{ cfs}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Corrision

From

Period of Use
To

Rate of Diversion

0271
(512) 7

V (a/a) 320

Annual Volume

2. Recommended Amendments

— Change P.D. as reflected above

_____ Add P.D. as reflected above	_____ Add P.U. as reflected above
_____ None	_____ Other

Totals:

1.005

320-fg

I. AUTHENTICATION

Field Examiner's Name

Reviewer

Date 1-20-95

SEAL

* See attached adjustment explanation memo. BC

MAY 17 1995

Gentlemen

MEMORANDUM

TO: File 35-08830 / H. Homer Anderson
FROM: Brenda Chapman
DATE: March 9, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

F. FLOW CALCULATIONS

The theoretical calculation has been adjusted based a pumping level of 36' (rather than the static water level of 26'). Therefore, the measured capacity of 1.90 cfs exceeds the theoretical and will be used to calculate the system rate per acre.

$$\frac{8.8 \times .7 \times 1.5 \text{ hp}}{36' + (2.31 \times 70 \text{ psi})} = 1.87 \text{ cfs}$$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	1.27	Not listed

See item F.

The volume recommendation is addressed in the remarks based on current supplemental groundwater processing procedures.

RECEIVED
MAY 17 1995

35-8936 & 35-8830

	35-8830	35-8936	Total
Acreage irrigated	80	40	120
Total Q	— 1.973 —		

$$\text{Rate per acre} = 1.973 / 120 = 0.0164 \text{ cfs/ac}$$


Recommend

$$\begin{aligned} 35-8830 & 80 \text{ ac} \times 0.0164 \text{ cfs/ac} = 1.31 \\ 35-8936 & 40 \text{ ac} (0.0164 \text{ cfs/ac}) = 0.66 \\ \text{System capacity} & = \frac{1.31 + 0.66}{1} = 1.97 \text{ cfs} \end{aligned}$$

Keith C Wilson

35-8830

MAY 17 1995



MAY 17 1995

Watson

PARSONS

DITCH

SNAKE

Mile 763
X 4468

Sewage Disposal

Siphon Mile 760

Siphon BOW

ARCH

Siphon

Borrow Pit

BM 4480

BM 4488

BM 4495

Siphon

BM 4495

Siphon

BM 4495

WELCH

Prospects

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

200 SOUTH

Well 4468

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

Gravel Pit

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

T 35
R 34 E

3
16.6

4
34 23.7

HEL
7
16.0

HEL
8
129.4

HEL
10
1.0

T 35

164.8
311.4

037

1061

34.6

39

NHE

T 35

HEL
65.4

35-08936

R 34 E

35-08830

2538

25.0

984

11.9

MAY 17 1995

43
9.10

January 31, 1992

H. HOMER ANDERSON
873 W. 100 S.
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08830

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

UNRECORDED

FEB 07 1992

January 27. 1992

Dear Karen L. Gustafson:

I am writing in regard to Water Permit # 35-08830 and # 35-08936.

A well was drilled in May of 1990 using Permit # 35-08830, drill permit #35-90-06-022. Water was used from this well to irrigate aprox 80 acres during the 1990 crop year. In 1991 a water permit was filed to use water from this same well to irrigate another 40 acres to the east of me which joins onto the original 80 acres, using water permit # 35-08936.

I am enclosing a copy of the Well Log.

Sincerely,

H. Homer Anderson

H. Homer Anderson

RECEIVED
FEB 07 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
North Orchard Street
Boise, Idaho 83706-2237

RECEIVED

JAN 21 1992

Department of Water Resources

Mailed to
Homer Anderson
on 1/21/92

RECEIVED

FEB 07 1992





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 15, 1992

Michael Driscoll
270 South 1300 West
Blackfoot, ID 83221

Re: Permit No. 35-08830

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a copy of the well log, please provide this office with a copy. If you do not, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

MICROFILMED

FEB 07 1992

RECEIVED

JUL 9 1990



RECORDED

Department of Water Resources JUL 7 1992


STATEHOUSE

BOISE, IDAHO 83720

HOMER ANDERSON

879 W. 100 S.

BLACKFOOT, ID. 83221



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. P35-08830

Name(s) of Permit Holder(s): William Anderson

Post Office Address: 873 West 100 South

Blairstown Idaho 83221 Tel. No. 6844297

☒ I hereby certify that construction of diversion works for the above referenced permit began on 4-18-90. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to no following reason beyond my control*:
FEB

Note: A financing difficulty is 7-6-90 Date William Anderson Signature of Permit Holder
not an acceptable reason.

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 16, 1990

H. HOMER ANDERSON
873 W. 100 S.
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08830

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

APR 17 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

APR 17 1990

9/89

Drilling Permit No. 35-90-E-022Water Right Permit No. 3-08830

Injection Permit No. _____

State of Idaho
Department of Water ResourcesExpedited **DRILLING PERMIT** Expedited1. Applicant Michael A. Driscoll2. Mailing Address 270 So 1300 W. Panguitch, IDTelephone 684-4125() Well Owner ☒ Well Operator () Other, specify _____3. Proposed well location SW 1/4 NW 1/4, or Gov't lot No. _____Sec. 3, Twp. 3S, Rge. 34E, County Bingham

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Single family or stockwater use (less than 13,000 gallons per day)

☒ Irrigation (more than 1/2 acre)() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other (describe fully) _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9.B. Proposed surface diameter 16" Maximum depth 100

C. Anticipated bottom hole temperature:

- ☒
- 85°F or less (Cold water well)
-
- () 85°F to 212°F (Low temp. geothermal well)
-
- () 212°F or more (Geothermal well)

6. Construction Start Date 4-10-907. Anticipated Well Driller Finley Drilling

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Michael A. Driscoll Date 4/4/90Title Lessee

(Owner, Firm Representative, Other)

**Fee is \$10 for single family domestic. Other uses may be up to \$100

MICROFILMED

APR 17 1990

35-90-E-022

ADDENDUM TO DRILLING PERMIT: (35-08830)

1. APPLICATIONS, AS NECESSARY, ARE ON FILE SEEKING AUTHORIZATION TO USE THE WELL FOR THE PURPOSE FOR WHICH IT IS BEING DRILLED
2. THERE ARE NO APPARENT REASONS THAT THE PENDING APPLICATIONS WILL NOT BE APPROVED AUTHORIZING USE OF THE WELL.
3. THE APPLICANT HAS REQUESTED BY LETTER THROUGH HIS AGENT THAT EXPIDITED APPROVAL IS NEEDED FOR IMMEDIATE CONSTRUCTION.
4. THE DRILLING PERMIT IS CONDITIONED TO SHOW THAT THERE IS NO AUTHORIZATION FOR DIVERSION AND USE OF WATER UNTIL THE WATER RIGHT APPLICATION IS APPROVED.
5. THE APPLICANT BY ACCEPTING THIS DRILLING PERMIT AND COMMENCES CONSTRUCTION ACKNOWLEDGES THAT HE ACCEPTS ALL RISK THAT THE WELL MAY NOT BE APPROVED FOR USE.

RECEIVED

APR 17 1990

ST. DOMESTIC (.020 CFS).
Total Diversion: (.440 CFS).
Date Filed: 6/22/1989.
In: T04S, R33E, S20, NESE, SESE.
22.0 ACRES TOTAL.

35-08786

WADDUPS, Verl J.
44 S. 600 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SENWSE, Sec. 20, T. 04S, R.
33E.
Use: IRRIGATION (1.780 CFS).
Total Diversion: (1.780 CFS).
Date Filed: 5/15/1989.
In: T04S, R33E, S20, NESE, NWSE, SWSE,
SESE.
160.0 ACRES TOTAL.

35-08787

THOMAS, Dorris L.
Rt. 2, Box 1310
Ketchikan, AI 99901
Source: GROUNDWATER
Diversion Pt: NWSENE, Sec. 2, T. 03S, R.
32E.
Use: IRRIGATION (1.560 CFS).
Total Diversion: (1.560 CFS).
Date Filed: 5/26/1989.
In: T03S, R32E, S02, NENE, NWNE,
SWNE, SENE.
78.0 ACRES TOTAL.

35-08788

RIVERSIDE THOMAS CEMETERY
735 W. 100 S.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: Lot 2 (NWNE), Sec. 4, T. 03S,
R. 34E.
Use: IRRIGATION (.100 CFS).
Total Diversion: (.100 CFS).
Date Filed: 6/02/1989.
In: T03S, R34E, S04, NWNE.
5.0 ACRES TOTAL.

35-08789

PARK, Darwin K.
PARK, Ione
1074 S. 2200 W.
Sterling, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 29, T. 04S, R.
32E.
Use: IRRIGATION (.100 CFS).
Total Diversion: (.100 CFS).
Date Filed: 5/31/1989.
In: T04S, R32E, S29, SESE.
5.0 ACRES TOTAL.

35-08830

ANDERSON, H. Homer
873 W. 100 S.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 3, T. 03S, R.
34E.
Use: IRRIGATION (1.600 CFS).
Total Diversion: (1.600 CFS).
Date Filed: 11/01/1989.
In: T03S, R34E, S03, NWNW, SWNW.
80.0 ACRES TOTAL.

MICROFILMED

APR 17 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before APRIL 2, 1990.

R. KEITH HIGGINSON
Director

(718)
Pub.: 3/15, 22

RECEIVED

MAR 29 1990

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Ted Townsend do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

15th day of March, 19 90;

and the last publication having been made on the
22nd day of March, 19 90;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 26th day of March, in
the year 1990 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Ray Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee \$5.00

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

MARCH 7, 1990

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 2, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

APR 17 1990

35-08830

ANDERSON, H. HOMER
873 W. 100 S.
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SWNW Sec 3 T 03S R 34E

Use: IRRIGATION (1.600 CFS)
 Total Diversion: (1.600 CFS)

Date Filed: 11/01/1989

In: T03S R34E S03 NWNW SWNW

80.0 ACRES TOTAL

RECEIVED

APR 17 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before APRIL 2, 1990.

R. Keith Higginson, Director

Published 3/15/1990 & 3/22/1990

MICROFILMED

APR 17 1990

28-Feb-1990

H. Homer Anderson
873 W. 100 S.
Blackfoot, ID 83221

RE: Application for Permit No. 35-8830

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on March 15 & 22, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED
APR 17 1990