





35-08815

P.D. +
P.O.

MICROFILMED

FEB 14 1950



APR 13 1995

35-08815



35-8815
MICROFILMED
APR 13 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08815

Priority: September 20, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that FALLING TREE WELL CO

C/O SUSAN WOOD

6127 S 45 W

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 20, 1989; and has submitted Proof of Beneficial Use on April 20, 1990. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 4, Township 01N, Range 37E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 37E 4

SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Domestic use is for 5 homes.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

APR 13 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08815

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of APRIL, 1995.

Acting for


R. Keith Higginson, Director



APR 13 1995

RECEIVED

APR 20 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 50.00
Date 4-20-90
Receipt No. 0016456
Received by Julie

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P35-08815 Telephone No. 208-522-6286

Name(s) of Permit Holder(s): Jack Jensen, Rosemary Wirkus, Gale McKinnon, Stacey Schmier
Grant & Susan Wood.

Post Office Address: 6127 S. 45 West Idaho Falls, ID 83402

Source of Water: Well - underground

If ground water, well driller's name: _____ Date drilled: 1910

Extent of Use:
Domestic 5 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .11 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Sometime after 1910

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Grant or Susan Wood, sec Falling Tree Well Co 522-6286
Name Telephone No.

6127 So. 4500 West Idaho Falls, Idaho 83402
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/3/90
Date

Susan Wood, Dba Falling Tree Well
Secretary,
Signature (and title if on behalf of a company or organization)

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	35-08815	Susan Wood	0.11
Full Assignment	35-08815	Falling Tree Well Co.	0.11

RECORDED

JUL 10 1991

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

JUN 10 1991

Department of Water Resources
Eastern District Office

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Susan Wood, hereby assign to Falling Tree Well Co.
of, 6127 So. 45 W. Idaho Falls, ID 83402
(Full Address)

All my right, title, and interest in and to Application for Permit
No. 35-8815 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Application for Permit No. _____ to appropriate the public
waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.

Made this 17th day of June, 1990.
Susan M. Wood, Sec.
Applicant

State of Idaho)
County of BONNEVILLE) ss

On this 7TH day of JUNE, 1990, personally appeared before me the signer of the
above instrument, duly acknowledged to me that he (she) (they) executed the same.

seal

Ronald Longme
Notary Public
RESIDING AT IDAHO FALLS

My commission expires: 7-23-93

JUL 10 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08815

Proposed Priority: September 20, 1989 Maximum Diversion Rate: 0.11 CFS

This is to certify, that **SUSAN WOOD**
6127 S. 4500 W.
IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.11 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWSW Sec. 4, Township 01N, Range 37E BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 37E 4 SWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for 5 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989.

RECORDED

FEB 14 1990

R. Keith Higginson
R. Keith Higginson, Director

Ident. No. 35-08815

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SUSAN WOOD
Address: 6127 S. 4500 W.
IDAHO FALLS, ID 83402

208-522-6286

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

SWSW Sec. 4, Township 01N, Range 37E
BONNEVILLE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.110		

5. Total quantity appropriated is:
0.110 CFS (and/or)

AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO FIVE HOMES

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 120
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
DOMESTIC FOR 5 HOMES

9. Place of Use: DOMESTIC

TWN RGE SEC
01N 37E 4

SWSW

10. Describe any other water rights used for the same purposes.
CANAL SHARES IN NEW SWEDEN FOR ADJACENT GROUND

FEB 14 1990

11. a. Who owns the property at the point of diversion?
GALE AND BERTHA MCKINNON
b. Who owns the land to be irrigated or place of use?
JACK JENSEN AND....CONT.
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
CONT.- ROSEMARY WIRKUS, GRANT WOOD, STACEY SCHMIER AND GALE MCKINNON

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J Grant Wood
Applicant

Received by HWT Date 9-20-89 Time 4:31 Preliminary check by _____
Fee \$ 20.00 Receipted by HWT # E910713 Date 9-20-89
Publication prepared by RB Date 10-19-89 Published in Post-Register
Publication approved RB Date 11-20-89

MICROFILMED

FEB 14 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 6, 1995

FALLING TREE WELL CO
C/O SUSAN WOOD
6127 S 45 W
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08815

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl


Enclosure

RECEIVED

APR 13 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08815 DATE 3/2/95



NAME	Change ☒ OK	☒	Or Address Change? _____
PRIORITY DATE	☒	☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☒	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☒	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☒	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☒	☒	Permit/fee limits: <u>.11 cfs</u> Meas Q = _____ Theo Q = <u>.04</u> Recommend: <u>.04</u> <u>Would still be .04 if 40 PSI WERE USED.</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	☒	Volume Limit: _____ Season: _____ Calculations: <u>5 homes @ .6 = 3.0 af</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☒	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☒	☒	Multiple p/d(s) in 1/4 1/4? _____ Other _____
CONDITIONS	☒	☒	Watermaster control - District _____ Measuring/Locking Devices _____ Irrigation Overlap _____ ☒ Other <u>KEEP 048 + 049 / DELETE 004</u> Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: down irrigation covered by surface water from Porter Canal.
Reduce rate to capacity.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Domestic</u>	<u>.04</u>	<u>3.0</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	AMENDMENT LETTER	_____
_____	_____	_____	SECOND AMENDMENT LETTER	_____

MEMORANDUM

TO: File 35-08815 / Falling Tree Well Co.
FROM: Brenda Chapman
DATE: March 2, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

The domestic use is limited to "in-house use only" with the volume adjusted accordingly. The lawns are irrigated with water from Porter Canal.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Domestic	1-01 to 12-31	.04	3.0

See item G.

RECEIVED

APR 13 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

35-08815
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

JAN 25 1995

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index AWP 06/05/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index AWP 06/05/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 6-5-91 A.P. (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent HWS 1-17-95 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office SL 1/23/95 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 25 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08815

1. Owner: Falling Tree Well Company Phone No. 522-6286

Current Address: 64275 4500W IDAHO FALLS ID 83402

2. Accompanied by: Susan Wood EXAM. DATE: 6/5/91

Address: Same Phone No. Same

Relationship to Permit Holder: Secretary

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



APR 13 1995

Scale: 1" = N/A

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well to pump - $1\frac{1}{2}$ hp, to five single family homes
pump for in house use only
irrigation from canal (Porter Canal)
according to permit holder water depth - 80ft static level

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	1.5	8647	—	1 5/8" discharge

*Code to correspond with No. on map and aerial photo

506957e8 #2709W

5. Point(s) of Diversion:

[illegible]

USGS MR, QUINTE INSPECTOR

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical Calculations						

2. Measurements:

Well depth 180' to pump, (according to permit holder)
 operating pressure (existing, installed gage) 30 psig to 52 psig
 1 5/8" discharge piping from pump. static water level in well next door is 115'.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(1.5 \text{ HP})(8.814)(.7)}{+50 \text{ ft} + (52 \text{ psi})(2.308)} = \frac{0.0394}{115 \text{ ft}} = \frac{0.0205 \text{ cfs}}{0.04 \text{ cfs}} = 0.02 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

* G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{\text{Dom}} = 5 \times 1.2 \text{ af} = 6.0 \text{ af}$$

(5 units)

* See attached adjustment explanations. BC

APR 13 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use Domestic
Period of Use From 1-1 To 12-31
Rate of Diversion Q (cfs) 0.04
Annual Volume V (afa) 6.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION


Field Examiner's Name ALAN W. PARIS
Signature [Signature]
Certification Date
Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


* Also attached computer printout, etc.

APR 18 1995



APR 13 1995

35-08815



35-8815
APR 13 1995

June 19, 1991

Re: Permit No. 35-8815

Falling Tree Well Co.
c/o Susan Wood
6127 S. 45 W.
Idaho Falls, ID 83402

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

MICROFILMED
JUL 10 1991

July 17, 1990

SUSAN WOOD
6127 S. 45 W.
IDAHO FALLS, ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08815

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 25 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

SUSAN WOOD
6127 S. 4500 W.
IDAHO FALLS, ID 83402

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08815

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED
FEB 14 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 14 1991

27-Sep-1989

Susan Wood
6127 S. 4500 W.
Idaho Falls, ID 83402

RE: Application for Permit No. 35-8815

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

FEB 14 1990

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07402

NORTHSIDE EST. INC.
6300 NORTHSIDE CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 32 T 03N R 38E
Use: IRRIGATION (.160 CFS)
Date Filed: 5/31/1985
In: T03N R38E S32 NWNE
8.0 ACRES TOTAL

25-07498

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406
Source: GROUNDWATER
Diversion Pt: NESENE Sec 26 T 02N R
38E
Use: MUNICIPAL (2.320 CFS)
Date Filed: 6/06/1989
In: T02N R38E S22
S26
S27
S34
S35

25-07519

ELISON, RONALD C
620 N 55TH E
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWSW Sec 18 T 02N R
39E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Date Filed: 9/13/1989
In: T02N R39E S18 NWSW
1.0 ACRES TOTAL

25-07527

JORGENSEN, DERALD
JORGENSEN, KIM
4106 E. FAIRVIEW
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 23 T 03N R 38E
Use: IRRIGATION (.040 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/22/1989
In: T03N R38E S23 NWNE
2.0 ACRES TOTAL

25-07528

KRESS, THOMAS J.
KRESS, ROSELYN VAN EVERA
3239 S. LAURELWOOD DR.
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SWSE Sec 30 T 02N R 39E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/19/1989
In: T02N R39E S30 SWSE
2.0 ACRES TOTAL

25-07530

STORER, GALE
STORER, BETTY
2968 N. HOLMES
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/28/1989
In: T02N R38E S08 NWNW

35-08815

WOOD, SUSAN
6127 S. 4500 W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSW Sec 4 T 01N R 37E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/20/1989
In: T01N R37E S04 SWSW

35-08821

BITTER, VERL L.
HAINES, KENNETH
SIMMONS, LARRY
SMITH, RICKY
SMITH, ROGER
STODDART, DUANE A.
WHEELER, BLISS
425 N. KAREY LANE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWSE Sec 18 T 02N R 37E
Use: DOMESTIC (.120 CFS)
Date Filed: 9/13/1989

MICROFILMED

FEB 14 1990

35-08815

WOOD, SUSAN
6127 S. 4500 W.
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: SWSW Sec 4 T 01N R 37E

Use: DOMESTIC (.110 CFS)

Date Filed: 9/20/1989

In: T01N R37E S04 SWSW

RECORDED

FEB 14 1990