




ed by the Geological Survey

APPROVED

DEC 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08809

Priority: September 14, 1989

Maximum Diversion Rate:

0.14 CFS

This is to certify, that JEFFERY WALBOM
2530 N 35TH W

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 14, 1989; and has submitted Proof of Beneficial Use on May 31, 1991. An examination indicates that the works have a diversion capacity of .140 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.10 CFS	
STOCKWATER	01/01 to 12/31	0.02 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	
	Totals	0.14 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 10, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	37E	10	SWNW	5		5

Total number of acres irrigated: 5

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

DEC 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08809

CONDITIONS/REMARKS:

6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual irrigation diversion volume of 20.0 af for the lands above.
9. Domestic use for 1 home is limited to an annual diversion volume of .6 af and does not include lawn, garden, landscape or other types of irrigation.
10. The stockwater annual diversion volume is limited to 1.3 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 14TH day of DECEMBER, 1994.

Acting for R. Keith Higginson, Director

DEC 29 1994

RECEIVED
MAY 31 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P35-08809 Telephone No. 529-0082

2. Name(s) of Permit Holder(s): JEFFERY C WALBOM

3. Post Office Address: 2530 N. 35th W. IDAHO FALLS, IDAHO 83402

4. Source of Water: Well

a. If ground water, well driller's name: DOVEY WELL DRILLING Date drilled: 7-76

b. Pump horsepower: 5 Pressure (psi): 65 Dynamic pumping level (ft.): 270

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 5 (No. of acres)

Stockwater 65 CATTLE (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .14 as per permit 21 cfs 8 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes YesNo

OR
Flow Measurement Port: Required? Yes XNo Installed? Yes YesNo

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

JEFFERY WALBOM (208) 529-0082
Name Telephone No.

2530 N. 35th W. IDAHO FALLS, ID 83402
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/25/91
Date

J. Larson
Signature (and title if on behalf of a company or organization)

JUL 10 1991

MICROFILMED

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08809

Proposed Priority: September 14, 1989 Maximum Diversion Rate: 0.14 CFS

This is to certify, that **JEFFERY WALBOM**

2530 N. 35TH W.

IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.10 CFS
STOCKWATER	01/01 to 12/31	0.07 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNW Sec. 10, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 37E 10	SWNW 5			5

Total number of acres irrigated: 5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Domestic use is for one home.

MICROFILMED

MAY 29 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08809

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25 day of May, 1990

for J. Glen Saylor
R. Keith Higginson, Director

MICROFILMED

MAY 29 1990

Ident. No. 35-08809

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JEFFERY WALBOM 208-529-0082
Address: 2530 N 35TH W
IDAHO FALLS, ID 83402

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SWNW Sec. 10, Township 02N, Range 37E
BONNEVILLE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
STOCKWATER	01/01	12/31	0.070		
IRRIGATION	04/01	11/01	0.100		

5. Total quantity to be appropriated is:
0.140 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL & PUMP TO SPRINKLER SYSTEM

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 270
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

IRR, DOMESTIC, STOCKWATER

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES
02N 37E 10	5

SWNW

MICROFILMED

ACRES	TOTAL
5	5

MAY 29 1990

Ident. No. 35-08809

Page 2

Place of Use: STOCKWATER

TWN RGE SEC
02N 37E 10 SWNW

Place of Use: DOMESTIC

TWN RGE SEC
02N 37E 10 SWNW

Total number of acres irrigated: 5

10. Describe any other water rights used for the same purposes.
NEW SWEEDEN IRRIGATION DIST

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by S.M. Date 9/14/89 Time 2:35 PM Preliminary check by _____

Fee \$ 30⁰⁰ Received by S.M. # E010424 Date 9/14/1989

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

MICROFILMED

MAY 29 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1994

JEFFERY WALBOM
2530 N 35TH W
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08809

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

SHELLEY W. KEEN
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
DEC 29 1994

LICENS REVIEW CHECKLIST



PERMIT NO. 35-08809 DATE 12-12-94

NAME Yes No ☒ Or Address Change?

PRIORITY DATE Yes No ☒ Advance? Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? NO

SOURCE Yes No ☒ Changes or just clarification of originally intended source? Notice of Intent to Void necessary?

POINT OF DIV Yes No ☒ Amendment needed? Overlaps?

PLACE OF USE Yes No ☒ Amendment needed? Overlaps? Surface irr dist shares only

DIV RATE Yes No ☒ Permit/fee limits: .14 CFS
 Meas Q = 5 acres @ .02 = .10 Theo Q = .14 Recommend: .14 CFS
100 stock = .02
100m/Int = .02 (100x.00022)
 Combined rates exceed capacity NO

ANNUAL VOLUME Yes No ☒ Season of use: C/4.0 (4-1 to 10-31) NEW
 Calculations: 5 acres x 4 = 20.0 (100x.0134)
100m/Int = .6 100 stock = 1.3
 Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable NO

USES Yes No ☒ Change in Nature of Use or additional uses? Amendment necessary?

REMARKS WB3, WB8, WB7 Multiple p/d(s) in 1/4 1/4? Other Edit / REMARK GIVING VOL limits on
WB5 DOMESTIC & STOCK USES.

CONDITIONS Yes No ☒ Measuring/Locking Devices Watermaster control - District 01
Yes No ☒ Irrigation Overlap Water Quality
Yes No ☒ Other NON-TRUST Heat/Cool/ Fish verified NO

COMMENTS: Assuming from exam that the lawn irrigation is also
a part of the 5 irrigated acres.

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.10</u>	<u>(20.0)</u>	Adjustment Memo Needed	<u>YES</u>
<u>Stockwater</u>	<u>.02</u>	<u>(1.3)</u>	LICENSE	☒
<u>DOMESTIC</u>	<u>.02</u>	<u>(.6)</u>	1ST AMENDMENT LETTER	<u>_____</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>	FINAL AMENDMENT LETTER	<u>_____</u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 14 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8809

1. Owner: Jeffery Walbon Phone No. 529-0082

Current Address: 2530 N. 35th W. Idaho Falls, Id. 83402

2. Accompanied by: Mrs Walbon EXAM DATE: 5-23-94

Address: Same Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NEW SWEEDEN IRR DIST SHARES

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	10	2N	37E	Bonneville	On site inspection

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	37E	10							D/S										
									5										5

DEC 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jocuzzi	5	N/A	Jocuzzi	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical Capacity

[Handwritten signature]

DEC 29 1994

E. NARRATIVE/REMARKS/COMMENTS

Average PSI = 30 psi
270' deep (Total)

Well pump mainline to single domestic home & stock trough.

Water for the irrigation of the property is also from the canal

Stock water maximum 100 head range cattle

Have conditions of permit approval been met? ☒ yes ☐ no



DEC 29 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: $hp = 5$ pumping depth assumed = 190'
 $eff = 80\%$ $psi = 30$

$$Q = \frac{hp(8.814)(.011)}{1.11 + (psi \times 2.308)} = \frac{5(8.814)(.8)}{190 + (30 \times 2.308)} = 0.136 cfs = 0.14 cfs$$

Domestic Limited to 0.04 cfs
 Stockwater 100 head 0.03 cfs
 IRRIGATION 0.10 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 ac \times 4 = 20$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.10 \times 214 \times 1.9835 = 42.4$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 20$$

2. Volume Calculations for Other Uses:

$$\text{Domestic } V_{uL} = 0.6 afa$$

$$\text{Stockwater } V_{uL} = 1.4 afa \text{ for } 100 \text{ head range cattle}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (one unit)	1/1	12/31	0.04	0.6 afa
Stockwater	1/1	12/31	0.03	1.4 afa
IRRIGATION	4/1	10/1	0.10	20.0 afa
Totals:			0.14 cfs	22.0 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Keith C. Wilson Date 23 May 94

Reviewer

[Signature] Date 11-4-94

SEAL

* See attached explanation memo. BC

MAXIMUM 179

DEC 29 1994

MEMORANDUM

TO: File 35-08809 / Jeffery Walbom
FROM: Brenda Chapman
DATE: December 12, 1994
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

F. FLOW CALCULATIONS

The domestic rate was reduced to coincide with the examiner's recommendation of an in-house only volume ~~xxxxx~~. This also concurs with the current preferred "in-house use only" for domestics when irrigation and domestic uses are both listed on a right (10/25/94).

Stockwater rate also reduced.

G. VOLUME CALCULATIONS

Stockwater volume also reduced.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.10	
Stockwater	1-01 to 12-31	.02	
Domestic	1-01 to 12-31	.02	


See items F & G.

The irrigation season dates were adjusted to the currently used Field Headgate Requirement and Season of Use chart.

The volume recommendation has been addressed in remarks based on current g/w supplemental processing procedures.

Stockwater and domestic volumes also addressed in remarks.

RECEIVED
DEC 29 1994



ed by the Geological Survey

DEC 29 1994

STATE OF IDAHO
Office of State Auditor

AGENCY USE

5617
Date
06/18/91
Code
193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

JEFFREY WALBOM
2530 N. 35TH W.
IDAHO FALLS, ID 83402

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 30 122	1238	8831		REFUNDS PER RITA FLECK WR #35-8809 RECEIPT #C020671 6/17/91 50.00	50.00	
TOTAL						50.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 17, 1991

JEFFREY WALBOM
2530 N 35TH W
IDAHO FALLS ID 83402

Dear Mr. Walbom:

Re: Permit No. 35-8809

The department received the proof of beneficial use form and your check for \$100 to cover the license exam fee. The license exam fee is only \$50. The remaining \$50 will be refunded to you in several weeks.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Eastern Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Rita I. Fleck".

RITA I. FLECK
Secretary/Records Manager

c: region
Fiscal Section

RECEIVED
JUL 10 1991

138265
March 31, 1991

JEFFERY WALBOM
2530 N. 35TH W.
IDAHO FALLS, ID 83402

PROOF DUE NOTICE

RE: PERMIT NO. 35-08809

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 10 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 29, 1990

JEFFERY WALBOM
2530 N. 35TH W.
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08809

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAY 29 1990

[]

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 29 1990

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for 2 consecutive weeks, first publication having been made on the 4th day of April , 19.90., last publication having been made on the 11th day of April , 19. 90., and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this .. 13th ... day of April , 19. 90
..... Ted Delezene
..... Cathy von Borstel
Notary Public
My commission expires March 5, 19. 96

B10

MICROFILMED

MAY 29 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
filed to appropriate the public waters of the
State of Idaho:

25-07548

BOGE, CHARLES R.
1452 THREE FOUNTAINS DR.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SWNW Sec 7 T 02N R
38E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 9/6/1989
In: T02N R38E S07 NWSE
10.0 ACRES TOTAL

35-08807

HALDY, PAULA
561 S. KAREY LANE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWNE Sec 19 T 02N R 37E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)
Date Filed: 9/11/1989
In: T02N R37E S19 SWNE
4.5 ACRES TOTAL

35-08809

WALBOM, JEFFERY
2530 N. 35TH W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWNW Sec 10 T 02N R 37E
Use: DOMESTIC (.040 CFS)
STOCKWATER (.070 CFS)
IRRIGATION (.100 CFS)
Total Diversion: (.140 CFS)
Date Filed: 9/14/1989
In: T02N R37E S10 SWNW
5.0 ACRES TOTAL

35-08846

VERNON, CAROL L.
VERNON, SR., JACK L.
5593 W. BROADWAY
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENE Sec 19 T 02N R 37E
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)

Total Diversion: (.180 CFS)

Date Filed: 6/19/1989

In: T02N R37E S19 NENE

4.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho

Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, Statehouse Mail, Boise,
Idaho 83720 on or before APRIL 23, 1990.

R. Keith Higginson, Director

Published: April 4, 11, 1990

RECEIVED
APR 16 1990

Department of Water Resources

MICROFILMED

MAY 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MARCH 27, 1990

Post Register
P.O. Box 1800
Idaho Falls, ID 83401

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 23, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

RECEIVED
MAY 29 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-08809

WALBOM, JEFFERY
2530 N. 35TH W.
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: SWNW Sec 10 T 02N R 37E

Use: DOMESTIC	(.040 CFS)
STOCKWATER	(.070 CFS)
IRRIGATION	(.100 CFS)
Total Diversion:	(.140 CFS)

Date Filed: 9/14/ 1989

In: T02N R37E S10 SWNW

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before APRIL 23, 1990.

R. Keith Higginson, Director

Published 4/ 4/1990 & 4/11/1990

MICROFILMED

MAY 29 1990