




MICROFILMED

JUL 10 1991

35-07706

35-08737

AJ5809NP
No. R35-07106

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 02/17/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SCHRITTER FARM PARTNERSHIP C/O LENARD SCHRITTER 2948 W 2100 S ABERDEEN ID 83210 (208) 397-4104	12/01/1969	IRRIGATION	04-01 10-31	3.79 CFS	1260.00 AFA
TOTAL DIVERSION:					3.79 CFS	1260.00 AFA
CONSUMPTIVE USE:						945.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R30E S03 SESESW

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE									
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:		
06S	30E	3	:					:					:	40	40	39	39	:	39	40	39	39	:	315.0	
																							TOTAL ACRES		315.0

POU County: BINGHAM

Other Rights: 35-08737

Other Water Rights with Same Point(s) of Diversion and Source:
A35-07106

Other Water Rights Listing Overlapping Place(s) of use:
A35-07106

Conditions of Approval:

- M01 - A MEASURING DEVICE OF A TYPE APPROVED BY IDWR SHALL BE
- MAINTAINED AS A PART OF THE DIVERTING WORKS.


Dates: Exam Made Date: 04/21/1992 Verified Date: 04/14/1993

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 04/21/92 FRITSCHL 07/09/92 FRITSCHL 08/10/92 FRITSCHL 04/14/93 FRITSCHL

R-RECORD for P/O overlapping license

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#6	Yaskawa	300	9075051001	Berkley	10" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	Ashcroft			100 psi	

2. Measurements: operating pressure 75 psi
dynamic pumping depth 170' (according to Mike Schriber)

APR 11 1994

35-08737

33 | 34
4 | 3

34 | 35
3 | 2

T5S
T6S

RJOE

T
6S

PLACE OF USE

4 | 3
9 | 10

3 | 2
10 | 11

POINT OF DIVERSION

35-8737

ENCLOSURE

APR 11 1994

35-08737

33 34

T 6 S

32

See B 21

T 6 S

R 30 E

new acres

PLACE OF USE

35-08737 + 35-07106

35-8737

Deep Sub Rd. 3200

32
1011

POINT OF DIVERSION

35-08063

NAEL 37

156.2

NAEL 38

155.5

APR 1 1960

4 3
9 10

see B 21

Township N° 6 South, Range N° 30 East of the Boi.

f				F				e				E				d				D				c				C		b	
85.45				21.59				5.47				4.74				West				4.91											
1.	3	2	1.	4	3	2	1.	4	3	2	1.	4	3	2	1.	4	3	2	1.	4	3	2	1.	4	3	2	1.	4	3	2	1.
07	52.78	52.51	52.24	52.22	52.46	52.70	52.94	53.32	53.86	54.40	54.94	55.18	55.16	55.14	55.12	54.88	54.44														
103	40	80		80		80		80		80		80		80		80		80		80		80		80		80		80		80	
	Sec. 6.				Sec. 5.				Sec. 4.				Sec. 3.				Sec. 2.														
07	690.81			690.32				696.52				697.60				700.60				697.60				697.60							
11	80	160		160		160		160		160		160		160		160		160		160		160		160		160		160		160	
12	80° 54' E.					88° 57' W.				89° 49' W.				89° 55' W.						89° 55' W.				89° 55' W.							
12	80.07			80.00				80.30				79.80				79.80															
100	80	160																													
	Sec. 7.			Sec. 8.				Sec. 9.				Sec. 10.				Sec. 11.															
00	640.12			640				640				640				640				640				640							
04	80	160																													
04	80° 42' E.					89° 54' W.				89° 53' W.				89° 52' W.						89° 52' W.				89° 52' W.							
92	79.66			79.86				80.60				79.74				79.74															
92	80	160																													
01	Sec. 13.			Sec. 17.				Sec. 16.				Sec. 15.				Sec. 14.															

APR 1 1894

RECORDED

35-8737

35-08063⁺



35-8737

(35-8063 & 35-7106)

APPROVED

APR 11 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08737

Priority: June 1, 1989

Maximum Diversion Rate: 0.17 CFS

Maximum Diversion Volume: 72.2 AF

This is to certify, that SCHRITTER FARM PARTNERSHIP

C/O LENARD SCHRITTER

2948 W 2100 S

ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 1, 1989; and has submitted Proof of Beneficial Use on May 20, 1992. An examination indicates that the works have a diversion capacity of 5.390 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.17 CFS	72.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESESW, Sec. 3, Township 06S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	30E	3	SWNE 5	SENE 5	SWNW 5	21
			SENE 6			

Total number of acres irrigated: 21

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

APR 11 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08737

CONDITIONS/REMARKS:

8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
9. The total combined rate of diversion under this right and Rights 35-07106 and 35-08063 shall not exceed 5.39 cfs.
10. The following rights are also diverted through the point of diversion described above: 35-07106 and 35-08063.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of MARCH, 1994.

Acting for  R. Keith Higginson, Director

MICROFILMED

APR 11 1994

RECEIVED
MAY 20 1992

OFFICE USE ONLY
Amt. of Fee \$ 175.00
Date 5-20-92
Receipt No. CO24740
Receipt by 108

STATE OF IDAHO
Department of Water Resources DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08737 Telephone No. 397-4810
2. Name(s) of Permit Holder(s): Schmitter Farms Leonard Schmitter
3. Mailing Address: 2948 W 2100 S Aberdeen, Idaho 83210
4. Source of Water: groundwater

If **GROUNDWATER**, Well Driller's Name: Paul Vollmer Date Drilled: 10/1/69

OPTIONAL:

Pump horsepower: 300 Pressure (psi): 80 Dynamic pumping level (ft.): 250

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 352 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 3.19 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? X Yes _____ No Installed? X Yes _____ No

8. Fee Enclosed: \$ 175.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Michael Schmitter 397-4104
Name Telephone No.
2870 W 1800 S Aberdeen, Idaho 83210
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

5/14/92 Leonard Schmitter - Partner APR 11 1994
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08737

Proposed Priority: June 1, 1989 Maximum Diversion Rate: 3.19 CFS

This is to certify, that **SCHRITTER FARM PARTNERSHIP**
C/O LENARD SCHRITTER
2948 W. 2100 S.
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	3.19 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESW Sec. 3, Township 06S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	30E	3	SWNE 8	SENE 8	SWNW 8	
			SENE 8	NESW 40	NWSW 40	
			SWSW 40	SESW 40	NESE 40	
			NWSE 40	SWSE 40	SESE 40	352

Total number of acres irrigated: 352

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 10 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08737

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of May, 1991

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SCHRITTER FARM PARTNERSHIP 208-397-4104
Address: C/O LENARD SCHRITTER
2948 W 2100 S
ABERDEEN, ID 83210

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06S	30E	3	SE	SE	SW		BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	04/01	11/01		3.190	

5. Total quantity appropriated is:
3.190 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL & PUMP TO SPRINKLER SYSTEM
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 20 inches; proposed depth of well is 300
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

MICROFILMED

JUL 10 1991

9. Description of place of use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06S	30E	3	SW	NE		IRR	8.0
			SE	NE		IRR	8.0
			SW	NW		IRR	8.0
			SE	NW		IRR	8.0
			NE	SW		IRR	40.0
			NW	SW		IRR	40.0
			SW	SW		IRR	40.0
			SE	SW		IRR	40.0
			NE	SE		IRR	40.0
			NW	SE		IRR	40.0
			SW	SE		IRR	40.0
			SE	SE		IRR	40.0

Total Section Acres 352.0

Total Acres 352.0

10. Describe any other water rights used for the same purposes.

NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks:

PARTNERS: LENARD SCHRITTER, MICHEAL SCHRITTER, LEN SCHRITTER


13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Schmitter farm prop. by
Applicant
Micheal Schmitter

MICROFILMED

JUL 10 1991



MICROFILMED

JUL 10 1991

~~A35-07106~~

35-08737

Ident. No. 35-08737
Page 3

Received by S.M. Date 6/1/1989 Time 12:00 Preliminary check by AMD
Fee \$ 105⁰⁰ Receipted by S.M. # ED08631 Date 6-1-1989
Publication prepared by BLM Date 4-9-91 Published in The Morning News
Publication approved TJL Date 5-3-91

MICROFILMED

JUL 10 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 7, 1994

SCHRITTER FARM PARTNERSHIP
C/O LENARD SCHRITTER
2948 W 2100 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08737

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson'.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

APR 11 1994

WR0749NP
No. L35-08737

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/17/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SCHRITTER FARM PARTNERSHIP C/O LENARD SCHRITTER 2948 W 2100 S ABERDEEN ID 83210 (208) 397-4104	06/01/1989	IRRIGATION	04-01 10-31	0.17 CFS	72.20 AFA
TOTAL DIVERSION:					0.17 CFS	72.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 5.39 CFS

Point(s) of Diversion: T06S R30E S03 SESESW BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
06S	30E	3	:			05	05	:			05	06	:					:					:	21.0
TOTAL ACRES																							21.0	

Pou County: BINGHAM

Other Rights: 35-07106, 35-08064

Other Water Rights with Same Point(s) of Diversion and Source:
35-07106 35-08063 35-08737

Other Water Rights Listing Overlapping Place(s) of use:
35-08064 35-08737

Conditions of Approval:

- R55 - This right is for the use of trust water and is subject to review
- 20 years after the issuance of the permit to determine
- availability of water and to re-evaluate the public interest.
- R56 - Diversion and use of water under this right is subject to an
- annual use fee if rules are subsequently promulgated which
- provide for the submittal of the fee.
- R57 - The Director retains jurisdiction of the right issued to
- change, add or remove any requirement as determined to be
- appropriate.
- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: The total combined rate of diversion under this right and
Rights 35-07106 and 35-08063 shall not exceed 5.39 cfs.
The following rights are also diverted through the point of
diversion described above: 35-07106 and 35-08063.

WR0749NP
No. L35-08737

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/17/94
PAGE: 2

=====
Dates: App. Received: 06/01/1989 Priority Date: 06/01/1989
Proof Due Date: 06/01/1992 Proof Made Date: 05/20/1992
Exam Made Date: 06/15/1993 Exam Sent to S.O.: 01/27/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 05/20/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 02/17/94 CHAPMAN

WR0750NP
(OD-138)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

DATE: 02/17/94
PAGE: 1

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L3508737	T06S R30E S 3 GROUNDWATER																		
	:			05		05	:			05		06	:						21
3508064	GROUNDWATE : 01-55 02-55			40		40	:	03-55 04-53		40		40	:	(permit)					378

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SCHRITTER FARM PARTNERSHIP C/O LENARD SCHRITTER 2948 W 2100 S ABERDEEN ID 83210 (208) 397-4104	12/01/1969	IRRIGATION	04-01 10-31	3.79 CFS	1260.00 AFA
				TOTAL DIVERSION: CONSUMPTIVE USE:	3.79 CFS	1260.00 AFA 945.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R30E S03 SESESW

BINGHAM County

Place of use Legal Description for: IRRIGATION

[illegible]

POU County: BINGHAM

Other Rights: 35-08737

Other Water Rights with Same Point(s) of Diversion and Source:
A35-07106

Other Water Rights Listing Overlapping Place(s) of use:
A35-07106

Conditions of Approval:

M01 - A MEASURING DEVICE OF A TYPE APPROVED BY IDWR SHALL BE
- MAINTAINED AS A PART OF THE DIVERTING WORKS.

Dates: Exam Made Date: 04/21/1992 Verified Date: 04/14/1993

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 04/21/92 FRITSCHL 07/09/92 FRITSCHL 08/10/92 FRITSCHL 04/14/93 FRITSCHL

p/θ

LICENSE REVIEW CHECKLIST

Permit # 35-8737

Date 2-16-94

Brenda Chapman

	Yes	No	
NAME	☐	☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? <u> </u> Advanced to: <u> </u>
	☐	☒	Order to Reinstate Needed? <u> </u>
	☐	☒	Incorrect Fee for rate recommended? <u> </u>
SOURCE	☐	☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change. <u> </u>
P/D	☒	☒	Amendment Needed? <u> </u>
	☒	☐	Overlap(s) <u>35-8063 + 35-7106</u>
P/U	☒	☒	Amendment Needed? <u> </u>
	☒	☒	Overlap(s) <u>35-7106 (Same section only)</u>
TOTAL CFS	☐	☒	Measurement <u> </u> Theoretical only <u> </u>
			<u>Q = 5.39</u>

CAPACITY = 5.39

35-8063 = 2.59

35-7106 = 3.79

} already exceed capacity

Allowable Amount: 21 acres Q = .17 CFS

Capacity of System: 5.39

TOTAL VOLUME

Season of Use: C/4 (4-1 to 10-31)

35-7106 = 1102.5

35-8063 = 1099.4

35-8737 = 72.2

Calculations: Full rate Q = 2287.8
21 x 4 = 84

Flow limit: .17 x 214 x 1.9835 = 72.2

TOTAL 2274.1

USES

Change(s) in Nature of Use?
Amendment Needed?

REMARKS

WB1, W29 Multiple P/Ds in 1/4 1/4?
Special Overlap

CONDITIONS

R31 Measuring/Locking Devices
W/Master Control - District
Irrigation Overlap
Water Quality
Other TRUST R55, 56, 57

COMMENTS:

Reduce acres and rate

COMBINED RATES EXCEED CAPACITY
COMBINED VOLUMES DO NOT

RECOMMENDED
Irrigation

CFS
.17

DIV VOL
72.2

LICENSE ☒
1ST AMEND LETTER
2ND AMEND LETTER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8737

1. Owner: Schritter Farm Partnership Phone No. 397-4104

Current Address: 2948 W. 2100 S. Aberdeen, Id 83210

2. Accompanied by: Mike Schritter EXAM DATE: 6-15-93

Address: Same Phone No. Same

Relationship to Permit Holder: Partner

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 35-07106

2. Other water rights with the same point of diversion: 35-08063 + 35-07106

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#6		SE	SE	SW	3	6S	30E	Bingham	USGS Quad Map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6S	30E	3			5	5			5	6									21

APR 11 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#6	Yaskawa	300	9075051001	Berkley	10" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	ashcroft			100 psi	

2. Measurements: operating pressure 75 psi
dynamic pumping depth 170' (according to Mike Schritter)

APR 11 1994

E. NARRATIVE/REMARKS/COMMENTS

300 Hp pump to 12" underground main line
supplying water to a 1/2 mile linear move
system rated at 2400 gpm (according to
Mike Schritter).

Since License 35-07106 covered most of the ground, I only
recommended licensing the new 21 acres. See P.D. overlap review sheet!

Condition that when this rt is used in conjunction with 35-08063
& 35-07106 the rate of diversion shall not exceed 5.39 cfs

Have conditions of permit approval been met? ☒ yes ☐ no

APR 11 1994

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(300 \text{ hp}) (8.814) (\text{eff}_{\text{hc}}) (0.7)}{(170) + (75) (2.308)} = 5.39 \text{ cfs (2421 gpm)}$$

ft. of head / psi

* See attached sheet

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 21 \text{ ac} \times 4 \text{ afa} = 84 \text{ afa}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.17 \text{ cfs} \times 214 \text{ d} \times 1.9835 = 72.2 \text{ afa}$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 72.2 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.17 cfs	72.2 afa
Totals:			0.17 cfs	72.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Gary Buss Date 6-15-93

Reviewer [Signature] Date 11-17-93

SEAL

RECORDED

APR 11 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

35-08063
35-08737
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Q_c):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Number of Acres irrigated = 646 acres

B. Total Diversion Rate = 5.39 cfs

$$Q_c = \text{Total Diversion rate [1.B] / Total irrigated acres [1.A]} \\ = \frac{5.39 \text{ cfs}}{646 \text{ acres}} = 0.00834 \text{ cfs/ac}$$

2. Old Application Rate per Acre (Q_o) from Licensed Flow Rates:

License # 35-07106 @ 3.79 cfs / 315 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

$$Q_o = \text{Total Licensed Rate} = \frac{3.79 \text{ cfs}}{315 \text{ ac}} = 0.012 \text{ cfs/ac} \\ (\text{Old Diversion Rate}(Q_o) = \text{Licensed Flow Rate} / \# \text{ acres})$$

3. Comparison of Diversion Rates if:

A. Old Diversion Rate(Q_o) > New Diversion Rate(Q_c) : **EXCLUDE** Licensed Lands.

$$Q_o(\#2) = 0.012 > Q_c(\#1) = 0.00834 \quad \text{GO TO ITEM \#4A.}$$

B. New Diversion Rate(Q_c) > Old Diversion Rate(Q_o) : **INCLUDE** Licensed Lands.

$$Q_c(\#1) = \text{_____} > Q_o(\#2) = \text{_____} \quad \text{CONTINUE TO ITEM \#3.B.1}$$

1. Additional Flow Rate for Licensed Lands.

$$Q_a = (Q_c - Q_o) \times (\# \text{ Lic. Ac.}) = \left[\left(\frac{\text{_____}}{\text{cfs/ac}} \right) - \left(\frac{\text{_____}}{\text{cfs/ac}} \right) \right] \times (\text{_____ acres}) = \text{_____ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
(646) - (315) = 331 acres

$$Q_n = (Q_c) \times (\# \text{ New Ac.}) = (\text{_____ cfs/ac}) \times (\text{_____ ac}) = \text{_____ cfs}$$

GO TO ITEM \#4B.

4. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#2) = New Acres
(646) - (315) = 331 ac

$$Q_t = Q_c(\#1) \times (\# \text{ New Acres}) = 0.00834 \text{ cfs/ac} \times 331 \text{ ac} = 2.76$$

$$Q_t = 2.73 \text{ cfs}$$

CONDITIONS/REMARKS: 21 new acres for 35-08737 @ 0.00834 cfs/ac = 0.175
310 new acres for 35-08063 @ 0.00834 cfs/ac = 2.59 cfs

- B. Flow Rate including licensed land.

$$Q_t = Q_a(\#3.B.1) + Q_n(\#3.B.2) = \text{_____ cfs} + \text{_____ cfs} =$$

$$Q_t = \text{_____ cfs}$$

CONDITIONS/REMARKS: _____

APR 11 1994

35-08737

35-8737


APR 11 1994

R30E


T6S

PLACE OF USE

POINT OF DIVERSION



35-08737



Township No 6 South, Range No 30 East of the 1st

85.45											
F											
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
52.78	52.51	52.24	52.22	52.46	52.70	52.94	53.32	53.86	54.40	54.94	55.18
55.16	55.14	55.12	54.88	54.44	54.44	54.44	54.44	54.44	54.44	54.44	54.44
West											
4.91											
D											
4.74											
E											
5.47											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											
F											
5.47											
E											
5.47											
D											
4.74											
C											
4.91											

35-8737

4
35-08063



35-8737
(35-8063 & 35-7106)

APR 1 1994

APR 1 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

OPEN WELL Yes ☐ No ☒

Drilling Permit # _____

Water Right # 35-8737

Well Location: SE 1/4, SE 1/4, SW 1/4, Lot _____, Sec. 3, Twp 6S, Rge 30E

Owner: Schritter Farm Partnership Phone # 397-4104

Address: 2948 W. 2100 S. City Aberdeen State Id. Zip 83210

Well Driller: _____ State License # _____

Is Driller Licensed? Yes ☐ No ☐ Is Driller on Site? Yes ☐ No ☐

Is a Copy of Drilling Permit on Site? Yes ☐ No ☒

WELL INFORMATION: Completion Date of Well: _____

Casing Size? _____ inches. Water Tight Cap? Yes ☐ No ☐

Casing >12" above ground? Yes ☐ No ☐

Evidence of well seal? Yes ☐ No ☐ Visual? Yes ☐ No ☐

Auger to a depth of? _____ feet. Access Port? Yes ☐ No ☐

Static Water Level? _____ feet. Water Temperature? _____ degrees.

Cascading Water? Yes ☐ No ☐ Flowing through casing? Yes ☐ No ☐

Flowing Artesian? Yes ☐ No ☐ Flowing around annulus? Yes ☐ No ☐

Pressure Gage? Yes ☐ No ☐ Pressure? _____ psi.

Are there obvious construction problems that may be a safety hazard, a source of contamination or waste of water? Yes ☐ No ☐

Notes or Diagrams:

Well #6

Gary Burr
DEPARTMENT OF WATER RESOURCES AGENT

6-15-93
DATE OF INSPECTION

APR 11 1994

May 22, 1992

SCHRITTER FARM PARTNERSHIP
C/O LENARD SCHRITTER
2948 W. 2100 S.
ABERDEEN ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08737

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

APR 11 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08737 Reviewed by Keg Date 5/20/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

Surface water source
✓ Ground water source
NA Drilling permit required?
10/1/69 Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
1.75 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable


DATA ENTRY

New Address _____

Proof Made 5/20/92
5/22/92 Keg

March 31, 1992

SCHRITTER FARM PARTNERSHIP
C/O LENARD SCHRITTER
2948 W. 2100 S.
ABERDEEN ID 83210



PROOF DUE NOTICE

RE: PERMIT NO. 35-08737

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

APR 11 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 31, 1991

SCHRITTER FARM PARTNERSHIP
C/O LENARD SCHRITTER
2948 W. 2100 S.
ABERDEEN, ID 83210

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08737

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

MICROFILMED
JUL 10 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JUL 10 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. No.s 35-8733 thru 35-8735 & 35-8737
Trust Water Processing

DATE: 5-7-91

The above applications have come up for sequential trust water processing. These applications all overlap existing licensed rights and have been filed in order to reflect an increase in the capacity of the diversion systems. Since all of the land under the applications are covered by licensed rights, the acreage will not count as trust water acreage. All other trust conditions must still apply.

MICROFILMED

JUL 10 1991

DEPT. OF WATER RESOURCES
State Office
1301 North Orchard St.
Statehouse Mall
Boise, Idaho 83720
(208) 327-7900

NOTICE OF APPLICATION
FOR TRUST WATER RIGHT

35-08733

SCHRIFFTER, Len
SCHRIFFTER, Micheal
SCHRIFFTER FARM PARTNERSHIP
2948 W. 2100 S.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 35, T. 05S, R.
30E.

Use: IRRIGATION (4.740 CFS).
Total Diversion: (4.740 CFS).
Date Filed: 6/1/1989.

In: T05S, R30E, S35, NENE, NWNE,
SWNE, SENE, NENW, NWNW, SWNW,
SENW, NESW, NWSW, SWSW, SESW, NESE,
NWSE, SWSE, SESE.
640.0 ACRES TOTAL.

35-08734

SCHRIFFTER FARM PARTNERSHIP
c/o Lenard Schritter
2948 W. 2100 S.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SENENE, Sec. 9, T. 06S, R.
30E.

Use: IRRIGATION (1.220 CFS).
Total Diversion: (1.220 CFS).
Date Filed: 6/1/1989.

In: T06S, R30E, S09, NENE, NWNE,
SWNE, SENE, S10, NENW, NWNW, SWNW,
SENW.
320.0 ACRES TOTAL.

35-08735

SCHRIFFTER FARM PARTNERSHIP
c/o Lenard Schritter
2948 W. 2100 S.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SENESE, Sec. 9, T. 06S, R.
30E.

Use: IRRIGATION (1.400 CFS).
Total Diversion: (1.400 CFS).
Date Filed: 6/1/1989.

In: T06S, R30E, S09, NESE, NWSE, SWSE,
SESE, S10, NESW, NWSW, SWSW, SESW.
317.0 ACRES TOTAL.

35-08737

SCHRIFFTER FARM PARTNERSHIP
c/o Lenard Schritter
2948 W. 2100 S.
Aberdeen, Id. 83210
Source: GROUNDWATER
Diversion Pt: SESESW, Sec. 3, T. 06S, R.
30E.

Use: IRRIGATION (3.190 CFS).
Total Diversion: (3.190 CFS).
Date Filed: 6/1/1989.
In: T06S, R30E, S03, SWNE, SENE,
SWNW, SENW, NESW, NWSW, SWSW,
SESW, NESE, NWSE, SWSE, SESE.
352.0 ACRES TOTAL.

35-08750

JENSEN, Laurel
P.O. Box 182
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 14, T. 01S, R.
33E.

Use: IRRIGATION (.800 CFS).
DOMESTIC (.040 CFS).
STOCKWATER (.120 CFS).
Total Diversion: (.800 CFS).
Date Filed: 6/21/1989.
In: T01S, R33E, S14, SWSE.
40.0 ACRES TOTAL.

The perm(s) will be subject to all prior

water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mall, Boise, Idaho, 83720, on or before MAY 6, 1991.

R. KEITH HIGGINSON
Director

(1136)
Pub.: 4/18, 25

OK TJS
5-3-91

NOT RECORDED

JUL 10 1991

MAY 3 1991

Department of Water Resources

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Jaqueline Graham do
solemnly

swear that I am the legal coordinator of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1931, approved
March 11, 1931, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

18th day of April, 19 91;

and the last publication having been made on the

25th day of April, 19 91;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 30th day of April, in
the year 1991 before me a Notary Public of said State,
personally appeared

Jaqueline Graham
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Raye Taylor
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

APRIL 9, 1991

The Morning News
Box 70
Blackfoot, ID 83221

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 6, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

RECEIVED

JUL 10 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

35-08737

SCHRITTER FARM PARTNERSHIP
C/O LENARD SCHRITTER
2948 W. 2100 S.
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: SESESW Sec 3 T 06S R 30E

Use: IRRIGATION (3.190 CFS)
Total Diversion: (3.190 CFS)

Date Filed: 6/ 1/ 1989

In: T06S R30E S03	SWNE	SENE	SWNW	SENW
	NESW	NWSW	SWSW	SESW
	NESE	NWSE	SWSE	SESE

352.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before MAY 6, 1991.

Published 4/18/1991 & 4/25/1991

R. Keith Higginson, Director

RECEIVED

JUL 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
MAR 25 1991

Department of Water Resources

Application No. 35-8737

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes X No

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

Total Development 352.0

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984.

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete.

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Schmitter Farms Ptey By

Date

Leonard Schmitter

MICROFILMED

JUL 10 1991

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3508737																							
3507106	SCHITTER	L	GROUNDWATER	06S	30E	3											40	40	39	39	39	315	
3508064	SCHITTER	P	GROUNDWATER	06S	30E	3											40	40				160	
3508737	SCHITTER FARM PARTNER A	A	GROUNDWATER	06S	30E	3											8	8	40	40	40	352	
	1986 MAPPING DATA ---	-	COUNTY 11 QUAD AA 35	06S	30E	3											38	39				474	
	1986 MAPPING DATA ---	-	COUNTY 77 QUAD AA 35	06S	30E	3											34	31				302	

App 35-8737 increased rate of diversion on licensed groundwater rights 35-7106 & 35-8064.
 no new TWS average.

JUL 10 1991

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 26, 1991

RE: APPLICATION FOR PERMIT NO. _____

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED

JUL 10 1991


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

MICROFILMED

JUL 10 1994