

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

BLACKFOOT (INTER 15, U.S. 26 & 91) 16 MI.
ROCKFORD 5.4 MI.

POINT OF DIVERSION

3470 II NE
(ROCKFORD)

112°37'30" 368 000m N
43°07'30"

4775 000m N.


T. 3 S.

T. 4 S.

4774

MAY 23 1990

RECEIVED



State of Idaho

License and Certificate of Water Right

Water License No. 21086 Amount 1.5 second foot
 Water District No. Priority May 26, 1949

THIS IS TO CERTIFY that FRANK BRADFORD
 of Pingree, Idaho

made application for a permit to appropriate the

public waters of the State of Idaho, dated May 26 1949 that Permit No. 21086
 was issued under said application; that Certificate of Completion of Works, with a carrying capacity of

1.5 second foot, was issued thereunder on May 24 1950, showing that said works
 were completed on the 10th day of May 1950; and that on the 27th
 day of June 1951,

FRANK BRADFORD
 of Pingree State of Idaho

State Reclamation Engineer of Idaho, of the right to use the waters of a well,
 (subterranean flow) for the purpose of irrigation

under Use Permit No. 21086 of the Department of Reclamation
 and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
 and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
 8 of Licenses at page 4854, on the 20th day of November 1951

The right hereby confirmed dates from May 26

The Point of Diversion is located

in the NW 1/4 NE 1/4 Sec. 34 Tp. 3 S. R. 35 E. B.M. Pingree County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
 aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
 not exceed 1.5 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
3 S.	33 E.	34	NW 1/4 NE 1/4 SW 1/4 NE 1/4	39 40	35 40
Number of Acres Actually Irrigated					

NOT RECORDED

MAY 23 1990

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
 of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

20th day of November 1951

(SEAL)

State Reclamation Engineer

35-82199

State of Idaho License and Certificate of Water Right

Water License No. 22073

Water District No.

Amount 1.0 second foot

Priority May 7, 1951

THIS IS TO CERTIFY that S. L. DeCULIO

of Pingree, Idaho

made application for a permit to appropriate the

public waters of the State of Idaho, dated May 7

, 19 51 ; that Permit No. 22073

was issued under said application; that Certificate of Completion of works, with a carrying capacity of

1.0 second foot, was issued thereunder on June 4

, 19 56, showing that said work,

were completed on the 12th day of May

, 19 56 ; and that on the 12th

day of May , 19 56 ,

S. L. DeCULIO

of Pingree

, State of

Idaho

made proof to the satisfaction of the

State Reclamation Engineer

of Idaho, of the right to use the waters of a well,

under the permit (subterranean flow) for the purpose of irrigation

, under the Permit No. 22073

of the Department of Reclamation

and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,

and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

9 of Licenses at page 5794, on the 10th day of September

, 19 56 ;

The right hereby confirmed dates from May 7

, 19 51 ;

The Point of Diversion is located

in the NE 1/4 NE 1/4 Sec. 34, Twp. 3 S, R. 33 E, B. M. Bingham County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes

aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall

not exceed 1.0 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
3 S.	33 E.	34	NE 1/4 NE 1/4 SW 1/4 NE 1/4	25 25	38 110

Total Number of Acres Actually Irrigated - 78

MICROFILMED

MAY 23 1990

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place or use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

10th day of September

, 19 56

MARK R. KUTP

State Reclamation Engineer.

(SEAL)

35 2199

AJ5809NP
No. R35-08720

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 08/19/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FRANCES PRESCOTT 452 S. 900 W. BLACKFOOT ID 83221 (208) 785-1563	04/17/1989	IRRIGATION	04-01 10-31	1.43 CFS	560.00 AFA
					TOTAL DIVERSION:	1.43 CFS
					CONSUMPTIVE USE:	560.00 AFA 420.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion:

T03S R33E S34

NWNE

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03S	33E	34	:			06	02	:	39	24	30	39	:							:	140.0
																				TOTAL ACRES	140.0

POU County: BINGHAM

Other Rights: ABERDEEN-SPRINGFIELD

Other Water Rights with Same Point(s) of Diversion and Source:
A35-08720

Other Water Rights Listing Overlapping Place(s) of use:

A01-0002320 A01-0029720 A01-02064G0 A01-02068G0 A01-02068H0 A35-02143 A35-0254320 A35-0424620 A35-0424624 A35-08720
A35-10544 R35-02143 R35-02199 R35-0254320 R35-0424620 R35-10544

Dates: Exam Made Date: 07/16/1991 Verified Date: 09/09/1992

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Comments: Date: 09/08/1992 User-ID: TAYLOR Subject: COPIED FROM REMARKS
THIS CLAIM IS FILED AS AN EXPANSION OF LICENSE 35-02199.
IN 1984 CLAIMANTS INSTALLED A CENTER PIVOT TO IRRIGATE THIS
PROPERTY FROM A WELL LICENSED UNDER 35-02199. NO NEW
WATER RIGHT WAS FILED FOR THIS ADDITIONAL LAND. THE LAND UNDER
35-02199 IS NOW IRR. FROM A WELL SUPPLYING A CENTER PIVOT UNDER

R-RECORD

R-Record

Power plant
with end guy
150 jumps
1/2

R33E

28/27
33/34

27/26
34/35

Point of
Diversion


Mainline

T35

Place of
Use

35-8720

OCT 20 1994



35-8720



1/2

OCT 20 1994

35-8720



35-8720

35-8720
#2

↑N



35-8720

well here



franklin
measuring
tower



10/20/94

OCT 20 1994

35-8720

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 35-08720

Priority: April 17, 1989

Maximum Diversion Rate: 1.43 CFS
Maximum Diversion Volume: 560.0 AF

This is to certify, that FRANCES PRESCOTT
452 S 900 W

BLACKFOOT ID 83221 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 17, 1989; and has submitted Proof of Beneficial Use on August 24, 1990. An examination indicates that the works have a diversion capacity of 1.430 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.43 CFS	560.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 34, Township 03S, Range 33E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	33E	34	NWNE 6	SWNE 2	NENW 39	
			NWNW 24	SWNW 30	SEnw 39	140

Total number of acres irrigated: 140

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

OCT 20 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 35-08720

CONDITIONS/REMARKS:

8. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 11TH day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director



OCT 20 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08720

RECEIVED
AUG 30 1994
Department of Water Resources

Date of Priority: April 17, 1989

Maximum Diversion Rate: 1.43 CFS
Maximum Diversion Volume: 560.0 AF

Comes now
452 S 900 W
BLACKFOOT ID 83221

FRANCES PRESCOTT

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 35-08720, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.43 CFS	560.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 34, Township 03S, Range 33E
BINGHAM County

PLACE OF USE: IRRIGATION


<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S 33E 34	NWNE 6	SWNE 2	NENW 39	
	NWNW 24	SWNW 30	SENE 39	140

Total number of acres irrigated: 140

MAILED
OCT 20 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Key Bank, Blackfoot, this 26th day of Aug., 19 94.



Frances Prescott
(Signature)
Carla Richards
Notary

Commission expires 3/12/99

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08720

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = 50⁰⁰ Received by RT # C031160 Date 8-30-94

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08720 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Witness my hand this 11th day of OCTOBER, 1994.

R. Keith Higginson
Acting for R. Keith Higginson, Director

OCT 20 1994

RECEIVED

AUG 24 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08720 Telephone No. 785-1563Name(s) of Permit Holder(s): Frances PrescottPost Office Address: 452 S. 900 W.Source of Water: Groundwater

If ground water, well driller's name: EXISTED IN 1984 when purchased - Date drilled: OLD WELL - AS PER PHONE
Extent of Use: CONU 10-1-90
Domestic (No. of households) Irrigation 140 (No. of acres)
Stockwater (No. and type of stock) Other

Total rate and/or volume for which proof is submitted 2.80 cfs acre/feetShow date water was first diverted and beneficially used under this permit: April 17, 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ NoFee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name Frances Prescott Telephone No. 785-1563Address 452 S. 900 W. Blackfoot Ida-83221

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

OCT 17 1990

Date 8-22-90Signature (and title if on behalf of a company or organization) Frances Prescott

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08720

Proposed Priority: April 17, 1989 Maximum Diversion Rate: 2.80 CFS
This is to certify, that **FRANCES PRESCOTT**
452 S. 900 W.
BLACKFOOT, ID 83221
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/10 to 11/01	2.80 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 34, Township 03S, Range 33E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	33E	34	NENW 39	NWNW 28	SWNW 34	140
			SEnw 39			

Total number of acres irrigated: 140

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

MAY 23 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08720

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of April, 1990.

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

MAY 23 1990

REC'D

APR 2 1990

Ident. No. 35-08720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FRANCES PRESCOTT 208-785-1563
Address: 452 S. 900 W.
BLACKFOOT, ID 83221

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03S	33E	34	NE	NE			BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	04/10	11/01		2.800	

5. Total quantity appropriated is:
2.800 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL W/ PUMP INTO MAINLINE TO CENTER PIVOT/HANDLINES FOR COR.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 18 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRR. OF FARM LAND

MICROFILMED

MAY 23 1990

9. Description of place of use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03S	33E	34	NE	NW		IRR	39.0
			NW	NW		IRR	28.0
			SW	NW		IRR	34.0
			SE	NW		IRR	39.0
Total Section Acres							140.0
Total Acres							140.0

10. Describe any other water rights used for the same purposes.
ABERDEEN-SPRINGFIELD CANAL CO. SHARES.

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

SYSTEM WAS INSTALLED IN 1984. WELL SUPPLYING WATER TO THIS
SYSTEM WAS USED UNDER 35-02199. NOW A WELL UNDER LICENSE
35-02143 SUPPLIES WATER TO IRRIGATE LAND ORIGINALLY LICENSED
UNDER 35-02199. THE WELL UNDER THIS NEW APPLICATION
SUPPLIES WATER TO IRRIGATE LAND IN THE NW1/4 SEC. 34 ONLY.
~~SNAKE RIVER BASIN NOTICE TO A WATER RIGHT A35-10544 HAS BEEN
FILED IN RELATION TO THIS DEVELOPMENT AS AN EXPANSION OF LICENSE
35-02199.~~

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Frances Prescott
Applicant

MICROFILMED

MAY 23 1990

Ident. No. 35-08720
Page 3

Received by ESV Date 4-17-89 Time 1126 Preliminary check by AMS
Fee \$ 85⁰⁰ Receipted by ESV # 6006866 Date 4-17-89
Publication prepared by AB Date 3-18-90 Published in Morning News
Publication approved CW Date 3-30-90

MICROFILMED

MAY 23 1990

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

BLACKFOOT (INTER 15, U.S. 26 & 91) 18 MI.
ROCKFORD 5.4 MI.

POINT OF DIVERSION

3470 II NE
(ROCKFORD)

112°37'30" 368 000m N
43°07'30"

4775 000m N.

32

33 Pingree

34

BM 4451

35

T3S

T4S

R33E

T. 3 S.

T. 4 S.

474

ABERDEEN-SPRINGFIELD
4450

GUSHMAN

ROAD

PACIFIC

Siphon

Siphon

Well

Well

MILWAUKEE
MAY 23 1990

LAT

472

8

9

10

11

4406

State of Idaho

License and Certificate of Water Right

Water Right No. 1234

Applicant No. 5678

Licensee Name: John Doe

Address: 123 Main St, Boise, ID 83721

Public Use: Agricultural

Water Source: Snake River

Water Quantity: 100 cfs

No. of Acres: 100

City or Town: Boise

County: Ada

State: Idaho

Year: 1998

Month: 01

Day: 15

Hour: 10:00

Minute: 00

Second: 00

Millisecond: 000

Microsecond: 0000

Nanosecond: 00000

Picosecond: 000000

Femtosecond: 0000000

Attosecond: 00000000

Zeptosecond: 000000000

Yoctosecond: 0000000000

Rose: 100

Lot: 100

Block: 100

Section: 100

Township: 100

Range: 100

Meridian: 100

Zone: 100

Band: 100

Channel: 100

Subchannel: 100

Subsubchannel: 100

Subsubsubchannel: 100

Subsubsubsubchannel: 100

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

License and Certificate of Water Right

Water License No. 22073 Amount 1.0 second foot
 Water District No. 1000000
 Filed May 7, 1951

THIS IS TO CERTIFY that 8-12-1950
 of Pingree, Idaho made application for a permit to appropriate the
 public waters of the State of Idaho, dated May 7, 1951 that Permit No. 22073
 was issued under said application; that Certificate of Completion of works, with a carrying capacity of
 1.0 second foot, was issued thereunder on June 11, 1956 showing that said work
 was completed on the 12th day of May 1956 and that on the 12th
 day of May 1956

of Pingree State of Idaho 8-12-1950
 State Reclamation Engineer made proof to the satisfaction of the
 of Idaho of the right to use the waters of a well
 for the purpose of irrigation of the Department of Reclamation
 and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
 and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
 of Licenses at page 5794 on the 10th day of September 1956

The right hereby confirmed dates from May 7, 1951
 The Point of Diversion is located
 in the NE 1/4 Sec. 24 T. 33 S. R. 33 E. B. M. Bingham County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
 aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
 not exceed 1.0 cubic feet per second
 Description and location of use:

Twp	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
3 S.	33 E.	24	NE 1/4 SE 1/4	25	10
Total number of acres actually irrigated 10				25	10

The right to the use of the water aforesaid hereby confirmed is restricted to the lands of place
 or use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
 10th day of September, 1956

W. R. KULP
 State Reclamation Engineer



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 12, 1994

FRANCES PRESCOTT
452 S 900 W
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08720

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
OCT 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 22, 1994

FRANCES PRESCOTT
452 S 900 W
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08720

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

OCT 20 1994

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3508720	T03S R33E S34	GROUNDWATER																																
	:			06		02				:	39		24		30		39	:					:									:	140	
A010002320	SNAKE RIVE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
0100297	SNAKE RIVE	:								:							:							:								:		
A010029720	SNAKE RIVE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
A0102064G0	SNAKE RIVE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
A0102068G0	SNAKE RIVE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
A0102068H0	SNAKE RIVE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
3502143	GROUNDWATE	:			35		40			:							:							:									:	75
A3502143	GROUNDWATE	:			36		39			:							:							:									:	75
R3502143	GROUNDWATE	:	38		34		34		34	:							:							:									:	140
3502199	GROUNDWATE	:	38					40		:							:							:									:	78
A3502199	GROUNDWATE	:	38					39		:							:							:									:	77
R3502199	GROUNDWATE	:	38		34		34		34	:							:							:									:	140
A350254320	GROUNDWATE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
R350254320	GROUNDWATE	:	1		1		1		1	:				1		1	:	1		1		1		1	:	1		1		1		1	:	
A350424620	GROUNDWATE	:	39		39		39		30	:				39		40	:	40		40		39		35	:	39		40		40		40	:	539
R350424620	GROUNDWATE	:	1		1		1		1	:				1		1	:	1		1		1		1	:	1		1		1		1	:	
3507450	GROUNDWATE	:								:							:	30		36		39		39	:			30		29			:	203
A3507450	GROUNDWATE	:								:							:	30		36		39		39	:			30		29			:	203
R3507450	GROUNDWATE	:								:							:	30		36		38		39	:			30		29			:	202
3507678	GROUNDWATE	:						08		:							:							:									:	8
A3507678	GROUNDWATE	:						06		:							:							:									:	6
R3507678	GROUNDWATE	:						06		:							:							:									:	6
3508720	GROUNDWATE	:								:	39		28		34		39	:							:								:	140
A3508720	GROUNDWATE	:								:	39		28		34		39	:							:								:	140
R3508720	GROUNDWATE	:	claim		06		02			:	39		24		30		39	:							:								:	140

AJ5809NP
No. R35-08720

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 08/19/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FRANCES PRESCOTT 452 S. 900 W. BLACKFOOT ID 83221 (208) 785-1563	04/17/1989	IRRIGATION	04-01 10-31	1.43 CFS	560.00 AFA
TOTAL DIVERSION:					1.43 CFS	560.00 AFA
CONSUMPTIVE USE:						420.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03S R33E S34 NWNENE

BINGHAM County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE														
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
03S	33E	34	:		06		02	:		39		24		30		39	:								:	140.0
																								TOTAL ACRES	140.0	

POU County: BINGHAM

Other Rights: ABERDEEN-SPRINGFIELD

Other Water Rights with Same Point(s) of Diversion and Source:
A35-08720

Other Water Rights Listing Overlapping Place(s) of use:

A01-00023Z0 A01-00297Z0 A01-02064G0 A01-02068G0 A01-02068H0 A35-02143 A35-02543Z0 A35-04246Z0 A35-04246Z4 A35-08720
A35-10544 R35-02143 R35-02199 R35-02543Z0 R35-04246Z0 R35-10544

Dates: Exam Made Date: 07/16/1991 Verified Date: 09/09/1992

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Comments: Date: 09/08/1992 User-ID: TAYLOR Subject: COPIED FROM REMARKS
THIS CLAIM IS FILED AS AN EXPANSION OF LICENSE 35-02199.
IN 1984 CLAIMANTS INSTALLED A CENTER PIVOT TO IRRIGATE THIS
PROPERTY FROM A WELL LICENSED UNDER 35-02199. NO NEW
WATER RIGHT WAS FILED FOR THIS ADDITIONAL LAND. THE LAND UNDER
35-02199 IS NOW IRR. FROM A WELL SUPPLYING A CENTER PIVOT UNDER

R-RECORD

AJ5809NP
No. R35-08720

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 08/19/94
PAGE: 2

=====
Comments: Date: 09/08/1992 User-ID: TAYLOR Subject: COPIED FROM REMARKS
LICENSE 35-02143. CLAIMANT IS ALSO SUBMITTING AN APPLICATION
FOR PERMIT TO RECORD USE OF WATER ON THIS PROPERTY IN THE NW1/4
OF SEC. 34.

Date: 09/08/1992 User-ID: TAYLOR Subject: RENUMBER
THIS CLAIM WAS ORIGINALLY CLAIMED AS AN EXPANSION OF A35-02199.
AFTER EXPLAINING TO MS. PRESCOTT THAT I COULD RECOMMEND THE CLAIM
(A35-10544) AS AN EXPANSION WITH NO ADDITIONAL WATER OR I COULD
RENUMBER IT TO REFLECT THIS PERMIT SHE SAID TO GO AHEAD AND REC-
OMMEND IT AS THE PERMIT.

Audit: 09/08/92 TAYLOR 09/09/92 TAYLOR

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-8720 DATE 8-19-94



NAME	Yes	No		Or Address Change?
PRIORITY DATE	☐	☒		Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒		Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒		Amendment needed? _____ Overlaps? _____
PLACE OF USE	☒	☐		Amendment needed? <u>Add NWNE 1/4 & SWNE 1/4</u> Overlaps? _____
DIV RATE	☐	☒		ANNUAL Measurement Q = <u>1.43</u> Theoretical Q = _____ <u>140 x .02 = 2.8</u>
Capacity: <u>1.43</u> Combined rates exceed capacity _____ Permit/fee limits: <u>2.8 cfs</u> Allowable: _____				
ANNUAL VOLUME	☐	☒		Season of use: <u>8/4-10-31</u> Calculations: _____ <u>140 x 4 = 560</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒		Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒		Multiple p/d(s) in 1/4 1/4? <u>WB3</u> Other <u>Aberdeen Springfield Shares</u>
CONDITIONS	☐	☒		Measuring/Locking Devices <u>R31</u> Watermaster control - District _____ Irrigation Overlap ☒ Water Quality ☒ Other <u>NON-TRUST</u>

COMMENTS: Reduce rate to capacity.
Amend p/u

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Irrigation</u>	<u>1.43</u>	<u>560</u>	ADJUSTMENT MEMO NEEDED _____
_____	_____	_____	1ST AMENDMENT LETTER <u>P41 + P38</u>
TOTALS	_____	_____	FINAL AMENDMENT LETTER <u>P42</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 31 1994
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Frances Prescott Permit No. 35-8720
Current Address: 4525 900W BLACKFOOT ID 82331 Phone No. 785-1563
2. Accompanied by: Frances Prescott EXAM. DATE: 07/16/91
Address: Same Phone No. Same
Relationship to Permit Holder: holder
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N/A

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

OCT 29 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well pump, 8 tower pivot, 150 joints handlines (5/8" nozzles) 8" well

run handlines and pivot at separate times

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#2	USELECTRICAL	60	R-6234-04-203-R322 8386	western hand Roller Co.	8' discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#2					NE 34	3S	33E	Bingham	USGS QUAD and on site inspection

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3S	33E	34		6	2		39	24	30	39									140
																			140

OCT 20 1994

Do not use this space

Do not use this space

0019 C 1894

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
pressure gage Annubar		Ashcroft	7-981	191138	0-160 PSI 7.981"	

2. Measurements:

	Annubar Readings	
	Hi	Lo
mainline circumference - $27\frac{3}{16}$ " (PVC)		
mainline inside Diameter - $7\frac{5}{8}$	29.85	21.65
operating pressure - 76 psig	29.75	21.70
	29.80	21.65
	29.80	21.67

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (140)(4) = 560 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 143(214)1.9835 = 607.0$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 560 \text{ AFA}$

2. Volume Calculations for Other Uses:

OCT 20 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP: ALTHOUGH 35-02199 IS RECORDED WITH A P/D IN NENE, S34, FROM THE SAME WELL AS THIS RIGHT, THERE NOW NO OVERLAP. TWO CENTER PIVOTS WERE INSTALLED IN THE N $\frac{1}{2}$ OF 34 IN THE 1980'S. A DE AN 'ACCOMPLISHED TRANSFER' MOVED THE POINT OF DIVERSION FOR 35-02199 INTO THE SAME WELL AS 35-02143. THIS WELL, IN THE NWNE, S34, SUPPLIES WATER TO THE PIVOT IN THE NE $\frac{1}{4}$ (SEE RECOMMENDATIONS FOR 35-02143, 35-02199). THE WELL THAT SUPPLIES THE PIVOT & CORNERS IN THE NW $\frac{1}{4}$ AND CORNERS IN THE W $\frac{1}{2}$ NE $\frac{1}{4}$ SERVES ONLY 35-08720.

~~THE MAP/AERIAL FOR 35-02143, 35-02199 HAS BEEN INCLUDED FOR INFORMATIONAL PURPOSES.~~

~~*PEN 9-10-93 1233 HRS~~

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	04-01	10-31	1.43	560 afa
Totals:			1.43	560 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name ALAN W. MORIS

Signature Alan W. Moris

Certification Date _____

Field Report Preparation Date 9-10-93

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 20 1994

State of Idaho
DEPARTMENT OF WATER RESOURCES

SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: ALAN W. PARIS
Frances Prescott Date 07/22/91
Owner: Frances Prescott Permit No. 38-8720

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

measuring point 150 yards away from pump
on 8" mainline, 8 tower pivot running

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 27 3/16"
T = Pipe Thickness in Inches = _____
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 7.625"

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 7-981
State ID No. SN-191138, IDWA#-091400
Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"-16"	4.01
18"-24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 29.80
Low Reading = 21.67
High - Low = H = 8.13

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$
$$Q = \frac{(7.625)^2 \cdot (\sqrt{8.13}) \cdot (3.87)}{448.8} = 1.43 \text{ cfs}$$

SKETCH (If not shown on Field Report)

RECEIVED
OCT 20 1994

water level according to permit holder 30'
 $(60') (8.814) (1.7) = 1.802 \text{ cfs}$
 $(30 \text{ ft} + (76/51 \times 2.308)) @ 40' = 1.72 \text{ cfs}$



104

2670

22.0

Transferred
to R33E
1/2 Sec 10

R33E

1200


127
3134

2726
3435

Point of
Diversion

Mainline

T 3 S



4
134.4

Place of
Use

35-8720

OCT 20 1984

2
53.1

420

Point of Diversion

BLACKFOOT ENTER 16. U.S. 20 @ 813 18 MI.
ROCKFORD 6.4 MI.

371 35'

372

4450

4450

MAINLINE

WALL

Place of Use

4450

33 Pingree

BM 4451

34

R33E

4445

T03S

T04S

35

34

33

4439

4

4439

PACIFIC

Siphon

Siphon

4445

OCT 20 1994

35-8720

Department of Water Resources

WELL INSPECTION FORM

8720

If well is associated with water right, provide WR# 35-~~XXXX~~

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 33S, Rge 33E, Sec. 34, NE SE 1/4 NE 1/4 or Lot _____.

2. Owner: Frances Prescott

Address 452 S 900W, city BLAFT, st ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port: Yes _____ No ✓
Pressure Gauge: Yes _____ No ✓
Flowing: Yes _____ No ✓

Static Water Level: 30' (according to permit holder)
Casing Diameter: 14" L
Temperature: N/A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED



OCT 20 1994



APR 20 1994

OCT 20 1994

35-8720



OCT 20 1994

35-8720

October 3, 1990

FRANCES PRESCOTT
452 S. 900 W.
BLACKFOOT, ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08720

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 17 1990

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 24, 1990

FRANCES PRESCOTT
452 S. 900 W.
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08720

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

NOT FILMED

MAY 23 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

MAY 23 1980

13-Feb-1990

Frances Prescott
452 S. 900 W.
Blackfoot, ID 83221

RE: Application for Permit No. 35-8720

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising your application in the MORNING NEWS. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

MAY 23 1990

DEPARTMENT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

35-08718
CARTER, A. LADD
438 S. 900 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 36, T. 03S, R.
33E.
Use: IRRIGATION (1.400 CFS); Total Diver-
sion: (1.400 CFS).
Date Filed: 4/3/1989.
In: T03S, R33E, S25, SWSW, SESW.
70.0 ACRES TOTAL.

35-08720
PRESCOTT, Frances
452 S. 900 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt.: NENE, Sec. 34, T. 03S, R.
33E.
Use: IRRIGATION (2.800 CFS).
Total Diversion: (2.800 CFS).
Date Filed: 4/17/1989.
In: T03S, R33E, S34, NENW, NWNW,
SWNW, SENW.
140.0 ACRES TOTAL.

35-08727
FEHRINGER, Leo
1981 S. 2800 W.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 9, T. 06S, R.
31E.
Use: IRRIGATION (.280 CFS).
STOCKWATER (.020 CFS).
Total Diversion: (.280 CFS).
Date Filed: 5/22/1989.
In: T06S, R31E, S09, SWSW.
14.0 ACRES TOTAL.

35-08740
COUNTRYMAN, Robert
COUNTRYMAN, Margaret
1518 W. 800 S.
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: SWSESE, Sec. 9, T. 04S, R.
33E.
Use: IRRIGATION (.300 CFS).
DOMESTIC (.040 CFS).
Total Diversion: (.340 CFS).
Date Filed: 4/20/1989.
In: T04S, R33E, S09, SESE.
15.0 ACRES TOTAL.

35-08741
BELK, Mark C.
BELK, Val R.
730 S. 1325 W.
Pingree, Idaho 83262
Source: GROUNDWATER
Diversion Pt: NESW, Sec. 36, T. 03S, R.
33E.
Use: IRRIGATION (.650 CFS).
Total Diversion: (.650 CFS).
Date Filed: 4/17/1989.
In: T03S, R33E, S36, SENW, NESW,
SESW.
115.0 ACRES TOTAL.

35-08742
THURSTON, Margarete
THURSTON, T

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks.

the first publication having been made on the

1st day of March, 19 90;

and the last publication having been made on the
8th day of March, 19 90;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 19th day of March, in
the year 1990 before me a Notary Public of said State,
personally appeared

Leo Fehringer
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

MAY 23 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 13, 1990

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 19, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAY 23 1990

35-08720

PRESCOTT, FRANCES
452 S. 900 W.
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: NENE Sec 34 T 03S R 33E

Use: IRRIGATION (2.800 CFS)
 Total Diversion: (2.800 CFS)

Date Filed: 4/17/1989

In: T03S R33E S34 NENW NWNW SWNW SENW

140.0 ACRES TOTAL

MICROFILMED

MAY 23 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 19, 1990.

R. Keith Higginson, Director

Published 3/01/1990 & 3/08/1990

MICROFILMED

MAY 23 1990