




Well 4499

Well 4471

Well 4463

Well 4465

Well 4455

Well 4437

Well 4452 Storage Bin

T4S

Well 4444

BM 4447

BM 4429

Well 4436

Well 4441

BM 4419

Well 4395

MICROFILMED

AUG 21 1989

LATERAL

PLACE OF USE
POINT OF
DIVERSION

31E

Grandview

SOUTH

LATERAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 05 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08719

1. Owner: JOHN & JEANETTE JOSEPHSON, DBA JJS Farms Phone No. 328-2272

Current Address: 2556 W 1000 S, ABERDEEN, ID 83210

2. Accompanied by: _____ EXAM DATE: 7-1-1994

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	23	4S	31E	BINGHAM	USGS, ONSITE

2. Place(s) of Use:

Indicate Method of Determination Same

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	31E	23																	

RECEIVED
JUL 19 1995

* See adjustment memo. BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
UNKNOWN					

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: _____

JUL 19 1995



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08719

Priority: April 14, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that JOHN JOSEPHSON
JEANETTE JOSEPHSON

DBA J & J FARMS
2556 W 1000 S
ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 14, 1989; and has submitted Proof of Beneficial Use on September 14, 1989. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	10/01 to 05/01	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 23, Township 04S, Range 31E
BINGHAM County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

04S 31E 23 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Industrial use is for potato cellar humidifiers.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12th day of JULY, 1995.

Acting for

KARL J. DREHER, Director

JUL 19 1995

Form 03/89
RECEIVED

SEP 14 1989

No ☒

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by 208-10/5/89

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08719

Name(s) of Permit Holder: John + Jeanette Josephson - DBA I+J Farms

Post Office Address: 2556 W. 1000 S. Aberdeen ID. 83210

Telephone No. 328 2272

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Industrial

Total rate and/or volume for which proof is submitted 104 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 10/1 - 5/1

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ Paid 4-14-89
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

John Josephson same as above
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

OCT 18 1989

9/10/89
Date

John Josephson
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08719

Proposed Priority: April 14, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **JOHN JOSEPHSON**
JEANETTE JOSEPHSON
DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

INDUSTRIAL

10/01 to 05/01

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESESE

Sec. 23, Township 04S, Range 31E
BINGHAM County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

04S 31E 23

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Industrial use is for humidifiers in a potato cellar.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25 day of July, 1989.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

AUG 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOHN JOSEPHSON 208-328-2272
Address: DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

OR
Name: JEANETTE JOSEPHSON 208-328-2272
Address: DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04S	31E	23	SE	SE	SE		BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
INDUSTRIAL	10/01	05/01		0.040	

5. Total quantity appropriated is:
0.040 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
300' WELL W/ SUBMERSIBLE PUMP PIPED TO POTATOE CELLAR
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

MICROFILMED

AUG 21 1980

8. Description of proposed uses:
INDUSTRIAL USE FOR POTATOE CELLAR HUMIDIFIERS

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
04S	31E	23	SE SE		INDUST	

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
HAS BEEN IN PLACE SINCE 1978

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by EA Date 4-14-89 Time 1405 Preliminary check by SMS
Fee \$ 30⁰⁰ Received by CAV # 6006857 Date 4-14-89
Publication prepared by CB Date 5-24-89 Published in Morning News
Publication approved QU Date 7-05-89

MICROFILMED

AUG 21 1989



MICROFILMED

AUG 21 1983



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 12, 1995

JOHN JOSEPHSON
JEANETTE JOSEPHSON
DBA J & J FARMS
2556 W 1000 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08719

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

UNRECORDED

JUL 19 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08719 DATE 7-10-95



	Change	OK	
NAME	___	☒	Or Address Change?
PRIORITY DATE	___	☒	Advance? ___ Advanced to: ___ Order to reinstate needed? ___ Incorrect fee for rate recommended? <u>NA</u>
SOURCE	___	☒	Changes or just clarification of originally intended source? ___ Notice of Intent to Void necessary? ___
POINT OF DIV	___	☒	Amendment needed? ___
	___	☒	Overlaps? ___
PLACE OF USE	___	☒	Amendment needed? ___
	___	☒	Overlaps? ___
DIV RATE	___	☒	Permit/fee limits: <u>.04 CFS</u> Meas Q = <u> </u> Theo Q = <u> </u> Recommend: <u>.04</u>
<u>NO INFO TO CALCULATE CAPACITY</u>			
Combined rates exceed capacity			

ANNUAL VOLUME ✓
EACH HUMIDIFIER
Uses 36 gal/hr (max)

Volume Limit: Season: 10-1 to 5-1
Calculations: 72 gal/hr x 12 hrs = 864 gal
 x 213 days = 184 032 gal =
 1697
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES -NO- Change in Nature of Use or additional uses? _____
Amendment necessary? _____

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
Irr/Dom Combination Shared G/W System

NEW REMARKS / Multiple p/d(s) in ¼ ¼? _____
Other _____

NEW CONDITIONS

Watermaster control - District _____

Measuring/Locking Devices _____

Irrigation Overlap _____

Other _____

Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Industrial</u>	<u>.04</u>	<u>.6</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	<u>✓</u>
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 05 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08719

1. Owner: John & Jeanette JOSEPHSON, DBA JJS Farms Phone No. 828-2272

Current Address: 2556 W 1000 S, ABERDEEN, ID 83210

2. Accompanied by: _____ EXAM DATE: 7-1-1994

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	23	4S	31E	Bingham	USGS, Onsite

2. Place(s) of Use:


Indicate Method of Determination Same

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	31E	23																	

RECEIVED
JUL 19 1995

* See adjustment memo. BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Diversion					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: _____

JUL 19 1995

E. NARRATIVE/REMARKS/COMMENTS

WELL, PUMP AND PIPELINES TO TWO POTATO CELLS WITH HUMIDIFIERS.

WATER ALSO USED AROUND BUILDINGS FOR GENERAL "SHOP" USE.

IN USE 10-1 TO 5-1

* NOTE: 10-ACRE TRACT IN ACCURATELY DEFINED IN APPLICATION.

AS D/D & D/U IS ON LINE BETWEEN 10-ACRE TRACTS, RECOMMEND
DEFINING LEGAL ONLY TO 40-ACRE TRACT, NO AMENDMENT

* NOTE: USE LISTED AS "INDUSTRIAL". RECOMMEND CORRECTION TO
"COMMERCIAL" USE. NO AMENDMENT

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUL 19 1995

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

IDWR DE MINIMUS STD 0.02 CFS PER CELLAR

$$2 \text{ CELLARS} \times 0.02 \text{ CFS} = 0.04 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

DE MINIMUS USE SIMILAR TO SMALL DOMESTIC = 0.6 CFS/VR

$$10-1 \text{ TO } 5-1 = 212 \text{ DAYS } 0.6 \text{ AFA} \times \frac{212}{365} = 0.4 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* <u>Commercial</u>	<u>10-1</u>	<u>5-1</u>	<u>0.04</u>	<u>0.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>0.4</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None SEE REMARKS
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name JKM Date 12-30-94Reviewer KEITH C. WILSON Date 12/30/94

* See adjustment memo. C

 NOTED
 SEAL

JUL 19 1995

MEMORANDUM

TO: File 35-08719 / John Josephson
FROM: Brenda Chapman
DATE: July 10, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use: The point of diversion and the place of use are both in the SESE $\frac{1}{4}$ of Section 23, which coincides with the exam map and the permit.

E. NARRATIVE/REMARKS/COMMENTS

The preferred use code for potato cellars is industrial; therefore, a change in the nature of use to commercial is not being recommended.

G. VOLUME CALCULATIONS

The volume recommendation has been increased to .6 afa based on guidelines from Terry Blau's 9/2/80 memo for calculating potato cellar humidifier requirements. (See attachment)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Industrial	10-01 to 5-01	.04	.6

MICROFILMED
JUL 19 1995

DATE September 2, 1980

FROM Terry Blau

TO Staff

SUBJECT Field exams on potato storage facilities

After talking with 2 suppliers and installers of ventilating and humidifying equipment for potato storage. The following are some rules of thumb which maybe helpful in doing exams.

Max. rate of flow - 1 gal/hr/1000 cwt of spuds (2.4 cubic feet/100 lbs)

Max length of storage 11 months

Volume 1/2 gal/hr/1000 CWT/year

Alt method

36 gal/hr per humidifier (max)


Use would be less than 25% of max during winter months

Vol. use 36 gal/hr x 12hrs/day/ 365 days or #days of use

Terry Blau

SIGNATURE

MAILED
JUL 19 1985



October 17, 1989

JOHN JOSEPHSON
JEANETTE JOSEPHSON
DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

RE: PERMIT NO. 35-08719

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

... FILED

OCT 18 1989

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 25, 1989

JOHN JOSEPHSON
JEANETTE JOSEPHSON
DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08719

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 21 1989

12-Jun-1989

John Josephson
DBA J & J Farms
2556 W. 1000 S.
Aberdeen, ID 83210

RE: Application for Permit No. 35-8719

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

Microfilm
AUG 21 1989

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF EXISTING
WATER RIGHT APPLICATION
APPLICATION NO. 35-8726
Presently Recorded**

As Follows:

Name: Pratt Farms, Inc.
Address: 1356 S. 3000 W.
Aberdeen, Idaho
Source: Groundwater
Diversion Point: SENE, SEC1, T5S, R30E.
Use: Irrigation, 2.6 cfs
Priority: April 28, 1989.
Place of Use: NE 1/4 (Lots 1 & 2) Sec1, T5S,
R30E, NW 1/4, Sec. 6, T5S, R31E.
Total Acres: 316.

This is a supplemental water right application. Lands under this permit are irrigated with existing rights from the same source. This application is being processed in compliance with Section 42-203 A & C, Idaho Code. Protests against the continuance of the permit must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho, 83720, on or before June 19, 1989. A protest must overcome the presumption of Water Appropriation Rule 5, 2, 1.

R. KEITH HIGGINSON
Director

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

27-07397

BERLIN, Terry
P.O. Box 205
American Falls, Idaho 83211
Source: GROUNDWATER
Diversion Pt: NENE, Sec. 21, T. 02S, R. 36E.
NWNE, Sec. 21, T. 02S, R. 36E. SWNE, Sec.
21, T. 02S, R. 36E; SENE, Sec. 21, T. 02S,
R. 36E.
Use: IRRIGATION (3,000 CFS).
Date Filed: 10/22/1984.
In: T02S, R36E, S21 ~ NENE, NWNE,
SWNE, SENE — 150.0 ACRES TOTAL.

35-08719

JOSEPHSON, John
JOSEPHSON, Jeanette
DBA J & J FARMS
2556 W. 1000 S.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SESESE, Sec. 23, T. 04S, R.
31E.
Use: INDUSTRIAL (.040 CFS).
Date Filed: 4/14/1989.
In: T04S, R31 E, S23, SESE.

35-08723

GROVELAND CEMETERY MAIN.
DIST., BINGHAM COUNTY
c/o C.E. Lilya, Mgr.
414 N. 400 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SESWSE, Sec. 20, T.
35E.
Use: IRRIGATION (.030 CFS).
Date Filed: 4/24/1989
In: T02S, R35E, S20, SWSE.
1.0 ACRES TOTAL.

35-08726

PRATT FARMS, Inc.
1356 S. 3000 W.

RECEIVED

JUN 26 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Michael Bell do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

1st day of June, 19 89

and the last publication having been made on the
8th day of June, 19 89;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 19th day of June, in
the year 19 89 before me a Notary Public of said State,
personally appeared

Michael Bell
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Michael Bell
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

AUG 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

MAY 24, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 19, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
AUG 21 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 21 1989

35-08719

JOSEPHSON, JOHN
JOSEPHSON, JEANETTE
DBA J & J FARMS
2556 W. 1000 S.
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: SESESE Sec 23 T 04S R 31E

Use: INDUSTRIAL (.040 CFS)

Date Filed: 4/14/1989

In: T04S R31E S23 SESE

UNRECORDED

AUG 21 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JUNE 19, 1989.

R. Keith Higginson, Director

Published 6/01/1989 & 6/08/1989

MicroFILMED

AUG 21 1989