




MICROFILMED

APR 23 1990

4782

4435

WEARYRICK

4435

4441

100 SOUTH

35-8700

WEST

4435

443

1000

4430

4432

DITCH

4434

4781

R35E

34E

Watson

900 WEST

4435

8.9

9.10

17.16

200 SOUTH

16.15

10'

4780

Place of Use

Point of Diversion

TSS

RECEIVED

JAN 26 1993

4779

17.16

16.15

Ford 20.21

SNAKE

21.22

35-8700

540 000 FEET

4778

TRAIL

20

21

RIVER

4425

T1925
2552

NHEL
2
14.7

NHEL
55.5

T1924
2552

R35E

T24841 2552 NHEL
1. 10.0
34E

HEL
1
17.2

2 HEL
16.0

T24923
2395

3
10.7
4
4.8

819

17 16

T1976
2552

NHEL
5

NHEL
4.5

T814
2552
2 NHEL
11.1

T
3
S

NHEL
4
24.5
3
1.3

HEL
3
6.4

HEL
4
10.3

T24814
2111

HEL
5
5.8

T2136
2659

T1987
431

Place of
Use

Point of
Diversion

13.9

HEL
1
17.3

HEL
1
37.1

T1973
1272

T1978
HEL 1685
11.5

T815
428

35-8700

RECORDED

JAN 26 1993

T24899
2374

T832
2018

T2112
816

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08700

Priority: February 13, 1989

Maximum Diversion Rate:

0.36 CFS

Maximum Diversion Volume:

72.0 AF

This is to certify, that STEVE B GOODWIN
VIRGINIA A GOODWIN

183 S 1000 W

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1989; and has submitted Proof of Beneficial Use on March 13, 1992. An examination indicates that the works have a diversion capacity of .670 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.36 CFS	72.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 16, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	16	SWNW	18		18

Total number of acres irrigated:

18

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

MICROFILMED

JAN 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08700

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

JAN 26 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08700

Proposed Priority: February 13, 1989 Maximum Diversion Rate: 0.36 CFS
This is to certify, that **STEVE B. GOODWIN**

VIRGINIA A. GOODWIN
183 S. 100 W.
BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.36 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SENW Sec. 16, Township 03S, Range 34E BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	16	SWNW 15	SENW 3		18
Total number of acres irrigated:						18

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

APR 23 1990


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08700

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of April, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

APR 23 1990

RECEIVED

MAR 17 1990

Ident. No. 35-08700

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STEVE B. GOODWIN 208-684-3077
Address: 183 S. 100 W.
BLACKFOOT, ID 83221
OR
Name: VIRGINIA A. GOODWIN 208-684-3077
Address: 183 S. 100 W.
BLACKFOOT, ID 83221

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
03S	34E	16	SE NW		BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	04/01	11/01	0.360		

5. Total quantity appropriated is:
0.360 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, 8" CASING, PUMP AND SPRINKLER SYSTEM.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 80
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

MICROFILMED

APR 23 1990

8. Description of proposed uses:
WELL, PUMP AND SPRINKLER SYSTEM

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03S	34E	16	SW NW		IRR	15.0
			SE NW		IRR	3.0
Total Section Acres						18.0
Total Acres						18.0

10. Describe any other water rights used for the same purposes.
35-08092

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:


13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Steno B. Goodwin
Applicant

MICROFILMED

APR 23 1990



MICROFILMED

APR 23 1950

Scale: 2 inches equal 1 mile.

Ident. No. 35-08700
Page 3

Received by OW 3-17-89
EMC Date 2/13/89 Time _____ Preliminary check by _____
Fee \$ 45⁰⁰ Receipted by EMC # E005760 Date 2/13/89
Publication prepared by RB Date 2-15-90 Published in Morning News
Publication approved OW Date 3-19-90

MICROFILMED

APR 23 1990

VOID

Ident. No. 35-08700

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STEVE B. GOODWIN 208-684-3077
Address: 183 S. 100 W.
BLACKFOOT, ID 83221

OR
Name: VIRGINIA A. GOODWIN 208-684-3077
Address: 183 S. 100 W.
BLACKFOOT, ID 83221

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
03S	34E	16	SE NW		BINGHAM

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	04/01	11/01		0.400	

5. Total quantity appropriated is:
0.400 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, 8" CASING, PUMP AND SPRINKLER SYSTEM.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 80
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

MICROFILMED

APR 23 1990

8. Description of proposed uses:
WELL, PUMP AND SPRINKLER SYSTEM.

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03S	34E	16	SW	NW	IRR	15.0
			SE	NW	IRR	3.0
Total Section Acres						18.0
Total Acres						18.0

10. Describe any other water rights used for the same purposes.
35-08092

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

MICROFILMED

APR 23 1990

Ident. No. 35-08700
Page 3

Received by EMC Date 2/13/89 Time _____ Preliminary check by DMD
Fee \$ 45⁰⁰ Receipted by EMC # 8005760 Date 2/13/89.
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

MICROFILMED

APR 23 1990

1.8 AC TOTAL.

35-086

FUNK, ALVIN L.
FUNK, DORIS E.
P.O. BOX 430
ABERDEEN, ID 83210
Source: SNAKE RIVER.
Tributary: COLUMBIA RIVER.
Use: IRRIGATION (.460 CFS).
Total Diversion: (.460 CFS).
Date Filed: 1/13/1989.
In: T02S R36E S04 Lot 13 (SENE).
22.9 ACRES TOTAL.

35-08691

STOLWORTHY, DAVID
STOLWORTHY, BRENDA
1320 N. 375 E.
SHELLEY, ID 83274
Source: GROUNDWATER.
Diversion Pt: SWNWSE Sec 21 T 01N R 36E.
Use: IRRIGATION (1.600 CFS).
Total Diversion: (1.600 CFS).
Date Filed: 2/02/1989.
In: T01N R36E S21 SWSE SESE S28 NENE
NWNW SENE NESE SESE.
60.0 ACRES TOTAL.

35-08700

GOODWIN, STEVE B.
GOODWIN, VIRGINIA A.
183 S. 100 W.
BLACKFOOT, ID 83221
Source: GROUNDWATER.
Diversion Pt: SENW Sec 16 T 03S R 34E.
Use: IRRIGATION (.360 CFS).
Total Diversion: (.360 CFS).
Date Filed: 2/13/1989.
In: T03S R34E S16 SWNW SENW.
18.0 ACRES TOTAL.

35-08704

DRISCOLL, WALLACE W.
DRISCOLL, MAURINE D.
2459 W. 1100 S.
ABERDEEN, ID. 83210
Source: GROUNDWATER.
Diversion Pt: LOT 4 (SWSW) Sec 31 T 04S R 32E.
Use: IRRIGATION (.800 CFS).
Total Diversion: (.800 CFS).
Date Filed: 1/10/1989.
In: T04S R32E S31 SESW.
40.0 ACRES TOTAL.

35-08705

MILES, RANDY L.
466 S. 1800 W.
PINGREE, ID 83262
Source: GROUNDWATER.
Diversion Pt: NESE Sec 25 T 03S R 32E.
Use: IRRIGATION (2.000 CFS).
Total Diversion: (2.000 CFS).
Date Filed: 1/16/1989.
In: T03S R32E S25 NESE NWSE SWSE SESE.
100.0 ACRES TOTAL.

35-08714

PAHL, JAMES M.
2174 S. 3200 W.
AMERICAN FALLS, ID 83211
Source: GROUNDWATER
Diversion Pt: NESWNW Sec 26 T 06S R 30E.
Use: IRRIGATION (.360 CFS).
Total Diversion: (.360 CFS).
Date Filed: 3/20/1989.
In: T06S R30E S26 NENW NWNW SWNW
SENW.
158.0 ACRES TOTAL.

35-08715

PAHL, JAMES M.
2174 S. 3200 W.
AMERICAN FALLS, ID 83211
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 22 T 06S R 30E.

RECEIVED

MAR 6 1990

Department of Water Resources
Eastern District Of

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

15th day of February, 1990;
and the last publication having been made on the
22nd day of February, 1990;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 28th day of February, in
the year 1990 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10 1994

MICROFILMED

APR 23 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 19, 1993

STEVE B GOODWIN
VIRGINIA A GOODWIN
183 S 1000 W
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08700

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

UNRECORDED

JAN 26 1993

LICENSE REVIEW CHECKLIST

Permit # 35-08700

Date 01-07-93
38

	<u>Yes</u>	<u>No</u>	
NAME	<u>—</u>	<u>✓</u>	Address Change? (1000w)
PRIORITY DATE	<u>—</u>	<u>✓</u>	Advance?
	<u>—</u>	<u>✓</u>	Memo to Advance
	<u>—</u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u>—</u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>—</u>	<u>✓</u>	Disagree with Actual Measurement?
	<u>—</u>	<u>✓</u>	18x.02=.36/ Allow .36 cfs (IRR)
	<u>—</u>	<u>✓</u>	Disagree with Theoretical?
	<u>—</u>	<u>✓</u>	Limited by Capacity? .67 cfs
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			4-1 to 10-31 Standard Irr. Season
			Same/Reduced 1 Day Season Recommended
	<u>—</u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u>—</u>	<u>✓</u>	18x4.0=72 cfs (IRR)
	<u>—</u>	<u>✓</u>	Limited by Flow? .36x214x1.9835=152.8 > 72
SOURCE	<u>—</u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u>—</u>	<u>✓</u>	<u>Intended</u> source
	<u>—</u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>—</u>	<u>✓</u>	Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed?
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u>—</u>	<u>✓</u>	Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed? <u>Drop SENW</u>
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u>—</u>	<u>✓</u>	Change(s) in Nature of Use?
	<u>—</u>	<u>✓</u>	Amendment Needed?
REMARKS	<u>—</u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>—</u>	<u>✓</u>	Non-Irr. Uses
	<u>—</u>	<u>✓</u>	Special Overlap Condition P/D 35-8092 & Capacity
	<u>—</u>	<u>✓</u>	Other
CONDITIONS	<u>—</u>	<u>✓</u>	Measuring Device
	<u>—</u>	<u>✓</u>	W/Master Control
	<u>R31</u>	<u>—</u>	Overlap
	<u>—</u>	<u>✓</u>	Water Quality
	<u>—</u>	<u>✓</u>	DATES/MISC
	<u>—</u>	<u>✓</u>	Water Dist.
	<u>—</u>	<u>✓</u>	App Rec'd
	<u>—</u>	<u>✓</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>F.E. Maps Mislabeled / Confirmed 34E per USGS</u>		
	<u>Capacity recommended by examiner for full</u>		
	<u>system & supported by HP equation.</u>		
License	<u>✓</u>	10-Day	15-Day
	<u>—</u>	Special Correspondence	<u>—</u>

WR0749NP
No. L35-08700

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 01/08/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STEVE B GOODWIN	02/13/1989	IRRIGATION	04-01 10-31	0.36 CFS	72.0 AFA
C	VIRGINIA A GOODWIN					
	183 S 1000 W					
	BLACKFOOT ID 83221					
	(208) 684-3077					
				TOTAL DIVERSION:	0.36 CFS	72.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.67 CFS

Point(s) of Diversion: T03S R34E S16 SE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03S	34E	16	:									18								:	18.0
																				TOTAL ACRES	18.0

Pou County: BINGHAM

Other Rights: 35-08092

Other Water Rights with Same Point(s) of Diversion and Source:
35-08092 35-08700

Other Water Rights Listing Overlapping Place(s) of use:
01-001920 35-08092 35-08700

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
 - claim against the holder of a senior water right based upon the
 - theories of forfeiture, abandonment, adverse possession, waiver,
 - equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
 - subsequently issued to incorporate the use into a water district,
 - require streamflow augmentation or other action needed to protect
 - prior surface water and groundwater rights.
- R31 - This right when combined with all other rights shall provide no
 - more than .02 cfs per acre nor more than 4.0 afa per acre for the
 - lands above.

Dates: App. Received: 02/13/1989 Priority Date: 02/13/1989
Proof Due Date: 05/01/1992 Proof Made Date: 03/13/1992
Exam Made Date: 06/10/1992 Exam Sent to S.O.: 12/22/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 31 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08092

Phone No. 684-3077

1. Owner: Steve Goodman

Current Address: 183 S. 1000 W. Blackfoot, ID

2. Accompanied by: Applicant

EXAM. DATE: 6-18-92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Watson Slough Ditch water

☐ Copies Attached


2. Other water rights with same point of diversion: 35-08092

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

JAN 26 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submerged pump to (49 + 18 birds) with 36 birds running at time of maximum. Water at 70'.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersed	NA	30	NA	NA	

***Code to correspond with No. on map and aerial photo**

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

JAN 26 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage					1/4" x 1/2"	

2. Measurements:

74 psi $\xrightarrow{9/64 \text{ N}}$ 72 psi 31 beds running
 psi nozzle dia. $= \frac{.16}{5} = \frac{x}{3}$
 $5(70)73 \times (4.96) \cdot 16$ $Q = (5.06)(31) = 156.9$
 75 5.12 $= 3(\frac{.16}{5}) = .096$ gpm
 $Q_{73 \text{ psi}} = 4.96 + .096 = 5.06 \text{ gpm}$ $Q_{\text{dfs}} = 156.9$
 448.8

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$\frac{30 \text{ hp} \times 8.814 \times .7}{110' \text{ ft} + (2.308 \times 72 \text{ psi})} = 0.67 \text{ fs}$
Theoretical

$= .35 \text{ cfs}$
Capacity

2. Alternate Method for Checking Purposes:

use theoretical value

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (18)(4) = 72 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.36)(214)(1.9835) = 152.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 72 \text{ afa}$

2. Volume Calculations for Other Uses:

MISSOURI MED

JAN 26 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I recommend 0.36 cfs only.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4/1</u>	<u>11/1</u>	<u>0.36</u>	<u>72</u>
Totals:			<u>0.36 cfs</u>	<u>72 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Harold Jones & Gary Buss

Signature

[Signature]

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JAN 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

~~35-8092~~

35-8700

Permit No.

Measurement Calculations

- 1) System can run 67 sprinklers ($9/64"$). Only 31 sprinklers operating at the time of the exam.

$$Q = (5.06 \text{ gpm}) (31 \text{ sprinklers}) = \frac{156.86}{448.8} = 0.35 \text{ cfs}$$

- 2) Theoretical Capacity: dynamic pumping = static + 40' = 110'
(70')
psi = 72 psi eff = 0.70

$$Q = \frac{hp(8.814)(0.70)}{\text{Lift} + (PSI \times 2.308)}$$

$$= \frac{30(8.814)(0.7)}{110 + (72 \times 2.308)} = 0.67 \text{ cfs}$$

- 3) Total # of sprinklers (67) @ 55 psi

$$9/64 @ 55 \text{ psi} = 4.37 \text{ gpm} \times 67 \text{ sprinklers} = 292.79 \text{ gpm} = 0.65 \text{ cfs}$$

RECOMMEND USING #2 Theoretical $Q = 0.67 \text{ cfs}$ as
system capacity.

RECEIVED

JAN 26 1993

35-8700

4782

4435

WEARYRICK

4435

4441

100 SOUTH

35-8700

WEST

4435

443

1000

4432

DITCH

4434

4781

DUNCAN

235E

34E

Watson

900 WEST

4435

8.9

9.10

17.16

16.15

10'

200

SOUTH

4780

Place of Use

Point of Diversion

TSS

4427

4427

4433

4425

4425

JAN 26 1993

4779

17.16

16.15

Ford

20.21

21.22

SNAKE

35-8700

540 000
FEET

4778

DEEP TRAIL

RIVER

4426X

4420

4425

T1925
2552

NHEL
2
14.7

NHEL
1
55.5

2552
R35E

T24841 2552
NHEL
1 100

2552
NHEL
3 4E

HEL
1
17.2

HEL
2
16.0

T1976
2552
NHEL
5

T814
2552
NHEL
2

NHEL
11.1

NHEL
4
24.5

HEL
3
6.4

HEL
4
10.3

T24814
2111

T2659
2135

T1957
431

Point of
Diversion

Place of
Use

HEL
5
5.8

HEL
1
37.1

HEL
17.3

T1975
HEL 1685

T815
222

T2112
916

11.5

2.2

35-8700

JAN 26 1997

T1973
1272

17.9

T24897
2374

2018

T2112
916

March 13, 1992

STEVE B GOODWIN
VIRGINIA A GOODWIN
183 S 1000 W
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08700

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 08 1992

RECEIVED

MAR 06 1992

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 100.00
Date 3-6-92
Receipt No. E017008
Received by RB

RECEIVED

MAR 11 1992

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08700 Telephone No. 684-3077

Name(s) of Permit Holder(s): Steve D. Goodwin

Post Office Address: 183 S. 1000 W. Blackfoot ID 83221

Source of Water: Groundwater

If ground water, well driller's name: Cushman Date drilled: 6/18/82

Extent of Use:
Domestic _____ (No. of households) Irrigation 18 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.36 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: X April 1, 1991

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? XYes XNo Installed? Yes XNo

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same as above
Name

Telephone No.

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 08 1992

X 3/5/92
Date

X Steve D. Goodwin
Signature (and title if on behalf of a company or organization)

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08700

Reviewed by Klg

Date 3/11/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate 18
Correct Uses? yes

SOURCE OF WATER

Surface water source
Ground water source

6/18/82 NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due 1 -
No. of days late 1 =
Priority Date 1 +
New Priority Date 1

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 183 South 1000 West
3/11/92 Klg

Proof Made 3/6/92
3/13/92

February 28, 1992

STEVE B. GOODWIN
VIRGINIA A. GOODWIN
183 S. 100 W.
BLACKFOOT ID 83221

PROOF DUE NOTICE

RE: PERMIT NO. 35-08700

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

APR 08 1992



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 19, 1990

STEVE B. GOODWIN
VIRGINIA A. GOODWIN
183 S. 100 W.
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08700

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

MICROFILMED

APR 23 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

APR 23 1990

Form No. 202a
'87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Submitted for adv. HS 3-17-89

SWAN FALLS
NON-TRUST

APPLICATION FOR PERMIT ANALYSIS SHEET

35-8700

INITIAL REVIEW BY James Dumas DATE 16 Feb 89 APPLICATION NUMBER Steven Virginia Goodwin

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
 - ☐ Yes ☒ No Field check required
 - Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

MAR 26 1990
Department of Water Resources

PROCESSING

- ☒ Yes ☐ No Inform for advertising
- ☒ Yes ☐ No State wide advertising
- ☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

- ☐ Idaho Dept. of Health & Welfare
- ☐ Idaho Dept. of Fish & Game
- ☐ Idaho Dept. of Lands
- ☐ Adjudication Bureau Unit
- ☐ U.S. BLM
- ☐ U.S. Forest Service
- ☐ Water District
- ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

- ☒ Yes ☐ No Affidavit of publication received
- ☒ Yes ☐ No Application published correctly. If not, record action taken.
- ☒ Yes ☐ No Publication dates & paper, recorded on application
- ☒ Yes ☐ No Protests received
- ☒ Yes ☐ No Final date for protest 3-5-90
- ☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
- ☒ Yes ☐ No Recommendations attached
- ☒ Yes ☐ No Measuring device required
- ☒ Yes ☐ No Access port required
- ☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
- ☒ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 2-13-89 ☒ See below for additional information
By HWS Date 3-21-90

STATE OFFICE REVIEW

P05, P23 P17 46 48 49 26
By FW ☒ See below for additional information
Date 4-13-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-
OK to allow 2 yrs. to develop

08-Feb-1990

Steve B. or Virginia A. Goodwin
183 S. 100 W.
Blackfoot, ID 83221

RE: Application for Permit No. 35-8700

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

APR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 7, 1990

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 5, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

APR 23 1990

35-08700

GOODWIN, STEVE B.
GOODWIN, VIRGINIA A.
183 S. 100 W.
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SENW Sec 16 T 03S R 34E

Use: IRRIGATION (.360 CFS)

 Total Diversion: (.360 CFS)

Date Filed: 2/13/1989

In: T03S R34E S16 SWNW SENW

18.0 ACRES TOTAL

MICROFILMED

APR 23 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 5, 1990.

R. Keith Higginson, Director

Published 2/15/1990 & 2/22/1990

MICROFILMED

APR 23 1990

April 7, 1989

Steve B. Goodwin
183 S. 100 W.
Blackfoot, ID 83221

RE: Application for Permit No. 35-8700

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your application for water right permit. The application has been assigned identification No. 35-8700. Please refer to this number all future correspondence.

The Department can not proceed with the processing of your application at this time. It seeks the appropriation of water within the area covered by the civil suit of Idaho Power Company vs. Idaho Department of Water Resources, et al., Ada County Civil No. 81375 (Swan Falls Suit). Until there has been a final resolution to this suit and rules and regulations promulgated for this area has been suspended. During the interim, your application will be held in this office.

The staff in our office will be glad to answer any questions you have concerning the above matter.

Respectfully submitted,

Harold W. Jones
Water Rights Supervisor
HWJ/rb

MICROFILMED

APR 23 1990