



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claude Christensen
(Applicant)



DWIGHT NORSCH

IRRIGATION

1/3

POINT OF
DIVERSION



VIEW SOUTH
PLACE OF
USE

NEXT 7
PHOTOS
LEFT TO
RIGHT



MICROFILMED

FEB 04 2002

PERMIT
NKMBA2

35-08663

DWIGHT HORSCH

IRRIGATION

2 1/3

VIEW SOUTH
PLACE OF
USE



VIEW
SOUTH WEST
PLACE OF
USE



MICROFILMED
FEB 04 2002

PERMIT
NUMBER

35-08663

DWIGHT HORSCH

IRRIGATION

3/3

VIEW WEST
PLACE OF
USE



VIEW
NORTHWEST
PLACE OF
USE



MICROFILMED

FEB 04 2002

PERMIT
NUMBER

35-08663

1. 40.84 2. 40.91 3. 40.99 4. 41.06 5. 40.86 6. 40.39 7. 39.91 8. 39.44 9. 39.49 10. 40.06 11. 40.64 12. 41.21 13. 41.31

14. 40.80 15. 40.60 16. 40.40

T06S, R31E

35-08663

MICROFILMED
FEB 04 2002

T06S, R31E

35-08663

MICROFILMED
FEB 04 2002

WR5809NP
No. 35-08663

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/09/96
PAGE: 28

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLAUDE CHRISTENSEN 1825 S. 2700 W. ABERDEEN ID 832100000 (208) 397-4883	04/01/1988	IRRIGATION	04/01 11/01	1.200 CFS	
TOTAL DIVERSION:					1.200 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T06S R31E S03

SENW NW NW SE

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
06S	31E	3	:			02		:			35	23	:					:						60.0
TOTAL ACRES																							60.0	

Pou County: BINGHAM

Other Rights: 60 SHARES IN ABERDEEN/SPRINGFIELD CANAL

Other Water Rights Listing Overlapping Place(s) of use:


35-07530 35-08083 35-08680 1.22 61 acres NW NW L-4 S3 6S 31E

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow
- measurement port or other device as specified by the Department
- shall be installed to provide for the installation of measuring
- equipment and the determination of the rate of diversion by the
- Department.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

FEB 04 2002
MICROFILMED

35-08663



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 35-08663

Priority: April 1, 1988

Maximum Diversion Rate: 1.06 CFS

It is hereby certified that CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 01, 1988; and has
submitted Proof of Beneficial Use on July 26, 1993. An examination indicates that the works have a
diversion capacity of 2.89 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
IRRIGATION	04/01 to 10/31	1.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3, Twp 6S, Rge 31E, B.M. BINGHAM County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	<u>Totals</u>
06S 31E 3			2.0				35.0	16.0									53.0

Total Acres: 53

CONDITIONS OF APPROVAL

1. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
2. Right 35-8680 is also diverted through the point of diversion described above.
3. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
4. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.

MICROFILMED

FEB 04 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 35-08663

5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 212 af at the field headgate for the lands above.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 1st day of FEBRUARY, 2002.


Acting for KARL J. DREHER
Director

MICROFILMED
FEB 04 2002

RECEIVED

JAN 24 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08663

Department of Water Resources

Date of Priority: April 01, 1988

Maximum Diversion Rate: 1.06 CFS

Comes now CLAUDE CHRISTENSEN
1825 S 2700 W

ABERDEEN ID 83210 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08663, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	1.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW1/4NW1/4SE1/4 Sec. 3, Twp 06S, Rge 31E, B.M.
BINGHAM County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06S 31E 3			2.0				35.0	16.0									53.0

Total Acres: 53

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 21 day of JANUARY, 2002.

Claude Christensen
(Signature)

MICROFILMED
FEB 04 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08663

FOR DEPARTMENT USE ONLY
Preliminary check by SWK Fee = \$50.00 Received by man # 0059592 Date 1-31-02

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08663 with the following:

CONDITIONS OF APPROVAL

1. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
2. Right 35-8680 is also diverted through the point of diversion described above.
3. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
4. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 212 af at the field headgate for the lands above.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 1st day of FEBRUARY, 2002


Acting for **KARL J. DREHER**
Director

MICROFILMED
FEB 04 2002

RECEIVED

JUL 26 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00
Date 7-26-93
Receipt No. 6028224
Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-8663 Telephone No. 208-397-4883

2. Name(s) of Permit Holder(s): Claude L. Christensen

3. Mailing Address: 1825 S. 2700W - Aberdeen, Id. 83210

4. Source of Water: Deep Well

If GROUNDWATER, Well Driller's Name: Ken Dollmet Drilling Date Drilled: Cross Reference to 358680

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 60 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.2 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? ✓ Yes _____ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Claude L. Christensen 208-397-4883 or Dwight T. Norsch 208-397-41965
Name Telephone No.

1825 S. 2700W. Aberdeen, Id 83210 19915.2700W, Aberdeen Id
Address 83210

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

AUG 26 1993

7-23-93
Date

Claude L. Christensen
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08663

Proposed Priority: April 1, 1988 Maximum Diversion Rate: 1.20 CFS

This is to certify, that **CLAUDE CHRISTENSEN**
1825 S. 2700 W.
ABERDEEN, ID 832100000

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 3, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	3	SWNE 2	SWNW 35	SENW 23	60

Total number of acres irrigated: 60

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 2, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APPROVED
AUG 21 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08663

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of August, 1991.

Gary Spackman
For: R. Keith Higginson, Director

RECORDED

AUG 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- Claude
1. Name of applicant Claude Christensen Phone 397-4883
Post office address 1825 S. 2700 W., Aberdeen Id. 83210
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____
Sec. 3 Township 6S Range 31E B.M. Bingham County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.20 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well w/ pump to handlines.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 10 inches; proposed depth of well is 150' feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED
AUG 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	31E	3			2				35	23									60

Total number of acres to be irrigated 60

10. Describe any other water rights used for the same purposes as described above. 60 shares in Aberdeen/Springfield Canal


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

INDEXED

AUG 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claude Christensen
(Applicant)

Received by dg Date 4-1-88 Time _____ Preliminary check by HWJ
Fee \$ 65 Received by dg # E000067 Date 4-6-88
Publication prepared by RB Date 6-20-88 Published in Morning News
Publication approved RB Date 7-15-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AUG 21 1991

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOTICE OF APPLICATION
FOR TRUST WATER RIGHT

35-08663

CHRISTENSEN, Claude
1825 South 2700 West
Aberdeen, Idaho 832100000
Source: GROUNDWATER
Diversión Pt: SENW, Sec. 3, T. 06S, R.
31E.
Use: IRRIGATION (1.200 CFS).
Total Diversión: (1.200 CFS).
Date Filed: 4/1/1988.
In: T06S, R31E, S03, SWNE, SWNW,
SENEW.
60.0 ACRES TOTAL.

35-08678

MARCINKO, Robert J.
1025 Highway 26
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversión Pt: SESWSE, Sec. 5, T. 02S, R.
34E.
Use: IRRIGATION (.090 CFS).
STOCKWATER: (.020 CFS).
Total Diversión: (.110 CFS).
Date Filed: 10/25/1988.
In: T02S, R34E, S05, SESE.
3.0 ACRES TOTAL.

35-08680

TRUPP, Wilbert E.
TRUPP, Ola
2683 W. 1800 S.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversión Pt: LOT 4 (NWNW), Sec. 3, T.
06S, R. 31E.
Use: IRRIGATION (1.220 CFS).
Total Diversión: (1.220 CFS).
Date Filed: 9/27/1988.
In: T06S, R31E, S03, Lot 4 (NWNW),
SENEW
61.0 ACRES TOTAL.

35-08681

VAN ORDEN, Karen
35 N., 1200 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversión Pt: NWSW, Sec. 31, T. 02S, R.
34E.
Use: IRRIGATION (1.820 CFS).
Total Diversión: (1.820 CFS).
Date Filed: 10/12/1988.
In: T02S, R34E, S31, SWNE, SENE,
SENEW, NESW.
91.0 ACRES TOTAL.

35-08926

WOOD, Forrest W.
1796 Taber
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversión Pt: SENW, Sec. 30, T. 01S, R.
33E; SESW, Sec. 30, T. 01S, R. 33E.
Use: IRRIGATION (5.190 CFS).
Total Diversión: (5.190 CFS).
Date Filed: 12/17/1990.
In: T01S, R33E, S30, SWNE, SENE, NESE,
NWSE, SWSE, SESE; S31, NENE, NWNW,
SWNE, SENE, NENW.
268.0 ACRES TOTAL.

35-08933

SÖDERQUIST, Lyle R.
Box 8
Chester, Idaho 83421
Source: GROUNDWATER
Diversión Pt: SWNW, Sec. 11, T. 01S, R.
33E.
Use: IRRIGATION (.800 CFS).
Total Diversión: (.800 CFS).
Date Filed: 12/31/1990.

In: T01S, R33E, S11, NESW.
40.0 ACRES TOTAL.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho Code
and/or the new public interest criteria of Sec.
42-203C, Idaho Code. Protests must be filed
with the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83402, on or before JULY 8, 1991.

R. KEITH HIGGINSON
Director

(1199)
Pub.: 6/20, 27

RECEIVED
AUG 21 1991

RECEIVED

JUL 2 - 1991

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Jacqueline Graham do

solemnly

swear that I am the legal coordinator of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1913, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

20th day of June, 1991;

and the last publication having been made on the

27th day of June, 1991;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 28th day of June, in
the year 1991 before me a Notary Public of said State,
personally appeared

Jacqueline Graham
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

R. Keith Higginson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing fee..... \$5.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 4, 2002

CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210

RE: License No. 35-8663 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klf

Enclosure(s)

MICROFILMED


FEB 04 2002

CERTIFICATE OF MAILING

I hereby certify that on February 4, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 35-8663

**CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210**


**Kari Lynn Townsend
Secretary**

MICROFILMED

FEB 04 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

FEB 04 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 24, 2002

CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210

RE: Water Right No. 35-8663

Dear Mr. Christensen:

On January 24, 2002, IDWR received your Application for Amendment of Permit for Water Right No. 35-8663. Earlier this month IDWR sent you a letter indicating that the required \$50.00 amendment fee had already been paid. Unfortunately, I can find no record of prior payment. I apologize for the mistake. Please submit the fee within fourteen (14) days so that a water right license can be issued promptly.

If you have any questions, please call me at 208-327-7946 or email me at skeen@idwr.state.id.us.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

MICROFILMED

FEB 04 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

January 17, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210

RE: Water Right Permit 35-08663

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within 14 days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the \$50.00 filing fee for this amendment has been paid.

If you have any questions regarding this matter, please call me at 208-327-7946.

Sincerely,

for Shelley W. Keen
Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure

MICROFILMED

FEB 04 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

12/27/2001

CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210

RE: Water Right Permit No. 35-08663

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:


☒ Point(s) of Diversion

☐ Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully, including the conditions of approval on the second page. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

Enclosure(s)

MICROFILMED

FEB 04 2002

Comment Report

35-8663

1. S. Keen 12/27/2001 License Review

Comment: Licensing review and data entry by S. Keen on 12/26/2001. Place of use overlapping rights are surface water from Aberdeen Springfield Canal Company. Point of diversion is shared with 35-8680.

MICROFILMED

FEB 04 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 03 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08663

1. Owner: CLAUDE CHRISTENSEN Phone No. (208) 397-4883

Current Address: 1825 S. 2700W, ABERDEEN, ID 83210

2. Accompanied by: DWIGHT W. HORSCH EXAM DATE: 9/10/96

Address: 1991 S 2700W, ABERDEEN, IDAHO 83210 Phone No. (208) 397-4925

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 6W. NONE (SURFACE RIGHT)

2. Other water rights with the same point of diversion: 35-08680 (SAME WELL)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	SE	03	06S	31E	BINGHAM	U.S.G.S. TOPO MAP/NAPP PHOTO

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06S	31E	3			2				35	16								53	

MICROFILMED TOTAL 53 ACRES

FEB 04 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable. *SEE ATTACHMENTS*



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
LIFT PUMP	U.S. MOTOR	75	881942		8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC FLOW METER	TYME-FLYTE	TF-P	7140263			1996
(ORDER) PRESSURE GAGE	PRECISION				0-100	63 PSI

2. Measurements: *SEE ATTACHMENTS*

MICROFILMED
FEB 04 2002

E. NARRATIVE/REMARKS/COMMENTS

THIS IRRIGATION SYSTEM UTILIZES A 75 HP PUMP TO
PROVIDE WATER TO BURIED MAIN LINES. RISER
POINTS PROVIDE LATERAL HAND LINES HOOKUP POINTS.
HAND LINES VARY IN LENGTH, WITH APPROXIMATE 103
BIRDS, THESE HAVE S.S 6" FLOW CONTROL NOZZLES

THIS POINT OF DIVERSION ALSO SUPPLIES WATER FOR
PERMIT # 35-08680.

7 ACRES REMOVED FOR NON-IRRIGATED LANDS (CANAL, ETC.)
(ROADS)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 04 2002

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

THEORETICAL PUMP FLOW CALCULATIONS = 2.977 CFS

POLYSONIC FLOW MEASUREMENT = 2.89 CFS

~~RELATIVE LIMITS TO~~

53 ACRES X .02 = 1.06 CFS.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 53 \text{ ac} \times 4 = 212 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.06 \text{ cfs} \times 214 \times 1.9835 = 449.94 \text{ AFA}$

$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 212 \text{ AFA}$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	1.06 CFS	212 AFA
Totals:			1.06 CFS	212 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPSON Date 1/29/98

Reviewer _____ Date _____

SEAL
MICROFILMED
FEB 04 2002

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{75} \\ Eff &= \text{Efficiency} = \underline{.70} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ \text{Static Water Level} &= \underline{10'} \text{ ft.} \\ \text{Assumed Draw down} &= + \underline{-0} \text{ ft.} \\ \text{Lift} &= \underline{10'} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{63} \text{ psi}$$

$$Q_{cfs} = \left[\frac{75}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{10}{Lift} + \left(\frac{63}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{462.735} \right] \div \left[\underline{155.404} \right]$$

$$Q_{cfs} = \underline{2.9776} \text{ cfs}$$

POLYSONIC FLOWMETER

$$\text{STEEL PIPE} = 380.671 \text{ GPM} / 448.8 = 0.848 \text{ cfs.}$$

$$\text{ALU PIPE} = 916.913 \text{ GPM} / 448.8 = 2.043 \text{ cfs.}$$
$$\underline{2.89 \text{ cfs}}$$

MICROFILMED PERMIT NO. 35-08663
FEB 04 2002

DAMPING SET
12 SEC

MODE SELECT
INPUT

OUTER DIAMETER
8.6599 IN

PIPE MATERIAL
? CS.93

WALL THICKNESS
0.3229 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.899 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

09-10 06:1400 *R
+002.78 % AI2

MODE SELECT
TO CHECK

0299.4 MMSEC
100.09 % T0

0299.4 MMSEC
100.09 % T0

09-10 06:1900 *R
+380.671E 06PM

380.6716PM

MODE SELECT
INPUT

OUTER DIAMETER
8.0190 IN

PIPE MATERIAL
? AL.DI

WALL THICKNESS
0.2780 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.729 IN U

MM-DD HH:MM
09-10 06:57

ZERO MODE
CLEAR

ZERO MODE
SET ZERO

09-10 06:0500 *R
+003.00 % AI2

MODE SELECT
TO CHECK

0293.7 MMSEC
100.07 % T0

09-10 06:0700 *R
+934.112E 06PM

09-10 06:0700 *R
+916.413E 06PM

916.4136PM

35-8680
35-8663

MICROFILME

FEB 04 2002

Whe
P.T.

EST

FIELD EXAM NOTES

EXAM # 35-8680 + 35-8663

DATE OF EXAM 9/10/96

PERMITEE NAME DWIGHT W. HORSCH (CLAUDE CHRISTENSEN)

OTHER WATER RIGHTS SAME POD 35-8663 + 35-8680

OTHER WATER RIGHTS SAME POU Ornith

PUMP #1 HP 75 MAKE U.S. Motor SERIAL # 881942
COLOR AND DESCRIPTION Gray / Yellow
OUTPUT DIAMETER _____ SYSTEM PRESSURE 63 PSI WELL DEPTH 285
STATIC H2O 10' WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE Pressure CHECK VALVE (Y) [N] GATE VALVE (Y) [N]
0-100

PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____
PRESSURE [H] [L]

HAND LINES (Y) [N] NUMBER OF LINES _____ LENGTH OF LINES _____

RAIN BIRDS PER LINE 103 NOZZEL DIAMETER 5.5 GPM
Flow Control

SURFACE WATER TYPE OF MEASUREING DEVICE _____

AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH _____/_____

Some covered by pivot - water from pumps in SEVENE S3

MICROFILMED

FEB 04 2002



8 Tower Pivot 3HP booster End Run

USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

1320 less 40 + 120
TOTAL End Run + boom

35-08663

← N



MICROFILMED

FEB 04 2002

35-08663

DWIGHT HOESCH

1616171102

1/3

POINT OF
DIVERSSON




VIEW SOUTH

PLACE OF
USE

DEXT 7

PHOTOS

LEFT TO
RIGHT



MICROFILMED

FEB 04 2002

PERMIT
NUMBER


35-08663

DWIGHT HORSCH

IRRIGATION


2/3

VIEW SOUTH
PLACE OF
USE



9 10'36

VIEW
SOUTH WEST
PLACE OF
USE



9 10'36

PERMIT
NUMBER

35-08663

MICROFILMED


FEB 04 2002

DWIGHT HOESCH


12216ATT00

30/3

VIEW WEST
PLACE OF
USE



VIEW
NORTHWEST
PLACE OF
USE



PERMIT
NUMBER

35-08663

MICROFILMED

FEB 04 2002

T06S, R31E

35-08663

MICROFILMED
FEB 04 2002

14
15
16

640.
640.
640.

FEB 04 2002

54

15.

5-410

1

35-08663

WR5800NP

No. 35-08663

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/09/96

PAGE: 28

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLAUDE CHRISTENSEN 1825 S. 2700 W. ABERDEEN ID 832100000 (208) 397-4883	04/01/1988	IRRIGATION	04/01 11/01	1.200 CFS	
TOTAL DIVERSION:					1.200 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T06S R31E S03

SENW R00W SE

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
06S	31E	3	:			02	:			35	23	:								:	60.0
TOTAL ACRES																			60.0		

Pou County: BINGHAM

Other Rights: 60 SHARES IN ABERDEEN/SPRINGFIELD CANAL

Other Water Rights Listing Overlapping Place(s) of use:

35-07530

35-08083

35-08680

1.22

Glacon

R00W

L-4

S3

6S

31E

Conditions of Approval:

2.32

166 acres

SW

R00W

52

6S

31E

- 296
148 acres
NENE S3 L4
6S 31E
- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
 - 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
 - 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
 - 048 - The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
 - 049 - The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
 - 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

FEB 04 2002

MICROFILMED

35-08663

WR5809NP
No. 35-08663

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/09/96
PAGE: 29


Dates: App. Received: 04/01/1988 Priority Date: 04/01/1988
Proof Due Date: 08/02/1993 Proof Made Date: 07/26/1993
Exam Made Date:
Licensed Date:
Exam Sent to S.O.:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/15/88 05/21/88 CONVERT 07/26/91 SKAGGS 08/20/93 GUSTAFSO

MICROFILMED
FEB 04 2002

35-08663



Reach Rd. 1800

TOLLS, R31E

PLACE OF USE →

← PLACE OF USE

POINT OF DIVERSION

Phillips Loop Rd.

Experiment Station Rd.

Low Line Canal

80.3 Airport Rd. 1900S

Dwight Horsch
See G21

35-08663

August 20, 1993

CLAUDE CHRISTENSEN
1825 S. 2700 W.
ABERDEEN ID 832100000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08663

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 26 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08663 Reviewed by Klg Date 8/4/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
data c Copy in the file? Drilling Permit No. 35-91-G-0001-000
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125 Amount Submitted
yes Correct?
yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

holding for log

proof acceptable

DATA ENTRY

New Address

Proof Made

needs a flow
35-08663
7/26/93 8/20/93 Klg

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Wilbert E. or Ola Trupp
2. Address 2683 W 1800 S
Aberdeen Id 83210 Telephone 397-5229
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't lot No. 4,
Sec. 3, Twp. 6 S, Rge. 31 E, County Bingham,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 12-14" Maximum depth 150 ft.
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date w/in one month of approval of application for permit.
7. Well Driller (if known) _____
Address _____
8. Applicant's signature Ola Trupp
Title owner
Date 9-27-88

RECORDED

AUG 26 1993

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

APPROVED

Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 12 day of August, 19 91.

Signed

Lt. W. A. REED

Title

MANAGERGROUNDWATER PROTECTION SECTION

Received by KCCU Fee 100⁰⁰ Date 9-27-1988

Receipt No. E002630 Construction start extension to _____

Extension approved by _____

RECEIVED
AUG 26 1993

(in different than the Driving Supervisor)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1993

Kenneth L. Vollmer
Vollmer Well Drilling
PO Box Z
Aberdeen, ID 83210

Re: Permit No. 35-08663 - Dwight W Horsch
Previous Owners - Wilbert & Ola Trupp
Drilling Permit No. 35-91-Z-0001-000
Drilling Date: November 1992 - June 1993
Proposed Location: 06S, 31E, Section 03, NW $\frac{1}{4}$ NW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

RECORDED

AUG 16 1993

May 31, 1993

CLAUDE CHRISTENSEN
1825 S. 2700 W.
ABERDEEN ID 832100000

PROOF DUE NOTICE

RE: PERMIT NO. 35-08663

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 140205

RECEIVED

AUG 26 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 14, 1991

CLAUDE CHRISTENSEN
1825 S. 2700 W.
ABERDEEN, ID 832100000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08663

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MIDNIGHT

AUG 21 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures


AUG 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 35-8163
Date: 7-26-91

Reviewer: Pam Skaggs *CS*

Existing:

☒ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

☒ GT. 0.2 cfs - 01G-P03 01C-P03(existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

☒ Not included - 046-P23 (All GW, even existing wells)

Location:

☒ Water Districts - WD No. 01
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

☒ Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - / (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

☒ Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

MICROFILMED

☒ Beneficial Use Due Date: - 08-02-1993
Other Conditions Recommended

AUG 21 1991

Dist for staffing 3-31-88
Submitted for admin April 88.

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HLJ DATE 4-1-88 APPLICATION NUMBER 35-8663
Christensen

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) NA.
☒ Overlapping point of diversion NA.
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUL 22 1991

Department of Water Resources

RECEIVED

PROCESSING

☐ Yes ☐ No form for advertising
☐ Yes ☐ No Statewide advertising
☐ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

None

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-8-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

☐ See below for additional information

Date of priority recommended 4-1-88
By HWT Date 7-17-91

STATE OFFICE REVIEW

☐ See below for additional information

By _____ Date _____

ADDITIONAL INFORMATION

Condition; OIG

LOCAL PUBLIC INTEREST

Comments received from:

- | | | |
|---------------------------------------|---|--|
| ☐ City | ☐ Idaho Fish & Game | ☐ Irrigation District |
| ☐ County | ☐ Idaho Health & Welfare | ☐ Canal Company |
| ☐ Reservations | Division of Environment | ☐ Other _____ |

Project impacts/implications report

COMMENTS

35-8663

CHRISTENSEN, CLAUDE

1825 SOUTH 2700 WEST, ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: SENW Sec 03 T 06S R 31E

Use: IRRIGATION (1.2 CFS)

Date Filed: 04/01/1988

In: SWNE SWNW SENW Sec 03 T 06S R 31E FOR 60 ACRES

FILED

AUG 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 11, 1991

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 8, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

NOTED

AUG 21 1991

35-08663

CHRISTENSEN, CLAUDE
1825 SOUTH 2700 WEST
ABERDEEN, ID 832100000

Source: GROUNDWATER

Diversion Pt: SENW Sec 3 T 06S R 31E

Use: IRRIGATION (1.200 CFS)
Total Diversion: (1.200 CFS)

Date Filed: 4/ 1/ 1988

In: T06S R31E S03

SWNE

SWNW

SENW

60.0 ACRES TOTAL

01199-ust,ust

DEPARTMENT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR TRUST WATER RIGHT**

35-08663

CHRISTENSEN, Claude
1825 South 2700 West
Aberdeen, Idaho 832100000
Source: GROUNDWATER

Diversion Pt: SENW, Sec. 3, T. 06S, R.
31E.

Use: IRRIGATION (1.200 CFS).

Total Diversion: (1.200 CFS).

Date Filed: 4/1/1988.

In: T06S, R31E, S03, SWNE, SWNW,
SENW.

60.0 ACRES TOTAL.

MICROFILMED

AUG 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

07-Jun-1991

CLAUDE CHRISTENSEN
1825 S 2700 W
ABERDEEN ID 83210

RE: Application No. 35-8663

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Morning News on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones RB
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

AUG 21 1991

35-08680
D.P.
Same well