


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marilyn J. Nelson

(Applicant)

P.O. Woodville Cemetary Maint. Dist.

MICROFILMED



MICROSOFT

APR 18 1996

35- 8623

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08623

Priority: November 4, 1985

Maximum Diversion Rate:

0.03 CFS

This is to certify, that WOODVILLE CEMETARY MAINTENANCE DISTRICT
4976 W 81 S

SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 4, 1985; and has submitted Proof of Beneficial Use on January 10, 1991. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	0.03 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 7, Township 01N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	37E	7	NESE	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual diversion volume of 4.0 af for the lands above.
6. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.

APR 1 8 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08623

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of April, 1976.

Acting for


KARL J. DREHER, Director

APR 18 1976

RECEIVED

JAN 10 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

1 Permit No. 35-08623 Telephone No. 208-352-32512 Name(s) of Permit Holder(s): INDOVILLE CEMETERY MAINTENANCE DIST.3 Post Office Address: 4906 W. 81 SOUTH SHELLEY, IDAHO 832244 Source of Water: GROUND WATER.a If ground water, well driller's name: LAMAR BARRUS Date drilled: APRIL 1986b Pump horsepower: 5 H.P. OR 7 1/2 H.P. Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic _____ (No. of households)

Irrigation 1 ACRE (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

WELL PUMP AND SPRINKLER6 Total rate and/or volume for which proof is submitted .03 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule) NONE REQUIRED

9. Person to contact to accompany the Department representative during the field examination:

GERALD ADAMS 352 3251 OR MARYL N NELSON - 352-7433

Name

Telephone No.

4906 W. 81 SOUTH SHELLEY, IDAHO 83224

Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

Date

Signature (and title if on behalf of a company or organization)

1/2/91Gerald AdamsSECRETARY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Woodville Cemetary Maintenance Dist. Phone 357-7433
c/o Marlyn Nelson, Pres.
Post office address Rt. 1, Box 358 Shelley, Idaho 83274

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 1N
Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .03 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROPOST

Total number of acres to be irrigated


Woodville Canal Co.

b. Who owns the land to be irrigated or place of use

applicant to make this filing.

Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Nelson
(Applicant)

For Woodville Cemetery Maint Dist.

MICROFILMED

MICROFILMED

Proposed Priority: 11/4/85

Received by ENC Date 11/4/85 Time 1:00 p.m.

Preliminary check by HUT Fee \$ 30.00

Received by ENC Date 11/4/85 # 35524

Publication prepared by MD Date 11/6/85

Published in Pat Register

Publication dates 11/4 + 11/21 1985

Publication approved QUL Date 12-03-85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ENC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 35-8623 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore February 1 , 19 91 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11th day of February, 1986.

J. Mark Saylor
Chief, Operations Bureau

Proof of Publication The Post-Register

State of Idaho,
County of Bonneville { ss.

I, J. Robb Brady, first being duly sworn, depose and say. That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 14th day of November, 1985, last publication having been made on the 21st day of November, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 26th day of November, 1985
[Signature]
Notary Public

My commission expires September 30, 1988

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following applications have been filed to appropriate the public waters of the State of Idaho.
35-8623
WOODVILLE CEMETERY MAINTENANCE DIST
RT. 1 BOX 358, SHELLEY, ID 83274
Source: GROUNDWATER
Diversion PL NESE Sec 07 T 01N R 37E
Use: IRRIGATION (0.030 CFS)
Priority Date 11/04/1985
In: NESE Sec 07 T 01N R 37E FOR 1 ACRES
The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before December 2, 1985.
KEN DUNN
Director
Published: November 14, 21, 1985

NOV 29 1985
Department of Water Resources
Eastern District Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 2, 1996

WOODVILLE CEMETARY MAINTENANCE DISTRICT
4976 W 81 S
SHELLEY ID 83274

RE: WATER RIGHT NO. 35-08623

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

APR 18 1996

COMMENTS:

USE	CFS	DIV VOL	SRBA Overlap
<u>lrr / lac</u>	<u>0.03</u>	<u>4.0</u>	<u>None</u>
			Adjustment Memo
			LICENSE LTR: P49
			#1 AMEND LTR: /P38
<u>TOTAL</u>	<u>0.03</u>	<u>4.0</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 22 1996

Department of Water Resources

A. GENERAL INFORMATION

1 Owner Woodville Cemetery District Permit No. 35-08623
Current Address Marlyn Nelson (President) 1475N 600E SHELLEY, ID 83274 Phone No. _____
2. Accompanied by Mrs. Nelson EXAM DATE 06/13/91
Address Same Phone No. Same
Relationship to Permit Holder: Wife of President
3 Source groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use None

☐ Copies Attached
2. Other water rights with same point of diversion None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable ☐ Alternative diagram attached



APR 18 1996

Scale: 1" = _____

2 ☒ Copy of U S G S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)
place(s) of use (required)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

3. **Narrative:** Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc)

Well, pump, handlines (2") with 10
sprinkler heads $\frac{5}{8}$ " diameter

~~Sprinkler heads 5/20 diameter~~

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No. *	Franklin Electric	5	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination.

[illegible]

Do not use this space

100-44388-100

100



35-08623
APR 18 1996

nozzles - $\frac{5}{32}$ "

pressure - 42 psi

Rate of flow for $\frac{5}{32}$ " nozzle @ 42 psi

40 psi - 4.61 gpm

45 psi - 4.91 gpm

$$\frac{0.3 \text{ gpm}}{5 \text{ psi}} = \frac{x}{2 \text{ psi}} = .12 \text{ gpm}$$

∴ Q for $\frac{5}{32}$ " nozzle @ 42 psi

$$4.61 \text{ gpm} + .12 \text{ gpm} = 4.73 \text{ gpm/nozzle}$$

for 10 sprinklers - $\frac{5}{32}$ "


$$Q = \frac{(10 \text{ nozzles})(4.73 \text{ gpm/nozzle})}{448.8 \text{ gpm/cfs}}$$

$$= 0.11 \text{ cfs}$$

RECEIVED

APR 18 1996

35-08623



APR 18 1996

APR 18 1996

35- 8623

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
pressure gage		Ashcroft			0-60 psi	
well probe	Olympic	actat	500			
Theoretical calculations						

2. Measurements:

pump disch pipe - $1\frac{3}{4}$ "
pump disch press - 42 psi
water level (dynamic) - 118' 2"
well casing - 8"
depth to water 118' 2"

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1 Measured Method:

$$Q = \frac{(54p)(8.814)(.7)}{118.1' + (42psi)(2.308)} = .1439 = .14 \text{ cfs}$$

2 Alternate Method for Checking Purposes:

allow 0.03 cfs as permit requests

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1000 \times 4 \text{ af} = 4 \text{ af}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \text{ cfs} \times 214 \times 1.9835 = 12.7 \text{ af}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4 \text{ af}$$

2. Volume Calculations for Other Uses:

RECEIVED
FEB 19 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Shares in Woodville Canal.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Tringsten

Period of Use
From To

4-1 10-21

Rate of Diversion
Q (cfs)

0.03 cfs

Annual Volume
V (afa)

4 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

ALAN W. PHILLIS

Signature

Alan W. Phillis

Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

March 8, 1991

WOODVILLE CEMETARY MAINTENANCE DISTRICT
4976 W. 81 S.
SHELLEY, ID 832740000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08623

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAR 18 1991

138803

November 30, 1990

WOODVILLE CEMETARY MAINTENANCE DISTRICT
RT. 1 BOX 358
SHELLEY, ID 832740000

PROOF DUE NOTICE

RE: PERMIT NO. 35-08623

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35-8673
Name(s) of Permit Holder(s): Woodville Cemetary District
Post Office Address: 90 Marilyn Nelson Pres Rt. 1 Box 35-8
Shelley, Id. 83274 Tel. 307-74133

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6-6-86 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason


8-86
Date

Marilyn Nelson
Signature of Permit Holder

Marlyn Nelson

1475 N 600 E

Shelley, Id 83274



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

MAR 18 - 41

RECEIVED

JUL 14 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 12, 1986

WOODVILLE CEMETARY MAINTENANCE DIST.
RT. 1 BOX 358
SHELLEY, ID 83274

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-8623

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Glen

DATE

2-4-86

TO

File 35-8623

SUBJECT

— The telephone conversation w/
Lindy Cranston (see memo dated 1-14-86)
will be considered by the Dept
as a withdrawal of Jd. Power
Co's blanket protest against
approval of this app.
— app may be approved.

MICROFILMED

SIGNATURE

FROM ERNEST

DATE Jan 14, 1986

TO File #35-8623

SUBJECT Spoke with Cindy Cranston-Felton about consideration of this application pursuant to the Oct. 25, 1984 agreement. She indicated that because Woodville was a rural community, the application could be construed to fall within the category of nonconsumptive municipal. There would have no objections to the Dept. processing the application, since consumptive use at 0.03 cfs/acre for 1 acre would be much less than 2nd day.

MICROFILMED

Ernest Coulson

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 6, 1985

Post Register
P.O. Box 1800
Idaho Falls, ID 83402

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 2, 1985.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

35-8623
~~35-8323~~

WOODVILLE CEMETARY MAINTENANCE DIST.

RT. 1 BOX 358, SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt. NESE Sec 07 T 01N R 37E

Use: IRRIGATION (0.030 CFS)

Priority Date: 11/04/1985

In: NESE Sec 07 T 01N R 37E FOR 1 ACRES

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest criteria of
Sec. 42-203C, Idaho Code. Protests must be filed with the
Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15,
Idaho Falls, Idaho, 83402 on or before December 2, 1985.

KEN DUNN

Director

Published 11/14 and 11/21/85.

MICROFILMED

2-1
10/1/85