


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

DEC 13 1989

Neldon Palmer
(Applicant)

AJ5809NP
No. R35-02712

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/31/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAUL BEHREND 2706 W 1800 S ABERDEEN ID 83210 (208) 397-4456	04/27/1962	IRRIGATION	04-01 10-31	2.28 CFS	548.00 AFA
					TOTAL DIVERSION: CONSUMPTIVE USE:	2.28 CFS 548.00 AFA 411.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R31E S16

NWNENW

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
06S	31E	16	:					:	26	36	39	36	:					:					:	137.0
																							TOTAL ACRES	137.0

POU County: BINGHAM

Other Rights: ABERDEEN-SPRINGFIELD CANAL CO.

Other Water Rights Listing Overlapping Place(s) of use:

A01-00023Z1 A01-00297Z1 A01-02064G1 A01-02068G1 A01-02068H1 A35-02543Z1 A35-02712 A35-04246Z1 A35-04246Z5 R35-02543Z1 R35-04246Z1

Conditions of Approval:

E02 - USE OF THIS RIGHT IS COMBINED WITH WATER FROM
- ABERDEEN SPRINGFIELD CANAL CO.

Dates: Exam Made Date: Verified Date: 01/24/1994

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 11/29/93 RUBERRY 01/20/94 RUBERRY 01/24/94 RUBERRY

OVERLAPPING License
R-RECORD

T1003
#719
LEO
Fehringert

This permit picks
up 16 acres in the NENW.
Other ground licensed under
35-02712

Point of
Diversion

R31E

T
6
S

Place of
Use

35-8597

JUN 10 1994

M-8

BR 17 16

HEL
1-872

HEL
1-584

#109
ary Johns

1167
an Funk
Funk)

T1008

T1009

#1031

NHEL

NHEL
6-29

NHEL

11 377


8

9

17

16

8



Point of Diversion

Place of Use

16

R31E

35-8597

T
6
S

UN 1 0 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08597

Priority: September 13, 1985 Maximum Diversion Rate: 0.24 CFS
Maximum Diversion Volume: 58.0 AF

This is to certify, that PAUL BEHREND
2706 W 1800 S

ABERDEEN ID 83210 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 21, 1985; and
has submitted Proof of Beneficial Use on March 22, 1991. An examination indicates
that the works have a diversion capacity of 2.500 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.24 CFS	58.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 16, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	16	NENW	14.5		14.5

Total number of acres irrigated: 14.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

JUN 10 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08597

CONDITIONS/REMARKS:

8. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
9. The total combined rate of diversion under this right and Right 35-02712 shall not exceed 2.50 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 28TH day of APRIL, 1994.

Acting for Norm C. Young
R. Keith Higginson, Director

JUN 10 1994

L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
MAR 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08597 Telephone No. 397-4047

2. Name(s) of Permit Holder(s): Paul Behrend

3. Post Office Address: 2706 W 1800 S Aberdeen ID 83210

4. Source of Water: ground WATER

a. If ground water, well driller's name: NA Date drilled: 1965?

b. Pump horsepower: 75 Pressure (psi): 70 Dynamic pumping level (ft.): 30'

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 16 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 32 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 100. (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Paul Behrend
Name

397-4047
Telephone No.

2706 W 1800 S Aberdeen ID 83210
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

3-15-91
Date

Paul Behrend
Signature (and title if on behalf of a company or organization)

JUL 15 1991

This permit covers ground currently irrigated with a point of diversion with license # 35/2712 & also has shares in Aberdeen Springfield Canal Co. on the same piece of ground that is not used.

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	35-08597	Neldon Palmer Jean Palmer	0.32
Full Assignment	35-08597	Paul Behrend	0.32

MICROFILMED

MAR 18 1991

RECEIVED
FEB 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Neldon Palmer, hereby assign to Paul Behrend
of, 2706 W. 1800 S. Aberdeen, ID 83210
(Full Address)

All my right, title, and interest in and to Application for Permit
No. 35-08597 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Application for Permit No. _____ to appropriate the public
waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.

Made this 15 day of Jan, 1991.

Neldon Palmer
Applicant

State of Idaho)
County of Bingham) ss

On this 15th day of January, 1991, personally appeared before me the signer of the
above instrument, duly acknowledged to me that he (she) (they) executed the same.

L. Jean Palmer
Notary Public
Residing at Aberdeen Idaho

seal

My commission expires: 12-24-92

RECORDED

MAR 18 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08597

Proposed Priority: June 21, 1985 Maximum Diversion Rate: 0.32 CFS

This is to certify, that **NELDON PALMER**
JEAN PALMER
2759 W. 2000 S.
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.32 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 16, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	16	NENW	16		16

Total number of acres irrigated: 16

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991.**
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08597

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of December, 1989

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

DEC 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant NELDON or JEAN PALMER Phone 397-4474

Post office address 2759 West 2000 South, Aberdeen, ID 83210

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 6S

Range 31E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.32 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.32 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well/pump, mainline to wheel lines
with sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 70 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED
DEC 13 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	31E	16					16												16

Total number of acres to be irrigated 16

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks P/D same as for 35-2712

The application is for development already in place as of May, 1971. The application is being made to insure that the benefits per the Swan Falls Agreement are obtained. The applicant intends to claim the priority of May 1, 1971 if a basin wide adjudication occurs at a later date.

MICROFILMED

DEC 13 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Nelson Palmer
(Applicant)

DEC 13 1989

ASSISTED BY Kew 21 JUNE 1985

Received by _____ Date _____ Time _____

Preliminary check by Mr Fee \$ 45.00 #33340

Received by Wt Date 6-21-85

Publication prepared by gg Date 8-1-85

Published in Morning News

Publication dates 10-5-12-87

Publication approved RB Date 10-23-89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

DEC 13 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 2, 1994

PAUL BEHREND
2706 W 1800 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08597

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 10 1994

WR0749NP
No. L35-08597

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/31/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAUL BEHREND 2706 W 1800 S ABERDEEN ID 83210 (208) 397-4047	09/13/1985	IRRIGATION	04-01 10-31	0.24 CFS	58.00 AFA
TOTAL DIVERSION:					0.24 CFS	58.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.50 CFS

Point(s) of Diversion: T06S R31E S16 NENW BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
06S	31E	16	:								14									:	14.5
																				TOTAL ACRES	14.5

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-02712 35-08597

Other Water Rights Listing Overlapping Place(s) of use:
35-02712 35-08597

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.
- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.
The total combined rate of diversion under this right and
Right 35-02712 shall not exceed 2.50 cfs.

Dates: App. Received: 05/21/1985 Priority Date: 09/13/1985 (Priority Date Advanced.)
Proof Due Date: 01/01/1991 Proof Made Date: 03/22/1991 (Proof Received Late.)
Exam Made Date: 06/10/1992 Exam Sent to S.O.: 01/27/1994
Licensed Date:

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3508597	T06S R31E S16 GROUNDWATER																	14
																		14
A010002321	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
0100297	SNAKE RIVE :																	
A010029721	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
A010206461	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
A010206861	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
A0102068H1	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
A350254321	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
R350254321	LARGE CLAI :	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3502712	GROUNDWATE :					23	39	37	38									137
A3502712	GROUNDWATE :					23	39	37	38									137
R3502712	GROUNDWATE :					26	36	39	36									137
A350424621	LARGE CLAI :	20	40	40	40	38	39	40	40	40	35	40	40	40	40	37	26	595
R350424621	LARGE CLAI :	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3507353	GROUNDWATE :	20	39	39	38													136
A3507353	GROUNDWATE :	20	39	39	38													136
R3507353	GROUNDWATE :	17	39	40	38													134
A3507353A	GROUNDWATE :	20	39	39	38													136
A3507353B	GROUNDWATE :	20	39	39	38													136
3507647	GROUNDWATE :									20			39					59
A3507647	GROUNDWATE :									20			39					59
R3507647	GROUNDWATE :									20			39					59
3507894	GROUNDWATE :									20	38	38						96
A3507894	GROUNDWATE :									20	38	38						96
R3507894	GROUNDWATE :									20	38	38						96
3508597	GROUNDWATE :					16												16
3508993	GROUNDWATE :													40	40	40		120

*

POU COMPARISON

AJ5809NP
No. R35-02712

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/31/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAUL BEHREND 2706 W 1800 S ABERDEEN ID 83210 (208) 397-4456	04/27/1962	IRRIGATION	04-01 10-31	2.28 CFS	548.00 AFA
					TOTAL DIVERSION:	2.28 CFS
					CONSUMPTIVE USE:	548.00 AFA 411.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R31E S16

NWNEW

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE														
				NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:					
06S 31E 16 :								:	26	36	39	36	:					:					:					:	137.0	
								:					:					:					:					:	TOTAL ACRES	137.0

POU County: BINGHAM

Other Rights: ABERDEEN-SPRINGFIELD CANAL CO.

Other Water Rights Listing Overlapping Place(s) of use:

A01-00023Z1 A01-00297Z1 A01-02064G1 A01-02068G1 A01-02068H1 A35-02543Z1 A35-02712 A35-04246Z1 A35-04246Z5 R35-02543Z1
R35-04246Z1

Conditions of Approval:

E02 - USE OF THIS RIGHT IS COMBINED WITH WATER FROM
- ABERDEEN SPRINGFIELD CANAL CO.

Dates: Exam Made Date: Verified Date: 01/24/1994

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 11/29/93 RUBERRY 01/20/94 RUBERRY 01/24/94 RUBERRY

LICENSE REVIEW CHECKLIST

PERMIT NO 35-8597

DATE 3-31-94



NAME	<u>Yes</u>	<u>No</u> ☒	Or Address Change?
PRIORITY DATE	☒	<u>Yes</u>	Advanced to: <u>9-13-1985</u> Order to reinstate needed? <u>NO</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u>Yes</u>	☒	Changes or just clarification of originally intended source? <u>NO</u> Notice of Intent to Void necessary? <u>NO</u>
POINT OF DIV	☒	☒	Amendment needed? <u>NO</u> Overlaps? <u>35-2712</u>
PLACE OF USE	☒	☒	Amendment needed? <u>NO</u> Overlaps? <u>35-2712 same 1444 - different acres</u>
DIV RATE	☒	<u>Yes</u>	Measurement done? <u>NO</u> Theoretical only? <u>NO</u> <u>Measured Q = 2.5</u> <u>14.5 x .02 = .29 C</u>
CAPACITY = 2.50 35-2712 = 2.28 Available = .22			Capacity: <u>2.5</u> Combined rates exceed capacity <u>YES</u> Allowable amount: <u>.0165 x 14.5 = .24 CFS</u>
ANNUAL VOLUME	<u>Yes</u>	☒	Season of use: <u>C/4.0 (4-1 to 10-31)</u> Calculations: <u>14.5 x 4 = 58</u> <u>(35-2712 = 548)</u> <u>(151.5 x 4 = 606)</u> Flow limit: <u>214 x .24 cfs x 1.9835 = 101</u> Combined volumes exceed capacity/allowable <u>NO</u>
USES	<u>Yes</u>	☒	Change(s) in Nature of Use? <u>NO</u> Amendment necessary? <u>NO</u>
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in 1/4? <u>NO</u> Other <u>Oberdeen Springfield Canal Co</u>
CONDITIONS	<u>R31</u>	☒	Measuring/Locking Devices <u>NO</u> Watermaster control - District <u>NO</u> Irrigation Overlap <u>NO</u> Water Quality <u>NO</u> Other <u>NON-TRUST CONDITIONS</u>
COMMENTS: <u>REDUCE ACRES AND RATE</u>			

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.24</u>	<u>58</u>	
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Paul Behrend Permit No. 35-08597
Phone No. 397-4047
Current Address: 2706 W. 1800 S. Aberdeen, ID 83210
2. Accompanied by: Applicant EXAM. DATE: 6-10-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-2712
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 35-2712
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

- 3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

Well pump & booster to 6 lateral lines & one hand line

☐ See Remarks on page 4 for continuation

- 4.**

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motor	50	1095563	Bakely	
	NA	50	NA	Bakely	8740337

***Code to correspond with No. on map and aerial photo**

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

1-24-2010

JUN 10 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Seam Meter						

2. Measurements:

By meter at pump exit - 1126 gpm average
1126 gpm = 2.5 cfs
448.8 gpm/cfs Capacity

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

NA

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_R = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \overset{\text{acres of}}{(14.5)(4)} = 58 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (24)(214)(1.9835) = 101.8$

$V = \text{Smaller of } V_R \text{ and } V_{DR} = 58 \text{ afa}$

2. Volume Calculations for Other Uses:

JUN 10 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

See P.D. overlap review sheet

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	0.24	58
Totals:			0.24 cfs	58 cfs

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Harold W. Jones
Signature [Signature]
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

1/ Conditioned that when this rt. is used with 35-02712 the rate of diversion shall not exceed 2.50 cfs!

JUN 10 1994

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

06-10 11:5900 *P
+ 1.002E 3GPM

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
8.0378 IN

PIPE MATERIAL
? CS.SS

WALL THICKNESS
0.1480 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1440 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.683 IN U

MODE SELECT
TO CHECK.

0297.3 MMSEC
100.49 % TO

ZERO MODE
AUT ZERO

MM-DD HH:MM
06-10 12:01

06-10 12:0100
+ 1.149E 3GPM

DAMPING SET
20 SEC

06-10 12:0100 *R
+ 1.111E 3GPM

06-10 12:0100 *P
+ 1.121E 3GPM

0.1480 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1440 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.683 IN U

MODE SELECT
TO CHECK

0297.3 MMSEC
100.49 % TO

ZERO MODE
AUT ZERO

MM-DD HH:MM
06-10 12:01

06-10 12:0100
+ 1.149E 3GPM

DAMPING SET
20 SEC

06-10 12:0100 *R
+ 1.111E 3GPM

06-10 12:0100 *R
+ 1.121E 3GPM

06-10 12:0200 *R
+ 1.128E 3GPM

06-10 12:0200 *P
+ 1.136E 3GPM

06-10 12:0200 *R
+ 1.140E 3GPM

06-10 12:0200 *P
+ 1.144E 3GPM

112Gpm
avg

35-8597

JUN 10 1994

MEASUREMENT
TAPE

35-8597

7 28

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

06-10 11:5900 *P
+ 1.002E 3GPM

PRINTER USE
YES

MODE SELECT
INPUT

OUTER DIAMETER
8.9378 IN

PIPE MATERIAL
CS-5C

WALL THICKNESS
0.1460 IN

NUMBER LINES
140 LINES

TYPE OF FLUID
WATER

FLOW VELOCITY
14.15 M/S

SENSOR COUNTING
ON

TYPE OF SENSOR
PHLL

DATA CHANGE
NO

SPACING
3.687 IN

MODE SELECT
TO CHECK

0297.3 MMSEC
159.49 * T3

DEPD MODE
4LT DEPD

MM-DD HH:MM
06-10 12:01

06-10 12:0100 *P
+ 1.114E 3GPM

DUMPING SET
20 SEC

06-10 12:0100 *P
+ 1.111E 3GPM

06-10 12:0100 *P
+ 1.111E 3GPM

06-10 12:0200 *P
+ 1.128E 3GPM

06-10 12:0200 *P
+ 1.135E 3GPM

06-10 12:0200 *P
+ 1.140E 3GPM

06-10 12:0200 *P
+ 1.144E 3GPM

35-08597

1126 spm

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POINT OF DIVERSION OVERLAP REVIEW

35-08597
Permit Number

1. Analysis of Entire System:

A. Total Number of Acres irrigated = 151.5 acres

B. Total Diversion Rate = 2.50 cfs

2. Current Application Rate per Acre (Qc):

Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A]

$$= \frac{2.50 \text{ cfs}}{151.5 \text{ acres}} = 0.0165 \text{ cfs/ac}$$

3. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 35-02712 @ 2.28 cfs / 137 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

Total Licensed Rate = _____ cfs / _____ ac

Old Diversion Rate(Qo) = Licensed Flow Rate/# acres

$$Qo = \frac{2.28 \text{ cfs}}{137 \text{ acres}} = 0.0166 \text{ cfs/ac}$$

4. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : EXCLUDE Licensed Lands.

$$Qo(\#3) = 0.0166 > Qc(\#2) = 0.0165 \quad \text{GO TO ITEM \#5A.}$$

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : INCLUDE Licensed Lands.

$$Qc(\#2) = \text{_____} > Qo(\#3) = \text{_____} \quad \text{CONTINUE TO ITEM \#4.B.1}$$

1. Additional Flow Rate for Licensed Lands.

$$Qa = (Qc - Qo) \times (\# \text{ Lic. Ac.}) = \left[\left(\frac{\text{_____}}{\text{cfs/ac}} \right) - \left(\frac{\text{_____}}{\text{cfs/ac}} \right) \right] \times (\text{_____ acres}) = \text{_____ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
(_____) - (_____) = _____ acres

$$Qn = (Qc) \times (\# \text{ New Ac.}) = (\text{_____ cfs/ac}) \times (\text{_____ ac}) = \text{_____ cfs}$$

GO TO ITEM #5B.

5. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
(_____) - (_____) = 14.5 ac

$$Qt = Qc(\#2) \times (\# \text{ New Acres}) = 0.0165 \text{ cfs/ac} \times 14.5 \text{ ac} = 0.24$$

$$Qt = 0.24 \text{ cfs}$$

B. Flow Rate including licensed land.

$$Qt = Qa(\#4.B.1) + Qn(\#4.B.2) = \text{_____ cfs} + \text{_____ cfs} =$$

$$Qt = \text{_____ cfs}$$

RECEIVED
JUN 10 1994

This permit picks
up 16 acres in the NENW.
Other ground licensed under
35-02712

Point of
Diversion

R31E

T
6
S

NHEL

NHEL

27

Place of

NHEL

17 277

35-8597


M-8

BR 17

NHEL

872

JUN 10 1994



April 16, 1991

PAUL BEHREND
2706 W. 1800 S.
ABERDEEN, ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08597

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8597

Date 4-2-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1965 ☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted? 100.00
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Measuring Device Required

Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received	<u>Jan 22, 1991</u>	<u>81</u>
Date proof due	<u>Jan 1, 1991</u>	<u>- 1</u>
No. of days late		<u>= 80</u>
Priority date	<u>June 21, 1985</u>	<u>+ 176</u>
NEW PRIORITY DATE	<u>Sept 13, 1985</u>	<u>= 256</u>

March 15, 1991

Re: Permit No. 35-08597

Paul Behrend
2706 W. 1800 S.
Aberdeen, ID 83210

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

However, this permit lapsed January 1, 1991 because the permit holder of record, Neldon Palmer, failed to submit to the Department an acceptable proof of beneficial use or a request for an extension of time. I am enclosing a copy of the letter our office sent to Mr. Palmer on January 7, 1991. I have also enclosed a Proof of Beneficial Use form with instructions and a Request For An Extension of Time. The Department can reinstate the permit upon receipt of either the proof of beneficial use statement or the extension request if received within 60 days of the mailing of this letter.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

MICROFILMED

MAR 18 1991

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 7, 1991

NELDON PALMER
JEAN PALMER
2759 W. 2000 S.
ABERDEEN, ID 83210

LAPSE NOTICE

RE: PERMIT NO. 35-08597

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

CERTIFICATION OF MAILING

I hereby certify that on 1-7-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138503

October 31, 1990

NELDON PALMER
JEAN PALMER
2759 W. 2000 S.
ABERDEEN, ID 83210

PROOF DUE NOTICE

RE: PERMIT NO. 35-08597

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

MAR 18 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 8, 1989

NELDON PALMER
JEAN PALMER
2759 W. 2000 S.
ABERDEEN, ID 83210

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08597

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

DEC 13 1989

27-Sep-1989

Neldon Palmer
2759 W. 2000 S.
Aberdeen, ID 83210

RE: Application for Permit No. 35-8597

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 13 1989

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

35-08582
UNIVERSITY OF IDAHO RESEARCH
AND EXTENTION
BOX AA
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 27, T. 05S, R.
31E.
Use: IRRIGATION (1.000 CFS).
Date Filed: 6/25/1985.
In: T06S, R31E, S27, SWNW, SENW,
NESW.
50.0 ACRES TOTAL.

35-08587
PALMER, Neldon
PALMER, Jean
2759 West 2000 South
Aberdeen, Id. 83210
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 16, T. 06S, R.
31E.
Use: IRRIGATION (.320 CFS).
Date Filed: 6/21/1985.
In: T06S, R31E, S16, NENW.
16.0 ACRES TOTAL.

35-08603
WHYTE, W. LaMar
Springfield, Id. 83277
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 11, T. 04S, R.
32E.
Use: IRRIGATION (3.200 CFS).
STOCKWATER (.050 CFS).
Date Filed: 6/26/1985.
In: T04S, R32E, S11, SWSE, SESE, S12,
NESW, SWSW, SESW.
180.0 ACRES TOTAL.

35-08604
HARPER, John J.
875 South Adams Ave.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NWSW, Sec. 35, T. 02S, R.
34E.
Use: IRRIGATION (.800 CFS).
Date Filed: 7/01/1985.
In: T02S, R34E, S35, NWSW, SWSW.
40.0 ACRES TOTAL.

35-08608
JENNIE L. WILLIAMS FAMILY LTD.
Rt. 5, Box 17
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NENE, Sec. 4, T. 03S, R. 34E.
Use: IRRIGATION (1.920 CFS).
Date Filed: 6/28/1985.
In: T03S, R34E, S04, NENE, NWNE,
SWNE, SENE.
96.0 ACRES TOTAL.

35-08614
WILLIAMS, Jennie L.
WILLIAMS, Est. of C.L.
Rt. 5, Box 17
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWNE, Sec. 8, T. 02S, R.
34E.
Use: IRRIGATION (4.000 CFS).
Date Filed: 6/28/1985.
In: T02S, R34E, S08, NENE, NWNE,
SWNE, SENE, NESE, NWSE, SWSE, SESE.
202.0 ACRES TOTAL.

35-08621
ENID R. WILLIAMS LTD. PARTNERSHIP
2nd S. 900 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 23, T. 02S, R.
33E.
Use: IRRIGATION (3.990 CFS).
Date Filed: 6/28/1985.
In: T02S, R33E, S23, NESW, SESW, NESE,
NWSE, SWSE, SESE.
200.0 ACRES TOTAL.

35-08616
STANDER, Gaylen
37 S. 1000 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NWSW, Sec. 3, T. 03S, R.
34E.
Use: IRRIGATION (2.220 CFS).
Date Filed: 7/25/1989.
In: T03S, R34E, S03, NESW, NWSW,
NWSE, S04, SWNE.
111.0 ACRES TOTAL.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho
Code, and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho, 83402, on or before OCTOBER
23, 1989.

R. KEITH HIGGINSON
Director

(548)
Pub.: 10/5, 12

RECEIVED

OCT 19 1989

Department of Water Resources
Office

IT of PUBLICATION

Ted Townsend..do

Publisher

of
vs which is a daily newspaper of
published each day except Sunday
ham County, Idaho, said newspaper
ublished at Blackfoot, aforesaid for
year past; that said newspaper
ed with all the provisions of Chapter
is Laws of Idaho of 1933, approved
id duly designated, pursuant to law,
i the week as the day on which legal
y law or by the order of any Court of
idiction within the State of
lished to-wit: of each week; that the
ereto and which is a part of this af-
of the proof of publication was
said issue or said
to consecutive weeks

tion having been made on the

1 October 1989;

lication having been made on the
of October 1989
was published in the regular and entire
mber of the paper as aforesaid during
e of publication, and that notice was
ewspaper and not in a supplement.

th day of October
are me a Notary Public of said State,
peared

ed to me to be the person whose
l to the within instrument, and being
worn, declared that the statements
d acknowledged to me that he ex-

the State of Idaho,
oot, Idaho.

My commission expires
November 10, 1994

Affidavit Processing Fee.....\$5.00

DEC 13 1989

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 22, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 23, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

DEC 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

DEC 13 1989

35-08597

PALMER, NELDON
PALMER, JEAN
2759 WEST 2000 SOUTH
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: NENW Sec 16 T 06S R 31E

Use: IRRIGATION (.320 CFS)

Date Filed: 6/21/1985

In: T06S R31E S16 NENW

16.0 ACRES TOTAL

MICROFILMED
DEC 13 1983

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 23, 1989.

R. Keith Higginson, Director

Published 10/05/1989 & 10/12/1989

MICROFILMED

DEC 13 1989

Aberdeen, Idaho
June 20, 1985.

To whom it may concern:-

I Otto H. Hedge am living one-half mile west of the Neldon J. Palmer residence since 1933.

Neldon J. Palmer is farming a 160 acre farm located on the N.W. 1/4 of sec 16 - T6S. - R31E.

Around 1974 or earlier an irrigation well was drilled just west of their farm residence and a sprinkling system was installed to irrigate the farm. It has been used ever since and is being used now.

DEC 13 1983

Sincerely yours,
Otto H. Hedge.

JUN 21 1985

DEPARTMENT OF WATER RESOURCES
ASB-HR 44333-1, 11/85



funk irrigation co.

P.O. Box 96, Aberdeen, Idaho 83210

June 21, 1985

To Whom It May Concern:

Re: The West 1/2 of the North 1/2 of Section 16; Township 6S;
Range 31EBM

Our records indicate that in the Spring of 1971 John Palmer and Sons converted the above mentioned parcel of land from gravity to sprinkler irrigation. This added 13 acres; bringing the entire 160 acres under irrigation. A booster pump was added to the existing well to pressurize the water.

Sincerely,

Harold A. Funk
President, Funk Irrigation

MICROFILMED

DEC 13 1989

RECEIVED

JUN 21 1985

Department of Water Resources
Eastern District Office



First Security Bank of Idaho

NATIONAL ASSOCIATION
MEMBER FIRST SECURITY CORPORATION SYSTEM OF BANKS

195 SOUTH MAIN
ABERDEEN, IDAHO 83210


June 21, 1985

TO WHOM IT MAY CONCERN:

I, Darrell M. Lords, manager of First Security Bank of Idaho, N.A., Aberdeen, Idaho, do hereby verify from personal knowledge, that Neldon Palmer has been irrigating by sprinkler system on the following listed 160 acre field for the past 15 years.

NW 1/4 Sec. 16 Twp. 6 S. R. 31 EBM:

Mr. Palmer has been an agricultural borrower with this office for the past 20 years.


Darrell M. Lords
Manager

MicroFILMED

DEC 13 1984

RECEIVED

JUN 21 1985

Department of Water Resources
Eastern District Office

IN THE MATTER OF:)
)
APPLICATION FOR PERMIT)
in the name of)
NELDON or JEAN PALMER)
)
State of Idaho)
County of _____)

AFFIDAVIT

RECEIVED

JUN 21 1985

Department of Water Resources
Eastern District Office

I, Neldon Palmer being first duly sworn,
deposes and says: that on the first of May 1971 installation of a
booster on our irrigation system was completed and irrigating
using 6 wheel lines with sprinklers began on the NW 1/4 Sec. 16,
T. 6S, R. 31E.

Neldon Palmer
(Signature)

Subscribed and sworn to before me this 21st day of June, 1985

Donald D. Clark
(Notary Public)

Residing at Firth, Id
My Commission Expires 2/14/86

RECEIVED

DEC 13 1989

35-8592_

PALMER, NELDON &/or JEAN

2759 WEST 2000 SOUTH, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 06/21/1985

Diversion Pt: NENW Sec 16 T 06S R 31E

Use: IRRIGATION (0.32 CFS)

In: NENW Sec 16 T 06S R 31E FOR 16 ACRES

RECEIVED

DEC 13 1984