




MICROFILMED

MAR 06 1987



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-8364

Priority: June 17, 1983 Amount: .06 CFS .7 AF

This is to certify, that HARRY DEVERAUX
RT. 5 BOX 136

IDAHO FALLS, ID 83402 has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated June 17, 1983, and
has submitted proof to the Department of Water Resources on June 16, 1985, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .14 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.02 cfs	.1 af
Domestic	01/01 to 12/31	.04 cfs	.6 af
	Totals	.06 CFS	.7 AF

LOCATION OF POINT OF DIVERSION(S): SWSW , Sec. 17, Township 2N, Range 37E
Bonneville County

PLACE OF USE: Stockwater

TWN RGE SEC

2N 37E 17 SWSW

PLACE OF USE: Domestic, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right & Right Nos. 35-8068 & 35-8076 shall not exceed 0.14 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd day
of FEBRUARY, 1987.

NOT FILMED

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 94-7115
No. chg. 35-8364

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant HARRY DEVERAUX Phone 529-2642

Post office address 127E S Box 136, IDAHO FALLS. 83401

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 2N

Range 37E B.M. BONNEVILLE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL WITH PUMP TO 3 HOMES

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 215 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 2N
Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 HEAD CATTLE, HORSES.

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

Total number of acres to be irrigated

NAME

APPLICANT

11

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SECTION 17

TOWNSHIP 2 NORTH
RANGE 37 EAST

PLACE OF USE,
POINT OF DIVERSION.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Amey L. Leung
(Applicant)

MICROFILM

MICROFILMED

Proposed Priority 6/17/83

Received by SM Date 6-17-83 Time 5:15 p
Preliminary check by gm Fee \$ 30.00
Received by gm Date 6-17-83 # 30935
Publication prepared by my Date 3-6-85
Published in Post Register
Publication dates 3-14 & 3-21-85
Publication approved gm Date 4-01-85
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by BMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8364, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 12th day of June, 1985.

A. Newington
Chief, Operations Bureau

Proof of Publication

The Post-Register

State of Idaho,
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 14th day of March, 1985, last publication
having been made on the 21st day of March, 1985, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 26th day of March, 1985.
Robert Napier
Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho.

25-7321
JACOBS, GEORGE J
RT. 6, BOX 257, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 05/09/1983
Diversion Pt: NENW Sec 01 T 03N R 37E
Use: STOCKWATER (0.02 CFS) DOMESTIC
(0.06 CFS)
In: NENW Sec 01 T 03N R 37E

25-7365
LDS CHURCH
AMMON 4th & 7th WARD BLDG., 50 E. N
TEMPLE, SALT LAKE CITY, UT 84101
Source: GROUNDWATER
Date Filed: 06/22/1983
Diversion Pt: SESE Sec 35 T 02N R 38E
Use: IRRIGATION (0.03 CFS) DOMESTIC
(0.25 CFS)
In: SESE Sec 35 T 02N R 38E FOR 1 ACRES

35-8364
DEVERAUX, HARRY
RT. 5, BOX 136, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/17/1983
Diversion Pt: SWSW Sec 17 T 02N R 37E
Use: STOCKWATER (0.02 CFS) DOMESTIC
(0.08 CFS)
In: SWSW Sec 17 T 02N R 37E

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept of Water Resources, 150 Shoup
Ave., Suite 15, Idaho Falls, Idaho 83402 on or
before APRIL 1, 1985.

KEN DUNN, DIR.
Published: March 14, 21, 1985

RECEIVED

MAR 23 1985

Department of Water Resources
Eastern District Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL DEANDRAUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 26, 1987

HARRY DEVERAUX

RT. 5 BOX 136

IDAHO FALLS, ID 83402

RE: Permit No. 35-8364

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON

Water Rights Supervisor

JJ:sc

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 28, 1987

RE: Permit No. 35-8364

Harry Deveraux
Rt. .5, Box 136
Idaho Falls, ID 83402

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 06 1987

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE MEMORANDUM DATED 13 MAY 1981, ON FIELD EXAMINATIONS FOR DOMESTIC PURPOSES. MAXIMUM INSTANTANEOUS WATER REQUIREMENTS FOR 1 HOMES.

Hp = 3 Efficiency = 80% Head = 180 ft. PSI = 20 psi

$$Q = \frac{Hp (8.814) (Eff)}{Head + (PSI \times 2.308)} = \frac{(3) (8.814) (0.80)}{(180 \text{ ft}) + (20 \text{ psi} \times 2.308)} = \underline{0.09 \text{ CFS}}$$

$$A \left(\frac{2.5 \text{ gal}}{48 \text{ sec}} + \frac{2.5 \text{ gal}}{15 \text{ sec}} \right) \frac{60 \text{ sec}}{\text{min}} \times \frac{1 \text{ cfs}}{448.8 \text{ gpm}} = 0.03 \text{ cfs}$$

$$B^* \left(\frac{2.5 \text{ gal}}{10 \text{ sec}} + \frac{2.5 \text{ gal}}{24 \text{ sec}} + \frac{2.5 \text{ gal}}{16.5 \text{ sec}} + \frac{2.5 \text{ gal}}{13 \text{ sec}} + \frac{2.5 \text{ gal}}{10.5 \text{ sec}} \right) \frac{60 \text{ sec}}{\text{min}} \times \frac{1 \text{ cfs}}{448.8 \text{ gpm}} = 0.13 \text{ cfs}$$

Permit = 0.08 cfs Q_{dom} + 0.02 cfs Q_{stock} = 0.10 cfs

Recommend 0.04 cfs Q_{dom} (1 home) + 0.02 cfs Q_{stock} = 0.06 cfs

*B from Exam on 35-8076 & 35-8068

b) Volume Calculations for Irrigation: None

See copy of licensing report
for file 35-8068-
capacity at 0.14 cfs

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

c) Volume Calculations for Other Uses:

$$V_{\text{dom}} = \frac{1}{\# \text{ Units}} \times \underline{0.06} \text{ afa} = \underline{0.06} \text{ afa}$$

$$V_{\text{stock water}} = 12 \text{ sheep} \times \frac{2 \text{ gal}}{\text{sheep} \cdot \text{day}} \times \frac{365 \text{ day}}{\text{Year}} \times \frac{\text{af}}{325,850 \text{ gal}} = 0.03 \text{ afa}$$

x 0.1 afa ✓

2. Overlap Review

a) Other water rights with same place of use: None

b) Other water rights with same point of diversion: 35-8068 & 35-8076

c) Analysis: R 17 (35-8068/35-8076) (0.13 cfs)

licensed at 0.12 cfs
& 10.1 AF

in license process -
recommended at 0.04 cfs
& 0.6 AF

RECEIVED

MAR 16 1987

Page 01

0.14

Harry Deveraux

RT. 5, Box 136, Idaho Falls, ID 83402

9.6

Rate of Diversion Q (cfs)	Annual Volume V (afa)
------------------------------	--------------------------

1/1

✓ 12-31

0.1 AF

std 90.0

std 90.0

std 90.0

Bonneville
County

Totals

EXAMINATIONS FOR DOMESTIC PURPOSES. Calculation B was obtained

from field exam for 35-8068 and used since

only two measurements off of spigots were available

for exam under 35-8364.

use ← R17 (35-8068/35-8076) (0.75)

10. Recommended Amendments

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date _____

98-81-4

Date 19 Aug 1980

Date 11/1/80

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Copy from
file → 35-8068
Permit No

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q_{\text{irrigation}} = \left(\frac{2.5 \text{ gal}}{10 \text{ sec}} + \frac{2.5 \text{ gal}}{24 \text{ sec}} + \frac{2.5 \text{ gal}}{16.5 \text{ sec}} + \frac{2.5 \text{ gal}}{13 \text{ sec}} + \frac{2.5 \text{ gal}}{10.5 \text{ sec}} \right) \times \frac{60 \text{ sec}}{\text{min}}$$

$$56.2 \text{ gpm} \times \frac{1 \text{ cfs}}{1.488 \text{ gpm}} = 0.13 \text{ cfs}$$

$$448.8 \text{ gpm} = 56.2 \text{ gpm}$$

$$\text{Theoretical} = \frac{8.8 (\text{Hp}) (\text{Eff})}{2.31 (\text{psi}) + \text{lift}} = \frac{8.8 (5) (.81)}{2.31 (20) + 212} = \frac{0.14 \text{ cfs}}{\text{CAPACITY}}$$

$$\text{permit} = 0.04 (\text{domestic}) + .02 (\text{stockwater}) + .06 \text{ irrigation} = 0.12 \text{ cfs}$$

Recommend 0.12 cfs by permit

b) Volume Calculations for Irrigation:

$$V_{\text{IR}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.6 \times 3.5 = 9.1$$

$$V_{\text{DR}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 214 \times 1.9835 = 25.5$$

$$V = \text{Smaller of } V_{\text{IR}} \text{ and } V_{\text{DR}} = 9.1$$

c) Volume Calculations for Other Uses:

$$V_{\text{stock}} = 0.4 \text{ afa (Table 6 IDWR FEHB)}$$

$$V_{\text{dom}} = 0.6 \text{ afa}$$

2. Overlap Review

- a) Other water rights with same place of use: 10 share New Sweden Canal Co for adjacent pasture.
- b) Other water rights with same point of diversion: Yes, # 35-8076, and 35-8364
- c) Analysis: R 17 (35-8076) (35-8364) (0.14 cfs)


MICROFILMED
MAR 06 1987

Phone No. 529- 2642

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2 N	37 E	17																	
Total Acres _____																			

10. Other water rights on these lands New Sweden Irrigation, serves for all irrigation
11. Other water right diverted from same p.d. 35-8068, 35-8076

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Only few signs were available for field measurements. Well logs in area show 1 ft near 180' 12 sheep are the only stockwater use under this license. The 30 head of cattle / horses are under 35-8068.

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature John W. Anderson Date 7-18-86
Consultant's License Number
IDWR Director's Authorization to Conduct
Beneficial Use Examination

Date
CONSULTANT SEAL

35-8364


Prassu
Tan!

REPROFILMED


MAR 06 1987

NAME OF APPLICANT Deeroux

Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

July 18, 1986

Harry Deveraux
Rt. 5, Box 136
Idaho Falls, Idaho 83402

Dear Mr. Deveraux:

Attached herewith is Departmental receipt no. 39754 in the amount of \$ 50.00 for your Exam Fee.

Thank you for your prompt attention.

Sincerely,

Michele Davis
Office Secretary

Attachment

STATE OF IDAHO
Department of Water Resources

No 39754

Boise, Idaho, July 2, 1986

RECEIVED
FROM

HARRY DEVERAUX

of IDA FALLS

\$ 50.00

Fifty Dollars and no/100

DOLLARS

FOR

<u>Exam Fee</u>	\$	<u>50</u>	<u>00</u>
<u># 35-8364</u>	\$		
	\$		
	\$		
TOTAL . . .	\$	<u>50</u>	<u>00</u>

121-1238

Michele Davis

MICROFILMED

MAR 06 1987

4/86

RECEIVED
JUN 30 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 575
Date 6-30-86
Receipt # 39754
Receipt by ms
Sent to S.O. 2-11-86

RECEIVED
JUL 22 1986

1. Permit No. 35-8364

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:
☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Harry + Evva Deveraux

3. Post Office Address: Rt. 5, Box 136

Idaho Falls, Id 83402 Telephone No. 529-2642

4. Source of Water: well

5. Extent of Use:

Domestic 3 (No. of households) Stockwater 20 (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.10 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
Sept 12, 1965

8. Person to contact to accompany the department representative during the field examination:

Evva Deveraux (Name)

Rt 5, Box 136, Idaho Falls (Address)

RECEIVED
MAR 15 1986

529-2642 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date June 27, 1986

Evva H. Deveraux
Signature of Permit Holder (and title, if appropriate)

copy retained for file



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-8364
DEVERAUX, HARRY
RT. 5, BOX 136
IDAHO FALLS, ID 83402

138673

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, and land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED
MAR 30 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 16 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below

Permit No. 35- 8364

Name(s) of Permit Holder. Harry R. and Evva H. Deveraux

Post Office Address: Rt. 5, Box 136, Idaho Falls, Id 83402

Telephone No. 529-2642

Source of Water: Ground water

Extent of Use:

Domestic 3 homes (number of households)

Stockwater 20 head. cattle, horses (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: (Sept 13, 1965)

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Evva H. Deveraux
(Name)

Rt. 5, Box 136, Idaho Falls, Id 529-2642
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

Date July 30, 1985

Evva H. Deveraux
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Erva H. Deveraux
Rt. 5, Box 136
Idaho Falls, Id 83402



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DEVERAUX, HARRY
RT. 5, BOX 136
IDAHO FALLS, ID 83402

JUNE 19, 1985

RE: PERMIT NO. 35-8364

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CARRY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 35-8364

PAGE 01
JUNE 19, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY
CHECK

APPLICATION NUMBER: 34 7435

- ☒ Source
☒ Point of diversion
☒ County
☒ Quantity of water and purpose
☒ Description of diverting work
☒ Time required for beneficial use of water
☒ Place of use or area irrigated
☒ Map
☒ Signature
☐ Fee
☒ Yes ☐ No Field check required
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Request dam safety information sent by _____ Date _____
☐ Yes ☐ No In form to receipt

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO

- ☐ Idaho State Health Department Copy to _____ Date _____
☐ Idaho Fish and Game Department
☐ Idaho Department of Land
☐ U.S. Bureau of Land Management
☐ U.S. Forest Service
☐ Other _____

PROCESSING

- ☐ Yes ☐ No Use of _____
☐ Yes ☐ No Other _____
☒ Yes ☐ No Inform for protesting
Final date for protest _____
☐ Yes ☒ No Protests received? If yes, record information on 4th page of application. 4-1-85

FINAL REGIONAL PROCESSING REVIEW

- ☒ Affidavit of publication received Date 3-29-85
☒ Application published correctly If not, to correct taken
☒ Fee amount, receipt date & number recorded on application
☒ Publication dates and paper, recorded on application
☒ Protests, dates, withdrawal, etc., recorded on application
☒ Recommendation & initial recorded on application
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access point required
☒ Yes ☐ No Will water be delivered by water master? If yes, what district? 01
6-17-1983 Date of priority recommended
Special conditions of approval or cover letter

*app. released in 3rd S.F. suit under
#34-7435.*

POOR QUALITY ORIGINAL

By Ernest Carlson
STATE OFFICE REVIEW

L11, L05, L16

April 17, 1985 MICROFILMED

RECEIVED

Use attached sheet for information
By KW

6/7/85 APR 22 1985

Department of Water Resources

35-8364
~~34-7435~~

DEVERAUX, HARRY

RT. 5, BOX 136, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/17/1983

Diversion Pt: SWSW Sec 17 T 02N R 37E

Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.08 CFS)

In: SWSW Sec 17 T 02N R 37E

proofed by phone
3-13-85
CJ.

changed
made by
Computer

MICROFILMED

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]