


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edna G. John
(Applicant)
Edna G. John

MICROFILMED

10. Other water rights on these lands Possible formally IRRIGATED AS A 10.4 ACRE prop
11. Other water right diverted from same p.d. 35-7085
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks PUMP AND STORAGE TANK USED TO SUPPLY WATER TO 19 mobile HOMES AND 1 SMALL STORE

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Sam Filth Date 6/13/86

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination 6/12/86


Date

CONSULTANT SEAL

MICROFILMED

MAR 20 1987

PROFILMED
MAR 20 1981



WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Herbert SchumAddress West Highway Idaho Falls, Idaho 83401

Owner's Permit No. _____

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☐ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 212 feetCasing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>+ 1</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☐ NoPerforated? ☐ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☐ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☐ Yes ☐ No To what depth 20 feetMaterial used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County BlainevilleSW 17 2 37 E/W
1/4 Sec. _____, T. _____ N/S, R. _____

7. WATER LEVEL

Static water level 165 feet below land surfaceFlowing? ☐ Yes ☐ No G.P.M. flow _____Temperature _____ ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
_____	_____	_____
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	8	Soil		
	8	10	Broken Gray Basalt		
	10	15	Firm Gray Basalt		
	15	40	" " "		
	40	45	Broken Gray Basalt		
	45	47	" " "		
	47	50	Firm Brown Basalt		
	50	80	" " "		
	80	83	Firm Gray Basalt		
	83	85	Red Clay		
	85	90	Firm Brown Basalt		
	90	115	Firm Brown Basalt		
	115	120	Firm Gray Basalt		
	120	135	" " "		
	135	140	Firm Brown Basalt		
	140	153	Firm Brown Basalt		
	153	157	Cinders Basalt		
	157	174	Firm Basalt		
	174	182	Cinders Basalt		
	182	207	Firm Basalt		
	207	210	Cinders		
8	210	212	Firm		

MICROFILMED

POOR QUALITY ORIGINAL

10.

Work started June 5, 1969 finished June 6, 1969

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Andrew Well Drilling ContractorsDriller's or Firm's Name _____ Number _____
1265 E. 17th St. Idaho Falls, Idaho 83401

Address _____

Signed By Andrew Well Drilling Contractors Date June 15, 1969

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-8333

Priority: December 12, 1983 Amount: .08 CFS

This is to certify, that HERBERT F. SOHN
EDNA G. SOHN

RT. 5
5454 W. BROADWAY
IDAHO FALLS, ID 83402

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 12, 1983, and has submitted proof to the Department of Water Resources on July 29, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .49 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Commercial	01/01 to 12/31	.08 cfs	
<u>LOCATION OF POINT OF DIVERSION(S):</u>		SWSW , Sec. 17, Township 2N, Range 37E Bonneville County	

PLACE OF USE: Commercial

TWN RGE SEC

2N 37E 17 SWSW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined annual volume under this right & Right 35-7085 shall not exceed 14.0 acre feet per annum for the use shown above.
5. Commercial use is for 18 trailers, 4 apartments & 1 E-Z Stop Store.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of MARCH, 1988.

MICROFILMED

MAR 20 1987

Director

Norman Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Herbert F. or Edna G. Sohn Phone 529-9090
529-9429

Post office address Rt. #5, 5454 W. Broadway Idaho Falls, ID 83402

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 2N

Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.22 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.22cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 7hp pump set at 200, to 4 apt. and
19 mobile home spaces.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 212 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 2N

Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 23.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.


Total number of acres to be irrigated

b. Who owns the land to be irrigated or place of use

applicant to make this filing

10.	Remarks	23 families in rental units and one store served by this well.
		Well was drilled and used since 1969.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edna G. John
(Applicant)
Edna G. John

MICROFILMED

Proposed Priority 12/12/83

MICROFILMED

Received by WJ Date 12-12-83 Time 4:30p

Preliminary check by WJ Fee \$ 45.00 (rec'd 12/13/83)

Received by BP Date 12/13/83 # 29770

Publication prepared by WJ Date 3-27-85

Published in First Kingdom

Publication dates July & Aug. 85

Publication approved WJ Date 12-16-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval by BMC WJ denial WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8333, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore July 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: WJ

Witness my hand this 13 day of June, 1985.

D. Newbater
Chief, Operations Bureau

Proof of Publication
The Post-Register

RECEIVED

APR 15 1985

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say. That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 4th day of April, 1985, last publication
having been made on the 11th day of April, 1985, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 12th day of April, 1985.

Donk Napier
Notary Public

My commission expires September 30, 1988.

(0.06 CFS)
In NENE Sec 22 T 02N R 38E FOR 1 ACRES
25-7389

MIKKOLA, ARTHUR &/or MARK
RT 6, BOX 89A, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 11/02/1983
Diversion Pt: SWNW Sec 29 T 03N R 38E
Use: IRRIGATION (0.02 CFS), STOCK-
WATER (0.02 CFS), DOMESTIC (0.06 CFS)
In: SWNW Sec 29 T 03N R 38E FOR 1 ACRES
25-7391

BROWN ESTATES WELL ASSOC
RT 8 BOX 27, RUSHTON RD, IDAHO
FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 11/21/1983
Diversion Pt: NWSW Sec 01 T 02N R 38E
Use: STOCKWATER (0.02 CFS), DOMESTIC
(0.12 CFS)
In: NWSW Sec 01 T 02N R 38E
25-7393

EAGLE ROCK PRODUCE
OREGON SHORT LINE RAILROAD
UNION PACIFIC RAILROAD CO.
RT. 9, BOX 330, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 01/13/1984
Diversion Pt: NWNE Sec 08 T 03N R 38E
Use: INDUSTRIAL (0.18 CFS), DOMESTIC
(0.04 CFS)
In: NWNE Sec 08 T 03N R 38E
25-7397

FRANDSEN, ODELL
580 AMY LANE, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 09/24/1984
Diversion Pt: SENE Sec 22 T 02N R 38E
Use: DOMESTIC (0.06 CFS)
In: SENE Sec 22 T 02N R 38E
31-7419

HALF CIRCLE CATTLE CO, INC.
P O BOX 129, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 02/01/1984
Diversion Pt: SENE Sec 10 T 12N R 39E
Use: STOCKWATER (0.04 CFS)
In: SENE Sec 10 T 12N R 39E
35-8333

SOHN, HERBERT F. &/or EDNA G
RT. 6, 5454 W BROADWAY, IDAHO
FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 12/13/1983
Diversion Pt: SWSW Sec 17 T 02N R 37E
Use: COMMERCIAL (0.22 CFS)
In: SWSW Sec 17 T 02N R 37E

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept. of Water Resources, 150 Shoup
Ave., Suite 15, Idaho Falls, Idaho 83402 on or
before APRIL 22, 1985.

KEN DUNN, Dir

Published April 4, 11, 1985

March 6, 1987

HERBERT F. & EDNA G. SOHN
RT. 5
5454 W. BROADWAY
IDAHO FALLS, ID 83402

RE: Permit No. 35-8333

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 12, 1987

RE: Permit No. 35-8333

Herbert F. & Edna G. Sohn
Rt. 5, 5454 W. Broadway
Idaho Falls, ID 83402

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAILED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-8333

Permit No

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

THEORETICAL Pump Calculation:

.22 cfs for 23 Homes

15HP @ 170ft, 20 psi

$$\frac{15(8.814)(8)}{170 + 2.308(20)} = .49 \text{ cfs} \checkmark$$

.22 cfs for 23 DOMESTICS

.22 cfs from PERMIT

- .14 cfs from LICENSING OF #35-7085
30 PERTAINING TO SAME AREA.08 cfs 23 homes + 1 STORE $\therefore$ ALLOW .22 cfs in condition with R 17-NO

- b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$
$$V_{DR} = [\text{Diversions Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(.12)(360)}{1.9835} = 83.69$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

- c) Volume Calculations for Other Uses:

$$23 \text{ ~~mobile~~ ^{units} homes} \times .6 = 13.8 \checkmark \approx 14 \text{ units}$$

2. Overlap Review

- a) Other water rights with same place of use: LICENSE #35-7085 is for
the SAME PLACE OF USE .14 cfs has been licence for DOMESTIC USE
- b) Other water rights with same point of diversion: LICENSE #35-7085 has
the SAME POINT OF DIVERSION + same system, same use.
- c) Analysis:

SINCE LICENSE #35-7085 has .14 cfs LICENSED for
the SAME RD. AND P.O. AND THE MAXIMUM ALLOTMENT FOR
23 HOMES IS .22 cfs. LICENSE #35-8333 should be
LICENSED FOR THE REMAINDER.

→ .22 cfs

~~.14 cfs~~.08 cfs

CONDITION (R 17) 35-7085 (.22 cfs)

UNCONTROLLED

MAR 20 1987

Allowable
amt. 23 units = 0.22
- 0.14
0.08
ALLOWABLE

no capacity
limitor reqd.

pd. \$100.00
exam fee
10 day

RECOMMENDED AMOUNTS

Permit No. 35-8333	Priority 2	Amount 0.08 cfs	App. Date 12-12-1983	Date Proof Submitted July 29 1985	System Capacity 0.44 cfs
--------------------	------------	-----------------	----------------------	-----------------------------------	--------------------------

4. Permit Holder: HERBERT F. OF EDNA G. SOHN

5. Address: Rt #5, 5454 W. BROADWAY, IDAHO FALLS, ID 83405
Source: Groundwater

6. Beneficial Use
Period of Use From 1-1 To 12-31
Rate of Diversion 0.08 cfs
Annual Volume 86.69
V (afa)

7. Point(s) of Diversion:
Allowable Maximums:
0.08 cfs
0.08 cfs
0.08 cfs

No.	Govt. Lot	%	%	%	Sec.	Twp.	Rge.	County
						2N	37E	BONNIVILLE

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	Totals
2N	37E	17									

9. Recommended Conditions/Remarks: Water system used for 18 TRAILERS AND 4 single Bedroom APTS ALSO for Commercial use IN THE E-2 STOP STORE

10. Recommended Amendments
The maximum combined annual volume under this right & Rt. 35-7085 shall not exceed 14.0 acre feet per annum for the use shown above.

11. Examiner's Signature: [Signature]
Checked in Regional Office by: Keith Cullas
Approved in State Office by: K. Wheeler

Date 6/13/86
Date 30 June 1986
Date 1-20-87

MAR 20 1987
RECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7085 Priority July 6, 1969 Amount 0.16 cfs

THIS IS TO CERTIFY, that Herbert F. Sohn -dba- Sohn's Trailer Village & Apts.
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No 35-7085 issued pursuant to Application for Permit dated June 11, 1969,
and has submitted proof to the Department of Water Resources on August 26, 1974 (late proof),
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.14</u> cfs and	<u>14.0 acre feet</u>
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 31</u>	at <u>0.02</u> cfs and	<u>3.5 acre feet</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.16 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
17.5 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 17,
Twp. 2 N, Rge. 37 E, B.M. in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2 N	37 E	17										X							One

D/18 trailers
& 4 apts.

Total number of acres irrigated One

MICROFILMED

MAR 20 1987

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10 day of
March, 19 75.

MICROFILMED

Director

DATE OF EXAM Oct 17, 1974

ACREAGE

Found 1
Recommended 1

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = .02 c f s V = 3.5 AF/Ann. from April 1 to Oct 31
Domestic Q = .14 c f s V = 26.4 AF/Ann. from Jan 1 to Dec 31
Livestock Q = c f s V = AF/Ann. from to

23 units x 0.6 = 13.8 af

Is water co-mingled? yes no ✓

Name source:

twp. N/S, Rge E/W, B M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no ✓

Name source exchanged with. N/A

twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:

twp. N/S, Rge E/W, B M., Sec. , Sub. 1/4 1/4 County

Point of exchange:

twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured Method of measurement

Total Q recommended .16 CFS Meter No. Type Condition

Total V recommended 29.9 AF/ANN

Recommended Amendments:

P.D. ✓

Place of Use

Other

None

MEASUREMENT CALCULATION:

Closed system not able to measure

$V = 1.2 \text{ AF/dwelling} \times 22 \text{ dwellings} = 26.4 \text{ AF Domestic}$

$V = (3.5)(1) < (.02)(1.983)(214)$

SYSTEM DESCRIPTION:

6" domestic well 240' depth - 15 H.P. 3 phase submersible pump 3" diam discharge to 1000 gallon pressure tank

REMARKS:

System shown by Mr. R. F. Sohn

MAR 20 1981

4 trailers furnished water

4 single bedroom apts.

Sprinkles lawns around trailers - approx 1 acre

Examiner's Signature John Ferebaner

Date Oct 17, 1974

Checked by Loren J. Karlman

Date Dec 9, 1974


Approved by

Date

Total Acres _____

10. Other water rights on these lands
Possible formally irrigated as a roache
35-7085

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.





13. ☐ Photo of Diversion & System Attached
☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks
Pump and storage tank used to supply
water to 19 mobile HOMES and 1 small
STORE

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature *Sam Felt*
Date *6/13/86*
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

Consultant's License Number
IDWR Director's Authorization to Conduct
Beneficial Use Examination *6/12/86*
Date

CONSULTANT SEAL



RECEIVED
4/86

MAY 13 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 100.00
Date 5-13-86
Receipt # 39627
Receipt by GS
Sent to S.O. 5-15-86

RECEIVED
MAY 10 1986

1. Permit No. 35-8333

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: HERBERT F. or EDNA G. SOHN

3. Post Office Address: RT. #5, 5454 W. BROADWAY,
IDAHO FALLS, ID. 83402 Telephone No. 529-9090
529-9429

4. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark COMMERCIAL

6. Total rate &/or volume for which proof is submitted 0.22 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

JUNE 1969

8. Person to contact to accompany the department representative during the field examination:

HERBERT F. SOHN
(Name)

RT. #5, 5454 W. BROADWAY, IDAHO FALLS, ID. 529-9090
(Address) (Telephone Number) 529-9429

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5-13-86
Date

Edna G. Sohn
Signature of Permit Holder (and title, if appropriate)

MAR 20 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-8333
SOHN, HERBERT F.
SOHN, EDNA G.
RT. 5, 5454 W. BROADWAY
IDAHO FALLS, ID 83402

138672

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

FILED
MAR 20 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 19, 1986

HERBERT F. SOHN
RT. 5, 5454 WEST BROADWAY
IDAHO FALLS ID 83402

RE: Permit No. 35-8333

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

FILED

MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUL 29 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No 35 8333

Name(s) of Permit Holder. Herbert F. or Edna G. Sohn

Route # 5, 5454 West Broadway

Post Office Address: Idaho Falls, Idaho 83402

Telephone No. 208 home 529-9429 or work 529-9090

Source of Water: Groundwater

Extent of Use:

Domestic 23 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks also commercial (Fz-Ze Stop Convenience Store as well as
4 apts. and 10 mobile home spaces).

Indicate the date water was first diverted and beneficially used under this permit: June 1969

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination.

Herbert F. Sohn

(Name)

5454 West Broadway, Route 5, Idaho Falls, Idaho 83402

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed

7-23-85
Date

Herbert F. Sohn
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Herbert F & Edna Sohn

5454 West Broadway, Route 5

Idaho Falls, Idaho 83402



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SOHN, HERBERT F. & EDNA G.
RT. 5, 5454 W. BROADWAY
IDAHO FALLS, ID 83402

JUNE 19, 1985

RE: PERMIT NO. 35-8333

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 35-8333

PAGE 01
JUNE 19, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWJ

APPLICATION NUMBER: 35 8333

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: CW

Date: 4-2-85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4-22-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4-15-85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
12-12-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. not identified in S.F. suit

MICROFILMED

By: Ernest Carlson

Date: April 24, 1985

STATE OFFICE REVIEW:

L05, L16



RECEIVED

- ☐ See attached sheet for more information.

By: EW

Date: 6/7/85

APR 30 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						



STATE OF IDAHO

APR 11 1985

DEPARTMENT OF HEALTH AND WELFARE

Department of Water Resources
Eastern District Office

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

April 10, 1985

RE: Application for Permit No. 35-8223 City of Roberts
25-7390 Jefferson Co-op
23-7102 Salisbury Trust
25-7298 City of Idaho Falls
25-7325 City of Ririe
25-7391 Brown Estates
25-7393 Eagle Rock Produce
35-8333 Sohn
27-7357 Hendricks
27-7384 City of Blackfoot
27-7386 City of Blackfoot
27-7395 LDS Church
21-7318 City of Parker
21-7319 City of Parker
34-7454 City of Arco

Mr. Ernest Carlsen
Assistant Regional Supervisor
150 Shoup - Suite 15
Idaho Falls, Idaho 83402

Dear Mr. Carlsen:

Regarding the above applications and your letter of April 2, 1985, we have no objections nor do not wish to protest against issuing these permits. Thank you for advising our office of these applications.

Sincerely,


Gordon J. Hopson
Source Control Field Officer

GH/jd

RECEIVED

April 2, 1985

RE: Application for Permit No. 35-8223 CITY OF ROBERTS
 25-7390 JEFFERSON CO-OP
 23-7102 SALTSBURY TRUST
 25-7298 CITY OF IDAHO FALLS
 25-7325 CITY OF RIRIE
 25-7391 BROWN ESTATES
 25-7393 EAGLE ROCK PRODUCE
 35-8333 SOHN
 27-7357 HENDRICKS
 27-7384 CITY OF BLACKFOOT
 27-7386 "
 27-7395 LDS CHURCH
 21-7318 CITY OF PARKER
 21-7319 "
 34-7454 CITY OF ARCO

Department of Health & Welfare
150 North Third
Pocatello, ID 83201

Gentlemen:

We are enclosing a copy of an application(s) that may be of interest to your agency. Please review the application(s) and submit any comments you may have to our Department as soon as possible. The last date of protest is April 22, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:CW

Enclosure(s)

MICROFILMED

35-8333-

SOHN, HERBERT F. &/or EDNA G.

RT. 5, 5454 W. BROADWAY, IDAHO FALLS, ID 83402

Source: GROUNDWATER

Date Filed: 12/13/1983

Diversion Pt: SWSW Sec 17 T 02N R 37E

Use: COMMERCIAL (0.22 CFS)

In: SWSW Sec 17 T 02N R 37E

*Propped by phone
4-2-85*

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

December 5, 1983

Herbert Sohn
Rt. #5
5454 W. Broadway
Idaho Falls, ID 83402

Dear Mr. Sohn:

Enclosed is your application for permit. Please review it and if everything seems correct, sign and send it to this office with a fee of \$45.

Please be aware that with the current controversy over water rights instigated by the Idaho Power/Swan Falls problem this application will probably be put in our hold file until some solutions are apparent.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:jk

Enclosure

MICROFILMED

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

