

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

herein set forth.

MICROFILMED

JUL 30 1990

Tony Rungemeister
(Applicant)

Affidavit of Publication

State of Idaho

County of Power

Erma Crompton being first duly sworn on oath, states:

That she is the publisher of The Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 20th day of June 1990 and the date of last publication being the 27th day of June 1990.

(Signed)

Erma Crompton

State of Idaho

County of Power

On this 28th day of June in the year of 1990, before me, a Notary Public, personally appeared Erma Crompton, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Brett Crompton

Notary Public for Idaho

Residing at American Falls, Idaho

My commission expires: June 8, 1993

RECEIVED

JUN 29 1990

Department of Water Resources
Eastern District Office

RECEIVED

JUL 19 1990

Application for water right

Published in The Power County Press,
June 20, 27, 1990.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-08218

BURGEMEISTER, KENNETH
BURGEMEISTER, TONY
BURGEMEISTER, RAY
2602 S. QUIGLEY RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 07S R 29E
SENE Sec 16 T 07S R 29E

Use: IRRIGATION (.720 CFS)
Total Diversion: (.720 CFS)

Date Filed: 6/21/1983

In: T07S R29E S16 NENE NWNE
SWNE SENE
NENW NWNW SWNW SENW
302.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203 C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before July 9, 1990.

R. Keith Higginson, Director

OK T J L
7-19-90

8- HEL
117.0

9- NHEL
115.3

10- NHEL
77.0

Quigley

R29E

R 29E

11- NHEL
37.0

12- NHEL
44.6

13- NHEL
57.2

9 10
16 15

T-57

#657

Burghmiester
Bros.

Westwell

Eastwell

NHEL
1-

156
16

T-58

35-08218

T
7
S

R29E

#52

35-08218

8 lines
1/4 lines 5/32 3/32


RECEIVED

10 1996

1- HEL

2- NHEL

3- NHEL



PLACE OF USE

POINTS OF DIVERSION

T
7
S

R29 E

35-08218

MICROFILMED
OCT 16 1996

Substation

35-8218




WEST W ELL

MICROFILMED
OCT 10 1996

35-8218

35-8218



EAST WELL

Measurement port
not able to get
measurement at
well 35-8218

MICROFILMED

OCT 1 0 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08218

Priority: June 21, 1983

Maximum Diversion Rate:

0.72 CFS

This is to certify, that KENNETH BURGEMEISTER
RAY BURGEMEISTER
TONY BURGEMEISTER

2602 S QUIGLEY RD

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 21, 1983; and has submitted Proof of Beneficial Use on September 5, 1990. An examination indicates that the works have a diversion capacity of 6.380 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.72 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 16, Township 07S, Range 29E
SENE , Sec. 16, Township 07S, Range 29E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	29E	16	NENE 35	NWNE 37	SWNE 40	
			SENE 35	NENW 37	NWNW 35	
			SWNW 39	SENE 40		302

Total number of acres irrigated: 302

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. Rights 35-02632 and 35-08218 when combined shall not exceed a total annual diversion volume of 1208.0 af and the irrigation of a total of 302 acres.
6. Right 35-02632 is also diverted at the point of diversion described above.

PRODUCED

OCT 10 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08218

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of OCTOBER, 1976.


Acting for KARL J. DREHER, Director



RECEIVED
OCT 10 1996

RECEIVED

SEP 5 1990

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 100.00
Date 9-5-1990
Receipt No. 2015197
Received by KCN
JS-10-1-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-8218 Telephone No. 226-2064

Name(s) of Permit Holder(s): Kenneth or Tony or Ray Burgemeister

Post Office Address: 2602 S. Quigley Rd, American Falls Id 83211

Source of Water: GROUNDWATER

If ground water, well driller's name: Uolmer Date drilled: 1960

Extent of Use:
Domestic _____ (No. of households) Irrigation 302 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.72 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Original right 1961
Boosters added 1974 & 1975

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Tony Burgemeister 226-2064
Name Telephone No.

Same
Address

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

OCT 17 1990

9-5-90
Date

Tony Burgemeister
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08218

Proposed Priority: June 21, 1983 Maximum Diversion Rate: 0.72 CFS
This is to certify, that **KENNETH BURGEMEISTER**

TONY BURGEMEISTER

RAY BURGEMEISTER

2602 S. QUIGLEY RD.

AMERICAN FALLS, ID 83211

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.72 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		
	SENE	Sec. 16, Township 07S, Range 29E
	SWNE	Sec. 16, Township 07S, Range 29E
		POWER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S 29E 16	NENE 35	NWNE 37	SWNE 40	
	SENE 39	NENW 37	NWNW 35	
	SNNW 39	SENE 40		302
Total number of acres irrigated:				302

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27 day of July, 1990

MICROFILMED

JUL 30 1990

for *[Signature]*
R. Keith Higginson, Director

BURGEMEISTER BROTHERS
2602 S. Quigley Rd.
American Falls, ID 83211

JUL 30 1990

MICROFILMED

ADD
JUL 30 1990



State of Idaho.
Department of Water Resources
1301 N. Orchard St.
Statehouse, Mail
Boise, Id.

83720.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Kenneth &/or Tony &/or Ray Burgemeister Phone _____

Post office address Rt. 1, Box 163, American Falls, Idaho 83211

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 7S

Range 29E.B.M. Power _____ County, additional points of diversion if any: _____

SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 16 T,7S, R29E

4. Water will be used for the following purposes:

Amount 0.72 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.72 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 wells with pump and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 2-18 inches; proposed depth of well is 315 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: JUL 30 1990

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	29E	16	35	37	40	39	37	35	39	40									302

Total number of acres to be irrigated 302

c. Describe any other water rights used for the same purposes as described above. License #35-2632
Amount: 5.32 cfs

9. a. Who owns the property at the point of diversion _____

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Booster pumps were added in 1977.

MICROFILMED

JUL 30 1990

1568

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as hereinafter described:

JUL 30 1990

Tony Bungemeister
(Applicant)

Received by S.M. Date 6-21-83 Time 12:49
Preliminary check by JHM Fee \$ 4500
Receipted by (ee) Date 6-21-83 # 32609
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by tw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED
JL

Affidavit of Publication

State of Idaho

County of Power

Erma Crompton being first duly sworn on oath, states:

That she is the publisher of The Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 23rd day of June 1990 and the date of last publication being the 27th day of June 1990.

(Signed)

State of Idaho

County of Power

On this 28th day of June in the year of 1990, before me, a Notary Public, personally appeared Erma Crompton, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Brett Crompton

Notary Public for Idaho

Residing at American Falls, Idaho

My commission expires: June 8, 1993

RECEIVED

Department of Water Resources
Eastern District Office

RECEIVED

JUL 19 1990

Application for water right

Published in The Power County Press,
June 20, 27, 1990.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-08218
BURGEMEISTER, KENNETH
BURGEMEISTER, TONY
BURGEMEISTER, RAY
2602 S. QUIGLEY RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 07S R
29E
SENE Sec 16 T 07S R 29E

Use: IRRIGATION (.720 CFS)
Total Diversion: (.720 CFS)

Date Filed: 6/21/1983

In: T07S R29E S16 NENE NWNE
SWNE SENE
NENW NWNW SWNW SENW
302.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203 C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before July 9, 1990.

R. Keith Higginson, Director

OK TJS
7-19-90



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 7, 1996

KENNETH BURGEMEISTER
RAY BURGEMEISTER
TONY BURGEMEISTER
2602 S QUIGLEY RD
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 35-08218

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

Microfilm

OCT 10 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08218

DATE 9/30/96

REVIEWER: S H A R L A

NAME Change OK

Address Change NO

SOURCE Change OK

Is change/clarification of originally intended source? NO

If not, prepare Notice of Intent to Void NO

POINT OF DIV Change OK

Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? yes no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate 3.26 cfs

Fee limit 3.12 cfs

Measured 3.22 cfs

Theoretical 7.01 cfs

3.26 Cox/Hall meas. $248 \times 5.65 = 1401.2 \text{ gpm}$ west east
 $256 \times 5.65 = 1446.4 \text{ gpm}$ west

$190 \times 8.8 \times 7 / 200 + (2.31 \times 60) = 3.46$
 $195 \times 8.8 \times 7 / 200 + (2.31 \times 60) = 3.55$ 7.01

6.04 = 302 x .02 cfs/ae. - 5.32 licensed Recommended Total Div Rate .72 cfs

ANNUAL VOLUME/
NATURE OF USES

Change OK

Use IRR.

Volume Calculation

af
af
af
af
af
af

SUBTOTAL

Flow rate 3.26 cfs X 365 days X 1.9835 = 2358 af

Total volume recommended 2358 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (35-02632)
W35 (" - 1208 af, 302 ae.

CONDITIONS NO Watermaster Control WD# NO

NO GW Measurement/Measuring Device

R31 Overlap

NO Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo NO

1st Amend Letter N/A

2nd Amend Letter N/A

West Well

RECEIVED

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JAN 22 1996

WEST WELL
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Kenneth, Tony, Ray Burgemeister Permit No. 35-8218
Current Address: 2602 S. Quigley Rd American Falls, Id 83211 Phone No. 226-2064
2. Accompanied by: tony Burgemeister EXAM. DATE: 6-19-91
Address: Same Phone No. Same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-2632 ☐ Copies Attached
2. Other water rights with same point of diversion: 35-2632 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

150 Hp pump to 8" pipe to 45 Hp Booster pump to 8" underground main line to 8-32 bird with 5/32 nozzles operating at 60 psi wheel lines

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
West well	GE	150	S/S 505001	Wintcoath	10121
Booster	US Electric	45	9454532	Jacuzzi	8" Discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
West			SE	NW	16	7S	29E	Power	Quad map + onsite inspection

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	16	35	37	40	39	37	35	39	40									302

Do not use this space

OCT 10 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Hall meter	Pitot	COX	120387 →		8"	—
Flow Indicator	Manometer	IDWR	—	—	60"	—
Pressure Gage	Fluid	Rainbird	—	—	0-160	—

2. Measurements:

operating pressure is 60 psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: East well - 3.12 cfs } 6.38 cfs total - 5.32 cfs (License 35-2632)
West well - 3.26 cfs } Yields 1.06 cfs available.
2. Alternate Method for Checking Purposes:
 $8 \times 32 \times 5.63 \text{ gpm} = 1441.3 \text{ gpm}$
 Recommend permit amt. of 0.72 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 302 \text{ acres} \times 4.0 \text{ af} = 1208 \text{ af}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.72 \text{ cfs} \times 214 \text{ days} \times 1.9835 = 305.6 \text{ af}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 305.6 \text{ af}$

2. Volume Calculations for Other Uses:

MICROFILMED
 OCT 10 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This is a full overlap with License 35-02632 which has 302 acws + 5.32 cfs. The additional amt of 0.72 cfs was sought to bring cfs up to 0.02 cfs/acre.

Since 6.38 cfs was found being diverted,

$$6.38 \text{ cfs} - 5.32 \text{ cfs (35-02632)} = 1.06 \text{ cfs available.}$$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.72 cfs	305.6 afa
Totals:			0.72 cfs	305.6 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Gary Bass

Signature Gary Bass

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

OCT 10 1996

13 782	4" X SHEETS, FLTR	5 SQUARE
14 381	50 CIGARETTES, 1 L	5 SQUARE
14 382	100 SHEETS, EYE EASE	5 SQUARE
14 387	200 SHEETS, EYE EASE	5 SQUARE
14 392	100 PK Y, TEL WHITE	5 SQUARE
14 399	200 PK Y, TEL WHITE	5 SQUARE

LINE #	1 st Sprinkler	Last Sprinkler	Average
#1	60	60	60 psi
#2	60	58	59 psi
#3	50	55	53 psi
#4	50	56	53 psi
#5	60	54	57 psi
#6	60	50	55 psi
#7	50	54	52 psi
#8	50	46	48 psi

$$248 \text{ sprinklers} \times 5.68 \text{ gpm} = 1408.64 \text{ gpm} = 3.14 \text{ cfs}$$


35-8218

11. 07.2018

MEASURED BY

GE. 150 Hp # SVJ 505001
Wintroath # 10121

45 Hp Booster



OCT 1 0 1996

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POINT OF DIVERSION OVERLAP REVIEW

35-8218

Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, WHICHEVER IS LESS.

A. Total Number of Acres irrigated = 302 acresB. Total Diversion Rate = 6.38 cfs

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A] = Current Diversion Rate

$$Qc = \frac{6.38 \text{ cfs}}{302 \text{ acres}} = Qc = \underline{0.02112} \text{ cfs/ac}$$

2. Old Application Rate per Acre = (Qo) from Licensed Flow Rates:

License # 35-2632 @ 5.32 cfs / 302 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

$$Qo = \text{Total Lic. Rate} = \frac{5.32 \text{ cfs}}{302 \text{ ac}} = Qo = \underline{0.0176} \text{ cfs/ac}$$

[Old Diversion Rate(Qo) = Licensed Flow Rate/# acres]

3. Comparison of Diversion Rates if:

A. $Qo > Qc$: $Qo(\#2) = \underline{\hspace{2cm}} \text{ cfs/ac} > Qc(\#1) = \underline{\hspace{2cm}} \text{ cfs/ac}$
[Old Diversion Rate(Qo) > New Diversion Rate(Qc)]

EXCLUDE LICENSED LANDS . . . GO TO ITEM #4A

B. $Qc > Qo$: $Qc(\#1) = \underline{0.02} \text{ cfs/ac} > Qo(\#2) = \underline{0.0176} \text{ cfs/ac}$
[New Diversion Rate(Qc) > Old Diversion Rate(Qo)]

INCLUDE LICENSED LANDS . . . CONTINUE TO ITEM #3.B.1 & 2

1. Additional Flow Rate for Licensed Lands. $Qa = (Qc - Qo) \times (\# \text{ Lic. Ac})$

$$Qa = \left(\left(\frac{0.02}{\text{cfs/ac}} \right) - \left(\frac{0.0176}{\text{cfs/ac}} \right) \right) \times \left(\frac{302}{\text{acres}} \right) = Qa = \underline{0.72} \text{ cfs}$$

2. Flow Rate New Acreage. Total Ac. (#1.A) - Lic. Ac. (#2) = New Acres

$$Qn = (Qc) \times (\# \text{ New Ac.}) = \underline{\hspace{2cm}} \text{ cfs}$$

$$Qn = (\underline{\hspace{2cm}} \text{ cfs/ac}) \times (\underline{\hspace{2cm}} \text{ ac}) = Qn = \underline{\hspace{2cm}} \text{ cfs}$$

GO TO ITEM #4B.

4. Calculate Total Flow Rate to be licensed:

A. Rate EXCLUDING Licensed land. Total Ac. (#1.A) - Lic. Ac. (#2) = New Ac.

$$(\underline{\hspace{2cm}}) - (\underline{\hspace{2cm}}) = \underline{\hspace{2cm}} \text{ ac}$$

$$Qt = Qc(\#1) \times (\# \text{ New Acres}) = \underline{\hspace{2cm}} \text{ cfs/ac} \times \underline{\hspace{2cm}} \text{ ac} = \underline{\hspace{2cm}} \text{ cfs}$$

CONDITIONS/REMARKS: _____

B. Flow Rate INCLUDING licensed land. -

$$Qt = Qa(\#3.B.1) + Qn(\#3.B.2) = \underline{0.72} \text{ cfs} + \underline{0} \text{ cfs} = \underline{0.72} \text{ cfs}$$

CONDITIONS/REMARKS: _____

117.0 9- NHEL 115.3 177.0
 R29
 NHEL NHEL NHEL
 12

T-57
 #657
 Burgermiesten
 Bros.
 NHEL
 1- 15 16

T-58
 35-08218

8 lines
 4 lines 5/32 3 birds

J. J. ORNELL
 1 0 1996


HEL

T
 7
 S
 R29E


35-08218

4 10
 16 15

12.1



35-8218




WEST WELL

MICROFILMED
OCT 10 1996

35-8218

35-8218



EAST WELL

Measurement port
not able to get
Measurement at
Well 35-8218

MISSION MED

OCT 1 0 1996

East Well

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

EAST WELL

A. GENERAL INFORMATION


1. Owner: Kenneth, Tony, Ray Burgemeister Permit No. 35-8218
Current Address: 2602 S. Quigley Rd American Falls, Id 83211 Phone No. 226-2064
2. Accompanied by: Tony Burgemeister EXAM. DATE: 6-19-91
Address: Same Phone No. Same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-2632 ☐ Copies Attached
2. Other water rights with same point of diversion: 35-2652 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

OCT 10 1996

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

150 Hp pump to 40 Hp Booster pump to 8" underground main line to 8-3/4" bird wheel lines with 5/32 nozzles operating at an average of 60 psi.

* according to Tony pumping depth is between 200' + 250'

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
East well	GE	150	YTS1104002	Winthoath	10" discharge
Booster	US. Electric	40	9404643-428	Jacuzzi	5137014456

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
East			SW	NE	16	7S	29E	Power	Quad map + onsite inspection

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube	-	-	-	-	-	-
Pressure Gage	Fluid	Rainbird	-	-	0-160	-

2. Measurements:

See attached page

* no well port to prop water depth

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$8 \times 33 \times 5.68 \text{ gpm} = 1401.2 \text{ gpm}$$

$$\frac{19040 (8.114) (1.7)}{225' + (60 \text{ ps.} \times 2.308)} = 11846 \text{ gpm}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 1 0 1996

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use From To		Rate of Diversion $\bar{Q}$ (cfs)	Annual Volume V (afa)
_____	_____ 	_____ 	_____	_____
_____	_____ 	_____ 	_____	_____
_____	_____ 	_____ 	_____	_____
_____	_____ 	_____ 	_____	_____
_____	_____ 	_____ 	_____	_____
_____	_____ 	_____ 	_____	_____
Totals:			_____	_____

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Gary Buss
Signature Gary Buss
Certification Date _____
Field Report Preparation Date _____

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SECRET

OCT 10 1996

October 3, 1990

KENNETH BURGEMEISTER
TONY BURGEMEISTER
RAY BURGEMEISTER
2602 S. QUIGLEY RD.
AMERICAN FALLS, ID 83211

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08218

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 17 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 35-8218

Date: 10-1-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change no If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☒ 1. well log in file 1960
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

10-4-90
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 27, 1990

KENNETH BURGEMEISTER
TONY BURGEMEISTER
RAY BURGEMEISTER
2602 S. QUIGLEY RD.
AMERICAN FALLS, ID 83211

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08218

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

FILED

JUL 30 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 30 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JEM

APPLICATION NUMBER: 35 8218

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☐ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required. *Flow Task Force Memo*
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? *01-P05*
6-21-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

App. in TRUST area - EXEMPT

By: _____ Date: _____

STATE OFFICE REVIEW:

P05, P23 P16 46

- ☐ See attached sheet for more information.

By: *KW* Date: *7/23/90* FEB 20 1990

WJ

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

APRIL 24, 1990

Power County Press
Box 547
American Falls, ID 83211

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

MICROFILMED

JUL 30 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-08218

BURGEMEISTER, KENNETH
BURGEMEISTER, TONY
BURGEMEISTER, RAY
2602 S. QUIGLEY RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SWNE Sec 16 T 07S R 29E
 SENW Sec 16 T 07S R 29E

Use: IRRIGATION (.720 CFS)
 Total Diversion: (.720 CFS)

Date Filed: 6/21/ 1983

In: T07S R29E S16	NENE	NWNE	SWNE	SENE
	NENW	NWNW	SWNW	SENW

302.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before MAY 21, 1990.

R. Keith Higginson, Director

Published 5/ 2/1990 & 5/ 9/1990

RECEIVED

MAY 30 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 35-8218

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 3-29-90

=====

The applicant has returned the trust water questionnaire and has indicated that this is a supplemental filing developed prior to 1984.

Review of the attached place of use overlap report shows that this is a supplemental filing which serves to increase the rate of diversion of the existing license. There is no increase or expansion in number of acres over the existing license. Furthermore, based on comments in both the questionnaire and application, it appears that the increased diversion rate was completed prior to October of 1984.

This application is exempt from the review requirements of Section 42-203C based on evidence that the use was completed prior to October, 1984. The application should be advertised as a non-trust water application. Trust conditions are not applicable.

RECEIVED

JUL 30 1990

PLACE OF USE 1/4 1/4 OVERLAP REPORT

03/29/90

WR-NUMBER	NAME	SIG	SOURCE	T	R	S	NE				NW				SW				SE				SUM		
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
3508218																									
3502581	MAYER	L	GROUNDWATER	07S	29E	16											40	40	40	40	32	40	40	40	312
3502632	BURGEMEISTER	L	GROUNDWATER	07S	29E	16	35	37	40	39		37	35	39	40										302
3508218	BURGEMEISTER	A	GROUNDWATER	07S	29E	16	35	37	40	39		37	35	39	40										302
NO MAPPING INFO AVAILABLE																									

JUL 19 1990

FILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
MAR 28 1990

Application No. 35-8218

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes X No
b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes X No
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

(2) Wells with pumps and sprinkler system.
Acres irrigated are 302

3. Please state the number of acres you have irrigated under this application since October 1, 1984. 302

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete.

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

none.

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Mary Bungemeister

Date 3-26-90.

MICROFILMED

JUL 30 1990

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

5. REMARKS/COMMENTS:

We currently have (2) 150 H.P. Motors on the 2 pumps.
Booster pumps were added in 1977

Our water license number on this parcel of
ground is # 25-2632

This ground has been under irrigation since
1961.

MICROFILMED

JUL 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 26, 1990

Kenneth &/or Tony &/or Ray Burgemeister
Rt. 1, Box 163
American Falls, ID 83211

Re: Application for Permit No. 35-8218

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING APPLICATION

On June 21, 1983, you filed with the Department of Water Resources (Department) Application for Permit No. 35-8218 which proposed the diversion of 0.72 cubic feet per second from groundwater for the irrigation of 302 acres.

The Department mailed a letter and questionnaire to you on February 22, 1990 in connection with the application. The letter provided notice that the Department was reviewing the application in connection with development which was not complete prior to October 1, 1984.

This letter also requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this letter is to provide a second and final opportunity for you to submit the requested information. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Water Appropriation Rule 4,5,1.

If no development has been completed as proposed by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water without an approved permit, the Department may issue an order requiring you to cease diverting the water.

Please feel free to contact me if you have any questions concerning this matter.

Sincerely,

TIM LUKE

Sr. Water Resource Agent

MICROFILMED

JUL 30 1990

Enclosure
cc: Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 22, 1990

RE: APPLICATION FOR PERMIT NO. 35-8218

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the Department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (in particular, Rules 4,5,3. thru 4,5,3,5, apply to your project if it is more than 200 acres).

MICROFILMED

JUL 30 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

MICROFILMED

JUL 30 1990

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JUL 3 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8218

Name(s) of Permit Holder: Burgemeister, Kenneth, Tony & Ray
Route #1 Box 163

Post Office Address: AMERICAN FALLS, IDAHO
83211 Telephone No. 226-2064

Source of Water: GROUND WATER

Extent of Use: Domestic _____ (number of households)
Stockwater _____ (number and type of stock)
Irrigation Supp. 302 (acres)
Other/Remarks SUPPLEMENTAL WATER -
ADDITIONAL LINES

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? Yes X No
Installed? Yes X No

Flow Measurement Port: Required? X Yes
Required? X Yes

MICROFILMED

JUL 30 1990

Person to contact to accompany the Department representative during field examination: APPLICANTS

(Name) SAME AS ABOVE
(Address) _____ (Telephone number) _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-24-85
Date

Burgemeister, Kenneth, Tony & Ray
Signature of Permit
(and title, if appropriate) Burgemeister

FORM A

STATE OF IDAHO

RECEIVED

JUL 1 1985

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8218
Name(s) of Permit Holder: BURGEMEISTER, KENNETH, JON & KAY
Route #1 Box 163

Post Office Address: AMERICAN FALLS, IDAHO
83211 Telephone No. 226-2064

Source of Water: GROUND WATER

Extent of Use: Domestic _____ (number of households)
Stockwater _____ (number and type of stock)
Irrigation Supp. 372 (acres)
Other/Remarks SUPPLEMENTAL WATER -
ADDITIONAL LINES

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? _____ Yes _____ No
Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes _____ No
Required? _____ Yes _____ No

Person to contact to accompany the Department representative for field examination: APPLICANTS

MICROFILMED

(Name) _____
(Address) SAME AS ABOVE (Telephone number) JUL 30 1990

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-24-85
Date

Burgemeister, Kenneth, Jon & Kay
Signature of Permit
(and Title, if appropriate) Burgemeister

35-8218-

BURGEMEISTER, KENNETH &/or TONY &/or RAY

RT. 1, BOX 163, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Date Filed: 06/21/1983

Diversion Pt: SENW SWNE Sec 16 T 07S R 29E

Use: IRRIGATION (0.72 CFS)

In: NENE NWNE SWNE SENE NENW NWNW SWNW SENW Sec 16 T 07S R 29E
FOR 302 ACRES

MICROFILMED

JUL 30 1990