




2518-55

AMERICAN FALLS 27 MI.
ABERDEEN 14 MI.

4S
32E

35-8152



MICROFILMED

JAN 6 1991



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08152

Priority: May 27, 1984

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume:¹ 4.8 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 E. N. TEMPLE
SALT LAKE CITY, UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 31, 1983; and has submitted Proof of Beneficial Use on January 15, 1986. An examination indicates that the works have a diversion capacity of .310 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	3.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.3 AF
	Totals	0.06 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 9, Township 04S, Range 32E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	32E	9	SESE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 04 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08152

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for a church.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of December, 1990.

Acting for J. Glen Sauter
R. Keith Higginson, Director

MICROFILMED

JAN 04 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 35-8152 IN THE NAME OF	)	ORDER OF REINSTATEMENT
	)	
AMERICAN FALLS STAKE-LDS CHURCH	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 35-8152 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 35-8152 to appropriate the public waters of the State of Idaho with a proposed priority of MAY 31, 1983.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

JAN 14 1987

4. The license examination fee was received on
JUNE 25, 1987, 361 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 35-8152 should be advanced 361 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 35-8152 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 35-8152 is advanced to MAY 27, 1984.

Dated this 27th day of September, 1990.

J. New Saxon
Chief, Water Allocation Bureau

RECEIVED

JAN 01 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Local Phone 208-338-2347

To appropriate the public waters of the State of Idaho

1. Name of applicant Lakeview Ward - American Falls Stake - LDS Church Phone 801-531-2564
Post office address Corp of The President 50 East N. Temple Salt Lake City Utah 84150
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 4 S
Range 32 E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.09 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 cfs for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, pressure tank with water lines to the Church building.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 362 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 4 S
Range 32 E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Domestic use is for 400 persons at LDS Church activities for Kitchen, Showers and gym.

MICROFILMED

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4S	32E	9																1.0 0.574	1.0 0.5

Total number of acres to be irrigated 1.0
0.5

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks



Scale 2 inches equal 1 mile.

Earl A. Barclay - Bishop
(Applicant) Lakeview Ward

3

Proposed Priority 5/31/83

MICROFILMED

Received by CW Date 5-31-83 Time 4:35p

Preliminary check by Kaw Fee \$ 30.00

Receipted by BP Date 6/3/83 # 26386

Publication prepared by any Date 11-28-84

Published in Morning News

Publication dates 12-6-84 12-13-84

Publication approved CW Date 1-2-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8152, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 26th day of February, 1985.

A. Glen Sayton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

27-7353

USS AGRI-CHEMICALS
USS FARM SERVICE CENTER
P O Box 492

Shelley, Idaho 83274

Source: GROUNDWATER

Date Filed 05/02/1983

Diversion Pt. SWSE, Sec 21, T 01N, R 37E

Use COMMERCIAL (1.00 CFS)

In SWSE, Sec 21, T 01N, R 37E

27-7355

MARTIN, ENNIS B &/or DOROTHY L.
P O Box 788

In SESE, Sec 35, T 02S, R 33E, for 3
ACRES

35-8193

PARK, WAYNE L

Rt 7, Box 367

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 06/29/1983

Diversion Pt NWNW, Sec 34, T 02S, R 34E

Use: IRRIGATION (0 12 CFS)

DOMESTIC (0 02 CFS)

In NWNW, Sec 34, T 02S, R 34E, for 4
ACRES.

35-8199

RODEBACK, WILBUR R

&/or ELIZABETH B.

P O Box 125

Moreland, Id. 83256

35-8151

SAUNDERS, RONALD &/or PHYLLIS

Rt 7, Box 306

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 05/31/1983

Diversion Pt: NENE, Sec. 29, T 02S, R 34E

Use COMMERCIAL (0 10 CFS)

DOMESTIC (0 04 CFS)

In NENE, Sec 29, T 02S, R 34E.

35-8215

MARTIN, HAROLD

Rt. 1, Box 332

Shelley, Id 83274

Source GROUNDWATER

Date Filed 06/23/1983

Diversion Pt NENE, Sec 22, T 01N, R 36E

Use: IRRIGATION (0 12 CFS)

DOMESTIC (0 13 CFS)

In NENE, Sec 22, T 01N, R 36E, for 6
ACRES

35-8152

LDS CHURCH

LAKEVIEW WARD

AMERICAN FALLS STAKE

50 E N Temple

Salt Lake City, Ut 84150

Source: GROUNDWATER

Date Filed 5/31/1983

Diversion Pt SESE, Sec 09, T 04S, R 32E

Use IRRIGATION (0 02 CFS)

DOMESTIC (0 09 CFS)

In SESE, Sec 09, T 04S, R 32E, for 1
ACRE

35-8217

BELNAP, DARRELL O

&/or ELAINE

Rt 5, Box 312

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 06/20/1983

Diversion Pt. NWNW, Sec. 08, T 03S, R 34E

Use IRRIGATION (0 05 CFS)

DOMESTIC (0 04 CFS)

In NWNW, Sec 08, T 03S, R 34E, for 2
ACRES

35-8222

SHRADER, LARK G

&/or MAXINE R

Rt 2, Box 305

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 06/30/1983

Diversion Pt. SESW, Sec 33, T 02S, R 35E

Use IRRIGATION (0 02 CFS)

DOMESTIC (0 04 CFS)

In SESW, Sec 33, T 02S, R 35E, for 1
ACRE

35-8179

JIMMETT, Gary D

x K

Moreland, Idaho 83256

Source GROUNDWATER

Date Filed 06/23/1983

Diversion Pt NENW, Sec 26, T 02S, R 34E

Use IRRIGATION (0 08 CFS)

DOMESTIC (0 08 CFS)

In NENW, Sec 26, T 02S, R 34E, for 4
ACRES

35-8190

FER, FLOYD H

&/or MILDRED F

Box 89

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 06/22/1983

Diversion Pt SESE, Sec 35, T 02S, R 33E

Use IRRIGATION (0 09 CFS)

DOMESTIC (0 04 CFS)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director Dept of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before DECEMBER 24, 1984

KEN DUNN, Director

(8400)
Pub 12-6.13

Legal Notices:

Two workingdays
prior to
publication date.

Official legal
publication day
is Friday;

these must be in
office by Noon
Wednesday

RECEIVED

JAN 2 1985

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, DAVID MARK BROWN do

solemnly

swear that I am the PUBLISHER of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: THURS.
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive WEEKS

the first publication having been made on the

6th day of DECEMBER, 19 84,

and the last publication having been made on the

13th day of DECEMBER, 19 84;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 28th

day of DECEMBER, 19 84

Patricia A. Johnson

Notary Public for the State of Idaho,

Residing at Blackfoot, Idaho

My commission expires

Oct. 20, 1984

MICROFILMED

December 24, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 E. N. TEMPLE
SALT LAKE CITY, UT 84150

RE: WATER RIGHT NO. 35-08152

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 04 1991

September 26, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 E. N. TEMPLE
SALT LAKE CITY, UT 84150

RE: PERMIT NO. 35-08152

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
FILMED
JAN 6 1991

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 35-8152

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 26-JAN-1990

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MAY 31 1983	151
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	JUNE 25 1987	541
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		361 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MAY 31 1983	151
Total Days Late:		361 DAY(S)
New Priority Date:	MAY 27 1984	147

MICROFILMED

JAN 04 1991

MEMORANDUM

TO:FILE 35-8152

FROM:ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAMINER'S RECOMMENDATIONS

DATE: 26-JAN-1990

=====

The Community Water Systems Source Book, 5th Ed., suggests a 3 gal per person per day consumption level for churches. The examiner has apparently considered only students that use the church facility, not the entire congregation. The Permit states that 400 people can be expected to use the church.

The right can be licensed for a 0.04 cfs domestic diversion rate using the new calculated volume:

3 gal/day/per. x 400 people x 365 days
----- = 1.34 afa
325, 850 gal/af

MICROFILMED

JAN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

35-8152
Permit No.
LDS

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index QSA 6/29/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index QSA 6/29/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 1 - June - 1988 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent KCW 8-18-88 (Initial and date)

Exam Reviewed by Manager of Regional Office 9-Jan-1989 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

RECEIVED
JAN 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


Permit No. 35-8152
1. Owner: LAKEVIEW Ward - AMERICAN FALLS STAKE - LDS Church Phone No. (801) 531-2564
Current Address: CORP. OF THE PRESIDENT - 50 EAST 11 TERRACE - SA - LAKE CITY - UTAH
2. Accompanied by: Kenneth TALBOT EXAM. DATE: 1-1-88
Address: 650 S. 2600 W. Sterling Idaho Phone No. 329-7704
Relationship to Permit Holder: Custodian
3. Source: GRAIN - RIVER tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO ☐ Copies Attached
2. Other water rights with same point of diversion: NO ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well & motor & pump to 2 - 80 gallon pressure tanks & 1/2" to check & run in line with an automatic sprinkler system for irrigation of church grounds.

RC-1260-AB, Automatic Rained Sprinkler System

Well depth = 339'

Static water depth = 39'

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor-Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin	5	23-1172003	FRANKLIN	—

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	9	T4S	R32E	BIGHAM	Map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
T4S	R32E	9																1	1 ac.

Do not use this space

MICROFILMED

JAN 6 1981

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1 Measured Method:

$$\text{Theoretical } Q_T = \frac{(5)(3.814)(0.85)}{(39)(2.31)(35)} = 0.31 \text{ c.f.s.}$$

$$\text{AVE. } Q = 0.2 \text{ c.f.s. } \underline{ck}$$

2. Alternate Method for Checking Purposes:

$$\text{If you use } Q_T = \frac{\text{HP (3.6) x CTR}}{\text{Total HCFD}} = \frac{(5)(3.814)(0.85)}{(337) + (2.31)(35)} = 0.09 \text{ c.f.s.}$$

FX PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head. (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP. (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (100) \times \left(\frac{3.5}{7.0} \right) = 3.0 \text{ } 3.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.11)(214)(1.9835) = 46.69$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.0 \text{ } 3.5$$

MICROFILMED

2. Volume Calculations for Other Uses:

$$\frac{150 \text{ cfs}}{\text{year}} \left(\frac{400 \text{ days}}{\text{year}} \right) \left(\frac{25 \text{ ft}}{\text{ft}} \right) \left(\frac{0.6 \text{ Ft}}{325,850 \text{ gal}} \right) = 4.6 \text{ A.F.A.}$$

JAN 04 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.09	4.6
IRRIGATION	4/1	11/1	0.02	3.5
Totals:			0.11	7.6 8.1

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Richard Lenon
Richard Lenon

Paul R. Meyer
P.R.M.


CONSULTANT SEAL

Steve Milorovich
Jan 1989

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JAN 04 1991



45-8152

AMERICAN FALLS 27 MI.
ABERDEEN 14 MI.

45
32E

35-8152

SECRET

PROPERTY OF THE
U.S. GOVERNMENT




SECRET

JAN 6 1951

35-8152

Wery ✓



Well Log Form 1
EN-5/63

MAY 28 1964

Department of Reclamation.

WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit No. _____ Well No. _____ County Blagden

Owner Springfield, D. S. Ward

Address Springfield, Idaho

Driller Paul Vollmer and Son

Address Box 176, Aberdeen, Idaho

Well location SE 1/4 SW 1/4 Sec 9, T. 4 N. 15, R. 32 E. 7W

Size of drilled hole 10"

Locate well in section

NW 1/4	NE 1/4
SW 1/4	SE 1/4
Sec. _____	
X	

Total depth of well 337
Give depth to standing water from the ground 39 Water temp. _____ of Fahr.

Test delivery was 40 g.p.m. or _____ c.f.s. Drawdown was 2 feet. Pump? X Bail? _____

Size of pump and motor used to make test 5HP Briggs 2 1/2" Turbine

Length of time of test 2 hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____

Water will be used for domestic Weight of casing per lineal foot 28.04

Thickness of casing .250 Casing material steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 10 3/4" 305' ± 1-204
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Foot	To Foot	Length	Remarks--seals, grouting, etc.
10 3/4	+1	304	305	unstable formation

NOT RECORDED

JAN 04 1991

Number and size of perforations none located _____ feet to _____ feet from ground

Date of commencement of well March 4, 1964 Date of completion of well April 30, 1964

SE 5W 5N 4S 72E

WDS

WELL LOG

From Foot	To Foot	Type of Material	Water-bearing Formation Am. Test No.	Casing Perforated Am. Test No.
0	4	topsoil		
4	30	broken lava		
30	70	brown clay		
70	85	blue clay		
85	88	sand		
88	114	lava		
114	119	gray clay		
119	154	sand		
154	210	clay		
210	252	sand		
252	270	clay		
270	287	sand		
287	292	sand and gravel		
292	300	clay		
300	330	black lava	yes	
330	337	tan clay		

If more space is required use Sheet No. 2

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed Paul Volkmann and Son

By M. H. H. H.

Date May 3 19 64

License No. 171

Well Driller's Helper James H. H. H.

4/86

JUL 06 1987

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50.00
Date 6-25-87
Receipt # 41236
Receipt by dfa
Sent to S.O.

1. Permit No. 35-8152

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Lakeview WARD - American Falls Stake LDS church

3. Post Office Address: Cop of the President, 50 East Temple, Salt Lake City, UT 84150 Telephone No. 328-2347 (208)

4. Source of Water: ground water

5. Extent of Use:

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation / (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted .11 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1965

8. Person to contact to accompany the department representative during the field examination:

Earl Barclay

(Name)

JAN 04 1991

1096 S. 2500 W., Aberdeen, ID 83210 (Address) (208) 328-2347 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

25 June, 1987
Date

Earl H. Barclay
Signature of Permit Holder (and title, if appropriate)

RECEIVED

JUL 06 1987

INTER-DEPARTMENT MEMO — 1

DATE 6-29-87

FROM ERIC VERNER

Department of Water Resources

TO FILES

SUBJECT LATE EXAM FEE PAYMENT FOR PERMIT No. 35-8152

FEE DUE DATE: 30-June-1986

FEE RECEIVED: 25-June-1987

Permit should therefore loose 361 days priority.

ESV

SIGNATURE

MICROFILMED

JAN 04 1991

copy



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address...
Statehouse
Boise, Idaho 83720
(208) 334-4440

35-415,
CHURCH OF JESUS CHRIST OF LATTER DAY
SAINTS
APPLICABLE RULES STATE
SALT LAKE CITY, UT 84143

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

MICROFILMED

JAN 04 1991

Sincerely,

Glen Saxton
G. GLEN SAXTON, Chief
Operations Bureau

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 3, 1986

LDS CHURCH
LAKEVIEW WARD
50 EAST NORTH TEMPLE
SALT LAKE CITY UT 84150

RE: Permit No. 35-8152

Dear Permit Holder,

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

JAN 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720

35-8152
CHURCH OF JESUS CHRIST LATTER DAY
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 EAST NORTH TEMPLE
SALT LAKE CITY, UT 84150

138663

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. **MICROFILMED** you may change your decision to use this alternative and submit the fee for the department to conduct the field examination, but you may change to another certified examiner.

JAN 04 1991

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JAN 04 1991

RECEIVED
JAN 26 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

RECEIVED

JAN 15 1986

Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8152

Name(s) of Permit Holder Lakeview Ward- American Falls Stake, LDS Church

Post Office Address 50 East North Temple, Salt Lake City, UT 84150

Telephone No. _____

Source of Water: _____

Extent of Use:

Domestic church (400 persons) (number of households)
gym, kitchen, showers

Stockwater _____ (number and type of stock)

Irrigation 1 (acres)

Other/Remarks Irrigation of ball diamond in conjunction
with church facilities

Indicate the date water was first diverted and beneficially used under this permit: 1966

Measuring Device. Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Leslie Pratt, 2804 West 1500 South, Aberdeen, ID 83210

(Name)

397-4662

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-15-86
Date

Leslie Pratt, F.F.R.
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

2-21-86
JED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1985

138627

CHURCH OF JESUS CHRIST
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 EAST NORTH TEMPLE
SALT LAKE CITY, UT 84150

PROOF DUE NOTICE

RE: PERMIT NO. 35-8152

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF JESUS CHRIST, LATTER DAY SAINTS
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 EAST NORTH TEMPLE
SALT LAKE CITY, UT 84150

MARCH 28, 1985

RE: PERMIT NO. 35-8152

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 35-8152 -

PAGE 01
MARCH 28, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KC Wilson

APPLICATION NUMBER: 30 8154

CHECK:

- ☒ Source.
☒ Point of diversion
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: CW Date: 12-11-84
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 12-24-84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW

- ☒ Affidavit of publication received. Date: 1-02-85
☒ Application published correctly. If not, record action taken. _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
☒ 5-31-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in first dismissal (5-1180)

By: Ernest Culver Date: Feb 6, 85

STATE OFFICE REVIEW:

L11, L05, L16

- ☐ See attached sheet for more information.
By: CW

Date: 2/15/85

MICROFILMED

RECEIVED

FEB 13 1985

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

December 27, 1984

Morning News
P.O. Box 70
Blackfoot, ID 83221

RE: Applications for Permit Nos. 27-7353, 27-7355, 27-7375
27-7378, 35-8146, 35-8148, 35-8151, 35-8152, 35-8174, 35-8179,
35-8190, 35-8193, 35-8199, 35-8208, 35-8209, 35-8213, 35-8214
35-8215, 35-8217 & 35-8222.

Gentlemen:

Would you please submit an affidavit of publication and
certified bill in connection with the above referenced
applications. The legal notice was to have been published in
your paper on December 6 and 13, 1984.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

CHERYL ZEMP
Secretary

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V Evans
Governor

A Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

December 11, 1984

RE: Applications for Permits No. 27-7353 USS AGRI-CHEMICALS
35-8146 JACOBSEN SUBDIVISION
35-8152 LDS CHURCH
35-8215 MARTIN

Department of Health & Welfare
150 North Third
Pocatello, Idaho 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is December 24, 1984, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

35-8152

LDS CHURCH

LAKEVIEW WARD, AMERICAN FALLS STAKE, 50 E. N. TEMPLE, SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Date Filed: 05/31/1983

Diversion Pt. SESE Sec 09 T 04S R 32E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.09 CFS)

In: SESE Sec 09 T 04S R 32E FOR 1 ACRES

*Name chg. m
Computer
ew*

35-8152

LDS CHURCH
LAKEVIEW WARD
AMERICAN FALLS STAKE
50 E. N Temple
Salt Lake City, Ut 84150
Source GROUNDWATER
Date Filed -5/31/1983
Diversion Pt SESE, Sec. 09, T. 04S, R 32E
Use IRRIGATION (0.02 CFS)
DOMESTIC (0.09 CFS)
In SESE, Sec 09, T 04S, R. 32E, for 1
ACRE

last 10/10/83