


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 05 1990

Wayne Landon
(Applicant)

Nat to Scale



60.1

7.5

85.8

D.255
D.92

86.9

25

24

Handwritten notes and numbers in a central plot, including "1.8", "0.81", "0.91", and "0.92".

23
24

14
13

D.99
D.89

30

22

D.254
D.97

MICROFILMED

MAR 05 1990


D.99
D.91

11.9

4.3

22.4

14



A37E

15 14
22 23

1534 T1061

(9) 50.5

487 T699

(10) 48.1

(1) 121.0

(11) 46.5

es 22-23
11-4-4
11-4-4
11-4-4

565 T785

(1) 76.5

(2) 89.0

T786

(3) 43.4

14 23
T3N

563 T783

(1) 99.4

2080 T828

(1) 38.7

(2) 50.3

place use

HEL

Point of diversion

(4) 38.1

(2) 24.8

(3) 126.9

(10) 57.6

(12) 7.0
HEL

HEL

MICROFILMED
JUN 10 1997

(11) 47.7

HEL



MICROFILMED
JUN 10 1997

35-8149

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Wayne Landon

Address Osceola

Owner's Permit No. _____

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

- ☐ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 375 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>2</u> feet	<u>80</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No


Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth _____ feet
Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



Bonneville

County Blaine 23 3 N/S, R. 37 E/W
1/4 1/4 Sec. _____ T. _____

7. WATER LEVEL

Static water level 213 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

- ☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>2400</u>	<u>1'</u>	<u>2</u>

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
120	0	45	Clay		
	45	50	Clay		
	50	69	Clay		
	69	75	Fine Gravel		
	75	85	Fine Gravel		
	85	92	Fine Gravel		
	92	107	Cinders		
	107	118	Fine Gravel		
	118	120	Cinders		
	120	138	Fine Brown Gravel		
	138	140	Porphyry loose lava		
	140	150	Fine Brown Gravel		
	150	165	Fine Red/Brown Gravel		
	165	170	Broken Cinders		
	170	185	Loose Red		
	185	190	Hard Brown Gravel		
	190	213	Fine Brown Gravel		
	213	225	Cinders		
	225	230	Loose Porphyry		
	230	260	Fine Gravel		
	260	275	Welded Touch		
	275	290	Fine Hard Gravel		
	290	305	Welded Touch		
	305	320	Brown Clay loose lava		
	320	330	Yellow Claystone		
	330	340	Porphyry Lava		
	340	341	Fine Gray Lava		
	341	355	Fine Gray Gravel		
	355	375	Loose Basalt Brown Gravel		

MICROFILMED

MAR 05 1990

10.

Work started 4-13-73 finished 4-23-73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Andrew Well Drilling Cont.

Driller's or Firm's Name 1268 East 17th St., Idaho Falls, Idaho Number _____

Address _____ Date 6/8/73

Signed By _____

MICROFILMED

MAR 05 1990

508
38.1
88.94
89.7 H. 24
South


With grade
garden etc.
of
this area
99.4
2
1.6
1.2
2.8
1.4
104.4 H.
North

(copy)

(18)

Map 1-3

8/1/83



WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~ORIGINAL PERMIT~~	~~35-08149~~	~~LANDON WAYNE~~	~~.270~~
FULL ASSIGNMENT	35-08149	HOLMQUIST LADD	.270

4/22/97

MODIFIED
JUL 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08149

Priority: May 26, 1983

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:

56.0 AF

This is to certify, that LADD HOLMQUIST

1543 W 81 N

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 26, 1983; and has submitted Proof of Beneficial Use on February 21, 1991. An examination indicates that the works have a diversion capacity of 3.560 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.27 CFS	56.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 23, Township 03N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	37E	23	NWNE 34	SWNE 30	NWSE 30	156
			SWSE 25	SESE 37		31
		26	NWNE 31			

Total number of acres irrigated: 187

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECORDED
JUN 10 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08149

CONDITIONS OF APPROVAL AND REMARKS

6. Rights 35-07261 and 35-08149 when combined shall not exceed a total diversion rate of 3.56 cfs, a total annual diversion volume of 748.0 af and the irrigation of 187 acres.
7. This right is limited to the irrigation of 17.9 acres within the place of use described above in a single irrigation season.
8. Right 35-07261 is also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 28TH day of MAY, 1997.


Acting for KARL J. DREHER, Director

PL 35-08149
JUN 10 1997

RECEIVED

MAY 27 1997

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 35-08149

Date of Priority: May 26, 1983 Maximum Diversion Rate: 0.27 CFS
Maximum Diversion Volume: 56.0 AF

Comes now LADD HOLMQUIST
1543 W 81 N
IDAHO FALLS ID 83402

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 35-08149, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.27 CFS	56.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 23, Township 03N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	37E	23	NWNE 34	SWNE 30	NWSE 30	
			SWSE 25	SESE 37		156
		26	NWNE 31			31

Total number of acres irrigated: 187

MAILED

JUN 10 1997

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 23 day of May, 1997.

C. Ladd Holmquist
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08149

FOR DEPARTMENT USE ONLY

Preliminary check by SLH Fee = 5.00 Received by LS #008896 Date 5/27/97


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08149 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Rights 35-07261 and 35-08149 when combined shall not exceed a total diversion rate of 3.56 cfs, a total annual diversion volume of 748.0 af and the irrigation of 187 acres.
7. This right is limited to the irrigation of 17.9 acres within the place of use described above in a single irrigation season.
8. Right 35-07261 is also diverted through the point(s) of diversion described above.

Witness my hand this 28TH day of MAY, 1997.


Acting for KARL J. DREHER, Director

JUL 18 1997

For Office Use Only

\$25.00 Filing Fee

Receipt # E02318Date 4-15-97

State of Idaho
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 21 1997

Department of Water Resources

ASSIGNMENT OF PERMIT

To change the ownership of a permit

I, Wayne S. Landon, hereby assign to Ladd Holmquist
(Permit Holder)
 of 1534 W 81 N Idaho Falls ID 83402
(Full Address and Phone Number)

All my right, title, and interest in and to Permit No. 35-08149
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 15 day of April, 1997.

Wayne Landon
 Permit Holder(s)

State of Idaho)
 County of Bonneville ^{SS}

On this 15th day of April, 1997, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.



Betty J. Thompson
 Notary Public

 Signature

My commission expires:
 BETTY J. THOMPSON, NOTARY PUBLIC
 RESIDING AT IDAHO FALLS, IDAHO
 MY COMMISSION EXPIRES: 7-05-2000

JUN 10 1997

RECEIVED
FEB 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

1 Permit No. 35-08149 Telephone No. 524-1214

2 Name(s) of Permit Holder(s): Wayne S. Landon

3 Post Office Address: Rural 1523W 81N Idaho Falls Idaho 83402

4 Source of Water: Ground

a If ground water, well driller's name: Andrew Well Drilling Date drilled: May 23, 1973

b. Pump horsepower: 200 Pressure (psi): 95 Dynamic pumping level (ft.): 201

5 Extent of Use:

Domestic _____ (No. of households)

Irrigation 17 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted .36 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR
Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Wayne S. Landon
Name

5241214
Telephone No.

1523W 81N Idaho Falls Idaho 83402
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Feb. 18, 91
Date

Wayne S. Landon
Signature (and title if on behalf of a company or organization)

APR 19 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08149

Proposed Priority: May 26, 1983

Maximum Diversion Rate:

0.36 CFS

This is to certify, that **WAYNE LANDON**
1523 W. 81 N.
IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.36 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 23, Township 03N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	37E	23	SWSE 4	SESE 1.9		5.9
		26	SWNE 12			12

Total number of acres irrigated: 17.9

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

15th day of February, 1990.

MICROFILMED

MAR 05 1990

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne Landon Phone 524-1214
1523 W. 81 N.
Post office address Box 5 Box 373, IF Id 83402

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 3N
Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .36 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .36 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump to sprinkler
system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 290 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED

MAR 05 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 17.9

c. Describe any other water rights used for the same purposes as described above. Disc 35-7261

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The additional land was under irrigation at the time of the original exam but was missed this filing will add the additional land.

NOT RECORDED

MAR 05 1950

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 05 1990

Wayne Landon
(Applicant)

Received by S.M Date 5-26-83 Time 5:00 PM
Preliminary check by HWS Fee \$ 45.00
Receipted by SM Date 5/26/83 # 26329
Publication prepared by RB Date _____
Published in Last-Register
Publication dates 12-21 & 28-89
Publication approved ew Date 1-8-90
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

RECEIVED

MAR 05 1990

SECRET

MAR 05 1950

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07417
IONA STAKE
C/O RALPH HUNTER
#3 HONEYBEE LANE
IDAHO FALLS, ID 834010000
Source: GROUNDWATER
Diversion Pt: SENE Sec 14 T 02N R 38E
Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 7/13/1987
In: T02N R38E S14 SENE
4.0 ACRES TOTAL
25-07558

ANHEUSER-BUSCH COMPANIES, INC.
5888 S. 15TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SESE Sec 2 T 01N R 37E
Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 10/13/1989
In: T01N R37E S02 SESE
35-08149

LONDON, WAYNE
RT. 5, BOX 373
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSE Sec 23 T 03N R 37E
Use: IRRIGATION (.360 CFS)
Total Diversion: (.360 CFS)
Date Filed: 5/26/1983
In: T03N R37E S23 SWSE SESE
S26 SWNE
18.0 ACRES TOTAL
35-08852

IDAHO FRESH PAK INC.
P.O. BOX 130
LEWISVILLE, ID 83431
Source: GROUNDWATER
Diversion Pt: LOT 7 (NENW) Sec 36 T
03N R 37E
NWNW Sec 36 T 03N R 37E
Use: COMMERCIAL (.890 CFS)
Total Diversion: (.890 CFS)
Date Filed: 9/14/1989
In: T03N R37E S36 Lot 7 (NENW)
NWNW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite 15,
Idaho Falls, Idaho 83402 on or before
JANUARY 8, 1990.

R. Keith Higginson, Director
Published: December 21, 28, 1989

RECEIVED

JAN - 7 1990

Department of Water Resources
Eastern District Office

MICROFILMED

MAR 11 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LADD HOLMQUIST
1543 W 81 N
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08149

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

100-10000
JUN 18 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08149

LADD HOLMQUIST
1543 W 81 N
IDAHO FALLS ID 83402


Kari Lynn Townsend
Secretary

Department of Water Resources

MAY 27 1997

RECEIVED

Shelley)

2/23

We didn't intentionally ignore
your earlier correspondence. I
don't remember saying it but that
doesn't mean it didn't arrive
here. We've had a pretty
tumultuous year and aren't on
top of our game every day
we had some correspondence
from the local water resources,
followed by a letter saying it
was all taken care of. Anyhow
only an explanation, not an
excuse.

Hope this takes care of it.

Thanks

Paul H.

JUN 10 1997

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 19, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LADD HOLMQUIST
1543 W 81 N
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08149

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

NOTED
JUN 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 28, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LADD HOLMQUIST
1543 W 81 N
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08149

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MAIL ROOM

APR 29 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 25, 1997

LADD HOLMQUIST
1534 W 81 N
IDAHO FALLS ID 83402

RE: ASSIGNMENT OF PERMIT NO. 35-08149

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

If you have any questions, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:vrr

APR 25 1997

RECEIVED

JUL 10 1997

From: DWR70::ECARLSEN 15-APR-1997 15:23:31.91
To: DWR03::SCURTIS
CC: ECARLSEN
Subj: licensing of 35-08149

Hello Sharla, Please deferr licensing of 35-08149 for a couple of days. The former permit holder just submitted an assignment to the present owner of the property, Mr. Ladd Holmquist.
Ernie



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 11, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WAYNE LANDON
1523 W 81 N
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08149

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED
APR 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WAYNE LANDON
1523 W 81 N
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08149

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

100-20-1000

JUN 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08149

DATE 2/20/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	<u>✓</u> <u>ppu</u>		Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS

✓ P/D

— P/U

35-07261

RATE OF DIV

Permitted Rate .36 cfs

Fee limit 1.0 cfs \$100⁰⁰

Measured 3.56 cfs

Theoretical 4.3 cfs

Recommended Total Div Rate .28 cfs

ANNUAL VOLUME/
NATURE OF USES —

✓ Use

<u>Mr.</u>	Volume Calculation
<u>14x4 = 56.0</u> af	
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
SUBTOTAL	<u>56.0</u> af

.0189 x 14 ac = .27 cfs

Flow rate .28 cfs X 214 days X 1.98 ~~af~~ = 118.7 af

Total volume recommended 56.0 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (3.56 cfs) '87 ac, 748 af.
W36 (35-07261)
W27 (17.9 ac)

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

131 Overlap


— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo NA

1st Amend Letter P41, P38
2nd Amend Letter P42

looked at file



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 17 1997

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Wayne Landon Permit No. 35-8149
Current Address: 1523 W 81 N IDAHO FALLS, ID. 83402 Phone No. 524-1214
2. Accompanied by: Wayne Landon EXAM DATE 07/19/91
Address: same Phone No. same
Relationship to Permit Holder: holder
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-07261
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 35-07261
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more.)

MICROFILMED

JUN 10 1997

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~attached is copy of~~ field examination from July 3, 1975, the motor HP was incorrectly recorded at 300 HP, the correct HP is 200 HP as per nameplate data (the serial # is correct) this permit is to adjust acreage to 191.9 acres from 174.0 acres

NOTE: According to Proof of B/L the operating pressure is 95 PSI

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US MOTORS	200 HP	D-700 4441	Peerless	F1882S
				10X10X16 1/2	

*Code to correspond with No. on map and aerial photo

- 5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SW SE 23	3N	37E	Donneville	USGS QUAD and on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	37E	23		4	2											2	3		11
		26		3															3
																			14

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Static water level 184' 5"

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

2. Alternate Method for Checking Purposes.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head, (1) + (2) = _____ (3) ; Flow rate, _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{14(40)}{1} = 56 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
JUN 10 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Using the flood exam performed in 1975 the flow rate for this permit and license #35-07261 would be 3.56 cfs

Recommend 0.27 cfs, but limit this right in con'io w/ 35-07261 to 3.56 cfs

$$0.27 \text{ cfs} = 3.56 \text{ cfs} \div 13.2 \text{ Acres (Total)} = 0.2697 \text{ cfs/Ac.}$$

$$0.2697 \text{ cfs/Acre (14 Acres)} = 0.2651 \text{ cfs} = 0.27 \text{ cfs}$$

Prop. line → 2525' w/ 89.3 acres suggested - Using Dot Count method 188 Acres is recommended.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	4-1	10-31	0.27 cfs	56 AFA
Totals:			0.27 cfs	56 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name ALAN W. PARKS

Signature Alan W. Parks

Certification Date _____

Field Report Preparation Date Aug Taylor

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
JUN 10 1977

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{200}$$

$$Eff = \text{Efficiency} = \underline{70\%} \quad (\text{Usually } 70\%)$$

$$\text{Lift: (Static Level + Assumed Draw down)}$$

$$\text{Static Water Level} = \underline{184.5} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{20} \text{ ft.}$$

$$\text{Lift} = \underline{194.5}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{40} \text{ psi}$$

$$Q_{cfs} = \left[\frac{200}{Hp} \times 8.814 \times \frac{.70}{Eff} \right] \div \left[\frac{194.5}{Lift} + \left(\frac{40}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{1233.96} \right] - \left[\underline{286.82} \right]$$

$$Q_{cfs} = \underline{4.30} \text{ cfs}$$

REC'D
JUN 30 1968

PERMIT NO. 35-08149

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 35-8149

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 37E, Sec. 23, SW 1/4 SE 1/4 or Lot _____.

2. Owner: Wayne Landon
Address 1523 W 81N, City IDAHO FALLS, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____


4. Access Port: Yes _____ No ☒
Pressure Gauge: Yes ☒ No ☒
Flowing: Yes _____ No ☒
Static Water Level: 201'
Casing Diameter: 20"
Temperature: N/A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 10 1997



487
T699

① 121.0
T 3 N

R 37E

563
T783

34*

① 99.1

30

30

565
T785

② 89.0

2080
T828

② 50.3

① 38.7

PLACE
OF USE

HEL POINT OF
DIVERSION HEL

⑦

HEL 17.5

④

38.1

③

37.7

②

24.8

⑤

26.0

HEL

③

26.25

⑧

24

62.1

HEL

⑩

57.6

35-08149 ⑨

77.3

⑫

7.0

HEL

15 14 22 14 23
A37E

1534 487 769

(10) 48.1

(11) 46.5

11-4-4
30 N
57
11-4-4
30 N

565

(1) 76.5

726

(3) 43.4

208
7828

(2)

208
7828

(4) 38.1

22 23 26

(10) 57.6

(12) 7.0
HEL

(11) 47.7
JUN 10 1957

HEL

100-100000
100-100000

6418-5C

April 5, 1991

WAYNE LANDON
1523 W. 81 N.
IDAHO FALLS, ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08149

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
APR 5 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8149

Date 4-2-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
973 Copy in file? Drill permit no. _____
Well log in file?
Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
100.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=


JB

Wayne S. Landon
1523 W 81 N
Idaho Falls, Idaho 83402

CERTIFIED


P 355 729 601

MAIL



**RETURN RECEIPT
REQUESTED**

APR 19 1991



State of Idaho
Dept. of Water Resources
1301 North Orchard Street
Boise, Idaho 83706-2237

138888
December 31, 1990

WAYNE LANDON
1523 W. 81 N.
IDAHO FALLS, ID 83402

PROOF DUE NOTICE

RE: PERMIT NO. 35-08149

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 19 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
February 15, 1990

WAYNE LANDON
1523 W. 81 N.
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08149

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

MAR 05 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
MAR 05 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HLWJ

APPLICATION NUMBER: 35 8149

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands _____
☐ U.S. Bureau of Land Management _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use # 35-7261 on same 1/4 of 1/4
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1-8-90
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1-4-90
☒ Application published correctly. If not, record action taken. _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05
5-26-1983 Date of priority recommended.
Special conditions of approval or cover letter.

Due
to pld
overlap

App. in TRUST area - Exempt

By: HLWJ Date: 1-18-1990

STATE OFFICE REVIEW:

P05, P23, P03, P16

46 OIG

- ☐ See attached sheet for more information.

By: kw Date: 1-31-90

JAN 29 1990

18-Dec-1989

Wayne Landon
Rt. 5, Box 373
Idaho Falls, ID 83402

RE: Application for Permit No. 35-8149

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

MAR 05 1990

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 14, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 8, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAR 03 1990

35-08149

LANDON, WAYNE
RT. 5, BOX 373
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: SWSE Sec 23 T 03N R 37E

Use: IRRIGATION (.360 CFS)
Total Diversion: (.360 CFS)

Date Filed: 5/26/1983

In: T03N R37E S23 SWSE SESE
S26 SWNE

18.0 ACRES TOTAL

MICROFILMED

MAR 05 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203C, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JANUARY 8, 1990.

R. Keith Higginson, Director

Published 12/21/1989 & 12/28/1989

MINI-MAX

MAR 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 35-8149

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-22-89

The applicant has returned the trust water questionnaire and has claimed that the land under this application was developed prior to October of 1984. Applicant has claimed that this application was made in 1983 when he discovered that the acreage under this application was not covered by an existing license. At the time the application was filed, the applicant submitted some documentation supporting the claim that these additional lands had been developed. This evidence includes well drilling and irrigation equipment documents, a signed affidavit, and ASCS aerial photos. The applicant further submitted a proof of beneficial use statement in August of 1985.

The ASCS photos in the file along with the department's 1976 orthophoto indicates that most of the land under this application was irrigated prior to 1984. The department's 1986 remote sensing data further indicates that all of the land under this application was irrigated at that time. Based on this data and the statements and evidence submitted by the applicant, I recommend that this application be exempt from the review requirements of section 42-203C and removed from the Swan Falls process list.

The file is being returned to the regional office for advertising. No special language is required.

INDEXED

MAR 05 1990

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM				
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
3508149																											
0100001D	QUIGG	D	SNAKE RIVER	03N	37E	23						:	40	40	:		40	40	:					160			
0100001L	STODDARD	D	SNAKE RIVER	03N	37E	23						:	X		:	X			:				X				
0100002C	SHATTUCK IRRIGATION CO	D	SNAKE RIVER	03N	37E	23						:	X		:	X			X	:							
0100047G	BURGRAFF	D	SNAKE RIVER	03N	37E	23		40	40	:					:					:				80			
0100113E	KENNEDY	D	SNAKE RIVER	03N	37E	23		40		:				40	:					:				80			
0100114E	KENNEDY	D	SNAKE RIVER, DRY BED	03N	37E	23		40	40	:					:					:				80			
0100115U	KENNEDY	D	SNAKE RIVER, DRY BED	03N	37E	23		40	40	:					:					:				80			
0100116F	PETERSON	D	SNAKE RIVER	03N	37E	23				40	:				:					:		40		80			
0100116Z	HUGHES	D	SNAKE RIVER	03N	37E	23				X	:				:					:		X					
0100117AF	LAWSON	D	SNAKE RIVER	03N	37E	23				X	:				:					:		X					
0100117AH	HUGHES	D	SNAKE RIVER	03N	37E	23				X	:				:					:		X					
0100117H	PETERSON	D	SNAKE RIVER	03N	37E	23				40	:				:					:		40		80			
0100118AB	HUGHES	D	SNAKE RIVER	03N	37E	23				X	:				:					:		X					
0100195K	QUINTON	D	SNAKE RIVER	03N	37E	23	X				:				:					:							
0100327A	SHATTUCK IRRIGATION CO	D	SNAKE RIVER	03N	37E	23					:				:					:							
3502057	SHATTUCK IRRIGATION CO	L	UNNAMED STREAM	03N	37E	23					:			7	:		18	30	18	:				73			
3507254	KOBAYASHI	L	GROUNDWATER	03N	37E	23					:	15	40	38	7	:		28	20	:				148			
3507260	SHELTON	L	GROUNDWATER	03N	37E	23					:	18		1	28	:	39	12	3	14	:			115			
3507261	LANDON	L	GROUNDWATER	03N	37E	23		30	28	:					:					:		28	22	38	146		
3508149	LANDON	A	GROUNDWATER	03N	37E	23				:					:					:			4	2	6		
3508794	MEIKLE	P	GROUNDWATER	03N	37E	23				:					:			3		:				3			
	1986 MAPPING DATA ---	-	COUNTY 19 QUAD X	92	03N	37E	23	39	34	31	40	:	35	38	37	41	:	40	37	37	39	:	42	29	28	40	587
3508149																											
0100001D	QUIGG	D	SNAKE RIVER	03N	37E	26					:		40	40	:		40	40	:					160			
0100001L	STODDARD	D	SNAKE RIVER	03N	37E	26					:	X	X	X	X	:	X	X	X	X	:						
0100002C	SHATTUCK IRRIGATION CO	D	SNAKE RIVER	03N	37E	26					:	X	X	X	X	:	X	X	X	X	:						
0100116Z	HUGHES	D	SNAKE RIVER	03N	37E	26	X		X	X	:				:					:	X	X	X	X			
0100117AF	LAWSON	D	SNAKE RIVER	03N	37E	26	X		X	X	:				:					:	X	X	X				
0100117AH	HUGHES	D	SNAKE RIVER	03N	37E	26	X		X	X	:				:					:	X	X	X	X			
0100118AB	HUGHES	D	SNAKE RIVER	03N	37E	26	X		X	X	:				:					:	X	X	X	X			
0100118Z	LAWSON	D	SNAKE RIVER	03N	37E	26	X		X	X	:				:					:	X	X	X	X			
0100327A	SHATTUCK IRRIGATION CO	D	SNAKE RIVER	03N	37E	26					:				:					:							
3502057	SHATTUCK IRRIGATION CO	L	UNNAMED STREAM	03N	37E	26					:		1	:			6	10	:					17			
3502804	HOLMQUIST	L	GROUNDWATER	03N	37E	26	40		14	40	:				:					:		20		114			
3507261	LANDON	L	GROUNDWATER	03N	37E	26		28			:				:					:				28			
3508149	LANDON	A	GROUNDWATER	03N	37E	26			12		:				:					:				12			
	1986 MAPPING DATA ----	-	COUNTY 19 QUAD X	92	03N	37E	26	40	29	33	39	:	40	41	41	39	:	38	41	43	38	:	43	31	29	41	606

MAR 05 1990

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
NOV 21 1989

Application No. 35-8149

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

I made original application in Early 1970 permit no 35-7261, as I recall I applied for water for 200A. when permit was issued it only allowed water for 174.9 to be irrigated. I didn't realize that I hadn't received water for the 200A. until Idaho power suits.

3. Please state the number of acres you have irrigated under this application since October 1, 1984. *A.S.G. 5 measured crop acres 191.8 A*

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____

5. If the permit is a supplemental filing please identify other water rights which are used on the same land. *original permit # 35-7261*

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Wayne S. Landon

Date Nov. 17, 1989

RECEIVED

MAR 5 1990

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Jim:

As for explanation for application of 2nd permit. In the original filing about early 1970, as I recall I applied for water for 200 A. I didn't realize that I only received permit for 174 A. until the Swan Falls, Idaho power dispute. At that time I was advised by the Idaho Falls office to apply for the water I didn't get in original application permit no. 35-7261.

The 2nd application was permit no. 35-8149 for ~~extra~~ water for acres not covered by 1st permit.

Your Idaho Falls man told me I would not be allowed water for 200 A., only enough more could be applied for to cover ~~an~~ 17.9 A. which was the difference not covered by the 1st permit. The two permits would get me water for 191.9 A. which is A.S.C. 5 measured "crop" acres. I hope this gives some explanation for the problem.

Thanks for your cooperation -

Wayne S. Landon

1533 W 81 N

5241214

Idaho Falls Idaho

83402

MICROFILMED

MAR 05 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 35-8149

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

MICROFILMED

MAR 05 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

MAR 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

AUG 14 1985

Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No 35-8148

Name(s) of Permit Holder: WAYNE LANDON

Post Office Address: RTE 5 Bx 313 IF ID.

Telephone No. 524-1214

Source of Water: GROUNDWATER

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation .17.9 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

WAYNE LANDON

(Name)

(Address)

524-1214

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been

Aug 14, 1985
Date

Wayne S. Landon
Signature of Permit Holder (and Title, if appropriate)

Statement of development for exemption
from Swan Falls processing. Not acceptable
as proof of beneficial use

MAK 05 1990

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

62

10/1/81

I hereby affirm & verify
that an Irrigation Deep well was
drilled & put into beneficial use
for crop Irrigation on the 8th day
of June, 1973 and has been used
for that purpose since that time.

Irrigating approximately 194.14.
of land on the Wayne Landon
Farm.

x Lee Shelton

notary x Raymond Malone

NOTARIALIZED

MAR 05 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Wayne Landon

Address Osgood

Owner's Permit No. _____

7. WATER LEVEL

Static water level 213 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandonment) _____

8. WELL TEST DATA

Discharge G.P.M.	Draw Down	Hours Pumped
<u>2400</u>	<u>1</u>	<u>1</u>

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
120	0	1			
	15	50			
	50	69			
	69	75			
	75	95			
	95	107			
	107	118			
	118	120			
	120	138			
	138	140			
	140	150			
	150	165			
	165	170			
	170	185			
	185	190			
	190	213			
	213	225			
	225	230			
	230	240			
	240	275			
	275	280			
	280	305			
	305	330			
	330	340			
	340	341			
	341	355			
	355	375			

MICROFILMED

MAR 05 1990

10.

Work started 4-13-72 finished 4-13-72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Andrew L. L. Drilling Co.

Driller's or Firm's Name 1278 1st St. Idaho Falls, Idaho Number _____

Address _____

Signed By _____ Date 6/8/73

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 375 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>1</u> feet	<u>80</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth _____ feet

Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



Bonneville

County _____

_____ 1/4 Sec. 3 T. 37 N/S, R. 37 E/W

HOWARD J. ANDREW
Phone 523-2544

ANDREW WELL DRILLING

VERL J. ANDREW
Phone 522-2823

Contractors

Phone 522-2794

Pump and Well Drilling Equipment Installed

1268 E. 17th St. — Idaho Falls, Idaho 83401

PURE DRINKING WATER IS THE ESSENCE OF LIFE, LET US DRILL YOUR WELL, AND YOU WILL BE SATISFIED.

June 6, 1973

Mr. Wayne S. Landon
RFD # 5
Idaho Falls, Idaho 83401

375'	Drilling 20" Irrigation Well	\$6000.00
80'	Well Casing 20"	\$40.00
	cement	30.00
	Total	<u>\$6070.00</u>

Howard J. Andrew

RECEIVED

MAR 05 1990

SALES ORDER

SNAKE RIVER EQUIPMENT CO.

5769

ORDER NUMBER

TERRETON
MO 3-5111

IDAHO FALLS
JA 3-0800

RIRIE, IDAHO
KE 8-7348

DATE _____

3/20/73

SOLD TO

SHIP
TOW

CUSTOMER
ORDER NO.

HOW
SHIP

WHEN
SHIP

TERMS

[illegible]


PM

SALESMAN SIGNATURE

SNAKE RIVER EQUIPMENT CO.

ORDER ACCEPTED AS ABOVE

CUSTOMER SIGNATURE



UNRECORDED

508
381
18
89.74.24
Doubt

With grade
guides etc.
there is a lot
of
2
99.4
1.6
1.2
2.8
4
104.4 H.
with

(Parker)

(21. 11. 17)

35-8149-

LONDON, WAYNE

RT. 5, BOX 373, IDAHO FALLS, ID 83402

Source: GROUNDWATER

Date Filed: 05/26/1983

Diversion Pt: SWSE Sec 23 T 03N R 37E

Use: IRRIGATION (0.36 CFS)

In: SWSE SESE Sec 23 T 03N R 37E SWNE Sec 26 T 03N R 37E FOR 18 ACRES

INDEXED

MAR 05 1990