


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

x *A. Wylie Smart*
(Applicant)

MICROFILMED

Assct by HWT

Received by BP Date 3-25-83 Time 9:40amPreliminary check by HWT Fee \$ 30.00Received by BP Date 3-25-83 # 255⁴⁹Publication prepared by CY Date 11-28-84Published in Post RegisterPublication dates 12-6 & 12-13-84Publication approved CY Date 12-24-84Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8126, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 25th day of January, 1985.

L. Glen Saxton
Chief, Operations Bureau

35-8126

32°30"

T. 3 N.

T. 2 N.

4821

4820

4819

4818

670000
FEET

4817

43°30'
112°07'30"

(WOODVILLE)
3570 / NW

Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA

Culture and drainage by multiplex methods
from aerial photographs taken 1946
Topography by plane-table methods 1948

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
east zone

1000-meter Universal Transverse Mercator grid ticks,
zone 12, shown in blue



To place on the predicted North American Datum 1983
move the projection lines 12 meters north and
66 meters east as shown by dashed corner ticks

Red tint indicates areas in which only
landmark buildings are shown


MICROFILMED

SEP 04 1990

UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



THIS M
FOR SALE BY U. S. GEO
A FOLDER DES



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08126

Priority: March 27, 1983

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume:¹ 2.4 AF

This is to certify, that WYLIE SNARR
PAUL J. SNARR
STEPHEN CHUMLEY
RAY B. ANDRUS

RT. 5 BOX 182

IDAHO FALLS, ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 25, 1983; and has submitted Proof of Beneficial Use on January 6, 1986. An examination indicates that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 9, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 37E 9 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

MICROFILMED

SEP 04 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08126

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Wylie or Paul J. Snarr or Stephen Chumley or Ray B. Andrus Phone 522-8990

Post office address Rt. 5, Box 182, Idaho Falls, Idaho 83402

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 2N

Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump with lines to 4 homes

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 237 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 2N

Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be

supplied with domestic water four.

(5) If water is to be used for other purposes describe: _____

MICROFILMED


b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

x Wylie Smart
(Applicant)

Proposed Priority 3/25/83

MICROFILMED

Assist by HWS

Received by BP Date 3-25-83 Time 9:40am

Preliminary check by HWS Fee \$ 30.00

Receipted by BP Date 3-25-83 # 255-49

Publication prepared by CR? Date 11-28-84

Published in Post Register

Publication dates 12-6 & 12-13-84

Publication approved CR Date 12-24-84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8126, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 25th day of January, 1985.

A. Glen Saxton
Chief, Operations Bureau

Proof of Publication
The Post-Register

RECEIVED

DEC 21 1984

Department of Water Resources
Eastern District Office

State of Idaho,

County of Bonneville

ss.

I, Ted Delezene, first being duly sworn, depose and say. That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 6th day of December, 1984, last publication having been made on the 13th day of December, 1984, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 19th

day of December, 1984

Notary Public

My commission expires September 30, 1988

B10, 1M,

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7334
LUND, HAROLD E
FOOTHILL DR., RT. 1, BOX 19, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: NESE Sec 18 T 02N R 39E
Use: IRRIGATION (0.03 CFS), DOMESTIC (0.04 CFS)
In: NESE Sec 18 T 02N R 39E FOR 1 ACRES
25-7335
CHRISTENSON, WAYNE A. PALMER, WAYNE J.
RT. 6, BOX 140, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/15/1983
Diversion Pt: NWSW Sec 08 T 03N R 38E
Use: IRRIGATION (0.10 CFS); DOMESTIC (0.08 CFS)
In: NWSW Sec 08 T 03N R 38E FOR 5 ACRES
25-7338
WILDING, DONALD R., WOOLSTENHULME, CLAREN J.
RT. 6, BOX 108, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: NENE Sec 19 T 03N R 38E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.08 CFS)
In: NENE Sec 19 T 03N R 38E FOR 1 ACRES
25-7359
PAYNE, JOHN C. &/or JUDY
RT. 2, BOX 329, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NWSW Sec 04 T 03N R 38E
Use: IRRIGATION (0.03 CFS), DOMESTIC (0.04 CFS)
In: NWSW Sec 04 T 03N R 38E FOR 1 ACRES
25-7364
HANCOCK, GLEN, PETERSON, GARREN
RT. 5, BOX 357, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: LOT 05 (SESW) Sec 13 T 03N R 37E
Use: IRRIGATION (0.02 CFS), DOMESTIC (0.06 CFS)
In: LOT 05 (SESW) Sec 13 T 03N R 37E FOR 1 ACRES
25-7367
PENNEY, WM. H.
RT. 3, BOX 343, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NWNW Sec 06 T 01N R 38E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)

25-7381
SAUCERMAN, JOHN J. &/or KATHRYN
RT. 3, BOX 33-A, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NESE Sec 05 T 01N R 38E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 05 T 01N R 38E FOR 2 ACRES
25-7583
FOLEY, PATRICIA
1171 NORTH SKYLINE #2, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NENE Sec 29 T 02N R 39E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: NENE Sec 29 T 02N R 39E FOR 2 ACRES
32-7133
WOODFIELD, ELMAN T. &/or WANDA B. DUBOIS, ID 83423
Source: GROUNDWATER
Date Filed: 03/08/1983
Diversion Pt: NESE Sec 07 T 09N R 35E
Use: DOMESTIC (0.08 CFS)
In: NESE Sec 07 T 09N R 35E

35-8102
SWANSON, HILMER &/or USONA
RT. 9, BOX 192, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 02/16/1983
Diversion Pt: NWNW Sec 23 T 02N R 37E
Use: IRRIGATION (0.06 CFS); DOMESTIC (0.04 CFS)
In: NWNW Sec 23 T 02N R 37E FOR 3 ACRES
35-8125
HOLLAND, DOUGLAS F. &/or ELIZABETH L.
RT. 5, BOX 134, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/28/1983
Diversion Pt: SWSW Sec 17 T 02N R 37E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.04 CFS)
In: SWSW Sec 17 T 02N R 37E FOR 1 ACRES
35-8126
SNARR, WYLLIE &/or PAUL D. CHUMLEY, STEPHEN, ANDRUS, RAY E.
RT. 5, BOX 182, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/28/1983
Diversion Pt: NWNW Sec 27 T 03N R 37E
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.08 CFS)

35-8140
LDS CHURCH
OSGOOD & 39TH WARDS, 50 E. N. TEMPLE, SALT LAKE CITY, UT 84501
Source: GROUNDWATER
Date Filed: 05/13/1983
Diversion Pt: NWNW Sec 27 T 03N R 37E
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.08 CFS)

RECEIVED

August 24, 1990

WYLIE SNARR
PAUL J. SNARR
STEPHEN CHUMLEY
RAY B. ANDRUS
RT. 5 BOX 182
IDAHO FALLS, IDAHO 83402

RE: PERMIT NO. 35-08126

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Note that the priority date of this right has been advanced due to late submittal of the exam fee.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

SEP 04 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 35-8126

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 15-AUG-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MARCH 25 1983	84
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	JULY 01 1986	182
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		2 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MARCH 25 1983	84
Total Days Late:		2 DAY(S)
New Priority Date:	MARCH 27 1983	86

Microfilm

SEP 04 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
3508126	02N	37E	9	NE NE		GROUNDWATER	SNARR, WYLIE

RECEIVED

SEP 11 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

35-8126
Permit No.

RECEIVED
OCT 23 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index ES 3/30/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index ES 3/30/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: Surface Rts; 35-155

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed C.S. 5-29-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent WJ 8-4-87 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 10-1-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office 10/21/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 35-9126


1. Owner: Wylie or Paul J Snarr, Stephen Chamley Phone No. 522-8990
Don Jensen
Current Address: Rt 5, Box 82, Idaho Falls Id 83402
3281 N 35 W
2. Accompanied by: Paul & Wylie Snarr EXAM DATE: 5-29-87
Address: Rt 5 Box 182 Idaho Falls Id Phone No. 522-8990
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal shares
☐ Copies Attached
2. Other water rights with same point of diversion: NA
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable ☐ Alternative diagram attached



Scale: 1" = 1/4 Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)
place(s) of use (required)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well to four houses - used for house only

well depth = 236'

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. **Place(s) of Use:**

Indicate Method of Determination USGS map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	37E	9	D																
			Four units																

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

none taken - domestic use only

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1 Measured Method:

2 Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2 Volume Calculations for Other Uses:

allow 0.6 cfs per home (water used for house only)

4 homes x 0.6 cfs = 2.4 cfs

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
domestic	1-1	12-31	.1	2.4
		Totals.	.1 cfs	2.4 afa

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P U as reflected above ☐ Other

Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date Oct 1 1987
Field Report Preparation Date 6-1-87

☐ Other

Samuel Filetti
 Samuel Filetti
 Samuel Filetti

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOT FILMED

1990

35-8126

32°30'

T 3 N

T 2 N

4821

4820

4819

4818

670000

FEET

4817

43°30'

112°07'30"

R37E

BM 4788

4757

4756

4755

4754

4753

4752

4751

4750

4749

4748

4747

4746

4745

4744

4743

4742

4741

4740

4739

4738

4737

4736

4735

4734

4733

4732

4731

4730

4729

4728

4727

4726

4725

4724

4723

4722

4721

4720

4719

4718

4717

4716

4715

4714

4713

4712

4711

4710

4709

4708

4707

4706

4705

4704

4703

4702

4701

4700

4699

4698

4697

4696

4695

4694

4693

4692

4691

4690

4689

4688

4687

4686

4685

4684

4683

4682

4681

4680

4679

4678

4677

4676

4675

4674

4673

4672

4671

4670

4669

4668

4667

4666

4665

4664

4663

4662

4661

4660

4659

4658

4657

4656

4655

4654

4653

4652

4651

4650

4649

4648

4647

4646

4645

4644

4643

4642

4641

4640

4639

4638

4637

4636

4635

4634

4633

4632

4631

4630

4629

4628

4627

4626

4625

4624

4623

4622

4621

4620

4619

4618

4617

4616

4615

4614

4613

4612

4611

4610

4609

4608

4607

4606

4605

4604

4603

4602

4601

4600

4599

4598

4597

4596

4595

4594

4593

4592

4591

4590

4589

4588

4587

4586

4585

4584

4583

4582

4581

4580

4579

4578

4577

4576

4575

4574

4573

4572

4571

4570

4569

4568

4567

4566

4565

4564

4563

4562

4561

4560

4559

4558

4557

4556

4555

4554

4553

4552

4551

4550

4549

4548

4547

4546

4545

4544

4543

4542

4541

4540

4539

4538

4537

4536

4535

4534

4533

4532

4531

4530

4529

4528

4527

4526

4525

4524

4523

4522

4521

4520

4519

4518

4517

4516

4515

4514

4513

4512

4511

4510

4509

4508

4507

4506

4505

4504

4503

4502

4501

4500

4499

4498

4497

4496

4495

4494

4493

4492

4491

4490

4489

4488

4487

4486


4485

4484

4483

4482

Do Exam after 15 Aug 1986 Kew
4/86



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

OK Kew

For Office Use Only
Fee Received 50.00
Date 7-1-86
Receipt # 39749
Receipt by MD
Sent to S.O. 7-18-86



1. Permit No. 35-8126

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Wylie Snarr

3. Post Office Address: Rt. 5 Box 182 Idaho Falls, ID
83402

Telephone No. 522-8990

4. Source of Water: Groundwater

5. Extent of Use:

Domestic 4 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.10 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1983

8. Person to contact to accompany the department representative during field examination:

See above
(Name)

SEP 04 1990

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

7-1-86
Date

Wylie Snarr
Signature of Permit Holder (and title, if appropriate)

copy returned for fl



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

July 18, 1986

Wylie Snarr
Rt. 5, Box 182
Idaho Falls, Idaho 83402

Dear Mr. Snarr:

Attached herewith is Departmental receipt no. 39749 in the amount of \$ 50.00 for your Exam Fee.

Thank you for your prompt attention.

Sincerely,

Michele Davis
Office Secretary

Attachment

STATE OF IDAHO		Department of Water Resources		No 39749	
Boise, Idaho, <u>July 2</u> , 19 <u>86</u>					
RECEIVED FROM	<u>WYLIE SNARR</u>	of	<u>IDAHO FALLS</u>	\$	<u>50.00</u>
<u>Fifty Dollars and 00/100</u>				DOLLARS	
FOR	<u>Exam Fee</u>	\$	<u>50.00</u>		
	<u>#35-8126</u>	\$			
		\$			
		\$			
TOTAL . . .		\$	<u>50.00</u>		

121-1238

Michele Davis

SEP 04 1990

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 3, 1988

A. WYLIE SNARR
RT. 5, BOX 182
IDAHO FALLS

ID 83402

RE: Permit No. 35-8426

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
S/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-8126
SNARR, WYLLIE
SNARR, PAUL J.
RT. 5, BOX 182
IDAHO FALLS, ID 83402

138657

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You may later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

SEP 04 1990

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 04 1990

DEPARTMENT OF WATER RESOURCES 35-8126

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: A. Wylie Smart - Paul J. Smart

Post Office Address: Stephen Crumley - Ray B. Anderson

RT #5 Box 182 Idaho Falls, Idaho 83402 Tel. No. 5228990

Source of Water: _____

Extent of Use



Domestic

Four

(number of households)



Stockwater

(number and type of stock)



Irrigation

(acres)



Other

MICROFILMED

Measuring Device:

Required?



Yes



No

Installed?



Yes



No

Access Port

Required?



Yes



No

Installed?



Yes



No

The above information is a true statement of the extent to which the above numbered permit has been developed

12-30-85

Date

A. Wylie Smart

Signature of Permit Holder

Allyle Smart
RT # 5 Box 182
Idaho Falls, Idaho
83402



PLACE
13 CENT
STAMP
HERE

35-8126

RECEIVED

JAN 6 1986

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
NOVEMBER 30, 1985

138524

ANDRUS, RAY B.
CHUMLEY, STEPHEN
SNARR, WYLIE & PAUL J.
RT. 5, BOX 182
IDAHO FALLS, ID 83402

PROOF DUE NOTICE

RE: PERMIT NO. 35-8126

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SNARR, WYLIE & PAUL J.
RT. 5, BOX 182
IDAHO FALLS, ID 83402

JANUARY 31, 1985

RE: PERMIT NO. 35-8126

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 35-8126

PAGE 01
JANUARY 31, 1985

SINCERELY.

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWJ

APPLICATION NUMBER: 35 8126

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 12-24-84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-21-84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
3-25-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

dismissed in S-1180 contract

By: Ernest Carlson

Date: Jan 14, 1985

STATE OFFICE REVIEW:

105, 116

- ☐ See attached sheet for more information.
By: KW

Date: 1/21/85

RECEIVED

JAN 16 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

35-8126-

SNARR, WYLIE &/or PAUL J.
CHUMLEY, STEPHEN
ANDRUS, RAY B.

RT. 5, BOX 182, IDAHO FALLS, ID 83402

Source: GROUNDWATER

Date Filed: 03/25/1983

Diversion Pt: NENE Sec 09 T 02N R 37E

Use: DOMESTIC (0.10 CFS)

In: NENE Sec 09 T 02N R 37E

*please
see D-12-6
for details*

MICROFILMED