


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
FEB 14 1990

Stanley Williams
(Applicant)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

100 Hp pump supplying water to one 9 tower center pivot and 10" main line to 5 ~~4~~ wheel lines. Handlines irrigate corners of Pivot.

5-1/4 wheel lines with 31 birds (5/32" nozzels)
Corner Handlines ~~67~~ birds with 5/32" nozzels

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	100	R2097818	Worthington	10" discharge

*Code to correspond with No. on map and aerial photo

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**


Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	34E	17		32	40			13		36					36			157	

Do not use this space

PHARMED

APR 08 1993



DITCH

DUNCAN

R34E

T3S

35-8117

Point of
Diversion

Place of
Use

Ford
SNAKE

Watson
Slough


Mile 753
APR 08 1973

Well

7 8
18 17

R34E

8
17



T 3 S

35-8117

18 17
19 20

17
20

REPRODUCED
APR 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08117

Priority: March 15, 1983

Maximum Diversion Rate: 2.64 CFS
Maximum Diversion Volume: 628.0 AF

This is to certify, that J STANLEY WILLIAMS

1286 W 200 S

PINGREE ID 83262

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 15, 1983; and has submitted Proof of Beneficial Use on December 6, 1990. An examination indicates that the works have a diversion capacity of 4.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	2.64 CFS	628.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 17, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	17	NWNE 32	SWNE 40	SWNW 13	
			NESW 36	NWSE 36		157

Total number of acres irrigated: 157

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

RECEIVED

APR 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08117

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 20th day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

APR 08 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08117

Proposed Priority: March 15, 1983

Maximum Diversion Rate:

3.60 CFS

This is to certify, that **J. STANLEY WILLIAMS**
1286 W. 200 S.
PINGREE, ID 83262

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	3.60 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 17, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S 34E 17	NWNE 40 NESW 40	SWNE 40 NWSE 40	SWNW 20	180
Total number of acres irrigated:				180

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

FEB 14 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08117

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of January, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

FEB 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant J. Stanley Williams Phone 684-4932
1286 W. 200 S.
Post office address Rt. 1, Box 90, Pingree, ID 83262

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 3S
Range 34E.B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.60 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump with mainline to
sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 260 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

FEB 14 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	34E	17		40	40				20		40					40			180

Total number of acres to be irrigated 180

c. Describe any other water rights used for the same purposes as described above. 35-7214 from same well no oeverlap of lands irrigated

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

FILED

FEB 14 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile,

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED
FEB 14 1990

Stanley Williams
(Applicant)

Received by S.M. Date 3/15/83 Time 11:30am
Preliminary check by KW Fee \$ 105.00
Receipted by BP Date 3/15/83 # 25500
Publication prepared by RB Date 7-24-89
Published in Morning News
Publication dates 8-3rd 10, 89 11-16th 23-89
Publication approved RB Date 12-7-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECORDED

FEB 14 1990

35-08153

CHURCH OF JESUS CHRIST OF

LATTER DAY SAINTS

Thomas Fourth Ward

Rt 5, Box 354

Blackfoot, Id. 83221

Source: GROUNDWATER

Diversion Pt: SESE, Sec 6, T. 03S, R. 34E.

Use IRRIGATION (400 CFS)

Date Filed 5/25/1983.

In: T03S, R34E, S06, SESE

20.0 ACRES TOTAL.

35-08109

POULSON, Duane L

Rt. 1, Box 14

Aberdeen, Id. 83210

Source: GROUNDWATER

Diversion Pt: NWSE, Sec. 21, T. 06S, R.

31E.

Use IRRIGATION (.500 CFS).

Date Filed: 3/09/1983

In: T06S, R31E, S21, NESE, SESE.

25.0 ACRES TOTAL.

HEANEY, Edward P.

2600 S. 950 W.

Aberdeen, Id. 83210

Source: GROUNDWATER

Diversion Pt: SWSW, Sec. 22, T. 04S, R.

31E.

Use: IRRIGATION (1.000 CFS).

Date Filed: 3/09/1983.

In: T04S, R31E S22, NENW, SENW,

NESW.

50.0 ACRES TOTAL.

35-08113

BACKLUND, Glen

Rt 1, Box 521

Firth, Id 83236

Source: GROUNDWATER

Diversion Pt: NWSE, Sec. 22, T. 01S, R.

36E

Use IRRIGATION (800 CFS)

Date Filed: 3/14/1983.

In: T01S, R36E, S22, NWSE.

40.0 ACRES TOTAL.

35-08116

WILLIAMS, J. Stanley

1286 W. 200 S.

Pinegrove, Id. 83262

Source: GROUNDWATER

Diversion Pt: NENE, Sec 27, T. 03S, R.

33E.

Use IRRIGATION (1 280 CFS).

Date Filed: 3/15/1983.

In: T03S, R33E, S27, NENE, NWNE.

64.0 ACRES TOTAL.

35-08117

WILLIAMS, J. Stanley

1286 W. 200 S.

Pinegrove, Id. 83262

Source: GROUNDWATER

Diversion Pt: SENW, Sec. 17, T. 03S, R.

34E.

Use IRRIGATION (3 600 CFS).

Date Filed: 3/15/1983.

In: T03S, R34E, S17, NWNE, SWNE,

SWNW, NESW, NWSE.

180.0 ACRES TOTAL.

35-08119

CHURCH OF JESUS CHRIST

OF LATTER DAY SAINTS

Blackfoot Northwest Stake

Pioneer Road, Rt. 7

Blackfoot, Id 83221

Source: GROUNDWATER

Diversion Pt: NWNW, Sec. 36, T. 02S, R.

31E

Use: IRRIGATION (120 CFS).

DOMESTIC (.040 CFS)

Date Filed 3/18/1983.

In: T02S, R34E, S36, NWNW.

6.0 ACRES TOTAL.

RECEIVED

DEC 04 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

16th day of November, 19 89;and the last publication having been made on the
23rd day of November, 19 89;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 29th day of November, in
the year 19 89 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same

Ray R. Hunter
Notary Public for the State of Idaho,

Residing at Blackfoot, Idaho

My commission expires

November 10, 1994

Affidavit Processing Fee. \$5.00

MICROFILMED

FEB 14 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 22, 1993

J STANLEY WILLIAMS
1286 W 200 S
PINGREE ID 83262

RE: WATER RIGHT NO. 35-08117

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 08 1993

LICENSE REVIEW CHECKLIST

Permit # 35-08117

Date 02-10-93

38

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u> </u>	<u>157x.02=3.14 / 157x.017=2.64 cfs (IRR)</u> Disagree with Theoretical? <u>100x8.8x.7=3.55</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>4.04 cfs 35'+2.31x60</u> <u>(measured)</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced 1 Day</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>157x4.0=628 cfs (IRR)</u> Limited by Flow? <u>2.64 x 214 x 1.9835=1120.67628</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u>✓</u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R31</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u> </u>	<u> </u> Water Dist.
		<u> </u>	<u> </u> App Rec'd
		<u> </u>	<u> </u> Exam Made

COMMENTS:

HP estimates from proof B/U

LICENSE ✓ AMEND SPECIAL PARAGRAPH

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	J STANLEY WILLIAMS 1286 W 200 S PINGREE ID 83262 (208) 684-4932	03/15/1983	IRRIGATION	04-01 10-31	2.64 CFS	628.0 AFA
TOTAL DIVERSION:					2.64 CFS	628.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 4.04 CFS

Point(s) of Diversion: T03S R34E S17 SE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
03S	34E	17	:			32	40			13				36				36		157.0
																				TOTAL ACRES
																				157.0

Pou County: BINGHAM

Other Rights: 35-7214

Other Water Rights with Same Point(s) of Diversion and Source:
35-07214 35-08117

Other Water Rights Listing Overlapping Place(s) of use:
01-00191N 01-00192Q 01-00260 35-07672B 35-08117 35-08121

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
 - claim against the holder of a senior water right based upon the
 - theories of forfeiture, abandonment, adverse possession, waiver,
 - equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
 - subsequently issued to incorporate the use into a water district,
 - require streamflow augmentation or other action needed to protect
 - prior surface water and groundwater rights.
- R31 - This right when combined with all other rights shall provide no
 - more than .02 cfs per acre nor more than 4.0 afa per acre for the
 - lands above.

Dates: App. Received: 03/15/1983 Priority Date: 03/15/1983
 Proof Due Date: 02/01/1991 Proof Made Date: 12/06/1990
 Exam Made Date: 08/19/1992 Exam Sent to S.O.: 01/29/1993
 Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8117

1. Owner: J. Stanley Williams Phone No. 684-4932

Current Address: 1286 W. 700 S. Pingree, Id. 83262

2. Accompanied by: Stanley Williams EXAM DATE: 7-7-92

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Watsa Slough Surface water share

☐ Copies Attached


2. Other water rights with same point of diversion: 35-07214

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

Scale: 1" = _____

APR 08 1993

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

100 Hp pump supplying water to one 9' tower center pivot and 10" main line to 5 ~~5~~ wheel lines. Handlines irrigate corners of Pivot.

5. 14 wheel lines with 31 birds ($\frac{5}{32}$ models)
corner handlines 67 birds with 5.32 models

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	100	R2097818	Worthington	10" discharge

***Code to correspond with No. on map and aerial photo**

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

Do not use this space

APR 8 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	ashcroft	—	—		

2. Measurements:

operating pressure 60 psi

Line capacity $528 \text{ gpm} + 124 \text{ gpm} = 17' \text{ gpm}$ or 4.04 cfs
 $(1812 \text{ gpm}) / (1448.8) = 4.04 \text{ cfs}$
 Capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

$(1.1 \times 31.4 \times 1.414 \times 1.414) = 1000 \text{ gpm}$
 Line loads per sprinkler

2. Alternate Method for Checking Purposes:

Theory

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) . Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \overset{\text{acres of}}{(157)(4)} = 628 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (264)(214)(1.9835) = 1120.5 \text{ afa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 628 \text{ afa}$

2. Volume Calculations for Other Uses:

RECEIVED
 APR 02 1993

I. RECOMMENDATIONS

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	2.64	628
Totals:			2.64 cfs	628 afa

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Gary Buss
Signature Gary Buss
Certification Date _____
Field Report Preparation Date _____

APR 08 1993

MODE SELECT
DATA SET
DATA SET MODE
PRINTER

PRINTER USE
YES

MODE SELECT
INPUT

OUTER DIAMETER
10.1063 IN

PIPE MATERIAL
CS,SS

WALL THICKNESS
0.1031 IN

INNER LINING
NO LING.

KIND OF FLUID
ANOTHER

SOUND VELOCITY
1470 M/S-

SENSOR MOUNTING
U

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
7.536 IN U

MODE SELECT
TO CHECK

0374.8 MMSEC
100.77 % TO

ZERO MODE
AUT ZERO

00-05 01:1900 *R
+720.925E 0GPM

00-05 01:1900 *R
+761.079E 0GPM

00-05 01:1900 *R
+784.591E 0GPM

00-05 01:2000 *R
+765.042E 0GPM

to wheel lines

#1

MODE SELECT
DATA SET

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

MM-DD HH:MM
08-19 11:35

08-19 11:4500 *R
+ 1.139E 3GPM

OUTER DIAMETER
8.0768 IN

PRINTER USE
YES

OUTER DIAMETER
8.0768 IN

PIPE MATERIAL
CS,SS

WALL THICKNESS
0.1409 IN

INNER LINING
NO LING.

KIND OF FLUID
WATER

SENSOR MOUNTING
U

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
5.917 IN U

08-19 11:4600 *R
+ 1.138E 3GPM

08-19 11:4700 *R
+290.589E 0GPM

DAMPING SET
01 SEC

ZERO MODE
AUT ZERO

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

08-19 11:5300 *R
+971.889E 0GPM

08-19 11:5300 *R
+981.135E 0GPM

08-19 11:5400 *R
+992.494E 0GPM

08-19 11:5400 *R
+ 1.001E 3GPM

08-19 11:5400 *R
+ 1.000E 3GPM

08-19 11:5500 *R
+ 1.014E 3GPM

08-19 11:5500 *R
+ 1.014E 3GPM

08-19 11:5500 *R
+ 1.028E 3GPM

to pivot

#2

Total flow rate
1028 gpm **#2**
+ 784 gpm **#1**
1812 gpm

35-8117

RECEIVED

APR 28 1993

FLOW MEASUREMENT
TAPE
35-8117

L118-5C

Measurement
Tape

NOT FILMED

APR 08 1993

MODE SELECT
DATA SET

DATA SET MODE
DATA SET

PRINTER USE
YES

MODE SELECT
INPUT

OUTER DIAMETER
10.1063 IN

PIPE MATERIAL
CS-55

WALL THICKNESS
0.1401 IN

INNER LINING
NO LING.

KIND OF FLUID
WATER

SOUND VELOCITY
1470 M.S-

SENSOR MOUNTING
H

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
7.536 IN H

MODE SELECT
TO CHECK

0074.8 UNSEC
103.77 % TO

DEFO MODE
AUT DEFO

00-05 01:1300 *P
+728.925E 06PM

00-05 01:1300 *P
+761.079E 06PM

00-05 01:1300 *P
+784.581E 06PM

00-05 01:2000 *P
+765.342E 06PM

MODE SELECT
DATA SET

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

MM-DD HH:MM
08-19 11:75

08-19 11:4500 *P
+ 1.179E 06PM

OUTER DIAMETER
8.9768 IN

PRINTER USE
YES

OUTER DIAMETER
8.9768 IN

PIPE MATERIAL
CS-55

WALL THICKNESS
0.1409 IN

INNER LINING
NO LING.

KIND OF FLUID
WATER

SENSOR MOUNTING
H

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
5.917 IN H

08-19 11:4600 *P
+ 1.178E 06PM

08-19 11:4700 *P
+230.533E 06PM

to wheels

MODE SELECT
TO CHECK

0004.8 MSEC
100.00 : TO

ZERO MODE
NOT ZERO

00-05 01:1300 *R
+729.925E 06PM

00-05 01:1900 *P
+761.979E 06PM

00-05 01:1900 *P
+780.581E 06PM

00-05 01:2000 *P
+755.042E 06PM

to wheel/lens

MODE SELECT
G-TH SET

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

MM-10 HH:MM
00-19 11:55

00-19 11:4500 *P
+ 1.179E 06PM

OUTER DIAMETER
8.0768 IN

PRINTER USE
YES

OUTER DIAMETER
9.0768 IN

PIPE MATERIAL
CS-53

WALL THICKNESS
0.1509 IN

INNER LINING
NO L'HS.

LINE OF FLUID
ENTER

SENSOR MOUNTING
H

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
5.917 IN H

00-19 11:4600 *P
+ 1.172E 06PM

00-19 11:4700 *P
+126.502E 06PM

PRINTER SET
01 SEC

ZERO MODE
NOT ZERO

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

00-19 11:5300 *P
+971.989E 06PM

00-19 11:5700 *P
+931.175E 06PM

00-19 11:5400 *P
+992.494E 06PM

00-19 11:5400 *P
+ 1.001E 06PM

00-19 11:5400 *P
+ 1.000E 06PM

00-19 11:5500 *P
+ 1.014E 06PM

00-19 11:5500 *P
+ 1.014E 06PM

00-19 11:5500 *P
+ 1.028E 06PM

to print

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

35-0817
Permit Number

1. Analysis of Entire System:

- A. Total Number of Acres irrigated = 227 acres
B. Total Diversion Rate = 4.04 cfs

2. Current Application Rate per Acre (Qc):

Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

$$Q_c = \text{Total Diversion rate [1.B] / Total irrigated acres [1.A]} \\ = \frac{4.04}{\text{cfs}} / \frac{227}{\text{acres}} = 0.017 \text{ cfs/ac}$$

3. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 35-07214 @ 1.40 cfs / 70 ac
License # _____ @ _____ cfs / _____ ac
License # _____ @ _____ cfs / _____ ac
Total Licensed Rate = _____ cfs / _____ ac

Old Diversion Rate(Qo) = Licensed Flow Rate/# acres

$$Q_o = \frac{1.40}{\text{cfs}} / \frac{70}{\text{acres}} = 0.02 \text{ cfs/ac}$$

4. Comparison of Diversion Rates if:

- A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : **EXCLUDE** Licensed Lands.

$$Q_o(\#3) = 0.02 > Q_c(\#2) = 0.017 \quad \text{GO TO ITEM \#5A.}$$

- B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : **INCLUDE** Licensed Lands.

$$Q_c(\#2) = \text{_____} > Q_o(\#3) = \text{_____} \quad \text{CONTINUE TO ITEM \#4.B.1}$$

1. Additional Flow Rate for Licensed Lands.

$$Q_a = (Q_c - Q_o) \times (\# \text{ Lic. Ac.}) = [(\text{_____ cfs/ac}) - (\text{_____ cfs/ac})] \times (\text{_____ acres}) = \text{_____ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
(_____) - (_____) = _____ acres

$$Q_n = (Q_c) \times (\# \text{ New Ac.}) = (\text{_____ cfs/ac}) \times (\text{_____ ac}) = \text{_____ cfs}$$

GO TO ITEM \#5B.

5. Calculate Total Flow Rate to be licensed:

- A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
(227) - (70) = 157 ac

$$Q_t = Q_c(\#2) \times (\# \text{ New Acres}) = 0.017 \text{ cfs/ac} \times 157 \text{ ac} = 2.64 \text{ cfs}$$


2.64 is all that's left

- B. Flow Rate including licensed land.

$$Q_t = Q_a(\#4.B.1) + Q_n(\#4.B.2) = \text{_____ cfs} + \text{_____ cfs} = \text{_____ cfs}$$

Microfilm

APR 08 1993



R34E

7/8

18/17

8

17

Point of
Diversion

(+122.55)

T 3 S

Place of
Use

35-8117

18/17

19/20

17

20

APR 08 1993

December 28, 1990

J. STANLEY WILLIAMS
1286 W. 200 S.
PINGREE, ID 83262

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08117

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MAILED

JAN 28 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8117

Date 12-26-90

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. N/A
☐ Well log in file?
☐ Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted? 175
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received LB
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

RECEIVED

STATE OF IDAHO

For Office Use Only
Amt of Fee \$ 75.00
Date 12-6-90
Receipt No 6015512
Received by ES *NBC*

DEC - 6 1990

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office**PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

1 Permit No. 35-08117 Telephone No. 684-49322 Name(s) of Permit Holder(s): J. STANLEY WILLIAMS3 Post Office Address: 1286 W. 200 S. PINGREE, ID 832624 Source of Water: GROUNDWATERa If ground water, well driller's name: N/A Date drilled: 1972b Pump horsepower: 150 Pressure (psi): N/A Dynamic pumping level (ft.): 35'-40'

5 Extent of Use:

Domestic _____ (No. of households)

Irrigation 180 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted 3.60 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? ☒ Yes ☐ No ☐ Installed? ☒ Yes ☐ No ☐8 Fee Enclosed: \$ 175.00 (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

J. STANLEY WILLIAMS
Name208-684-4932
Telephone No1286 W. 200 S. PINGREE, ID 83262
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED12/6/90
DateJ. Stanley Williams
Signature (and title if on behalf of a company or organization)JAN 28 1991

138794

November 30, 1990

J. STANLEY WILLIAMS
1286 W. 200 S.
PINGREE, ID 83262

PROOF DUE NOTICE

RE: PERMIT NO. 35-08117

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JAN 20 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 8, 1990

J. STANLEY WILLIAMS
1286 W. 200 S.
PINGREE, ID 83262

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08117

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

FEB 14 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

FEB 14 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KC Weller

APPLICATION NUMBER: 35 8117

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-21-89 12-4-89
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 27-P05
3-15-83 Date of priority recommended.
Special conditions of approval or cover letter. LOIG 7

App. in NON-TRUST area-

By: HWJ Date: 12-8-89

STATE OFFICE REVIEW:

P05, P23, P03, P16 48 49 46 016

- ☐ See attached sheet for more information.

By: KW Date: 12-28-89

CW

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 7, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 4, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
FILMED

FEB 14 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECEIVED

FEB 14 1990

35-08117

WILLIAMS, J. STANLEY
1286 W. 200 S.
PINGREE, ID 83262

Source: GROUNDWATER

Diversion Pt: SENW Sec 17 T 03S R 34E

Use: IRRIGATION (3.600 CFS)

Date Filed: 3/15/1983

In: T03S R34E S17	NWNE	SWNE	SWNW	NESW
	NWSE			

180.0 ACRES TOTAL

RECORDED

FEB 14 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 4, 1989.

R. Keith Higginson, Director

Published 11/16/1989 & 11/23/1989

RECEIVED

FEB 14 1990

23-Oct-1989

The Morning News
P.O. Box 70
Blackfoot, ID 83221

RE: Applications for Permit No.s 35-8106, 35-8109,
35-8111, 35-8113, 35-8116, 35-8117, 35-8118,
35-8121, 35-8122, 35-8133, 35-8136, 35-8142,
35-8144, 35-8153, 35-8156, 35-8172, 35-8173,
35-8175; Notice of Correction 27-7356 & 35-8731

Gentlemen:

Would you please submit an affidavit of publication
and certified bill in connection with the above
referenced application. The legal notice was to
have been published in your paper on August 3 & 10,
1989.

Your cooperation in this matter is greatly
appreciated.

Sincerely,

Rita Bodell
Office Secretary

MICROFILMED

FEB 14 1990

July 26, 1989

J. Stanley Williams
1286 W. 200 S.
Pingree, ID 83262

RE: Applications for Permit No. 35-8116 & 35-8117

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

FEB 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JULY 26, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

FEB 14 1990

NOTICE OF APPLICATION FOR AID RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

Mineral

FEB 14 1990

35-08117

WILLIAMS, J. STANLEY
1286 W. 200 S.
PINGREE, ID 83262

Source: GROUNDWATER

Diversion Pt: SENW Sec 17 T 03S R 34E

Use: IRRIGATION (3.600 CFS)

Date Filed: 3/15/1983

In: T03S R34E S17	NWNE	SWNE	SWNW	NESW
	NWSE			

180.0 ACRES TOTAL

MICROFILMED
MICROFILMED
FEB 1
FEB 14 1990

The permit(s) will be subject to all prior w
may be submitted based the criteria of Sec. 42-28, Idaho Code and/or
the new public interest criteria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of Water Resources, 150 Shoup
Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 21, 1989.

R. Keith Higginson, Director

Published 8/03/1989 & 8/10/1989

MICROFILMED

FEB 14 1990

FORM A

STATE OF IDAHO

RECEIVED

JUL 8 1985

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8119
Name(s) of Permit Holder: WILLIAMS, J. STANLEY
1286 West 200 South
Post Office Address: Pineville, Idaho 83262
Telephone No. 684-4932
Source of Water: Groundwater
Extent of Use: Domestic _____ (number of households)
Stockwater _____ (number and type of stock)
Irrigation 180 (acres)
Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: MAY 1, 1993

Measuring Device: Required? _____ Yes X No
Installed? _____ Yes X No
Flow Measurement Port: Required? X Yes _____ No
Required? X Yes _____ No

Person to contact to accompany the Department representative during field examination: APPLICANT (Name)
SAME AS ABOVE (Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-26-85
Date

[Signature]
Signature of Permit
(and Title, if appropriate)

MICROFILMED

FEB 14 1990

Statement of development for exemption
from Swan Falls processing. Not acceptable
as proof of beneficial use.

RECEIVED

FORM A

JUL 1 1985

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8119
Name(s) of Permit Holder: WILLIAMS, J. STANLEY
1286 West 200 South
Post Office Address: Pineville, Idaho 83262
Telephone No. 684-4932
Source of Water: Groundwater
Extent of Use: Domestic _____ (number of households)
Stockwater _____ (number and type of stock)
Irrigation 180 (acres)
Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: MAY 1, 1973

Measuring Device: Required? Yes X No
Installed? Yes X No
Flow Measurement Port: Required? X Yes No
Required? X Yes No

Person to contact to accompany the Department representative during field examination: Applicant (Name)
Same as above (Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-26-85
Date

[Signature]
Signature of Permit
(and Title, if appropriate) **RECORDED**
FEB 14 1990

Statement of development for exemption
from Swan Falls processing. Not acceptable
as proof of beneficial use.