





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	125	055890619	Johnston	10" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
Pressure gage	Fluid	ashcroft			100 psi	

2. Measurements:

dynamic pumping depth 62' (according to IR Thompson)
 operating pressure 100 psi
 sonic meter readings North (418.448 gpm) + south (1535 gpm)
 total 1953.448 gpm (4.35 cfs)

MICROFILMED
 NOV 04 1996



Highway 39

Licensed Well
35-2186

J. R. Thompson

798 South, 2600 W.

Abdeen, Id.

83210

(Change address on application for Permit.)

卷之四

AUG 18 1989

F. 27.5

D. 47.0

1900

9 F-599

F-10
F2154

F. 26.1

F. 29.0

A. 22.7

12154

A. 55.1

\$2500

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.

Incomplete forms will be returned.

RECEIVED

FEB 11 2002

Department of Water Resources
Eastern Region

RECEIVED

FEB 28 2002

1. Water Right Number(s) WR 35-08115
Adjudication Claim Number(s) 35-7186 Adj.
2. The following **REQUIRED** information must be submitted with this form.

Department of Water Resources

A. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE**, or other legal document indicating your ownership of the property and water rights or claims in question, **WITH ATTACHED LEGAL DESCRIPTION.**

AND

B. **PLAT OF PROPERTY or SURVEY MAP** for parcel of ten acres or less. (These are usually on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a **USDA Farm Service Agency (formerly ASCS) AERIAL PHOTO** with irrigated acres outlined and point(s) of diversion clearly marked.

3. Name and Address of Former Owner/Claimant(s) J. L. Thompson 798 S. 2600 W.
Aberdeen, ID. 83210

4. New Owner/Claimant(s) Todd A. & Deanna L. Lowder

Name connector (Check one): ☒ AND, ☐ OR, ☐ AND/OR

New Mailing Address X 2607 W. 1200 S.

City, State and ZIP Code Sterling, ID. 83210

New Telephone Number (208) 397-5315

5. Date you acquired the property Feb. 8 - 2002

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres actually irrigated 280 Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____
cubic feet per second

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner/Claimant(s) Todd A. Lowder **MICROFILMED** Date 2-8-02
Deanna L. Lowder **MAR 27 2002** Date 2-8-02

(Corporations or other organizations must submit a list of directors/officers demonstrating authority to sign form.)

8. For Snake River Basin Adjudication Claims: If you are represented by an attorney and you want IDWR to correspond directly with your attorney for all matters related to your claims, please attach a Notice of Appearance completed by your attorney.

1. contribution claim \$7500

SIGN
HERE

WARRANTY DEED

For Value Received **J. R. THOMPSON AND SELMA THOMPSON,**
husband and wife

Hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto

TODD A. LOWDER AND DEANNA L. LOWDER, husband and wife

whose address is: **2607 W. 1200 S., Sterling, ID 83210**


Hereinafter called the Grantee, the following described premises situated in **Bingham County,**
 , to-wit:


SEE ATTACHED LEGAL DESCRIPTION

SUBJECT TO all easements, right of ways, covenants, restrictions, reservations, applicable building and zoning ordinances and use regulations and restrictions of record, and payment of accruing present year taxes and assessments as agreed to by parties above.


TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee and to the Grantee's heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that said premises are free from all encumbrances except current years taxes, levies, and assessments, and except U. S. Patent reservations, restrictions, easements of record, and easements visible upon the premises, and that Grantor will warrant and defend the same from all claims whatsoever.

Dated: February 1, 2002



 J.R. Thompson


 Selma Thompson

STATE OF Idaho)
)ss.
 COUNTY OF BINGHAM)



On this 8th day of February, 2002, before me ~~Michelle Keefe~~, personally appeared J. R. Thompson and Selma Thompson, known or identified to me (or proved to me on the oath of), to be the person(s) whose name(s) are subscribed to the within instrument, and acknowledged to me that they executed the same.


 Notary Public of Idaho
 Residing at: ~~Blackfoot, Idaho~~ IDAHO FALLS, IDAHO
 Commission Expires: ~~04/14/06~~ 8/26/09

MICROFILMED
 MAR 27 2002

ATTACHED LEGAL DESCRIPTION
THOMPSON/LOWDER

Parcel 1:

Township 4 South, Range 31 E.B.M., Bingham County, Idaho


Section 11: W $\frac{1}{2}$ /NW $\frac{1}{4}$; SW $\frac{1}{4}$; SW $\frac{1}{4}$ /SE $\frac{1}{4}$,

EXCEPTING THEREFROM: The South 320 feet of the West 233 feet.

ALSO EXCEPTING THEREFROM: A parcel of land being on the Northerly side of the centerline of State Highway No. 39 Project No. RS-1721(15) Highway Survey as shown on the plans thereof now on file in the office of the Idaho Transportation Department, Division of Highways, and being a portion of the SE $\frac{1}{4}$ /SW $\frac{1}{4}$ and the SW $\frac{1}{4}$ /SE $\frac{1}{4}$ of Section 11, Township 4 South, Range 31 East, Boise Meridian, described as follows: Beginning at the Southeast corner of the SW $\frac{1}{4}$ /SE $\frac{1}{4}$ of Section 11, Township 4 South, Range 31 East, Boise Meridian; thence Westerly along the South line of said Section 11 a distance of 2630.0 feet, more or less, to a point in a line parallel with and 70.0 feet Northwestery from the centerline of said State Highway No. 39, Project No. RS-1721(15) Highway Survey; thence along said parallel line as follows: Northeastery along a 1979.86 foot radius curve right 369.0 feet, more or less, to a point opposite Station 260+03.14 of said Highway Survey, Easterly along a 300.0 foot spiral curve right, having a central angle of 4°30'00" a distance of 305.50 feet to a point opposite Station 263+03.14 of said Highway Survey, North 89°39'31" East 1496.86 feet to a point opposite Station 278+00 of said Highway survey; thence North 85°42'08" East leaving said parallel line 217.40 feet to a point in a line parallel with and 85.0 feet Northerly from the centerline and opposite Station 280+16.88 of said Highway Survey; thence Easterly along said last parallel line being a 5814.58 foot radius curve right 256.0 feet, more or less, to a point in the East line of said SW $\frac{1}{4}$ /SE $\frac{1}{4}$; thence Southerly along said East line 79.43 feet, more or less, to the Place of Beginning.

MICROFILMED

MAR 27 2002



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08115

Priority: March 14, 1983

Maximum Diversion Rate:

2.05 CFS

This is to certify, that J R THOMPSON
798 S 2600 W
ABERDEEN ID 83210

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 14, 1983; and
has submitted Proof of Beneficial Use on August 15, 1990. An examination indicates
that the works have a diversion capacity of 4.350 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	2.05 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 04S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S 31E 11	NWNW 38	SWNW 26	NESW 31	
	NWSW 37	SWSW 36	SESW 38	
	SWSE 37			243

Total number of acres irrigated: 243

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
5. Rights 35-02186 and 35-08115 when combined shall not exceed a total annual diversion volume of 972.0 af and the irrigation of a total of 243 acres.
6. Right 35-02186 is also diverted at the point of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of OCTOBER, 1996.

MICROFILMED

NOV 4 1996


Acting for KARL J. DREHER, Director

RECEIVED
AUG 15 1990

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 175.00
Date 8/15/90
Receipt No. 2018021
Received by J. Thompson

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P-35-08115 Telephone No. 208-328-2202

Name(s) of Permit Holder(s): J.R. Thompson

Post Office Address: 798 So. 2600 W., Aberdeen, Id. 83210

Source of Water: Ground water

If ground water, well driller's name: Walt Vollmer Date drilled: 1950

Extent of Use:

Domestic _____ (No. of households)

Irrigation 280 (No. of acres)

Stockwater 130 (No. and type of stock)
Beef cows

Other _____

Total rate and/or volume for which proof is submitted 2,300 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9/27/50

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 175.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

J.R. Thompson 208-328-2202
Name Telephone No.

798 So. 2600 W. Aberdeen Id. 83210
Address

RECEIVED
JAN 6 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/12/90
Date

J.R. Thompson
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08115

Proposed Priority: March 14, 1983

Maximum Diversion Rate:

3.30 CFS

This is to certify, that J. R. THOMPSON

798 S. 2600 W.

ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

3.30 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW

Sec. 11, Township 04S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

04S 31E 11

NWNW 40

SWNW 40

NESW 40

NWSW 40

SWSW 40

SESW 40

SWSE 40

280

Total number of acres irrigated:

280

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of August, 1989.

MICROFILMED

AUG 18 1989

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant J.R. Thompson Phone 328-2202
Post office address 798 S. 2600 W, Aberdeen, ID 83210
-Box-33, -Sterling, -Idaho---83201-

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 4S
Range 31E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.30 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.30 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 170 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

AUG 18 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4S	31E	11						40	40		40	40	40	40			40		280

Total number of acres to be irrigated 280

c. Describe any other water rights used for the same purposes as described above. Point of diversion is licensed for 2.3 cfs under license 35-2186 on 165 acres included above.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED
AUG 18 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

AUG 18 1989

[Signature]
(Applicant)

Received by EMC Date 3/14/83 Time 2:30.
Preliminary check by KCW Fee \$ 105.00
Receipted by BP Date 3/14/83 # 25495
Publication prepared by GB Date 2-24-89
Published in Morning News
Publication dates 3-23-89
Publication approved KW Date 3-23-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

AUG 18 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 1, 2002

TODD A LOWDER
DEANNA L LOWDER
2607 W 1200 S
STERLING ID 83210

RE: Change of Ownership for Water Right 35-8115

Dear Water Right Holder(s):

The department acknowledges receipt of correspondence changing ownership of the above referenced water right to you. The department has modified its records to reflect the change in ownership and has enclosed a computer-generated report for your records.

Please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address of the owner of a water right to the department. Notice of the change must be provided to the department within 120 days of the change. Change reporting forms are available from any office of the department.

Please feel free to contact this office if you have any questions regarding this matter.

Sincerely,


for Jeff Peppersack, Manager
Water Right Permits Section

JP:klt

Enclosure

MICROFILMED

MAR 27 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 25, 1996

J R THOMPSON
798 S 2600 W
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08115

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 04 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08115 DATE 2/15/95



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒ ☐	Amendment needed? ☐ Overlaps? <u>35-02186 @ 2.30 CFS</u>
PLACE OF USE	☒ ☐	Amendment needed? ☐ Overlaps? <u>35-02186 for 165 acres @ .014/acre</u>
DIV RATE	☐ ☒	Permit/fee limits: <u>330</u> Meas Q = <u>4.35</u> Theo Q = <u>3.84</u> Recommend: <u>2.05</u> <u>North mainline = 418.4 gpm?</u> <u>South mainline = 1535 gpm</u> } <u>4.35 CFS</u> Combined rates exceed capacity <u>NO</u> NEW
CAPACITY = 4.35 35-02186 = 2.30 (AVAILABLE CFS) 2.05		
ANNUAL VOLUME	☐ ☒	Volume Limit: ☐ Season: <u>4.0</u> (4-1 to 10-31) Calculations: <u>243 x 4 = 972</u> Flow limit: <u>1</u> cfs x <u>1.9835</u> = <u>1.9835</u> Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in <u>1/4 1/4</u> ? ☒ Other <u>35-02186, 972, 243 1136/35-2186</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap <u>R31</u> Water Quality ☒ Other ☐ Heat/Cool/ Fish verified ☐

COMMENTS: _____

RECOMMENDED	CFS	VOL	SRBA Claim Filed	N/A
	<u>2.05</u>	<u>x</u>	Adjustment Memo Needed	☐
			LICENSE	☒
			1ST AMENDMENT LETTER	☐
			FINAL AMENDMENT LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 19 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8115

1. Owner: J. R. Thompson Phone No. 328-2202

Current Address: 798 S. 2600 W. Aberdeen, Id. 83210

2. Accompanied by: J.R. Thompson EXAM DATE: 6-2-93

Address: Same Phone No. Same

Relationship to Permit Holder: owner

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 35-02186

2. Other water rights with the same point of diversion: 35-02186

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	11	45	31E	Bingham	USGS Quad map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	31E	11						38	26		31	37	36	38			37		243

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	125	055894619	Johnston	10" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
Pressure gage	Fluid	ashcroft			100 psi	

2. Measurements: dynamic pumping depth 62' (according to IR Thompson)
operating pressure 160 psi
sonic meter readings North (418.448 gpm) + south (1535 gpm)
total 1953.448 gpm (47.35 cfs)

NOV 04 1996

E. NARRATIVE/REMARKS/COMMENTS

125 Hp pump to south 12" underground
main line supplying water to 8 Quarter
mile wheel lines and one 52 section wheel line.
To the north 8" portable main line supplying
water to two 1/4 mile wheel lines.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 04 1996

F. FLOW CALCULATIONSX Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(125)(8.814)(.8)}{(62) + (60)(2.308)} = 4.396 \text{ cfs } (1973 \text{ gpm})$$

$$Q = N.\text{mainline}; 418.4 \text{ gpm} + S.\text{mainline}; 1535 \text{ gpm} = 1953.4 \text{ gpm} \\ (4.35 \text{ cfs})$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 243 \text{ acres} \times 4 \text{ af} = 972 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.05 \text{ cfs} \times 214 \text{ d} \times 1.9835 = 870.1$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 870.1$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-1</u>	<u>10-31</u>	<u>2.05 cfs</u>	<u>870.1</u>
Totals:			<u>2.05 cfs</u>	<u>870.1</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Gary Buss Date 6-2-93Reviewer [Signature] Date 12-9-94

SEAL

 MICROFILMED
 MAY 11 4 1996

06-02 10:5500 *R
+ 1.506E 3GPM

06-02 11:0000 *R
+ 1.535E 3GPM

06-02 11:0100 *R
+ 1.535E 3GPM

South
Line

06-02 11:0200 *R
+ 1.556E 3GPM

06-02 11:0200 *R
+ 1.537E 3GPM

06-02 11:0200 *R
+ 1.537E 3GPM

MODE SELECT
INPUT

OUTER DIAMETER
8.0394 IN

PIPE MATERIAL
? AL DI

WALL THICKNESS
0.0500 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.708 IN U

MODE SELECT
TO CHECK

0300.8 MMSEC
101.39 % TO

06-02 11:1000 *R
+003.00 % AI2

06-02 11:1000 *R
+411.844E 0GPM

06-02 11:1000 *R
+418.448E 0GPM

North
Line

06-02 11:1000 *R
+416.071E 0GPM

06-02 11:1000 *R
+412.372E 0GPM

North Mainline

35-8115

MICROFILMED

JUN 04 1996

MODE SELECT
T0 CHECK

0453.3 MMSEC
100.34 % T0

MODE SELECT
INPUT

OUTER DIAMETER
12.1768 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1098 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.231 IN U

ZERO MODE
AUT ZERO

06-02 10:5400 *R
+003.00 % AI2

06-02 10:5400 *R
+ 1.409E 3GPM

06-02 10:5500 *R
+ 1.487E 3GPM

06-02 10:5500 *R
+ 1.517E 3GPM

06-02 10:5500 *R
+ 1.513E 3GPM

06-02 10:5500 *R
+ 1.506E 3GPM

06-02 11:0100 *R
+ 1.535E 3GPM

06-02 11:0100 *R
+ 1.535E 3GPM

06-02 11:0200 *R
+ 1.556E 3GPM

06-02 11:0200 *R
+ 1.537E 3GPM

06-02 11:0200 *R
+ 1.577E 3GPM

South Mainline

MICROFILMED

NOV 04 1996

35-8115

MODE SELECT
T0 CHECK

0453.3 MMSEC
100.34 % T0

MODE SELECT
INPUT

OUTER DIAMETER
12.1768 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1098 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.231 IN U

ZERO MODE
AUT ZERO

06-02 10:5400 *R
+003.00 % A12

06-02 10:5400 *R
+ 1.409E 3GPM

06-02 10:5500 *R
+ 1.487E 3GPM

06-02 10:5500 *R
+ 1.517E 3GPM

06-02 10:5500 *R
+ 1.513E 3GPM

06-02 10:5500 *R
+ 1.506E 3GPM

06-02 11:0100 *R
+ 1.535E 3GPM

06-02 11:0100 *R
+ 1.535E 3GPM

06-02 11:0200 *R
+ 1.556E 3GPM

06-02 11:0200 *R
+ 1.537E 3GPM

06-02 11:0200 *R
+ 1.537E 3GPM

MODE SELECT
INPUT

OUTER DIAMETER
8.0394 IN

PIPE MATERIAL
? AL,DI

WALL THICKNESS
0.0500 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.708 IN U

MODE SELECT
T0 CHECK

0300.8 MMSEC
101.39 % T0

06-02 11:1000 *R
+003.00 % A12

06-02 11:1000 *R
+411.844E 0GPM

06-02 11:1000 *R
+418.448E 0GPM

06-02 11:1000 *R
+416.071E 0GPM

6-2-93

5/18/93

South
Line

North
Line

MEASUREMENT
35-8115

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

35-08115
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Number of Acres irrigated = 243 acres

B. Total Diversion Rate = 4.35 cfs

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A]

$$= \frac{4.35 \text{ cfs}}{\text{cfs}} / \frac{243}{\text{acres}} = \underline{0.0179} \text{ cfs/ac}$$

2. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 35-02186 @ 2.30 cfs / 165 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

$$Qo = \text{Total Licensed Rate} = \frac{2.30 \text{ cfs}}{\text{cfs}} / \frac{165}{\text{ac}} = \underline{0.0139} \text{ cfs/ac}$$

(Old Diversion Rate(Qo) = Licensed Flow Rate/# acres)

3. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : **EXCLUDE** Licensed Lands.

$$Qo(\#2) = \underline{\hspace{2cm}} > Qc(\#1) = \underline{\hspace{2cm}} \quad \text{GO TO ITEM \#4A.}$$

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : **INCLUDE** Licensed Lands.

$$Qc(\#1) = \underline{0.0179} > Qo(\#2) = \underline{0.0139} \quad \text{CONTINUE TO ITEM \#3.B.1}$$

1. Additional Flow Rate for Licensed Lands.

$$Qa = (Qc - Qo) \times (\# \text{ Lic. Ac.}) = [(\frac{0.0179}{\text{cfs/ac}}) - (\frac{0.0139}{\text{cfs/ac}})] \times (\frac{165}{\text{acres}}) = \underline{0.65} \text{ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
(243) - (165) = 78 acres

$$Qn = (Qc) \times (\# \text{ New Ac.}) = (\underline{0.0179} \text{ cfs/ac}) \times (\underline{78} \text{ ac}) = \underline{1.40} \text{ cfs}$$

GO TO ITEM \#4B.

4. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
(243) - (165) = 78 ac

$$Qt = Qc(\#1) \times (\# \text{ New Acres}) = \underline{\hspace{2cm}} \text{ cfs/ac} \times \underline{\hspace{2cm}} \text{ ac} =$$

$$Qt = \underline{\hspace{2cm}} \text{ cfs}$$


CONDITIONS/REMARKS: _____

- B. Flow Rate including licensed land.

$$Qt = Qa(\#3.B.1) + Qn(\#3.B.2) = \underline{0.65} \text{ cfs} + \underline{1.40} \text{ cfs} = \underline{2.05}$$

$$Qt = \underline{2.05} \text{ cfs}$$

CONDITIONS/REMARKS: 2.05 cfs under Rt 35-08115 and 2.30 cfs under Rt 35-02186
total 4.35 cfs as measured capacity.



82-32

6 378

R 3 Sec 11
- E

2349
3147

HEL
55.1

1283

R 31E

80.0

NA

238

3

well

35-815

HEL

6 39.0

NO FILMED Highway 39

NOV 04 1996

19

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Drilling Permit No.: _____

Water Right No.: 35-2115

Owner: J R Thompson Phone No.: 328-2202

Address: 798 S. 2600 W Aberdeen, Id. 83210

1. Well Location: $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, Lot , Twp 4S, Rge 31E,
Sec. 11, Bingham County (provide sketch map on reverse)

2. Driller: _____

Is driller licensed? yes no License No.: _____

Date of Completion: _____

3. Casing size: _____ Water tight cap? yes no

Casing $\geq$ 12 inches above ground? yes no

4. Evidence of well seal? yes no

 visual Auger to a depth of _____

5. Access Port: X yes no Static Water Level: _____

Pressure Gauge: X yes no Temperature: _____

Pressure: 60 ps.

6. Flowing Artesian? yes X no

Flowing: around annulus through casing

7. Are there obvious construction problems that may be a source
for contamination or waste of water? yes X no

Remarks: _____

Gary Bass 10-2-93
(Agent) (Inspection Date)

December 20, 1990

J. R. THOMPSON
798 S. 2600 W.
ABERDEEN, ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08115

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MAILED

JAN 14 1991

J. R. THOMPSON
798 S. 2600 W.
ABERDEEN, ID 83210

138947
~~758946~~
June 30, 1990

RE: PERMIT NO. 35-08115 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOT FILMED
JAN 64 1991

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

MICROFILMED

JAN 04 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 15, 1989

J. R. THOMPSON
798 S. 2600 W.
ABERDEEN, ID 83210

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08115

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED
AUG 18 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
AUG 18 1982

MEMORANDUM

TO: File No. 35-8115
FROM: Gary Spackman *Gary*
DATE: July 31, 1989

RE: Need for Submittal of Rule 4,5. Information

Application 35-8115 was filed prior to July 1, 1985, and represents development that was complete in the 70's.

Any problem that would be identified by submittal of information under Rule 4,5. of the Water Appropriation Rules and Regulations should already have surfaced and been resolved. This application should be processed without seeking any additional information at this time pursuant to the memorandum signed by Glen Saxton on July 19, 1989.

MICROFILMED

AUG 18 1989

MEMORANDUM

TO: Regions and Water Allocation Bureau
FROM: Glen Saxton *GJS*
RE: NEED FOR ADDITIONAL INFORMATION UNDER RULE 4,5. OF THE
WATER APPROPRIATION RULES AND REGULATIONS: PRE-EXISTING
DEVELOPMENT
DATE: July 19, 1989

Many applications are being submitted to the department representing development which occurred several years ago. Some of these applications request diversion in excess of 5 cfs or irrigation in excess of 200 acres, prompting review under Rule 4,5. of the Water Appropriation Rules and Regulations.

The purpose of Rule 4,5. requirements for additional information is to force pre-development analysis of the application. If the development is already complete, many of the analysis criteria are of little value.

If development is already in place prior to filing of the application, the requirements of Rule 5 in some cases may be waived. The waiver of the requirements is based on the fact that many of the negative effects of the development should already have been felt or recognized. One exception, however, is when development is so recent that possible problems associated with the development may not yet have surfaced.

An analysis of the system prior to the development will help us in avoiding conflicts with other public interests which may be injured by the development.

INDEXED

AUG 18 1989

February 27, 1989

J. R. Thompson
798 S. 2600 W.
Aberdeen, ID 83210

Application for Permit No. 35-08115

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 35-08115. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

NOT RECORDED

AUG 18 1989

DEPT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho.

35-08073

MUIRBROOK, Paul
Box 23
Sterling, Idaho 83210
Source GROUNDWATER
Diversion Pt SWNW, Sec 28, T 04S, R
31E
Use IRRIGATION (1 600 CFS)
Date Filed 12/23/1982
In T04S, R31E, S28, NENW, SENW,
NESW, 80 0 ACRES TOTAL.

35-08074

MUIRBROOK, Paul
Box 23
Sterling, Idaho 83210
Source GROUNDWATER
Diversion Pt. SWSW, Sec 28, T 04S, R
31E
Use IRRIGATION (2 820 CFS)
Date Filed 12/23/1982
In T04S, R31E, S28, NWSW SWSW: S32,
NENE, S33, NWNW, 142 0 ACRES TOTAL

46-08087

KNUDSEN, BOB, JR
Rt 1, Box 84A
Aberdeen, Idaho 83210
Source GROUNDWATER
Diversion Pt NWSW Sec 13, T. 06S, R
30E
Use IRRIGATION (880 CFS)
Date Filed 1/17/1983
In T06S, R30E, S13, NESW, NWSW,
SWSW, SESE, 158 0 ACRES TOTAL

35-08112


HEANEY, EDWARD P
Rt 1, Box 32
Sterling, Idaho 83279
Source GROUNDWATER
Diversion Pt SWSE, Sec 15, T 04S, R
31E
Use IRRIGATION (4 400 CFS)
Date Filed 3/09/1983
In T04S, R31E, S15 NESW SESE, NESE,
NWSE, SWSE, SESE, S22, NENE, 220 0
ACRES TOTAL

35-08115

THOMPSON, J R
798 S 2600 W
Aberdeen, Idaho 83210
Source GROUNDWATER
Diversion Pt NWSW Sec 11, T 04S R
31E
Use IRRIGATION (3 300 CFS).
Date Filed 3/14/1983
In T04S, R31E, S11, NWNW, SWNW
NESW, NWSW, SWSW, SESE, SWSE, 280 0
ACRES TOTAL

35-08195

KLEMPER, HOWARD
RR Box 183
Aberdeen, Idaho 83210
Source GROUNDWATER
Diversion Pt SESE, Sec 23, T. 05S, R
30E
Use IRRIGATION (940 CFS)
Date Filed 6/30/1983
In T05S, R30E, S23, NESE, SESE, 47 0
ACRES TOTAL



MAR 20 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Michael Bell do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 17, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

2nd day of March, 1989;

and the last publication having been made on the

9th day of March, 1989;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement

On this 16th day of March in
the year 1989 before me a Notary Public of said State,
personally appeared

Michael Bell
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires

~~November 10, 1988~~
November 10, 1989

Affidavit Processing Fee..... \$5 00

Microfilm

AUG 18 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S
Eastern Region
130 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 24, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 20, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

AUG 18 1989

NOIICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 18 1989

35-08115

THOMPSON, J.R.
798 S. 2600 W.
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: NWSW Sec 11 T 04S R 31E

Use: IRRIGATION (3.300 CFS)

Date Filed: 3/14/1983

In: T04S R31E S11	NWNW	SWNW	NESW	NWSW
	SWSW	SESW	SWSE	

280.0 ACRES TOTAL

MICROFILMED

AUG 18 1989

the permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 20, 1989.

R. Keith Higginson, Director

Published 3/02/1989 & 3/09/1989

MICROFILMED

AUG 18 1989

January 18, 1989

J.R. THOMPSON
798 S. 2600 W.
ABERDEEN, ID 83210

RE: APPLICATION FOR PERMIT NO. 35-8115

Dear Applicant:

The department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy. In connection with this processing, the department requests the information described below.

From the department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

The department asks that you advise us within 15 days of this letter if you no longer have a continued interest in developing a water right as proposed by the application. If you do not respond in this time period, the department will proceed with the usual processing of the application including advertisement.

Please feel free to contact the department if you have questions.

Sincerely,



Ronald D. Carlson
Eastern Regional Manager

RDC/rb

MicroFILMED

AUG 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 24 1985
Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No 35-8115

Name(s) of Permit Holder: J.R. Thompson

Post Office Address: ~~Box 33, Sterling 298~~ 798 South 2600 West
Aberdeen, Id Telephone No. 328-2202

Source of Water: groundwater

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 280 _____ (acres)

Other/ Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device. Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

J.R. Thompson
(Name)

328-2202
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed

6/24/85 J.R. Thompson
Date Signature of Permit Holder (and Title, if appropriate)

Statement of development for exemption
from Swan Falls processing. Not acceptable
as proof of beneficial use.

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

10/11/2011 10:11 AM

10/11/2011

10/11/2011 10:11 AM

POINT OF DIVERSION

LICENSED TO: 35-2186

35-2186

APPLICATION 35-8115

J. R. Thompson

198 SOUTH 600 W.

ABERDEEN, ID.

83210

(CHECK ADDRESS ON APPLICATION FOR PERMIT)

INTERNATIONAL

AUG 18 1989

F. 22.5

F-599
35-2

IN THE MATTER OF:)
APPLICATION FOR PERMIT)
#35-8115)

State of Idaho)
County of _____)

RECEIVED
AFFIDAVIT
JUN 24 1985
Department of Water Resources
Eastern District Office

J.R. THOMPSON being first duly sworn,

deposes and says: The 280 acres in Sec. 11, T. 4S, R. 31E under the
above referenced application was irrigated as of April 1, 1977.
Point of diversion is licensed under 35-2186. Well was
drilled in 1951.

[Signature]
(Signature)

Subscribed and sworn to before me this 24 day of June, 1985.

[Signature]
(Notary Public)

Residing at Idaho Falls
My Commission Expires 3-29-1991

MICROFILMED

AUG 18 1989

35-8115-

THOMPSON, J.R.
798 S. 2600 W. Aberdeen, Id 83210
~~Box 33. STERLING, ID 83201~~

Source: GROUNDWATER

Date Filed: 03/14/1983

Diversion Pt: NWSW Sec 11 T 04S R 31E

Use: IRRIGATION (3.30 CFS)

In: NWNW SWNW NESW NWSW SWSW SESE Sec 11 T 04S R 31E FOR 280 ACRES

*Thompson, J.R.
Aberdeen, Idaho*

MICROFILMED

AUG 18 1989