


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile. SCALE 1" = 24,000'

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


FEB 14 1990

Duane L. Paulson
(Applicant)




by the Geological Survey

thods from aerial
 ecked 1971
 u of Reclamation
 s: Idaho coordinate
 or)
 recator grid ticks,
 h American datum
 ed fence lines



RECEIVED

JAN 26 1993



CONTOUR INT
 DOTTED LINES REPRESENT
 DATUM IS ME

1877
2904

TR.
Power Co.

35-08109

R31E

T
9
S

21

HEL
1
67.4 59
+29957
2753

HEL
2
54.0 Mainline

Point of
Diversion

Place of
Use

HEL
3
66.2

Gambill Rd.

21 22
28 27

JAN 26 1993

35-8109

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08109

Priority: March 29, 1983

Maximum Diversion Rate: 0.50 CFS

Maximum Diversion Volume: 100.0 AF

This is to certify, that DUANE L POULSON
2750 W 1810 S

ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 9, 1983; and has submitted Proof of Beneficial Use on February 21, 1991. An examination indicates that the works have a diversion capacity of 2.670 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.50 CFS	100.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 21, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	21	NESE 20	SESE 5		25
Total number of acres irrigated:						25

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

JAN 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08109

CONDITIONS/REMARKS:

7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

JAN 26 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-8109 IN THE)
NAME OF DUANE L. POULSON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 21, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-8109 be REINSTATED and the priority advanced to March 29, 1983.

Dated this 10th day of April, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED
JUL 15 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-8109 IN)
THE NAME OF DUANE L. POULSON) ORDER
_____)

WHEREAS, on March 9, 1983, the Department of Water Resources issued Permit No. 27-7356 with a condition of approval which states:


Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department;

and;

WHEREAS, the Department of Water Resources has determined that the compliance with this condition of approval is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 35-8109 is REMOVED.

Dated this 12th day of April, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08109

Proposed Priority: March 9, 1983

Maximum Diversion Rate:

0.50 CFS

This is to certify, that **DUANE L. POULSON**
RT. 1 BOX 14
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSE Sec. 21, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	21	NESE 20	SESE 5		25

Total number of acres irrigated: 25

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

FEB 14 1990

State of Idaho

Department of Water Resources

Permit To Appropriate Water

NO. 35-08109

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of January, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

FEB 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Duane L. Poulson Phone 397-4585

Post office address Rt. 1, Box 14, Aberdeen, ID 83210

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 6S

Range 31E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.50 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.50 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 16" diameter well with mainlines to sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 225 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

FEB 14 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile. SCALE 1: 24,000

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

FEB 14 1990

Duane L. Lonslow
(Applicant)

Received by SM Date 3/9/83 Time 4:00 pm
Preliminary check by HWS Fee \$ 45.00
Receipted by BP Date 3/9/83 # 25481
Publication prepared by RB Date 7-24-89
Published in Morning News
Publication dates 8-3-89 11-16-89
Publication approved RB Date 12-6-89
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

FEB 14 1990

35-08153

CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
Thomas Fourth Ward
5, Box 354
Blackfoot, Id 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec 6, T. 03S, R 34E.
Use: IRRIGATION (.400 CFS)
Date Filed: 5/25/1983.
In T03S, R34E, S06, SESE.
20.0 ACRES TOTAL.

35-08109

POULSON, Duane L.
Rt. 1, Box 14
Aberdeen, Id. 83210
Source: GROUNDWATER
Diversion Pt: NWSE, Sec 21, T. 06S, R.
31E.
Use: IRRIGATION (500 CFS).
Date Filed: 3/09/1983
In T06S, R31E, S21, NESE, SESE
25.0 ACRES TOTAL

HEANEY, Edward P.
2600 S. 950 W.
Aberdeen, Id. 83210
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 22, T. 04S, R.
31E.
Use: IRRIGATION (1.000 CFS).
Date Filed: 3/09/1983.
In: T04S, R31E S22, NENW, SENW,
NESW.
50.0 ACRES TOTAL.

35-08113

BACKLUND, Glen
Rt. 1, Box 521
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt. NWSE, Sec. 22, T. 01S, R
36E.
Use: IRRIGATION (.800 CFS)
Date Filed: 3/14/1983
In: T01S, R36E, S22, NWSE.
40.0 ACRES TOTAL.

35-08116

WILLIAMS, J. Stanley
1286 W 200 S.
Pingree, Id 83262
Source: GROUNDWATER
Diversion Pt: NENE, Sec. 27, T 03S, R.
33E
Use: IRRIGATION (1 280 CFS).
Date Filed: 3/15/1983
In T03S, R33E, S27, NENE, NWNE
64.0 ACRES TOTAL

35-08117

WILLIAMS, J. Stanley
1286 W 200 S
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: SENW, Sec 17, T 03S, R
34E.
Use: IRRIGATION (3.600 CFS).
Date Filed: 3/15/1983
In T03S, R34E, S17, NWNE, SWNE,
SWNW, NESW, NWSE.
180.0 ACRES TOTAL.

35-08119

CHURCH OF JESUS CHRIST
OF LATTER DAY SAINTS
Blackfoot Northwest Stake
Pioneer Road, Rt 7
Blackfoot, Id 83221
Source: GROUNDWATER
Diversion Pt: NWNW, Sec 36, T 02S, R.
Use: IRRIGATION (120 CFS).
DOMESTIC (.040 CFS).
Date Filed: 3/18/1983
In T02S, R34E, S36, NWNW
6.0 ACRES TOTAL.

RECEIVED

DEC 04 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks.

the first publication having been made on the

16th day of November, 1989;and the last publication having been made on the
23rd day of November, 1989;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement

On this 29th day of November in
the year 1989 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same

Notary Public for the State of Idaho,

Residing at Blackfoot, Idaho

My commission expires

November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

FEB 14 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 19, 1993

DUANE L POULSON
2750 W 1810 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08109

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JAN 26 1993

LICENSE REVIEW CHECKLIST

Permit # 35-08109

Date 01-07-93
 28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>25 x .02 = .50 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? <u>2nd Equation Supports</u>
	☐	☒	Limited by Capacity? <u>2.67 per 35-7078</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduce 1 Day</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>25 x 4.0 = 100 cfs</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☒	☐	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition <u>P/D w/ 35-7078 < Capacity</u>
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	<u>R31</u>	☐	Overlap _____
	☐	☒	Water Quality _____
			DATES/MISC
		☒	Water Dist. _____
		☒	App Rec'd _____
		☒	Exam Made _____

COMMENTS/MEMOS NEEDED:

Disregard Annular measurement per FE

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DUANE L POULSON 2750 W 1810 S ABERDEEN ID 83210 (208) 397-4585	03/29/1983	IRRIGATION	04-01 10-31	0.50 CFS	100.0 AFA
TOTAL DIVERSION:					0.50 CFS	100.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.67 CFS

Point(s) of Diversion: T06S R31E S21 NW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM		
06S	31E	21	:																	:			
																			20		05	:	25.0
																			TOTAL ACRES			:	25.0

Pou County: BINGHAM

Other Rights: 35-7078

Other Water Rights with Same Point(s) of Diversion and Source:
35-07078 35-08109

Other Water Rights Listing Overlapping Place(s) of use:
35-07078 35-08109

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
- subsequently issued to incorporate the use into a water district,
- require streamflow augmentation or other action needed to protect
- prior surface water and groundwater rights.
- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Dates:	App. Received:	03/09/1983	Priority Date:	03/29/1983	(Priority Date Advanced.)
	Proof Due Date:	02/01/1991	Proof Made Date:	02/21/1991	(Proof Received Late.)
	Exam Made Date:	05/07/1992	Exam Sent to S.O.:	12/22/1992	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 31 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 35-08109
Phone No. 397-4585
1. Owner: Duane Poulson
Current Address: 2750 W. 1810 S. Aberdeen, ID 83210
2. Accompanied by: Applicant EXAM. DATE: 5-7-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~YES~~ on adjacent acres ☐ Copies Attached
2. Other water rights with same point of diversion: YES 35-7078 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Well, pump & booster (not running) to School line & hand
lines.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	100	CDJ313148	Johnton	
Booster	Bakley	50	NA	Bakley	1760

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NE	21	6S	3/E	Bingham	
				SE	21	6S	3/E	Bingham	

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	3/E	21													20			5	25

MICROFILMED

JAN 26 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar				191138	7.9"	

2. Measurements:

7.9" ID manometer, manometer @ 65 psi
 Manometer - 53.2" } no booster
 33.0" }
 57.0" } with Booster
 14.5" }
 1.0 cfs from Annubar measurement available

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{100 \text{ hp} \times 8.814 \times .7}{225' \text{ lift} + (2.308 \times 65 \text{ psi})} = \frac{616.9}{375.02} = 1.65 \text{ cfs theoretical}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (25)(4.0) = 100 \text{ ac-ft}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.5)(214)(1.9835) = 212.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 75 \text{ } 100$$

2. Volume Calculations for Other Uses:

MINISTERED

JAN 26 1993

1

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	April 1	Oct. 31	0.50	75 100
Totals:			0.50	75 100

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Harold Jones
Signature [Signature]
Certification Date _____
Field Report Preparation Date _____

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOTICE

JAN 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-8109

Permit No.

Measurement Calculations

#

35-08109

- 1/ Annubar measurement was suspect - with 7 lines in operation measurement only read 1.00 cfs
- 2/ Initial theoretical was done using 225' depth. This was the total depth of well & not the pumping depth. I found a well log for the SWSE of section 21, T6S R31E & it shows a 40' static water level. Usually irrigators want 40' of water over their pump bowls so I have used 80' as a pumping depth. Therefore;

$$\frac{100 \text{ hp} \times 8.814 \times 7}{80' \text{ lift} + (2.308 \times 65 \text{ psi})} = \frac{616.9}{230} = \underline{\underline{2.70 \text{ cfs}}}$$

This is equivalent to the static capacity cited in license exam #35-07078 of 2.67 cfs.

I recommend using this amount as system capacity.

[Signature]

APPROVED

JAN 26 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: HAROLD JONES Date 5-7-92
Owner: DUANE POULSON Permit No. 35-8109

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well and pump and booster to 5 wheel lines and
2 hand lines.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 7.9''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 7.9''

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 57.0

Low Reading = 53.2

High - Low = H = 3.8

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H})}{448.8} (C)$$

$$Q = \frac{(7.9)^2 \cdot (\sqrt{3.8}) \cdot (3.87)}{448.8} = 1.02 \text{ cfs}$$

SKETCH (If not shown on Field Report)

USE SYSTEM CAPACITY
found for 35-7078 for
2.67 cfs

JAN 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

35-08109
Permit Number

1. Analysis of Entire System:

A. Total Number of Acres irrigated = 130 acres

B. Total Diversion Rate = 2.67 cfs (From Capacity on
License 35-07078)

2. Current Application Rate per Acre (Qc):

Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A]

$$= \frac{2.67 \text{ cfs}}{130 \text{ acres}} = 0.0205 \text{ cfs/ac} \quad \text{Limit to } 0.02 \text{ cfs/ac}$$

3. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 35-07078 @ 2.10 cfs / 105 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

Total Licensed Rate = 2.10 cfs / 105 ac

Old Diversion Rate(Qo) = Licensed Flow Rate/# acres

$$Qo = \frac{2.10 \text{ cfs}}{105 \text{ acres}} = 0.02 \text{ cfs/ac}$$

4. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : **EXCLUDE** Licensed Lands.

Qo(#3) = _____ > Qc(#2) = _____ GO TO ITEM #5A.

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : **INCLUDE** Licensed Lands.

Qc(#2) = _____ > Qo(#3) = _____ CONTINUE TO ITEM #4.B.1

1. Additional Flow Rate for Licensed Lands.

$$Qa = (Qc - Qo) \times (\# \text{ Lic. Ac.}) = \left(\left(\frac{\text{cfs}}{\text{ac}} \right) - \left(\frac{\text{cfs}}{\text{ac}} \right) \right) \times (\text{acres}) = \text{cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
() - () = _____ acres

$$Qn = (Qc) \times (\# \text{ New Ac.}) = \left(\frac{\text{cfs}}{\text{ac}} \right) \times (\text{ac}) = \text{cfs}$$

GO TO ITEM #5B.

5. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
(130) - (105) = 25 ac

$$Qt = Qc(\#2) \times (\# \text{ New Acres}) = 0.02 \text{ cfs/ac} \times 25 \text{ ac} =$$


$$Qt = 0.50 \text{ cfs}$$

B. Flow Rate including licensed land.

$$Qt = Qa(\#4.B.1) + Qn(\#4.B.2) = \text{cfs} + \text{cfs} =$$


$$Qt = \text{cfs}$$

JAN 26 1993



by the Geological Survey

thods from aerial
 ecked 1971
 u of Reclamation
 s: Idaho coordinate
 or)
 reator grid ticks,
 h American datum
 ed f 20 lir



JAN 26 199



CONTOUR INT
 DOTTED LINES REPRESENT
 DATUM IS ME

UTM GRID AND 1971 MAGNETIC NORTH

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Drilling Permit No.: _____

Water Right No.: 35-8109Owner: Duane Poulson Phone No.: 397-4585Address: 2750 W. 1810 S. Aberdeen ID 832101. Well Location: $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, Lot , Twp 6S, Rge 31E,
Sec. 21, Bingham County (provide sketch map on reverse)2. Driller: Paul Vollmer (from Proof of Beneficial Use 35-7078)Is driller licensed? yes no License No.: _____Date of Completion: Early 1970's 1969 Spring (From Proof of Beneficial Use 35-7078)3. Casing size: _____ Water tight cap? yes noCasing $\geq$ 12 inches above ground? yes no4. Evidence of well seal? yes no visual Auger to a depth of _____5. Access Port: yes ☒ no Static Water Level: _____Pressure Gauge: ☒ yes no Temperature: _____Pressure: 65 psi6. Flowing Artesian? yes ☒ noFlowing: around annulus through casing7. Are there obvious construction problems that may be a source
for contamination or waste of water? yes no

Remarks: _____

RLW
(Agent)5-7-92

(Inspection Date)

JAN 26 1993

April 17, 1991

DUANE L. POULSON
2750 W 1810 S
ABERDEEN, ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08109

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8109

Date 3-29-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☒ Ground water source
NA Drill permit req'd?
1965 Copy in file? Drill permit no. _____
1965 Well log in file?
1965 Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

Yes Measuring device or access port required?
Yes Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

requests waiver of flow meas.

PRIORITY CALCULATION

Date proof received	<u>Feb 21, 1991</u>	<u>52</u>
Date proof due	<u>Feb 1, 1991</u>	- <u>32</u>
No. of days late		= <u>20</u>
Priority date	<u>Mar 9, 1983</u>	+ <u>68</u>
NEW PRIORITY DATE	<u>Mar 29, 1983</u>	= <u>88</u>

Address Change! OK
OPS

new address
2750 W 1810 S,
aberdash

STATE OF IDAHO

For Office Use Only
 Amt. of Fee \$ 100.00
 Date 2/21/91
 Receipt No. CD12710
 Received by J. J. J. J.

FEB 21 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

1 Permit No. 55-8109 Telephone No. 397-4585

2 Name(s) of Permit Holder(s): DUANE L. Poulson

3 Post Office Address: 2750 W. 1810 S. Aberdeen Idaho 83210

4 Source of Water: groundwater

a If ground water, well driller's name: not available Date drilled: 1965

b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic _____ (No. of households) Irrigation 25 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6 Total rate and/or volume for which proof is submitted .50 cfs _____ acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

note: I request the measuring port request be waived

8 Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Kip D. Poulson
Name

397-4309
Telephone No

2801 W. 1800 S. Aberdeen IDAHO 83210
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

2/15/91
Date

Duane L. Poulson owner
Signature (and title if on behalf of a company or organization)

RECEIVED
JUL 15 1991

STATE OF IDAHO


DEPARTMENT OF WATER RESOURCES

1 North Orchard Street
Boise, Idaho 83706-2237



INSUFFICIENT ADDRESS

POSTED
FIRST CLASS



RECEIVED
FEB 11 1991

Department of Water Resources

RECEIVED

FEB 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 5, 1991

DUANE L. POULSON
RT. 1 BOX 14
ABERDEEN, ID 83210

LAPSE NOTICE

RE: PERMIT NO. 35-08109

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

JUL 15 1991

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

February 5, 1991

DUANE L. POULSON
RT. 1 BOX 14
ABERDEEN, ID 83210

LAPSE NOTICE

RE: PERMIT NO. 35-08109

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

JUL 15 1991

CERTIFICATION OF MAILING

I hereby certify that on 2-8-91
a copy of an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



December 13, 1990

Duane L. Poulson
Rt. 1 Box 14
Aberdeen, ID 83210

Dear Mr. Poulson:

Re: Water Right Filings

After our telephone conversation yesterday, I reviewed your water right filings. Here is the status:

35-2641 - Licensed.

35-7078 - Licensed.

35-8109 - Needs proof submitted. Enclosed is a copy of the permit and proof of beneficial use form.

35-8177 - Proof not due until November 1, 1992. Enclosed is a partially completed form.

35-8766 - Proof not due until November 1, 1991. Enclosed is a partially completed form.

35-8767 - Proof submitted. Waiting for field inspection by the regional office.

35-8771 - Proof submitted. Waiting for field inspection by the regional office.

Please review the enclosed information. If you have any question, contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

RECORDED

JUL 15 1991

138793
November 30, 1990

DUANE L. POULSON
RT. 1 BOX 14
ABERDEEN, ID 83210

PROOF DUE NOTICE

RE: PERMIT NO. 35-08109

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 8, 1990

DUANE L. POULSON
RT. 1 BOX 14
ABERDEEN, ID 83210

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08109

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

FEB 14 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 14 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWT

APPLICATION NUMBER: 35 8109

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 35-7078
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-21-89 12-4-89
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05
3-09-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

App. in NON-TRUST area-

By: HWT Date: 12-8-89

STATE OFFICE REVIEW:

P05, P23, P03, P16

48 49 46 GIG

- ☐ See attached sheet for more information.

By: KW Date: 12-28-89

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 7, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 4, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

FEB 14 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl[redacted]ion(s) have been filed [redacted]ppropriate the public waters of the State of Idaho:

MICROFILMED

FEB 14 1990

35-08109

POULSON, DUANE L.
RT. 1, BOX 14
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: NWSE Sec 21 T 06S R 31E

Use: IRRIGATION (.500 CFS)

Date Filed: 3/09/1983

In: T06S R31E S21 NESE SESE

25.0 ACRES TOTAL

MICROFILMED

FEB 14 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 4, 1989.

R. Keith Higginson, Director

Published 11/16/1989 & 11/23/1989

MICROFILMED

FEB 14 1990

23-Oct-1989

The Morning News
P.O. Box 70
Blackfoot, ID 83221

RE: Applications for Permit No.s 35-8106, 35-8109,
35-8111, 35-8113, 35-8116, 35-8117, 35-8118,
35-8121, 35-8122, 35-8133, 35-8136, 35-8142,
35-8144, 35-8153, 35-8156, 35-8172, 35-8173,
35-8175; Notice of Correction 27-7356 & 35-8731

Gentlemen:

Would you please submit an affidavit of publication
and certified bill in connection with the above
referenced application. The legal notice was to
have been published in your paper on August 3 & 10,
1989.

Your cooperation in this matter is greatly
appreciated.

Sincerely,

Rita Bodell
Office Secretary

MICROFILMED

FEB 14 1990

July 26, 1989

Duane L. Poulson
Rt. 1, Box 14
Aberdeen, ID 83210

RE: Application for Permit No. 35-8109

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

Microfilm

FEB 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JULY 26, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

FEB 14 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

FEB 14 1990

WATER RIGHTS DIVISION

35-08109

POULSON, DUANE L.
RT. 1, BOX 14
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: NWSE Sec 21 T 06S R 31E

Use: IRRIGATION (.500 CFS)

Date Filed: 3/09/1983

In: T06S R31E S21 NESE SESE

25.0 ACRES TOTAL

MICROFILMED

FEB 14 1990

The permit(s) will be subject to all provisions which may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 21, 1989.

R. Keith Higginson, Director

Published 8/03/1989 & 8/10/1989

RECEIVED

FEB 14 1990