




POINT OF DIVERSION

PLACE OF USE

35-8085

MADE BY
JUL 21 1994

Field # 5

R-30E R-31E

803
Bob Knudsen

Alan Fienh
(Bartholoma Bros)

T6S

R30E	R31E
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

POINT OF DIVERSION

$$\begin{array}{r} 24 \\ 25 \end{array} \quad \begin{array}{r} 19 \\ 30 \end{array}$$

#803
Bob Knudsen Lot 1

Let

Lot 2

LA 2

Lot 3

Lot 3

Lot 4

Lot 4

35-8085

PLACE OR USE

#335
Clarence
Schroeder

#722
Marla
Friesen
Fonnesbæk

25

25 | 30

L-9

→ Not To Scale

21 1994

35-8085



35-8085

Министерство
JUL 21 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08085

Priority: January 17, 1983

Maximum Diversion Rate:

1.37 CFS

This is to certify, that BOB KNUDSEN JR

2700 W 2100 S

ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1983; and has submitted Proof of Beneficial Use on May 30, 1990. An examination indicates that the works have a diversion capacity of 3.340 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	1.37 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 25, Township 06S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	30E	25	NENW 39	NWNW 39	SWNW 39	
			SENW 40			157

Total number of acres irrigated: 157

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right uses the same well as Right 35-02167A and when combined with Right 35-02167A shall not exceed a diversion rate of 3.14 cfs nor an annual volume of 628 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of July, 1994.

JUL 21 1994

Acting for

R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

JUN 2 1994

Division of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08085

Date of Priority: January 17, 1983 Maximum Diversion Rate: 1.37 CFS
Comes now BOB KNUDSEN JR
2700 W 2100 S
ABERDEEN ID 83210 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 35-08085, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.37 CFS	

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 25, Township 06S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	30E	25	NENW 39	NWNW 39	SWNW 39	157
			SEnw 40			

Total number of acres irrigated: 157

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 25th day of May 1994

APPROVED

JUL 21 1994

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08085

FOR DEPARTMENT USE ONLY

Preliminary check by RB Fee = \$2000 Received by RT # C03043 Date 6/2/94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08085 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right uses the same well as Right 35-02167A and when combined with Right 35-02167A shall not exceed a diversion rate of 3.14 cfs nor an annual volume of 628 af.

Witness my hand this 15TH day of JUNE, 1994.

Acting for R. Keith Higginson, Director

RECEIVED
JUL 21 1994

Form 217
RECEIVED
JUN 5 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 125
Date 5-30-90
Receipt # 2014704
Receipt by HLW
Reviewed by 21.6.22-90
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08085

Name(s) of Permit Holder: Bob Knudson, Jr.

Post Office Address: 3122 W. 2100 W. 2100 S. Aberdeen, ID

Telephone No. 397-4300

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 160 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.37 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1-17-1983

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ 125
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No
Installed? X Yes No

Person to contact to accompany the Department representative during the field examination:

Bob Knudson Jr 397 4300
(Name) (Telephone Number)

2100 W - 2100 S Aberdeen, ID 83210
(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

30 May 1990
Date

Bob Knudson Jr
Signature of Permit Holder (and title, if appropriate)

JUL 20 1990

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08085

Proposed Priority: January 17, 1983 Maximum Diversion Rate: 1.37 CFS

This is to certify, that **BOB KNUDSEN, JR.**
3122 W. 2100 S.
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.37 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 25, Township 06S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	30E	25	NENW 40	NWNW 40	SWNW 40	160
			SEnw 40			

Total number of acres irrigated: 160

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

SEP 15 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08085

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 1989.

J. Glen Saxton
for R. Keith Higginson, Director

RECORDED

SEP 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bob Knudsen Jr. Phone 397-4921
3122 West 2100 South
Post office address Rt. 1, Box 84A Aberdeen, ID 83210 4343*

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 6S
Range 30E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.37 cfs* for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: *Changes made per telecon with Bob Knudsen HWJ/1/27/83
a. -1.44 1.37* cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well/pump to sprinkler lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

NOT RECORDED

SEP 15 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS #
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	30E	25					40	40	40	40									160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. 35-2167

This application will bring water up to 0.02 cfs/acre

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

SEP 15 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

SEP 13 1989

[Signature]
(Applicant)

Assist. by HWT

Received by kw Date 1-17-83 Time 3:20p

Preliminary check by kw Fee \$ 65⁰⁰

Receipted by kw Date 1-27-83 # 23346

Publication prepared by RB Date _____

Published in Morning News

Publication dates 7-6, 13, 89

Publication approved kw Date 7-24-89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED
SEP 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 16, 1994

BOB KNUDSEN JR
2700 W 2100 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08085

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUL 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 18, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

BOB KNUDSEN JR
2700 W 2100 S
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08085

Dear Water Right Holder(s):


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days. The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

Also enclosed is a copy of the Application for Amendment we sent you for Water Right No. 35-08084. We need a new signature on this Amendment because although everything was fine with the first signature, we do not know how to interpret your comment on the bottom of page one, dealing with the statement about a "1948 priority date on 240 acres". This information may be appertenant on other water rights you have, which reflect this priority date on the said 240 acres, but we would prefer not to have it listed on the Amendment. If you will please sign the new Amendment form that we have enclosed for Water Right No. 35-08084 we can issue the license for it.

If you have any questions please contact me and we can discuss them. My telephone number is (208) 327-7947.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc
Enclosures

RECEIVED
JUL 21 1994

WR0749NP
No. L35-08085

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/16/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOB KNUDSEN JR 2700 W 2100 S ABERDEEN ID 83210 (208) 397-4300	01/17/1983	IRRIGATION	04-01 10-31	1.37 CFS	
TOTAL DIVERSION:					1.37 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.34 CFS

Point(s) of Diversion: T06S R30E S25 NENW BINGHAM County

Place of use Legal Description for: IRRIGATION

NENE				NW				SW				SE				SUM
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	
06S	30E	25	:	: 39 39 39 40	:	:	:	:	:	:	:	:	:	:	:	157.0
TOTAL ACRES																157.0

Pou County: BINGHAM

Other Rights: 35-2167

Other Water Rights with Same Point(s) of Diversion and Source:
35-02167

Other Water Rights Listing Overlapping Place(s) of use:
35-02167 35-08085

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.

Remarks: This right uses the same well as Right 35-02167A and when
combined with Right 35-02167A shall not exceed a diversion rate
of 3.14 cfs nor an annual volume of 628 af.

Dates: App. Received: 01/17/1983 Priority Date: 01/17/1983
Proof Due Date: 10/01/1990 Proof Made Date: 05/30/1990
Exam Made Date: 07/23/1991 Exam Sent to S.O.: 11/30/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

(WATER RIGHT NUMBERS THAT BEGIN WITH AN *** ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM	
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L3508085	T06S R30E S25	GROUNDWATER																																157	
	:									39								39								40								:	
A0100023Z1	LARGE CLAI :																	40								33								:	219
0100297	SNAKE RIVE :																																	:	
A0100297Z1	LARGE CLAI :																	40								33								:	219
A0102064G1	LARGE CLAI :																	40								33								:	219
A0102068G1	LARGE CLAI :																	40								33								:	219
A0102068H1	LARGE CLAI :																	40								33								:	219
3502112	GROUNDWATE :	40		40		40		40																										:	160
A3502112	GROUNDWATE :	40		40		40		40																										:	160
R3502112	GROUNDWATE :	01-46		39		39		02-45																										:	169
3502167	GROUNDWATE :									40		40		40		40		40		40		40		40		40		40		40		40		:	480
A3502167A	GROUNDWATE :									40		40		40		40										40		40		40		40		:	320
R3502167A	GROUNDWATE :									39		39		39		40																		:	157
A3502167B	GROUNDWATE :																	*40		40				40										:	160
R3502167B	GROUNDWATE :																	40		39		38		37										:	154
A3502543Z1	LARGE CLAI :																	40						33		35		37		37		37		:	219
R3502543Z1	LARGE CLAI :																	I						I		I		I		I		:			
A3504246Z1	LARGE CLAI :																	40						33		35		37		37		37		:	219
R3504246Z1	LARGE CLAI :																	I						I		I		I		I		:			
3508084	GROUNDWATE :	40		40		40		40																										:	160
L3508084	GROUNDWATE :	01-46		39		39		02-45																										:	169
3508085	GROUNDWATE :									40		40		40		40																		:	160
A3511506	GROUNDWATE :	03		03		02		03																										:	11
A3511531	GROUNDWATE :									40		40		40		40																		:	160

POU COMPARISON

DATE: 05/16/94
PAGE: 1

AS ADJ SPLIT IT OUT
GIVING .02 CFS PER ACRE -
but because recommendation
not made to court yet - we
are getting the permit licensed

SD-62
INQUIRY

Idaho Department of Water Resources
Adjudication Remarks Screen

Date: 05/16/94
Time: 11:18:14

Water Right Number: A35-02167

FIRST PAGE

13. Remarks: P/D IN CENTERS OF NW 1/4 & SW 1/4, SEC. 25, T6S, T30E.
P/D ALSO IN POWER CNTY.

*

THIS RIGHT HAS BEEN SPLIT AND CLAIMED AS FOLLOWS:

A35-02167A = 3.60 CFS KNUDSEN POOR FARMS, INC. (320 AC.)

A35-02167B = 1.83 CFS SCHROEDER, CLARENCE (160 AC.)

A35-02167C = 5.76 CFS SCHROEDER, WILLIAM & KATHERINE (466 AC.)

A35-02167D = 1.98 CFS SCHROEDER, WILLIAM & ANNE (160 AC.)

TOTAL = 13.17 CFS (1106 AC.)

*

35-02167 = 12.66 CFS (1106 AC.)

*

THIS RIGHT IS OVER-CLAIMED. CLF 11-27-91

(GOLD4=Prev Screen) (GOLD6=End of Data)
(GOLD5=Next Screen)

(Enter=Exit)
(GOLD8=Cancel)

*Claims Split Up
Right and "OVER-CLAIMED"
it. Rate .0114 CFS
PER ACRE.*

WR0749NP
No. 35-02167

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/16/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ARMIN SCHROEDER AMERICAN FALLS ID 83211	04/07/1950	IRRIGATION DOMESTIC	00-00 00-00 00-00 00-00	12.66 CFS	
TOTAL DIVERSION:					12.66 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:	T06S R30E S25	NENW	NWNW	SWNW	SENW	BINGHAM County
	S25	NESW	NWSW	SWSW	SESW	BINGHAM County
	S25					BINGHAM County
	S36	SWNE	NENW	NWSW		BINGHAM County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S		NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	SUM
06S	30E	25	:					40	40	40	40	40	40	40	40	480.0
06S	30E	36	:	40	40	40	40	40	40	40	40	40	40	40	26	626.0
TOTAL ACRES																1106.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-08085

Other Water Rights Listing Overlapping Place(s) of use:
35-08085 L35-08085

Remarks: P/D IN CENTERS OF NW 1/4 & SW 1/4, SEC. 25, T6S, T30E.
P/D ALSO IN POWER CNTY.

Dates:	App. Received:	Priority Date:	04/07/1950
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:		08/01/1979

Misc: Water District Number: Field Exam Fee:

Audit: 07/01/85 05/21/88 CONVERT 05/16/94 BCHAPMAN

Original Overlapping
License.

Rate = .0114 CFS per
acre

MEMORANDUM

TO: File 35-08085
FROM: Brenda Chapman
DATE: May 16, 1994
RE: Licensing Recommendation Information


=====

My recommendation for the above referenced permit and overlapping licensed right 35-02167 is based on the following information:

Numerous claims have been filed on 35-02167 and as a result, the Adjudication staff has split the right into Parts A-D. Part A overlaps the above referenced permit for the same acres and point of diversion.

However, the original license for 35-02167 was issued for 1106 acres at a diversion rate of 12.66 cfs, which is .0114 cfs per acre. Adjudication is recommending the same 157 overlapping acres (as on this permit) at a rate of 3.14 or .02 cfs per acre. (a remark in the Adjudication file for the original right states it has been overclaimed)


Since the Director's Report has not yet been submitted to the court, I am recommending this permit be licensed for its total permitted amount of 1.37 cfs. If approved, we will then notify Adjudication of the need to adjust their diversion rate recommendation for 35-02167A.



MAY 21 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-8085 DATE 5-15-94



NAME	Yes <u> </u>	No <u> ✓ </u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u> ✓ </u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u> </u>
SOURCE	<u> </u>	<u> ✓ </u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> ✓ </u>	<u> </u>	Amendment needed? <u>Change to NENW OF SEC 25</u> Overlaps? <u>35-2167 (A)</u>
PLACE OF USE	<u> ✓ </u>	<u> ✓ </u>	Amendment needed? <u> </u> Overlaps? <u>35-2167 (A) 1106 acres @ 12.66 CFS = .0114 CFS per acre.</u>
DIV RATE	<u> </u>	<u> ✓ </u>	Measurement done? <u>YES</u> Theoretical only? <u> </u> <u>Q = 3.34</u> <u>157 x .02 = 3.14</u>
$157 \times .0114 \text{ CFS} = 1.79 \text{ CFS}$ rate 35-2167A should be the ADJ recommended rate - not 3.14 CFS			Capacity: <u>3.34</u> Combined rates exceed capacity <u>Condition</u> Allowable amount: <u>Permit Limit of 1.37</u>
			Season of use: <u>C/4.0 (4-1 to 10-31)</u> Calculations: <u>157 x 4 = 628</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u>Condition</u>
ANNUAL VOLUME	<u> </u>	<u> ✓ </u>	
USES	<u> </u>	<u> ✓ </u>	Change(s) in Nature of Use? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u>W29</u>	<u> ✓ </u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u>Edit</u>
CONDITIONS	<u> </u>	<u> ✓ </u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u>NON-TRUST</u>

COMMENTS: Recommending full rate of permit. Adjudication claim for overlapping right (35-2167A) will have to be adjusted. (BASIN NOT SUBMITTED YET) Otherwise, would have to void this one because 35-2167A being recommended at .02 CFS per acre (but is not correct)

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Irrigation</u>	<u>1.37</u>	<u>Amend P/D</u>	<u>1ST AMENDMENT LETTER P39+P38</u>
<u> </u>	<u> </u>	<u> </u>	<u>FINAL AMENDMENT LETTER P47</u>
<u> </u>	<u> </u>	<u> </u>	
<u> </u>	<u> </u>	<u> </u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☐ Copy of Permit
- ☐ Copies of any Amendments/Orders with Conditions of Approval
- ☐ Well Inspection Form (If Needed)
- ☐ Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached
- ☐ SRBA Attachment A Submitted to Adjudication Section
- ☐ SRBA Claim Check Received _____ (initial & date)
- ☐ ☐ N/A ☐ Applicable, See Attachment A _____
- ☐ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of government plat
- ☐ Check of P/D index Kaw 11-24-93 (initial & date)
- ☐ Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached? 35-2167
- ☐ Type of Overlap? ☐ Add acres or uses to existing system
- ☐ ☐ Increase rate of flow or volume
- ☐ ☐ Other: _____
- ☐ Check of P/U index Kaw 11-24-93 (initial & date)
- ☐ Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? 35-2167
- ☐ Type of Overlap? ☐ Increase rate of flow or volume
- ☐ ☐ Add P/D's
- ☐ ☐ Increase number of acres within tracts
- ☐ ☐ Other: _____
- ☐ Scheduling Letter Sent? _____ (initial & date)
- ☐ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully Completed and Signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed Gary Buss 7-23-91 (signature of examiner & date)
- Exam Reviewed by Senior Water Resource Agent Kaw 11/24/93 (initial & date)
- Exam Reviewed by Manager of Regional Office _____ (initial & date)
- Exam Sent to State Office _____ (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8085
1. Owner: Bob Knudsen Jr Phone No. 397-4300
Current Address 3122 W 2100 S. Aberdeen, ID 83210
2. Accompanied by: Bob Knudsen EXAM. DATE: 7-23-91
Address: Same Phone No. Same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 35-2167

☐ Copies Attached
2. Other water rights with same point of diversion: 35-2167

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S. G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
• (required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUL 21 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

150 Hp pump P to 10" underground mainline to
8-1/4 mile wheel lines with 31-3/32 birds operating at
70 psi

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	150	1016085	Berkley	10" discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	25	6S	30E	Bingham	Quad map & on-site inspection

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~6S~~	~~30E~~																		
6S	30E	25					39	39	39	40									157

JUL 21 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow meter	Ultrasonic	Polysonic	TF-P	149743	Small	
Pressure Gage	Fluid	Rainbird	—	—	0-160	—

2. Measurements:

operating pressure at pump is 85 psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Polysonic Reading 1497 gpm 3.34 cfs

2. Alternate Method for Checking Purposes:

$8 \times 31 \times 6.10 \text{ gpm} = \underline{1512.8 \text{ gpm}}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 157 \text{ ac} (4) = 628 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.35 \text{ cfs} (214) (1.9835) = 573.0$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 573.0$

2. Volume Calculations for Other Uses:

RECEIVED
JUL 21 1994

100

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	1.35 cfs	573 afa
		Totals:	1.35 cfs	573 afa

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Gary Buss
Signature Gary Buss
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUL 21 1994

2-23-91 35-
35-8085

OUTER DIAMETER
10.074 IN

PIPE MATERIAL
CS-55

WALL THICKNESS
1.1102 IN

INNER LINING
NO LINS.

LINE OF FLUID
WATER

SENSOR MOUNTING

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
7.547 IN U

ZERO MODE
AUT ZERO

PRT PERIOD
04 MIN

PRT UNIT GPH
NO

PRT UNIT GPM
YES

PRT UNIT MGD
NO

PRT UNIT FPS
YES

PRT UNIT INTEG
NO

PRT UNIT A1
NO

PRT UNIT A12
YES

START TIME
07-23 12:15

OPERATION TIME
01 HR

12:15 1.111E 30PM 001
+ 4.724E 00PM 001
+000.000 A12 001

MODE SELECT
TO CHECK

0307.4 MMSEC
083.24 % TO

12:15 1.111E 30PM 001
+ 4.724E 00PM 001
+000.000 A12 001

MODE SELECT
TO CHECK

0370.9 MMSEC
100.24 % TO

12:20 1.484E 30PM 001
+ 6.309E 00PM 001
+000.000 A12 001

MODE SELECT
TO CHECK

0370.9 MMSEC
100.24 % TO

12:24 1.487E 30PM 001
+ 6.364E 00PM 001
+000.000 A12 001

RECEIVED
JUL 21 1994

35-8085

[illegible]

Polysonic MEASUREMENT TAPE

35- 8085

35-8085

ANNEX

JUL 21 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POINT OF DIVERSION OVERLAP REVIEW

35-8085
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Number of Acres irrigated = 157 acres

B. Total Diversion Rate = 3.34 cfs

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A]

$$= \frac{3.34 \text{ cfs}}{157 \text{ acres}} = 0.02127 \text{ cfs/ac} \quad \text{LIMIT TO } 0.02 \text{ cfs/ac}$$

2. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 35-2167 @ 12.6 cfs / 1106 ac

License # _____ @ _____ cfs / _____ ac

License # _____ @ _____ cfs / _____ ac

$$Q_o = \text{Total Licensed Rate} = \frac{12.6 \text{ cfs}}{1106 \text{ ac}} = 0.01139 \text{ cfs/ac}$$

(Old Diversion Rate(Qo) = Licensed Flow Rate/# acres)

3. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : EXCLUDE Licensed Lands.

$$Q_o(\#2) = \text{_____} > Q_c(\#1) = \text{_____} \quad \text{GO TO ITEM \#4A.}$$

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : INCLUDE Licensed Lands.

$$Q_c(\#1) = 0.02 > Q_o(\#2) = 0.01139 \quad \text{CONTINUE TO ITEM \#3.B.1}$$

1. Additional Flow Rate for Licensed Lands.

$$Q_a = (Q_c - Q_o) \times (\# \text{ Lic. Ac.}) = \left[\left(\frac{0.02}{\text{cfs/ac}} \right) - \left(\frac{0.01139}{\text{cfs/ac}} \right) \right] \times \left(\frac{157}{\text{acres}} \right) = 1.35 \text{ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
() - () = _____ acres

$$Q_n = (Q_c) \times (\# \text{ New Ac.}) = (\text{_____ cfs/ac}) \times (\text{_____ ac}) = \text{_____ cfs}$$

GO TO ITEM #4B.

4. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
() - () = _____ ac

$$Q_t = Q_c(\#1) \times (\# \text{ New Acres}) = \text{_____ cfs/ac} \times \text{_____ ac} =$$

$$Q_t = \text{_____ cfs}$$

CONDITIONS/REMARKS: _____


- B. Flow Rate including licensed land.

$$Q_t = Q_a(\#3.B.1) + Q_n(\#3.B.2) = 1.35 \text{ cfs} + \text{_____ cfs} =$$

$$Q_t = 1.35 \text{ cfs}$$

CONDITIONS/REMARKS: _____

MICROFILMED
JUL 21 1994



T
6
S

R30E R31E

Point of Diversion

Place of Use

BINGHAM CO

POWER CO

35-8085

JUL 21 1994

ABERDEEN 7 MI.
BLACKFOOT 42 MI.

R30E

File

Point of Diversion

24

#603
Bob Knudsen Ltd.

U.S. DEPT. OF JUSTICE

12-5-80 5

22

1000

277994

35-8085



35-8085

JUL 21 1994

June 26, 1990

BOB KNUDSEN, JR.
3122 W. 2100 S.
ABERDEEN, ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08085

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUL 23 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 35-8085

Date: 6.22-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change Yes If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
 1. well log in file 1983
 2. drilling permit NA
 A. amount of drilling fee paid for proposed uses NA

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
 Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change!

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

BOB KNUDSEN, JR.
3122 W. 2100 S.
ABERDEEN, ID 83210

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08085

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Microfilm

SEP 15 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
SEP 15 1985

29-Jun-1989

Bob Knudsen, Jr.
3122 W. 2100 S.
Aberdeen, ID 83210

RE: Application for Permit No. 35-8085

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 15 1989

35-08085

KNUDSEN, Bob Jr.
 Rt 1, Box 84-A
 Aberdeen, Idaho 83210
 Source: GROUNDWATER
 Diversion Pt SWNW, Sec 25, T 06S, R.
 30E.
 Use IRRIGATION (1.370 CFS).
 Date Filed 1/17/1983
 In T06S, R30E, S25, NENW, NWNW,
 SWNW, SENW
 160.0 ACRES TOTAL

35-08088

KNUDSEN, Bob Jr.
 Rt 1, Box 84-A
 Aberdeen, Idaho 83210
 Source: GROUNDWATER
 Diversion Pt. SENE, Sec. 24, T 06S, R.
 30E.
 Use IRRIGATION (560 CFS)
 Date Filed: 1/17/1983.
 In T06S, R30E, S24, SWNE, SENE
 80.0 ACRES TOTAL

35-08089

HOUGHLAND, John
 P.O Box 17
 Springfield, Id 83277
 Source GROUNDWATER
 Diversion Pt SESW, Sec 9, T 04S, R
 33E
 Use, IRRIGATION (580 CFS)
 Date Filed: 1/17/1983.
 In T04S, R33E, S09, SWSE
 29.0 ACRES TOTAL

35-08090

GOODWIN, Steve
 Rt 5, Box 341
 Blackfoot, Idaho 83221
 Source: GROUNDWATER
 Diversion Pt NWNW, Sec 16, T 03S, R
 34E.
 Use, IRRIGATION (700 CFS).
 Date Filed. 2/08/1983
 In, T03S, R34E, S16, NWNW
 35.0 ACRES TOTAL.

35-08091

GOODWIN, Steve
 Rt. 5, Box 341
 Blackfoot, Idaho 83221
 Source GROUNDWATER
 Diversion Pt SWSW, Sec. 9, T 03S, R
 34E.
 Use IRRIGATION (140 CFS).
 Date Filed 2/08/1983
 in T03S, R34E, S09, SWSW
 7.0 ACRES TOTAL

35-08092

GOODWIN, Steve
 Rt. 5, Box 341
 Blackfoot, Idaho 83221
 Source GROUNDWATER
 Diversion Pt SENW, Sec 16, T 03S, R
 34E.

Use IRRIGATION (200 CFS).
 Date Filed 2/08/1983
 In T03S, R34E, S16, SWNW, SENW
 10.0 ACRES TOTAL

RECEIVED

JUL 20 1989

Department of Water Resources
 Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, Michael Bell

solemnly

swear that I am the Publisher of
 The Morning News which is a daily newspaper of
 general circulation published each day except Sunday
 at Blackfoot, Bingham County, Idaho, said newspaper
 having been so published at Blackfoot, aforesaid for
 more than one year past; that said newspaper
 heretofore complied with all the provisions of Chapter
 154 of the Sessions Laws of Idaho of 1933, approved
 March 11, 1933, and duly designated, pursuant to law,
 a particular day of the week as the day on which legal
 notices required by law or by the order of any Court of
 competent jurisdiction within the State of
 Idaho shall be published to-wit: of each week; that the
 notice attached hereto and which is a part of this af-
 fidavit and part of the proof of publication was
 published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

6th day of July, 1989;

and the last publication having been made on the

13th day of July, 1989;

that said notice was published in the regular and entire
 issue of every number of the paper as aforesaid during
 the period and time of publication, and that notice was
 published in the newspaper and not in a supplement.

On this 17th day of July, in
 the year 1989, before me a Notary Public of said State,
 personally appeared

known or identified to me to be the person whose
 name is subscribed to the within instrument, and being
 by me first duly sworn, declared that the statements
 therein are true, and acknowledged to me that he ex-
 ecuted the same.

Notary Public for the State of Idaho,
 Residing at Blackfoot, Idaho
 My commission expires
 November 10, 1994

Affidavit Processing Fee..... \$5.00

Microfilm

SEP 15 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 27, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 24, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

SEP 15 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

SEP 15 1989

35-08085

KNUDSEN, BOB, JR.
RT. 1, BOX 84A
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: SWNW Sec 25 T 06S R 30E

Use: IRRIGATION (1.370 CFS)

Date Filed: 1/17/1983

In: T06S R30E S25 NENW NWNW SWNW SENW

160.0 ACRES TOTAL

MICROFILMED

SEP 15 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 24, 1989.

R. Keith Higginson, Director

Published 7/06/1989 & 7/13/1989

MICROFILMED

SEP 15 1989

JUL 2 1985

Department of Water Resources

Statement of development for exemption from Swan Falls processing. Not acceptable as proof of beneficial use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

JUN 28 1985

Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8085

Name(s) of Permit Holder: Bob Knudsen Jr.

Post Office Address: 3122 W 2100 S
Abandon, Idaho 83410

Telephone No. 397-4921

Source of Water: Ground - Well

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 160 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 1974

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

See above
(Name)

RECEIVED

SEP 15 1989

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder (and Title, if appropriate)

Statement of development for exemption
from Swan Falls processing Not acceptable
as proof of beneficial use.