


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marion A. Skittle
(Applicant)

(Applicant)

MICROFILMED

Proof of Publication
The Post-Register

RECEIVED

FEB 11 1983

State of Idaho,
County of Bonneville

ss.

Department of Water Resources
Eastern District Office

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 3rd day of February, 1983, last publication having been made on the 10th day of February, 1983, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 10th day of February, 1983.

W. L. Napier
Notary Public

My commission expires September 30, 1984.

B10, 1M,

NOTICE OF APPLICATION FOR
WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

35-8080

WEITFLE, MARTON A.
RT. 9, BOX 177, IDAHO FALLS, ID
83402

Source: GROUNDWATER

Date Filed: 01/24/1983

Diversion Pt: NWSW Sec 26 T 02N R
37E

Use: STOCKWATER (0.02 CFS);
DOMESTIC (0.06 CFS)

In: NWSW Sec 26 T 02N R 37E
23-7094

CHRISTENSEN, RICHARD &/or

KENDALL, KOHLER, LARRY

BOX 213, IDAHO FALLS, ID 83401

Source: SPRING trib. to SHEEP
CREEK

Date Filed: 01/20/1983

Diversion Pt: NWNE Sec 08 T 01S R
45E

Use: DOMESTIC (0.06 CFS)

In: NWNE Sec 08 T 01S R 45E

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before February 21,
1983.

KEN DUNN
Director

Published: February 3, 10, 1983

MICROFILMED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 5 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date


CONSULTANT SEAL

MICROFILMED

JAN 29 1987

NW⁴SW⁴ SECTION 26

T2N R37E




MICROFILMED

JAN 29 1987

35-8080


35-8080



MICROFILMED

JAN 29 1987

35-8080



POINT OF DIVERSION
AND
PLACE OF USE

35-8080

MICROFILMED
JAN 29 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-8080 Priority January 24, 1983 Amount 0.06 cfs

THIS IS TO CERTIFY, that Marion A. Weitfle
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-8080 issued pursuant to Application for Permit dated January 24, 1983,
and has submitted proof to the Department of Water Resources on April 8, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.06 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>0.2</u> acre feet
Domestic	from <u>January 1</u> to <u>December 31</u>	at <u>0.06</u> cfs and	<u>1.2</u> acre feet
(2 Units)	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.4 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 26,
Twp 2N, Rge 37E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	37E	26									X								

Total number of acres irrigated _____

APR 10 1985

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Place of use also known as Lots 4 & 5, Block 1, Evergreen Acres Subdivision.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of DECEMBER, 1986.

MICROFILMED

JAN 28 1987

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Marion A. Weitfle Phone 523-0700

Post office address Rt. #9, Box 177, Idaho Falls, ID 83402

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 26 Township 2N

Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 cfs for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump with lines to two homes

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 26 Township 2N

Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 4 head horses or cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marion A. Skiffle
(Applicant)

Proposed Priority 1/24/83
Ass. st. by HWSReceived by OW Date 1-24-83 Time 4:00pPreliminary check by HWS Fee \$ 30.⁰⁰Receipted by BP Date 1/25/83 # 23342Publication prepared by BP Date 1/26/83Published in Post RegisterPublication dates 2/3 ; 2/10/83Publication approved BP Date 2/15/83Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8080, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 18th day of March, 1985.

J. New Saxon
Chief, Operations Bureau

Proof of Publication The Post-Register

FEB 11 1983

State of Idaho,

County of Bonneville

ss.

Department of Water Resources
Eastern District Office

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 3rd day of February, 1983, last publication having been made on the 10th day of February, 1983, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 10th

day of February

, 1983

W. R. Napier
Notary Public

My commission expires September 30, 1984

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-8080
WEITFLE, MARION A.
RT 9, BOX 177, IDAHO FALLS, ID 83402
Source GROUNDWATER
Date Filed: 01/24/1983
Diversion Pt. NWSW Sec 26 T 02N R 37E
Use STOCKWATER (0.02 CFS),
DOMESTIC (0.06 CFS)
In: NWSW Sec 26 T 02N R 37E
23-7094
CHRISTENSEN, RICHARD &/or

KENDALL, KOHLER, LARRY
BOX 213, IDAHO FALLS, ID 83401
Source: SPRING trib to SHEEP CREEK
Date Filed: 01/20/1983
Diversion Pt. NWNE Sec 08 T 01S R 45E
Use: DOMESTIC (0.06 CFS)
In: NWNE Sec 08 T 01S R 45E
The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before February 21, 1983

KEN DUNN
Director

Published February 3, 10, 1983

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 31, 1985

RE: Permit No. 35-8030

Marion A. Weitfle
Rt. 9, Box 177
Idaho Falls, ID 83402

Dear Ms. Weitfle:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED

JAN 29 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 35-8080

Phone No. 523-0700

1. Owner: Marion A. Weittle Phone No. 523-0700
Current Address: Rt 9 Box 177 Idaho Falls Id 83402
2. Accompanied by: SAME EXAM. DATE: 5 Aug 85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Department of Water Resources

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible System	Franklin	1 hp	Model 280 1080101	Save	

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump man, live to pressure storage tank

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

7. Measurements ☐ Additional data/computation sheets attached

Operating Pressure 20-40 psi

P. 14

☐ Additional data/computation sheets attached

P/u Lot 5 Block 1 Evergreen Acres Sub
Lot 4 "

Domestic


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|---|---|
| 9. | Lot 4 & 5 Block 1 Evergreen Acres
Place(s) of Use: Subdivision | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|---|---|

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C Wilson Date 5 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

RECORDED

CONSULTANT SEAL JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
APR 28 1986

35-8080
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

DOMESTIC USE FOR 2 HOMES.

Theoretical
Dom $Q = \frac{HP (8.814)(Eff.)}{Head + (psi \times 2.308)} = \text{As per memorandum dated 13 May 1981} = 0.06 \text{ cfs}$

Stockwater is less the 0.06 cfs assigned to domestic and is non additive

Therefore

$Q_{stock} = 0.02 \text{ cfs}$

- b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

- c) Volume Calculations for Other Uses:

$V_{dom} = \overset{2}{\#} \text{ Units} \times \underline{0.6} \text{ af} = \underline{1.2} \text{ afa}$

$V_{stock} = \underline{0.2} \text{ afa}$ as per memo dated 7 April 1975

2. Overlap Review

- a) Other water rights with same place of use: 01-0265A/0265B/0320 New Sweden

IRR. DIST. for irrigation only

- b) Other water rights with same point of diversion: NONE

- c) Analysis:

RECEIVED

JAN 29 1987

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	35-8080					0.06 cfs

4. Permit Holder: _____

Address: _____

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
DOMESTIC (2 Units)	1/1	12/31	0.06cfs	1.2

Stockwater (^{horses} S/4 or range)	1/1	12/31	0.02 cfs	0.2 ~~0.2~~
---	-----	-------	----------	-----------------------

Allowable Maximums: 0.06 df 14.13

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None JAN 28 1967

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature Keith C Wilson Date 22 APRIL 1986


Checked in Regional Office by Gary Spackman Date 4-25-86


Approved in State Office by Ron Lawton Date 5 Nov 86

11/20/86 A.S.

NW⁴SW 4 SECTION 26

T2N R37E






NOT RECORDED

JAN 29 1967






POINT OF DIVERSION
AND
PLACE OF USE

R37E
T2N

35-8080

JAN 29 1961

THIS DRAWING IS TO BE USED ONLY FOR REFERENCE PURPOSES AND THE COUNTY IS NOT RESPONSIBLE FOR ANY INACCURACIES HEREIN CONTAINED.



NWSW
SEC 26
R37E
T2N

TOWNSHIP 3185

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

**BONNEVILLE
COUNTY**

2	1	NW1/4NE1/4	NE1/4NE1/4
---	---	------------	------------

6048

6013

6038

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has conducted development to the extent shown below of Permit No. 35-8080

Name(s) of Permit Holder Marion A. Weiffle

Post Office Address: Rte 2, Box 177

Idaho Falls, Idaho Tel. No. 523-0700

Source of Water Well

Extent of Use

- ☒ Domestic 2 (two) (number of households)
☒ Stockwater 4 horses/cattle (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

MICROFILMED

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed

4-4-85
Date

Marion A. Weiffle
Signature of Permit Holder

Marion A. Wolfe
Rte 9, Box 177
Idaho Falls, Idaho 83402

USA 12c
FREEDOM OF CONSCIENCE - AN AMERICAN RIGHT

RECEIVED



APR 8 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JULY 22, 1985

MARION A. WEITFLE
RT. 9, BOX 177
IDAHO FALLS ID 83401

RE: Permit No. 35-8080

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WEITFLE, MARION A.
RT. 9, BOX 177
IDAHO FALLS, ID 83402

MARCH 28, 1985

RE: PERMIT NO. 35-8080

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 35-8080

PAGE 01

MARCH

28, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWT APPLICATION NUMBER: 35 8080

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: Feb 21, 1983
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/11/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
☒ 1-24-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in 3rd S.F. dismissal

By: Ernest Carlson Date: Feb 13, 1985 **MICROFILMED**

STATE OFFICE REVIEW:

L11, L05, L16

☐ See attached sheet for more information.
By: KW Date: 3/4/85

RECEIVED
FEB 20 1985

35-8080

WEITFLE, MARION A.

RT. 9, BOX 177, IDAHO FALLS, ID 83402

Source: GROUNDWATER

Date Filed: 01/24/1983

Diversion Pt: NWSW Sec 26 T 02N R 37E

Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.06 CFS)

In: NWSW Sec 26 T 02N R 37E

Proofed by
phone 2/3/83 BP

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup-Suite 1
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

January 18, 1983

Marion Weitfle
Rt. #9, Box 177
Idaho Falls, ID 83402

Dear Mr. Weitfle:

Enclosed is your application for a permit. Please review it completely. In section 11 (map), I need you to draw an arrow from the words "point of diversion" to the correct area within the dotted line square that your well and homes are.

If everything else is correct, sign and send the application with a fee of \$30.00 to this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:cw

Enclosure

MICROFILMED

35 8' 11"

WATER RIGHT
DATA ENTRY LOG[illegible]