




T
8
S R29E

PLACE OF USE

POINT OF DIVERSION

35-08071

APR 25 1995

Kay Hunt

S29
G-14

R-29E

#908
Bowler
Ranches
Inc.

R29E

T
8
S

PLACE OF USE

POINT OF DIVERSION

BLM

35-08071

Not to Scale

G-15

APR 25 1995



35-8071



Measurement Port



35-08071

APPROVED
PR 25 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08071

Priority: December 16, 1982

Maximum Diversion Rate:

5.88 CFS

Maximum Diversion Volume:

1520.0 AF

This is to certify, that KAY HUNT
PO BOX 187

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 16, 1982; and has submitted Proof of Beneficial Use on August 2, 1990. An examination indicates that the works have a diversion capacity of 5.880 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	5.88 CFS	1520.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 27, Township 08S, Range 29E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	29E	27	NESW 39	NWSW 28	SWSW 39	
			SESW 39	NWSE 28	SWSE 38	
			SESE 35			246
34			NENE 33	NWNE 37	NENW 36	
			NWNW 28			134

Total number of acres irrigated: 380

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

APR 25 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 35-08071

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of APRIL, 1995.

acting for


R. Keith Higginson, Director

APR 15 1995

For Office Use Only
Fee Received 250.00
Date 8-2-90
Receipt # B015073
Receipt by HUNT
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

RECEIVED
AUG 6 1990

Permit No. 35-08071

Name(s) of Permit Holder: Ray Hunt Department of Water Resources

Post Office Address: P.O. Box 187 American Falls, ID 83411

Telephone No. 226-2703

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 380 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 7.00 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 250.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

See above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT FILMED

JAN 04 1991

8-2-90
Date

Ray Hunt
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08071

Proposed Priority: December 16, 1982 Maximum Diversion Rate: 7.60 CFS

This is to certify, that **KAY HUNT**
P.O. BOX 187
AMERICAN FALLS, ID 83211
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	7.60 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 27, Township 08S, Range 29E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	29E	27	NESW 40	NWSW 26	SWSW 40	
			SESW 40	NWSE 26	SWSE 40	
			SESE 31			243
		34	NENE 31	NWNE 40	NENW 40	
			NWNW 26			137

Total number of acres irrigated: 380

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08071

CONDITIONS/REMARKS:

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

14th day of August, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

Witnessed
AUG 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Kay Hunt Phone 226-2703

Post office address Box 187 American Falls, Idaho 83211

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 8S

Range 29E B.M. Power County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 7.60 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well/pump then into 2 center pivots

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

AUG 18 1987

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 380

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Farould Nelson

b. Who owns the land to be irrigated or place of use Farould Nelson


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant will purchase all ground if they hit water in well.

10. Remarks

SECRET

AUG 18 1987

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

AUG 18 1987

Kay Hunt
(Applicant)

Proposed Priority 12/16/82
Assisted by HWJ

Received by CW Date 12-16-82 Time 3:00 p

Preliminary check by KW Fee \$.85⁰⁰

Received by BP Date 12-17-82 # 23245

Publication prepared by MD Date 3-25-87

Published in Power County Press

Publication dates 4-2 & 4-9-1987

Publication approved CW Date 6/3/87

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

AUG 15 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO INTERIM APPROVAL OF
APPLICATION FOR PERMIT NO. 35-8071

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8071; and interim approval is granted subject to the following limitations and conditions:

- a. Subject to all prior water rights.
- b. A measuring device or an access port of a design approved by IDWR shall be installed prior to diverting water under the interim approval.
- c. The water user acknowledges that the interim approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the interim approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permit for water which may be reallocated under the Water Appropriation Rules and Regulations. The water user accepts all risk that storage water will be available and obtainable from the rental pool in future years to allow the interim approval procedure to continue, if storage water is required.
- e. Violation of interim approval conditions, provisions of the Idaho Code, or the Water Allocation Rules and Regulations is cause for cancellation of the interim approval and denial of future requests.
- f. By accepting and commencing diversion of water under this interim approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the interim approval or to take other reasonable steps to insure that water is not diverted during any period the interim approval is suspended or revoked.
- g. The Director may impose additional conditions not a part of the original interim approval conditions as determined by the Director.
- h. The filing on which the interim approval is given may be reprocessed under the provisions of Section 42-203C, Idaho Code, at the request of the water user or as determined by the Director in compliance with pertinent adopted rules and regulations and statutes.
- i. Investments made by the water user to divert and use water under the interim approval will not be considered by IDWR when reprocessing the filing under the provisions of 42-203C, Idaho Code.

Witness my hand this 21st day of July, 1987.

MICROFILMED

AUG 18 1987

J. Allen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 14, 1995

KAY HUNT
PO BOX 187
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 35-08071

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

APR 25 1995
1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 35-08071 DATE 3/31/95

NAME	Change ☐ OK ☒	Or Address Change? _____
PRIORITY DATE	☐ ☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>No</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐ ☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐ ☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☒ ☐	Permit/fee limits: <u>7 CFS</u> Meas Q = <u>5.88</u> Theo Q = <u>5.97</u> Recommend: <u>5.88</u> <u>Flow meter</u> <u>Have meter calculations were correct at 5.88</u> <u>not 5.93. No reason in exam for change.</u> Combined rates exceed capacity _____ <u>NEW</u>
ANNUAL VOLUME	☐ ☒	Volume Limit: _____ Season: <u>C/4.0 (4-1 to 10-31)</u> Calculations: <u>380 x 4.0 = 1520 gf</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐ ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐ ☒	Multiple p/d(s) in 1/4 1/4? _____ Other _____
CONDITIONS	☐ ☒	Watermaster control - District _____ Measuring/Locking Devices _____ <u>R31</u> Irrigation Overlap _____ Other <u>Keep Now - Trust 048 + 049</u> Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: Reduce rate to capacity.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Origation</u>	<u>5.88</u>	<u>1520.0</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	<u>✓</u>
_____	_____	_____	AMENDMENT LETTER	_____
_____	_____	_____	SECOND AMENDMENT LETTER	_____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 20 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8071

1. Owner Kay Hunt Phone No. 226-2703

Current Address: P.O. Box 187 American Falls, Id 83211

2. Accompanied by: Kay Hunt EXAM DATE: 6-17-91

Address: Same Phone No. Same

Relationship to Permit Holder: owner

3 Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2 Other water rights with same point of diversion: NONE


☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

1N



APR 25 1995

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater)

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

450 Hp pump to 12" pipe to 45° incline to 2000'
~~main~~ approx Valley pivot, (low pressure system) to
 approx. 3,350' of main line to Second 1/4 mile
 Valley low pressure pivot that windshield wiper.

according to Rayth Dynamic pumping level was measured at 345'

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE.	450	HTJ805016	Aurora	12" discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6 Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
85	29E	27									39	28	39	39		28	38	35	246
		34	33	37			36	28											134
																			380

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Halls meter	Pitot	COX		120387	12"	—
Flow indicator	Manometer	IDWR	—	—	60"	—
Pressure Gage	—	ascroft Rainbird	—	—	0-160	—

2. Measurements:

$$\text{Theoretical} \Rightarrow \frac{450 \text{ HP} (8.814) (.7)}{345' + ((52 \text{ psi}) (2.308))} = 2679.6 \text{ gpm}$$

$$= 5.97 \text{ cfs} = 2679.6 \text{ gpm}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 5.93 \text{ cfs}$$

$$\text{use } 5.93 \text{ cfs} = Q$$

2. Alternate Method for Checking Purposes

$$\text{Theoretical} = 5.97 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) , Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (380)(4) = 1520 \text{ acft}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 5.93(214)1.9835 = 2517.1 \text{ acft}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1520 \text{ acft}$$

2. Volume Calculations for Other Uses:

APR 25 1995

[illegible]

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

Field Report Preparation Date _____

CONSULTANT SEAL 3-15-95

- * See attached memo for adjustment explanation B

100-100000

APR 25 1935

MEMORANDUM

TO: File 35-08071 / Kay Hunt
FROM: Brenda Chapman
DATE: March 31, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

D. FLOW MEASUREMENTS

The recommended rate (also capacity) has been reduced to the the examiner's original flow meter calculation of 5.88 cfs. In re-working the calculations with the information given, I reach the same conclusion as the examiner. There appears to be no justification for the higher recommended rate of 5.93 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	5.88	1520.0

See item D.

Also, the irrigation season dates were adjusted to the currently used Field Headgate Requirement and Season of Use chart.

APR 25 1995

State of Idaho
DEPARTMENT OF WATER RESOURCES
Cox/Hall Meter Flow Calculations

DATE: 6-17-91

PERMIT 35-8071

MANOMETER READING INCHES OF WATER TO COX/HALLS METER - Vh

COX/HALL
METER #

12

SYSTEM NAME/NUMBER

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

Circumference in Inches = 37.8 CIR

Thickness in Inches = .125 T

ID = (0.3183 X CIR) - (2 T) = 11.78 ID

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O

() - () = H

() - () = H

() - () = H

(38.6) - (14.3) = 24.3 H

High reading - Low Reading

DETERMINE Vh FROM CHART USING (H): 24.2 Vh

(Example H = 12.3, Vh = 16.9)

CALCULATION OF FLOW IN CFS:

Q cfs = [(π /4) X (id)² X Vh] / 448.8

(id) (Vh)

Q cfs = [0.78539 (11.78)² (24.2)] / 448.8

138.77

Q cfs = ^{KW}5.88 5.93 cfs

Q cfs = cfs

^{KW}2660.5 gpm
2660 gpm

52 Psi operating pressure

345 Dynamic pumping level

276.41
465.06
2679.6 gpm
MEASURED BY APP
25 1995

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.0	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.4	4.8	5.2	5.6	6.0	6.4	6.8	7.2	7.6	8.0
2	8.4	8.8	9.2	9.6	10.0	10.4	10.8	11.2	11.6	12.0
3	12.4	12.8	13.2	13.6	14.0	14.4	14.8	15.2	15.6	16.0
4	16.4	16.8	17.2	17.6	18.0	18.4	18.8	19.2	19.6	20.0
5	20.4	20.8	21.2	21.6	22.0	22.4	22.8	23.2	23.6	24.0
6	24.4	24.8	25.2	25.6	26.0	26.4	26.8	27.2	27.6	28.0
7	28.4	28.8	29.2	29.6	30.0	30.4	30.8	31.2	31.6	32.0
8	32.4	32.8	33.2	33.6	34.0	34.4	34.8	35.2	35.6	36.0
9	36.4	36.8	37.2	37.6	38.0	38.4	38.8	39.2	39.6	40.0
10	40.4	40.8	41.2	41.6	42.0	42.4	42.8	43.2	43.6	44.0
11	44.4	44.8	45.2	45.6	46.0	46.4	46.8	47.2	47.6	48.0
12	48.4	48.8	49.2	49.6	50.0	50.4	50.8	51.2	51.6	52.0
13	52.4	52.8	53.2	53.6	54.0	54.4	54.8	55.2	55.6	56.0
14	56.4	56.8	57.2	57.6	58.0	58.4	58.8	59.2	59.6	60.0
15	60.4	60.8	61.2	61.6	62.0	62.4	62.8	63.2	63.6	64.0
16	64.4	64.8	65.2	65.6	66.0	66.4	66.8	67.2	67.6	68.0
17	68.4	68.8	69.2	69.6	70.0	70.4	70.8	71.2	71.6	72.0
18	72.4	72.8	73.2	73.6	74.0	74.4	74.8	75.2	75.6	76.0
19	76.4	76.8	77.2	77.6	78.0	78.4	78.8	79.2	79.6	80.0
20	80.4	80.8	81.2	81.6	82.0	82.4	82.8	83.2	83.6	84.0
21	84.4	84.8	85.2	85.6	86.0	86.4	86.8	87.2	87.6	88.0
22	88.4	88.8	89.2	89.6	90.0	90.4	90.8	91.2	91.6	92.0
23	92.4	92.8	93.2	93.6	94.0	94.4	94.8	95.2	95.6	96.0
24	96.4	96.8	97.2	97.6	98.0	98.4	98.8	99.2	99.6	100.0
25	100.4	100.8	101.2	101.6	102.0	102.4	102.8	103.2	103.6	104.0
26	104.4	104.8	105.2	105.6	106.0	106.4	106.8	107.2	107.6	108.0
27	108.4	108.8	109.2	109.6	110.0	110.4	110.8	111.2	111.6	112.0
28	112.4	112.8	113.2	113.6	114.0	114.4	114.8	115.2	115.6	116.0
29	116.4	116.8	117.2	117.6	118.0	118.4	118.8	119.2	119.6	120.0
30	120.4	120.8	121.2	121.6	122.0	122.4	122.8	123.2	123.6	124.0
31	124.4	124.8	125.2	125.6	126.0	126.4	126.8	127.2	127.6	128.0
32	128.4	128.8	129.2	129.6	130.0	130.4	130.8	131.2	131.6	132.0
33	132.4	132.8	133.2	133.6	134.0	134.4	134.8	135.2	135.6	136.0
34	136.4	136.8	137.2	137.6	138.0	138.4	138.8	139.2	139.6	140.0
35	140.4	140.8	141.2	141.6	142.0	142.4	142.8	143.2	143.6	144.0
36	144.4	144.8	145.2	145.6	146.0	146.4	146.8	147.2	147.6	148.0
37	148.4	148.8	149.2	149.6	150.0	150.4	150.8	151.2	151.6	152.0
38	152.4	152.8	153.2	153.6	154.0	154.4	154.8	155.2	155.6	156.0
39	156.4	156.8	157.2	157.6	158.0	158.4	158.8	159.2	159.6	160.0
40	160.4	160.8	161.2	161.6	162.0	162.4	162.8	163.2	163.6	164.0
41	164.4	164.8	165.2	165.6	166.0	166.4	166.8	167.2	167.6	168.0
42	168.4	168.8	169.2	169.6	170.0	170.4	170.8	171.2	171.6	172.0
43	172.4	172.8	173.2	173.6	174.0	174.4	174.8	175.2	175.6	176.0
44	176.4	176.8	177.2	177.6	178.0	178.4	178.8	179.2	179.6	180.0
45	180.4	180.8	181.2	181.6	182.0	182.4	182.8	183.2	183.6	184.0
46	184.4	184.8	185.2	185.6	186.0	186.4	186.8	187.2	187.6	188.0
47	188.4	188.8	189.2	189.6	190.0	190.4	190.8	191.2	191.6	192.0
48	192.4	192.8	193.2	193.6	194.0	194.4	194.8	195.2	195.6	196.0
49	196.4	196.8	197.2	197.6	198.0	198.4	198.8	199.2	199.6	200.0
50	200.4	200.8	201.2	201.6	202.0	202.4	202.8	203.2	203.6	204.0
51	204.4	204.8	205.2	205.6	206.0	206.4	206.8	207.2	207.6	208.0
52	208.4	208.8	209.2	209.6	210.0	210.4	210.8	211.2	211.6	212.0
53	212.4	212.8	213.2	213.6	214.0	214.4	214.8	215.2	215.6	216.0
54	216.4	216.8	217.2	217.6	218.0	218.4	218.8	219.2	219.6	220.0
55	220.4	220.8	221.2	221.6	222.0	222.4	222.8	223.2	223.6	224.0
56	224.4	224.8	225.2	225.6	226.0	226.4	226.8	227.2	227.6	228.0
57	228.4	228.8	229.2	229.6	230.0	230.4	230.8	231.2	231.6	232.0
58	232.4	232.8	233.2	233.6	234.0	234.4	234.8	235.2	235.6	236.0
59	236.4	236.8	237.2	237.6	238.0	238.4	238.8	239.2	239.6	240.0
60	240.4	240.8	241.2	241.6	242.0	242.4	242.8	243.2	243.6	244.0
61	244.4	244.8	245.2	245.6	246.0	246.4	246.8	247.2	247.6	248.0
62	248.4	248.8	249.2	249.6	250.0	250.4	250.8	251.2	251.6	252.0
63	252.4	252.8	253.2	253.6	254.0	254.4	254.8	255.2	255.6	256.0
64	256.4	256.8	257.2	257.6	258.0	258.4	258.8	259.2	259.6	260.0
65	260.4	260.8	261.2	261.6	262.0	262.4	262.8	263.2	263.6	264.0
66	264.4	264.8	265.2	265.6	266.0	266.4	266.8	267.2	267.6	268.0
67	268.4	268.8	269.2	269.6	270.0	270.4	270.8	271.2	271.6	272.0
68	272.4	272.8	273.2	273.6	274.0	274.4	274.8	275.2	275.6	276.0
69	276.4	276.8	277.2	277.6	278.0	278.4	278.8	279.2	279.6	280.0
70	280.4	280.8	281.2	281.6	282.0	282.4	282.8	283.2	283.6	284.0
71	284.4	284.8	285.2	285.6	286.0	286.4	286.8	287.2	287.6	288.0
72	288.4	288.8	289.2	289.6	290.0	290.4	290.8	291.2	291.6	292.0
73	292.4	292.8	293.2	293.6	294.0	294.4	294.8	295.2	295.6	296.0
74	296.4	296.8	297.2	297.6	298.0	298.4	298.8	299.2	299.6	300.0
75	300.4	300.8	301.2	301.6	302.0	302.4	302.8	303.2	303.6	304.0
76	304.4	304.8	305.2	305.6	306.0	306.4	306.8	307.2	307.6	308.0
77	308.4	308.8	309.2	309.6	310.0	310.4	310.8	311.2	311.6	312.0
78	312.4	312.8	313.2	313.6	314.0	314.4	314.8	315.2	315.6	316.0
79	316.4	316.8	317.2	317.6	318.0	318.4	318.8	319.2	319.6	320.0
80	320.4	320.8	321.2	321.6	322.0	322.4	322.8	323.2	323.6	324.0
81	324.4	324.8	325.2	325.6	326.0	326.4	326.8	327.2	327.6	328.0
82	328.4	328.8	329.2	329.6	330.0	330.4	330.8	331.2	331.6	332.0
83	332.4	332.8	333.2	333.6	334.0	334.4	334.8	335.2	335.6	336.0

T 8 S R 29 E

2024

PLACE OF USE


POINT OF DIVERSION

35-08071

7/25/25

cedar

Kay Hunt



35-08071


Not to Scale

APR 25 1995

35-8071

ent Port

APR 25 1995



VK5

FORWARD WHITE COPY TO WATER RESOURCES

December 17, 1990

KAY HUNT
P.O. BOX 187
AMERICAN FALLS, ID 83211

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08071

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 64 1991

139945
~~139944~~
June 30, 1990

KAY HUNT
P.O. BOX 187
AMERICAN FALLS, ID 83211

PROOF DUE NOTICE
RE: PERMIT NO. 35-08071

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 15, 1989

KAY HUNT
P.O. BOX 187
AMERICAN FALLS, ID 83211

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08071

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

UNRECORDED

AUG 18 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 18 1989

MEMORANDUM

TO: File No. 35-8071
FROM: Gary Spackman *Gary*
DATE: July 31, 1989

RE: Waiver of Rule 4,5. Information Requirements

Application 35-8071 was filed prior to July 1, 1985 and represents development complete prior to October 1, 1985. It is exempt from Swan Falls processing requirements. Under normal circumstances, it would be subject to the additional information requirements of Rule 4,5. of the Water Appropriation Rules and Regulations. Development is already complete, however, and many of the concerns addressed by Rule 4,5. should already have been raised during construction and operation.

Pursuant to the memorandum from Glen Saxton dated July 19, 1989, the requirement for additional information under Rule 4,5. should be waived.

MICROFILMED

AUG 18 1989

MEMORANDUM

TO: Regions and Water Allocation Bureau
FROM: Glen Saxton *GJS*
RE: NEED FOR ADDITIONAL INFORMATION UNDER RULE 4,5. OF THE
WATER APPROPRIATION RULES AND REGULATIONS: PRE-EXISTING
DEVELOPMENT
DATE: July 19, 1989

Many applications are being submitted to the department representing development which occurred several years ago. Some of these applications request diversion in excess of 5 cfs or irrigation in excess of 200 acres, prompting review under Rule 4,5. of the Water Appropriation Rules and Regulations.

The purpose of Rule 4,5. requirements for additional information is to force pre-development analysis of the application. If the development is already complete, many of the analysis criteria are of little value.

If development is already in place prior to filing of the application, the requirements of Rule 5 in some cases may be waived. The waiver of the requirements is based on the fact that many of the negative effects of the development should already have been felt or recognized. One exception, however, is when development is so recent that possible problems associated with the development may not yet have surfaced.

An analysis of the system prior to the development will help us in avoiding conflicts with other public interests which may be injured by the development.

MICROFILMED

AUG 18 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 21, 1987

RE: Water Right No. 35-8071

Kay Hunt
Box 187
American Falls, ID 83211

Dear Ms. Hunt:

Enclosed is your interim approval for the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your interim approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the interim approval.

Sincerely,

GARY SPACKMAN
Supervisor, Water Allocation Section

GS:sc

Enclosures

cc: Eastern Region
Tom Nelson

MICROFILMED

AUG 18 1987

Memo.

8 July, 1987.

- This application was processed for interim approval.
- Both the p d & p u. are outside the trust water area.
- Affidavits, dated May 1985, indicate development was completed in April, 1983.
- If interim approval can not be granted, I understand a letter will be sent to the applicant by the state office.
- This system is probably in operation and could be used as interim permit would authorize the diversion of water.

Conservation Memo.

8 July 87.

Party - Gary Spackman
Employee - Ernst

Agreed application should be forwarded to state office. If interim approval is denied the file will be returned to Regional Office.

MICROFILMED

AUG 18 1987

Idaho Department of Water Resources
Eastern District Office
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402

Mr. Ron Carlson:

Would you please commence required processing of my application
for permit # 35-8071?

I understand the interim approval nature of this permit and agree
to abide by the interim conditions imposed by the Department of
Water Resources. I also ask for permanent conversion of this
permit when interim conditions end.

Thank you for your help in this matter.

Respectively yours,

Kay Hunt

MICROFILMED

AUG 18 1987

35-8071

State of Idaho
County of _____

deposes and says: The development which has been performed under permit 35-8071 has been completed as follows: Well drilled in September, 1982; center pivots (2) installed before April 1, 1983. The applicant has made substantial investment in the project as of September, 1982.

The full 380 acres under the permit has been developed as of
April 1, 1983.

RECEIVED

AUG 18 1987

(Signature)

Subscribed and sworn to before me this 29th day of May, 1985.

(Notary Public)

Residing at Idaho Falls, Idaho
My Commission Expires 2/12/91

35-8071

AFFIDAVIT

Lee Kress

being first duly sworn,

deposes and says: The development which has been performed under permit 35-8071 has been completed as follows: Well drilled in September, 1982; center pivots (2) installed before April 1, 1983. The applicant has made substantial investment in the project as of September, 1982.

The full 380 acres under the permit has been developed as of
April 1, 1983.

Lee Kress
(Signature)

Subscribed and sworn to before me this 29th day of May, 1985.

me this 29th day of May, 1967
[Signature]
 (Notary Public)

Residing at Idaho Falls, Idaho
My Commission Expires 2/12/91

DECLASSIFIED

AUG 18 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
COUNTY OF POWER

.Brett Crompton..... being first duly
sworn on oath, states:

That he..... is the .editor/manager...
of the Power county Press, a newspaper of
general circulation in Power County, Idaho,
published weekly at American Falls in said
county, that said newspaper has been pub-
lished in said county uninterruptedly and
continuously for over seventy-eight consec-
utive weeks, prior to the first publication
of the annexed notice or advertisement:

That the annexed notice or advertisement
was published as per clipping attached in
the regular and entire edition of said
newspaper and not in any supplement thereof

for...2.... successive weekly issues thereof,
the date of the first publication being the

.6th..... day of May.....19 87....
and the date of last publication being the

.13th..... day of May.....19 87....

(Signed) *Brett Crompton*.....

Subscribed and sworn to before me this

.29th..... day of May.....19 87....

John M. [Signature]
Notary Public, residing at
American Falls, Idaho

(SEAL)

My commission expires the

[Signature]
.....day of 19....

RECEIVED

JUN 4 1987

Department of Water Resources
Eastern District Office

MICROFILMED

AUG 18 1987

**Application
for water right**

Published in The Power County Press,
May 6, 13, 1987.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been
filed to appropriate the public waters
of the State of Idaho:

35-8071

HUNT, KAY
BOX 187, AMERICAN FALLS, ID
83211
Source: GROUNDWATER
Date Filed: 12/16/1982
Diversion Pt: SESW Sec 27 T 08S R
29E
Use: IRRIGATION (7.60 CFS)
IN: NESW NWSW SWSW SESW
NWSE SWSE SESE Sec 27 T 08S R
29E NENE NWNE NENW NWNW
Sec 34 T 08S R 29E for 380 ACRES

This application being advertised
under the interim approval conditions:

The permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec.
42-203A, Idaho Code and/or the new
public interest criteria of Sec.
42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402 on
or before May 25, 1987.

Ken Dunn
Director

May 27, 1987

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Re: Application No. 35-8071, Kay Hunt

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on May 7, and May 14, 1987.

Your cooperation in this matter is greatly appreciated.

Sincerely,

Deena Green
Office Secretary

MICROFILMED

AUG 18 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MARCH 25, 1987

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen,

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 20, 1987.

Yours truly,

Michele Davis
Office Secretary

Encl.

MICROFILMED

AUG 18 1987

Application
for water right

Published in The Power Company
Press April 1 & 5, 1987

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho

35-8071

HUNT, KA1
BOX 187, AMERICAN FALLS, ID
83211

Source: GROUNDWATER

Date Filed: 12/16/1982

Diversion Pt: SE5W Sec 27 T 08S R
29E

Use: IRRIGATION (7.60 CFS)

In: NESW NWSW SWSW SESW

NWSE SWSE SESE Sec 27 T 08S R

29E NENE NWNE NENW NWNW

Sec 34 T 08S R 29E FOR 380
ACRES

This application being advertised
under the interim approval condi-
tions

The permits will be subject to all
prior water rights. Protests may be
submitted based on the criteria of
Sec. 42-203A, Idaho Code and on
the new public interest criteria of
Sec. 42-203C, Idaho Code. Protests
must be filed with the Director,
Dept. of Water Resources, 150
Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 or before April 6,
1987.

Ken Dunn
Director

MICROFILMED

AUG 18 1987

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

35-8021

HUNT, KAY

BOX 187, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Date Filed: 12/16/1982

Diversion Pt: SESW Sec 27 T 08S R 29E

Use: IRRIGATION (7.60 CFS)

In: NESW NWSW SWSW SESW NWSE SWSE SESE Sec 27 T 08S R 29E NENE NNNE NENW NNW
Sec 34 T 08S R 29E FOR 380 ACRES

This application being advertised under the interim approval
conditions.

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest criteria of
Sec. 42.203C, Idaho Code. Protests must be filed with the
Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15,
Idaho Falls, Idaho, 83402 on or before ^{May 25} April 6, 1987.

Ken Dunn

Director

^{May 6} Published April 2, and April 9, 1987

MICROFILMED
AUG 18 1987

*all will add with
correct protest date
spoke w/ Donna Jensen.*

October 14, 1982

Kay Hunt
Box 187
American Falls, ID 83211

Dear Mr. Hunt:

Enclosed you will find your application for a permit. Please review it and if all seems correct sign and send it back to this office with a fee of \$185.00.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:bp

Enclosure

MINIFILMED

AUG 18 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
COUNTY OF POWER

Brett Crompton
..... being first duly
sworn on oath, states:

That ..he... is the .editor/manager..
of the Power county Press, a newspaper of
general circulation in Power County, Idaho,
published weekly at American Falls in said
county, that said newspaper has been pub-
lished in said county uninterruptedly and
continuously for over seventy-eight consec-
utive weeks, prior to the first publication
of the annexed notice or advertisement:

That the annexed notice or advertisement
was published as per clipping attached in
the regular and entire edition of said
newspaper and not in any supplement thereof

for...two... successive weekly issues thereof,
the date of the first publication being the

1st day of April 19..... 87
and the date of last publication being the

8th day of April 19..... 87

(Signed) *Brett Crompton*

Subscribed and sworn to before me this

16th day of April 19..... 87

John M. [Signature]
Notary Public, residing at
American Falls, Idaho

(SEAL)

My commission expires the

For Life
..... day of 19.....

**Application
for water right**

Published in The Power County
Press April 1 & 8, 1987.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

35-8071

HUNT, KAY
BOX 187, AMERICAN FALLS, ID
83211

Source: GROUNDWATER

Date Filed: 12/16/1982

Diversion Pt: SESW Sec 27 T 08S R
29E

Use IRRIGATION (7.60 CFS)

In: NESW NWSW SWSW SESW

NWSE SWSE SESE Sec 27 T 08S R

29E NENE NWNW NENW NWNW

Sec 34 T 08S R 29E FOR 380

ACRES

This application being advertised
under the interim approval condi-
tions:

The permits will be subject to all
prior water rights. Protests may be
submitted based on the criteria of
Sec. 42-203A, Idaho Code and/or
the new public interest criteria of
Sec. 42.203C, Idaho Code. Protests
must be filed with the Director,
Dept. of Water Resources, 150
Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before April 6,
1987

Ken Dunn
Director

MICROFILMED

AUG 18 1987

35-8021-

HUNT, KAY

EDX 187, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Date Filed: 12/16/1982

Diversion Pt: SESW Sec 27 T 08S R 29E

Use: IRRIGATION (7.60 CFS)

In: NESW NWSW SWSW SESW NWSE SWSE SESE Sec 27 T 08S R 29E NENE NWNE NENW NWNW
Sec 34 T 08S R 29E FOR 380 ACRES

MICROFILMED

AUG 18 1987