


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

SEP 25 1989

Gerald Larsen
(Applicant)

35-8070

R34E
T1S

3470 1 SE
(OLSEN)


POINT OF
DIVERSION

PLACE OF USE

MICROFILMED
NOV 17 1992

35-8070

17'30"
4794



29 28 NAHEL
145.9

CRP
90-48

HEL
5
49.0

T 24546
2250

HEL
1
48.0


35-8070

R34E

T
S

28

POINT OF DIVERSION



29 28
32 33

NOV 17 1992
35-8

35-8070



FLOW MEASUREMENT Port



MICROFILMED
NOV 17 1992

35-8070

RECEIVED

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

MAY 31 1985

STATE OF IDAHO)
:SS
County of Bingham)

Department of Water Resources
Eastern District Office

AFFIDAVIT

GERALD LARSEN, being first duly sworn, deposes and says:

I am the property owner of that piece of land in the SW 1/4 of Section 29, Township 1 South, Range 34 E.B.M.

I began a project to drill a well on this property and further improve my farming situation on this land and other lands owned and operated by me in the spring of 1982. I contacted Lamar Barrus to drill a well and orally contracted with him to drill the well. This commitment was made before November 19, 1982. During the summer and fall of 1982, I cleared the brush and prepared the land for farming on 110 acres of this property at a cost of approximately \$2,200.00.

On November 15, 1982, or prior thereto, I contacted an Idaho Power Company representative regarding service to the well I had contracted to have drilling on the subject property (Idaho Power's Work Order No. 42-925-302, Recorded Date 11-15-82). It was determined that inasmuch as the project had been started at that time that power would be supplied to service the well to be dug and set up.

During the time the well was being dug, I read an article in the paper to the effect there would be no power available on new construction. I went into Idaho Power and discussed this matter with Harold Turvey who conferred with the Pocatello Office of Idaho Power and it was determined that since the power line was in a construction stage, the power would be available to the well. (this was in January of 1983) I then notified Mr. Barrus to complete the well. After the well was completed and the pump installed, I was notified by Mr. Brandon of Idaho Power that there would be no power available to the pump. At that time I advised him to search the records which would show I had made application for the power on or before November 15, 1982, and service had been approved. I was subsequently notified the power supply had been approved at that time and the well was in service.

As a further history of this operation, it was my intention to purchase a center pivot for use on another piece of my property and taking the 6 hand lines currently being used on that property for irrigating the property which is the subject of this cause. The circular pivot was ordered in September of 1982; the contract was signed in October of 1982; the equipment was installed and in working order in October of 1982, freeing the hand lines for use on

MICROFILMED

SEP 25 1989

This is a photocopy
 of the 1978 overflight
 as per telecon with
 A.S.C.S. office in Bladford
 as per telecon w/A.S.C.S.
 S.M. 5-29-1985.

C-154

118.1

C-9

311C

T-5291

A.
 9.0

89.5

B.
 34.2

C.
 11.8

F.
 80.5

E
 80.5

RECEIVED

SEP 25 1989

F.
 91.3

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08070

Priority: December 16, 1982

Maximum Diversion Rate: 1.70 CFS
Maximum Diversion Volume: 340.0 AF

This is to certify, that MYRTLE LARSEN
GERALD LARSEN

864 W 650 N
BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 16, 1982; and has submitted Proof of Beneficial Use on May 4, 1990. An examination indicates that the works have a diversion capacity of 2.310 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.70 CFS	340.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 28, Township 01S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	34E	28	NESW 15	NWSW 21	SWSW 26	85
			SESW 23			

Total number of acres irrigated: 85

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECEIVED

NOV 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08070

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of OCTOBER, 1992.

Acting for R. Keith Higginson, Director

RECEIVED

NOV 17 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08070

Proposed Priority: December 16, 1982 Maximum Diversion Rate: 1.70 CFS

This is to certify, that **MYRTLE LARSEN**
GERALD LARSEN
RT. 4 BOX 331
BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	1.70 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SWSW Sec. 28, Township 01S, Range 34E BINGHAM County
---	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	34E	28	NESW 20	NWSW 20	SWSW 22	85
			SESW 23			

Total number of acres irrigated: 85

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of September, 1989


R. Keith Higginson, Director

RECORDED

for

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Gerald or Myrtle Larsen Phone 684-4305

Post office address Rt. #4, Box 331, Blackfoot, ID 83221

2. Source of water supply groundwater which is a tributary of --

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 1S

Range 34E B.M. Bingham County, additional points of diversion if any: ---

4. Water will be used for the following purposes:

Amount 1.70 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.70 cubic feet per second and/or b. --- acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, mainline with handlines

b. Height of storage dam --- feet, active reservoir capacity --- acre-feet; total reservoir capacity --- acre-feet, materials used in storage dam: ---

Period of year when water will be diverted to storage --- to --- inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: --- $\frac{1}{4}$ of --- $\frac{1}{4}$ of Section --- Township ---

Range --- B.M. ---

(2) Amount of power to be generated: --- horsepower under --- feet of head.

(3) List number of each kind of livestock to be watered ---

(4) Name of municipality to be served ---, or number of families to be supplied with domestic water ---.

(5) If water is to be used for other purposes describe: ---

MICROFILMED

SEP 22 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	34E	28									20	20	22	23					85

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

SEP 25 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

NOTED

SEP 23 1989

Gerald Larsen
(Applicant)

Assisted By Kew Date 12-16-82 Time 1:20 p.
Received by _____ Date _____ Time _____
Preliminary check by HWJ Fee \$ 65.00
Received by CW Date 12-16-82 # 23242
Publication prepared by RB Date _____
Published in Morning News
Publication dates 7-6-89
Publication approved CW Date 7-24-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

SEP 25 1989

27-07462

MILLER, AMI
WHITE, Echo
756 E. 1200 N.
Shelley, Idaho 83274
Source: GROUNDWATER
Diversion Pt. SWSE, Sec. 3, T 01N, R
37E
Use: DOMESTIC (.060 CFS)
Date Filed 5/15/1989
In: T01N, R37E, S32, SWSE

27-07463

NULPH, Todd H.
NULPH, Janet L.
648 South Park
Shelley, Idaho 83274
Source: GROUNDWATER
Diversion Pt. SWSE, Sec. 21, T 01N, R
37E.
Use: DOMESTIC (.040 CFS)
Date Filed 5/03/1989
In: T01N, R37E, S21, SWSE

35-08018

THOMPSON, William D
P O Box 519
Blackfoot, Idaho 83221
Source: SPRING CREEK
Tributary SNAKE RIVER.
Diversion Pt. SWNE, Sec. 21, T 04S, R
32E
Use: IRRIGATION (.600 CFS)
Date Filed: 2/03/1982.
In T04S, R32E, S21, SWNE, SENE.
30.0 ACRES TOTAL.

35-08070

LARSEN, Gerald
LARSEN, Myrtle
Rt 4, Box 331
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt. SWSW, Sec. 28, T 01S, R.
34E
Use: IRRIGATION (1.700 CFS)
Date Filed: 12/16/1982
In T01S, R34E, S28, NESW, NWSW,
SWSW, SESW
85.0 ACRES TOTAL.

35-08081

KNUDSEN, Bob Jr.
Rt 1, Box 84-A
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt. NWNW, Sec. 24, T 06S, R
30E.
Use: IRRIGATION (1.160 CFS)
Date Filed: 1/17/1983
In: T06S, R30E, S24, NENW, NWNW,
SWNW, SENW
160.0 ACRES TOTAL

35-08084

KNUDSEN POOR FARMS, Inc
Rt 1, Box 84-A
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt. NENE, Sec. 25, T 06S, R
30E
Use: IRRIGATION (.800 CFS).
Date Filed: 1/17/1983
In: T06S, R30E, S25, NENE, NWNW,
SWNE, SENE.
R31E, S30, NWNW, SWNW.
240.0 ACRES TOTAL.

RECEIVED

JUL 20 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)
I, Michael Bell) ss

do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the
6th day of July, 1989;

and the last publication having been made on the
13th day of July, 1989;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement

On this 17th day of July, in
the year 1989, before me a Notary Public of said State,
personally appeared

MICROFILMED

SEP 20 1989

known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Wayne Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee \$5.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 23, 1992

MYRTLE LARSEN
GERALD LARSEN
864 W 650 N
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08070

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

NOV 17 1992

September 17, 1992

MYRTLE LARSEN
GERALD LARSEN
864 W 650 N
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08070

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
NOV 17 1992

LICENSE REVIEW CHECKLIST

Permit # 35-08070

Date 9-14-92

28

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	<u>85 x .02 = 1.7 cfs (IRR)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u>110 x 8.8 x .7 = 2.54</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>2.31 cfs 160' + (2.31 x 46)</u>
			(manometer)
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31 (1 day)</u> Standard Irr. Season
			<u>Same/Reduced from Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>85 x 4.0 = 340 afa (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>1.7 x 213 x 1.9835 = 718.2 > 340</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R31</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> <u>✓</u> App Rec'd
			<u> </u> <u>✓</u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Season

License 10-Day ✓ 15-Day Special Correspondence

WR0749NP
No. L35-08070

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MYRTLE LARSEN	12/16/1982	IRRIGATION	04-01 10-31	1.70 CFS	340.0 AFA
C	GERALD LARSEN					
	864 W 650 N					
	BLACKFOOT ID 83221					
	(208) 684-4305					
				TOTAL DIVERSION:	1.70 CFS	340.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.31 CFS

Point(s) of Diversion: T01S R34E S28 SW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
01S	34E	28	:											15	21	26	23			:	85.0
																				TOTAL ACRES	85.0

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-08070

Other Water Rights Listing Overlapping Place(s) of use:
35-07018A 35-07018B 35-08070

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Dates:	App. Received:	12/16/1982	Priority Date:	12/16/1982
	Proof Due Date:	10/01/1990	Proof Made Date:	05/04/1990
	Exam Made Date:	07/09/1990	Exam Sent to S.O.:	04/27/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 09/14/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 35-8070

1 Owner Gerald Larsen Phone No. 684-4305

Current Address: 864 W. 650 N. Blackfoot, ID

2. Accompanied by: Same EXAM. DATE: 7/9/90

Address Same Phone No. Same

Relationship to Permit Holder: Owner

3 Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion. A35-070184 (0.17 cfs)

☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

1ⁿ



RECORDED
NOV 17 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc.)

Motor is 110 HP (it has been re-wound to 110% of 100 HP)
equivalent of 62 1/4 mile lines

This rt. has a p.o.u. as adjacent acres to License 35-7018.
See claim A35-07018A. Claim A35-07018 B says there
are 15 acres in the S 1/2 SW 1/4 of Sect 28 irrigated by a different pd
in Sect. 32. ASCS map only shows an incursion of 4.2 acres
in the S 1/2 SW 1/4 by the pivot from the south. A35-07018B needs to
be amended if this air photo is accurate. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
C-28-1	US Motor	75	9 31 638	Johnston	45948

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	28	1S	34E	Bingham	USGS Map/on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	34E	28									15	21	26	23					85
Total Acres of System																			
1S	34E	28									15	21	36	33					105
		33																	3.7

108.7
= 109 ac

RECEIVED

NOV 17 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter Station	Annubar	Dieterich	7517-316	19 11 46	10.02"	
Pressure Gauge	Rain Bird	Rain Bird	-	-	100 psi	

2. Measurements:

Circ 32" id =
 460 psi 29.4 22.3 (Manometer)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level. _____ ft (2)
 Total Head: (1) + (2) = _____ (3) . Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 85 \text{ acres} \times 4 \text{ af} = 340 \text{ af}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1200 \text{ cfs} \times 213 \text{ days} \times 1.9835 = 718.2$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 340 \text{ af}$

2. Volume Calculations for Other Uses:

MICROFILMED

NOV 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Acreage licensed is adjacent to acreage in License 35-7018

I. RECOMMENDATIONS

1 Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	1.70	340
Totals:			1.70 cfs	340 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Scott King

Signature _____

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 17 1992

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Scott King Date 7-9-90
Owner: Gerald Larsen Permit No. 35-8070

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 32"

T = Pipe Thickness in Inches = 0.125

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 9.94

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10"

State ID No. 191146

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	<u>3.94</u>
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 29.4

Low Reading = 22.3

High - Low = H = 7.1

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 (\sqrt{H}) (C)}{448.8}$$

$$Q = \frac{(9.94)^2 (\sqrt{7.1}) (3.94)}{448.8} = \underline{2.31} \text{ CFS}$$

SKETCH (If not shown on Field Report)

NOV 7 1992

35-8070



NOV 17 1992

35-8070

17'30" 4794

CRP

90-48

HEL

5
49.0

2250

HEL

48.0


35-8070

R34E

T S

28

POINT OF DIVERSION



35-8070

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 35-8070

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 15, Rge 34E Sec. 28, SW1/4 SW1/4 or Lot .

2. Owner: Gerald Larsen

Address 864 W. 650 N ~~35~~, City Blackfoot, St ID

3. Casing $\geq$ 12 inches above ground: Yes X No

4. Access Port:	Yes <u>X</u> No <u> </u>	Static Water Level:	<u> </u>
Pressure Gauge:	Yes <u>X</u> No <u> </u>	Casing Diameter:	<u> </u>
Flowing:	Yes <u> </u> No <u>X</u>	Temperature:	<u>Unknown</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No X


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Pressure guage broken

Static Water Level approx 160'

NOT RECORDED

NOV 17 1992



Flow Measurement Port

35-8070

RECEIVED
NOV 17 1992

35-8070

June 26, 1990

MYRTLE LARSEN
GERALD LARSEN
RT. 4 BOX 331
BLACKFOOT, ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08070

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 27 1990

RECEIVED

MAY - 4 1990

Form 217

Department of Water Resources
Eastern District Office

RECEIVED
MAY 09 1990

For Office Use Only
Fee Received
Date 7/11/90
Receipt # EC14161
Receipt by KLM
Reviewed by 6-25-90
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-C8070

Name(s) of Permit Holder: Gerald Larsen

Post Office Address: 864 W 650 N Blackfoot ID 83221

Telephone No. 684-4305

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 85 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.7 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1982

Measuring Device: Required? Yes No Fee enclosed \$ 125⁰⁰
Installed? Yes No (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Same

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3 Oct 1989

Date

Gerald Larsen

Signature of Permit Holder (and title, if appropriate)

MEMORANDUM

TO: FILE/APPLICATION NO. 35-8070

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

MICROFILMED

JUL 23 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 35-8070

Date: 6-25-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change Yes If yes, prepare a data entry
☒ Proof received timely Yes
☐ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
☐ 1. well log in file 1982
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
needs flow measurement*

Priority Calculation		
Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 25, 1989

MYRTLE LARSEN
GERALD LARSEN
RT. 4 BOX 331
BLACKFOOT, ID 83221

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08070

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

SEP 25 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 25 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWS

APPLICATION NUMBER: 35 8070

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. #35-708 in S 1/2 SW 1/4 but
not same ground
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7-24-89
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-20-89
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05
12-16-82 Date of priority recommended.
Special conditions of approval or cover letter. <0167

App. in TRUST area-

allow 1 yr. to develop

By: HWS Date: 8-01-89

STATE OFFICE REVIEW:

P05, P23, P03, P16

46 016

RECEIVED

- ☐ See attached sheet for more information.

By: KW Date: 9-14-89

AUG 23 1989

Department of Water Resources

CW

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

29-Jun-1989

Gerald or Myrtle Larsen
Rt. 4, Box 331
Blackfoot, ID 83221

RE: Application for Permit No. 35-8070

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 23 1989

S T A T E O f I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 27, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 24, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

SEP 25 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

SEP 25 1989

35-08070

LARSEN, GERALD
LARSEN, MYRTLE
RT. 4, BOX 331
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SWSW Sec 28 T 01S R 34E

Use: IRRIGATION (1.700 CFS)

Date Filed: 12/16/1982

In: T01S R34E S28 NESW NWSW SWSW SESW

85.0 ACRES TOTAL

MICROFILMED

SEP 25 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 24, 1989.

R. Keith Higginson, Director

Published 7/06/1989 & 7/13/1989

FILED

SEP 25 1989

January 18, 1989

GERALD OR MYRTLE LARSEN
RT. #4, BOX 331
BLACKFOOT, ID 83221

RE: APPLICATION FOR PERMIT NO. 35-8070

Dear Applicant:


The department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy. In connection with this processing, the department requests the information described below.

From the department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

The department asks that you advise us within 15 days of this letter if you no longer have a continued interest in developing a water right as proposed by the application. If you do not respond in this time period, the department will proceed with the usual processing of the application including advertisement.

Please feel free to contact the department if you have questions.

Sincerely,



Ronald D. Carlson
Eastern Regional Manager

RDC/rb

MICROFILMED

SEP 25 1989

the property in question. The center pivot was paid for on December 3, 1982, at a cost of \$42,745.86. It is felt \$6,000.00 of this cost can be credited to the project in question for the use of the 6 band lines which have been taken for use on the property for which water is supplied by the well in question.

The pump and the main line were completed on the property in question in the spring of 1983, at a total cost to me of \$7,000.00.

This affidavit is made to support affiant's position that the underground water project to irrigate the land above mentioned was commenced in the forepart of 1982; that commitments and expenditures were made before November 19, 1982, of in excess of one-fourth of the costs for the entire project; that the project has been completed and Idaho Power has agreed with affiant to furnish power to the project.

DATED this 15th day of March, 1985.

Gerald Larsen
GERALD LARSEN

SUBSCRIBED AND SWORN TO before me this 15th day of March, 1985.

William A. McFarland
Notary Public for Idaho
Residing at Blackfoot, Idaho
Commission Expires:

MICROFILMED

SEP 25 1989

DCR #/Date/\$
CO No
Request No 194

(174) Group WO
WO No 42-925-302
Cust Acct No
Recorded Date 11-15-82

IDAHO POWER COMPANY
Idaho Customer Electric Service Request

CUSTOMER Gerald Larsen District Blackfoot
Billing Address Rt 4 Box 331 Phone 684-4305
City Blackfoot State Idaho Zip 83221
Person Contacted Same Phone
Address
Service Address C 78 1-15040
Service for irrigation Location SW 1/4 Sec 28 Twp 1S Rng 34E
Date Service Needed: Temporary Permanent 1983 season
Type of Load (x) Resid Comm Indus Irrig X Other Rate Sch 24
New Load 10 30 100HP Exist Demand Est Demand 88
Service: Voltage 480V OH X UG Primary: OH X UG
Remarks Will have 100HP pump to 110' well
lift: 145' 110 acres: 30 acrs 80 new headlines well
5253

Preservice Request No Amount \$ Paid?
Right-of-Way Required?
Line Extension (x) Upgrade Additional Applicant Customer
Customer payment by: (x) Average Unit Cost Work Order Cost

Customer's acceptance on above Gerald Larsen Prepared by Harold Turney Jr.

1. Line Extension Cost	\$	9. Line Ext Constr Credit	-\$
2. Unusual Conditions	\$	10. 1/2 Common Share Portion (NSR)	\$
3. Up to 1000 Allowance	-\$	11. Right-of-Way Permit (NSR)	\$
4. NET Extension Cost (1+2-3)	\$	12. Svc OH/UG Diff (NSR)	\$
5. Line Extension Upgrade	\$	13. Svc OH/UG Constr Credit	-\$
(see schedule 71 paragraph 111.5.)		14. Relocation Costs (NSR)	\$
6. Company Betterments	-\$	15. NSR Cash (10+11+12-13+14)	\$
7. NET Line Ext Upgrade (5-6)	\$	16. Cash on Existing Agree	\$
8. Construction Contrib (4+7)	\$	17. TOTAL CUSTOMER PAYMENT	\$
		(8-9+15+16)	\$

Terminal fee is only

The undersigned acknowledges that this written quotation will be binding for 60 days and is subject to acceptance of any and all service request information provided by the Customer, Company's ability to obtain required labor, materials, equipment, satisfactory rights-of-way, to comply with governmental regulations and in accordance with and subject to the Company's standard Rules and Regulations, Line Extension Schedule No 71 and applicable Rate Schedule, as now or hereinafter in effect and on file with the Idaho Public Utilities Commission. Customer payment due thirty (30) days prior to start of construction.

Quotation Date 11-28-83 MICROFILMED IDAHO POWER COMPANY
Customer Gerald Larsen By [Signature]
SEP 25 1989 Title [Signature]
Instructions to District Office Cashier:

Monies collected from Customer should be distributed on the DCR as follows:
Lines 8-9+10 assign to M1.2
Lines 11+14 assign to WO
Lines 12-13 assign to M5.2
Line 16 assign to a/c 252
Prepare Journal Entries for the following - 42-925-302 Group WO
Line 9 as shown on General Instructions page 1040-3D (top half)
Line 13 as shown on General Instructions page 1040-7

814 5M 5-82 OK'd by Larry Ganne - Nov 3/83
"B" letter signed 3/15/83

IDAHO POWER COMPANY
IRRIGATION PUMPING REPORT
SEPT. 1 THRU AUG. 31, 1983

Page 1 of 2

DIVISION		DISTRICT						LAND OWNERSHIP (X)				PERMANENTLY DISCONNECTED (X)	NOTES OR REMARKS
NAME - ADDRESS - LOCATION	HP	NEW ACRES	SUPPL. ACRES	SPRINK. ACRES	TYPE OF SPRINK.	NO. OF MOTORS	INDIV.	FAMILY CORP.	LESSOR-LESSEE	CORP.			
33 NON POREIL GRP I-33-2	30	0	150	150	side Roll	1				X	New Pump	42-925-269	9/3/82
30 TWIGGS FARM L-8-6	75 → 100	0	0	None called	wheel	1	X				Ex/Type	None - OK - More pressure	
16 Lea Bailey J-16-2	40	0	70	70	wheel & Hand	1	X				New Pump	42-925-228	12/2/82
05 RGR FARMS FARRIS WRIGHT L-26-4	50	40	55	95	wheel	1	X				New Pump	42-925-322	4/26/82
63 Mike Barclay H-36-5	60	0	120	120	wheel	1	X				New Pump	42-925-297	1/5/83
15 Glenn Martineau Rem P-9 2	(30)	0	(90)	(90)	(HAND)	(1)	X				X	Group 43-925-302	1/5/83
06 Glenn Martineau P-9 3	30	0	90	90	Hand	1	X				New Pump	" " "	"
33 KEN WIXON I-15-4	75	0	100	100	Hand	1	X				New Pump	42-925-302	1/3/83
11 CRAIG WRIGHT L-13-1	7 1/2	0	16	16	Hand	1	X				New Pump	42-925-	4/1/83
32 DUNN'S Lake-Snake River Livestock H-24-9	50	0	124	124	Low Pressure PILOT	1			X		New Pump	42-925-317	4/15/83
25 VERNON HERBST I-15-5	50	0	67	67	Hand	1	X				New Pump	42-925-327	4/5/83
15 ZANE Caldwell K-7-1	20	0	20	20	Hand	1	X				New Pump	42-925-318	4/21/83
34 Gerald Larson C-28-1	100	80	30	110	Hand	1	X				New Pump	42-925-302 Group WO	3/29/82
20 Boyd Belnap H-34-1	7 1/2	0	16	16	Hand	1	X				New Pump	42-925-315	4/1/83
87 MIC TAYLOR H-34-6	15	0	7	7	Hand	1	Y				New Pump	42-925-305	4/5/83
30 ROBERT OLSEN K-1-3	20	0	40	40	Hand	1	X				New Pump	42-925-302 Group WO	3/28/82
87 Mike Caldwell Q-4-2	150	220	0	220	Hand	1	X				New Pump	42-925-309	4/1/83
34 Stanley Williams M-27-2	50	0	63	63	Hand	1	X				New Pump	42-925-323	5/4/83
20 FRANK FARMAN J-9-1	20	0	25	25	Hand	1	X				New Pump	45-925-182	5/1/83
56 Richard Polatis L-9-4	20	0	30	30	Hand	1	X				New Pump	42-925-333	7/2/82
13 A Udell Jensen I-10-8	10 → 20	0	33	33	Hand	1	X				Ex/Type	42-925-302 Group WO	4/22/83
15 JOPPY TWIGGS L-10-3	40	0	80	80	wheel	1	X				New Pump	42-925-117	6/4/83
9 JUDY ARWOOD M-27-3	30	50	0	50	HAND	1	X				New Pump	42-925-342	6/3/83
16 BRUCE TURPIN L-17-5	25	0	35	35	HAND	1	X				New Pump	42-925-340	6/2/83
TOTALS:													

SEP 25 1989

Dean Williams
Attorney at Law
P. O. Box 700
Blackfoot, Idaho 83221

STATE OF IDAHO)
 :SS
County of Bingham)

AFFIDAVIT

LAMAR BARRUS, being first duly sworn, deposes and says:

That he is a well driller, that he has drilled a well for Gerald Larsen to service the SW 1/4 of Section 28, Township 1 South, Range 34 East. A verbal agreement to drill said well was made by Gerald Larsen and myself in 1982. I had commenced drilling the well, and on December 16, 1982, Gerald Larsen gave me a check for \$1,500.00 as a part payment of the work.

On January 24, 1983, Gerald Larsen again gave me a check in the sum of \$1,500.00 as another partial payment for the work. The final payment was made in April of 1983, at which time I received a check for \$2,092.00 which made a total payment of \$5,092.00 for the completion of the well in question. The agreement I made with Gerald Larsen in the fall of 1982, well before November 19, 1982, committed him to the project and I considered myself as having a contract to drill the well. I performed under that agreement and was paid as the work progressed and completed in accordance with the terms of our agreement,

DATED this 25th day of March, 1985.

Lamar Barrus
LAMAR BARRUS

SUBSCRIBED AND SWORN TO before me this 25th day of March, 1985.

Dean Williams
Notary Public for Idaho
Residing at Blackfoot, Idaho
Commission Expires _____

MICROFILMED

SEP 25 1989

Department of Water Resources
Foster Office

State of Idaho

County of Bungham

Gerald Larsen being first duly sworn,

deposes and says: The water developed under this Application for Permit was done so prior to April 1, 1974. The water was beneficially used on the lands in Sections 21 and 28, T. 1S, R. 34E on April 1, 1974.

(Signature)

Subscribed and sworn to before me this 30th day of May, 1985

(Notary Public)

Residing at Blackfoot, Idaho
My Commission Expires 7-27-86

MICROFILMED

SEP 20 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

MAY 29 1985

Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below

Permit No. 35-8070

Name(s) of Permit Holder: Gerald or Myrtle Larsen.
et

Post Office Address: RT 4, Box 331 Blackfoot Id 83221

Telephone No. 684-4305

Source of Water: groundwater.

Extent of Use:

Domestic _____ (number of households)

Stock water _____ (number and type of stock)

Irrigation 85 acres. _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: April 1, 1983.

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination

Gerald Larsen.

(Name)

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date May 29 1985 Signature of Permit Holder (and Title, if appropriate) Gerald Larsen

Statement of development for exemption
from Swan Falls processing Not acceptable
as proof of beneficial use.

MICROFILMED

SEP 25 1989

This is a photo copy
of the 1978 overflight
as per telecon with
A.S.C.S. office on Bladford
29-1985.

C-1

311C

T-529

9.0

B.

34.2

C-1

11.8

80.5

35-8070_

LARSEN, GERALD &/or MYRTLE

RT. 4, BOX 331, BLACKFOOT, ID 83221

Source: GROUNDWATER

Date Filed: 12/16/1982

Diversion Pt: SWSW Sec 28 T 01S R 34E

Use: IRRIGATION (1.70 CFS)

In: NESW NWSW SWSW SE5W Sec 28 T 01S R 34E FOR 85 ACRES

MICROFILMED
SEP 25 1989