

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac							
L3508059	T05S R30E S 7 GROUNDWATER																																	
	:																																	
R3508059	GROUNDWATE :																																	
3507695	GROUNDWATE :																																	
R3507695	GROUNDWATE :																																	

Rights in combination with this one.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 35-8059
1. Owner: Charles Shackelford Phone No. 397-5287
Current Address: 14005. 3950 W. Aberdeen, ID 83210
2. Accompanied by: Charles Shackelford EXAM. DATE: 9-18-90
Address: PO Box 212 Phone No. same
Relationship to Permit Holder: Same
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-7695, 35-7694, 35-8058, 35-7872 ☐ Copies Attached
2. Other water rights with same point of diversion: 35-2425/72087, 35-7872 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

T4S

T5S

RMOE

T5S

PERMISSIBLE
PLAGE OF USE

Point
of
Diversion

Monahan

FEB 22 1994

Irrigated by
same POD

35-8059

35-8059

19

20

21

T4S

T5S

4765

4764

0 000
FEET

4763

762000m N

4761

4760

350059

0015

1096

PLACE OF USE

OUT

557

A hand-drawn diagram of a river, represented by two wavy lines. The interior of the river is shaded grey. In the center of the river, the word "OUT" is written in red capital letters.

Point of Diversion

~~25-8057 POP~~

7.25

178

2
NH₂
96.1

$$\frac{78.2}{7}$$

MS-8054

Legend

8" = 1 mile

LAND IRRIGATED
BY 35-8059 POND
ON ANOTHER PERMIT



Permit 35-8059
Imagined by 35-8059 POD

35-8059
SHACKLEFORD



35-8059

FEB 22 1994

32-802d

35-8059, 7872 Shackleford

REORDER Indicate quantity in each negative

LINKIL EYES



Well
Pump

35-8059



Booster
Pump

35-8059

EB 2 2 1994

35-8059

NORTH RUNNING MAINLINE



SOUTH
- RUNNING
MAINLINE



35-8059

FEB 22 1994

35-8059

SHACKLEFORD, CHARLES

BOX 212, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 2.20 CFS

Diversion Point: SESW Sec 08 T 05S R 30E, BINGHAM Co.

Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01

Place of Use: NESW NWSW Sec 08 T 05S R 30E NESE SESE Sec 07 T 05S R 30E NENE
SENE Sec 18 T 05S R 30E FOR 110 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

35-8059

SHACKLEFORD, Charles

Box 212

Aberdeen, Id. 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 2.20 CFS

Diversion Point: SESW, Sec. 08, T.

05S, R. 30E, Bingham Co.

Use: IRRIGATION (2.20 CFS) from

04/01 to 11/01.

Place of Use: NESW NWSW, Sec.

08, T. 05S, R. 30E NESE SESE, Sec.

07, T. 05S, R. 30E, NENE, SENE,

Sec. 18, T. 05S, R. 30E for 110

ACRES.

Diversion Means: WELL, PUMP &

SPRINKLER SYSTEM.

The permit(s) will be subject to all prior water rights. Protestis must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before DECEMBER 13, 1982.

KEN DUNN
Director

(7542)

Pub.: 11-25, 12-2

35-8059

SHACKLEFORD, Charles

Box 212

Aberdeen, Idaho 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 2.20 CFS

Diversion Point: SESW, Sec. 08, T. 05S, R.

30E, BINGHAM CO.

Use: IRRIGATION (2.20 CFS) from 04/01 to

11/01.

Place of Use: NESW, NWSW, Sec. 08, T.

05S, R. 30E, NESE, SESE, Sec. 07, T. 05S, R.

30E, NENE, SENE, Sec. 18, T. 05S, R. 30E, for

110 ACRES.

Diversion Means: WELL, PUMP &

SPRINKLER SYSTEM.

MICROFILMED

JUN 12 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08059

Priority: November 10, 1982 Maximum Diversion Rate: 1.90 CFS

This is to certify, that CHARLES SHACKLEFORD
1400 S 3950 W
ABERDEEN ID 83210

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 10, 1982; and
has submitted Proof of Beneficial Use on June 10, 1989. An examination indicates
that the works have a diversion capacity of 7.660 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.90 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWSESW , Sec. 8, Township 05S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	30E	7	NESE 8	SESE 10		18
		8	NESW 32	NWSW 39	SWSW 39	
			SESW 29			139
		17	NENW 37	NWNW 39	SWNW 40	
			SENW 40			156
		18	NENE 9	SENE 10		19

Total number of acres irrigated: 332

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of this right with the rights listed below is limited to a total combined annual diversion volume of 1328 af, a total combined consumptive use volume of 996 af, and to the irrigation of a combined total of 332 acres in a single irrigation season. The combined rights are: 35-02425A and 35-07872.
5. The following rights are also diverted through the point of diversion described above: 35-02425A and 35-07872.
6. This right is limited to the irrigation of 110 acres within the place of use described above in a single irrigation season.

FEB 22 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08059

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of FEBRUARY, 1994.

Acting for


R. Keith Higginson, Director

FEB 22 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
FEB 10 1994
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08059

Date of Priority: November 10, 1982 **Maximum Diversion Rate:** 1.90 CFS
Comes now CHARLES SHACKLEFORD
1400 S 3950 W
ABERDEEN ID 83210 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08059, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.90 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWSESW, Sec. 8, Township 05S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	30E	7	NESE 8	SESE 10		18
		8	NESW 32	NWSW 39	SWSW 39	
			SESW 29			139
		17	NENW 37	NWNW 39	SWNW 40	
			SENW 40			156
		18	NENE 9	SENE 10		19

Total number of acres irrigated: 332

APPROVED

FEB 22 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Aberdeen, Idaho, this 5th day of Feb., 19 94.

Charles J. Shackelford
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08059

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = 2000 Received by RC # 0029597 Date 2/10/94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 35-08059 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of this right with the rights listed below is limited to a total combined annual diversion volume of 1328 af, a total combined consumptive use volume of 996 af, and to the irrigation of a combined total of 332 acres in a single irrigation season. The combined rights are: 35-02425A and 35-07872.
5. The following rights are also diverted through the point of diversion described above: 35-02425A and 35-07872.
6. This right is limited to the irrigation of 110 acres within the place of use described above in a single irrigation season.

Witness my hand this 15TH day of FEBRUARY, 1994.

Acting for R. Keith Higginson, Director

FILED

FEB 22 1994

RECEIVED
JUN 10 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 150.00
Date 7-5-89
Receipt # E009419
Receipt by EMC
Reviewed by 28-9/27/89
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08059

Name(s) of Permit Holder: Charles Shackelford

Post Office Address: P.O. Box 212 Aberdeen, ID 83210

Telephone No. 397-5287

Source of Water: groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 110 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 220 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 11-10-1982

Measuring Device: Required? — Yes X No
Installed? — Yes X No

Fee enclosed \$ 150.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes — No
Installed? X Yes — No

Person to contact to accompany the Department representative during the field examination:

Same as above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 18 1989

7/5/89
Date

Charles J. Shackelford
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Charles Shackelford Phone N.A.

Post office address Box 212 Aberdeen, Idaho 83210

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 5S

Range 30E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.20 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N.A. inches; proposed depth of well is N.A. feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 12 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	30E	8									30	40							70
		7													10			10	20
		18	10			10													20

Total number of acres to be irrigated 110

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks PD is the same one used in Permit #35-7872 and license 35-2425

MICROFILMED

JUN 12 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
JUN 12 1989

Charles Shackelford
(Applicant)

Proposed Priority 11/10/82

Assisted by HWT

Received by BP Date 11-10-82 Time 3:15pm

Preliminary check by HWT Fee \$ 85.00

Receipted by BP Date 11-12-82 # 22581

Publication prepared by BP Date 11/17/82

Published in Blackfoot News

Publication dates 11/25 ; 12/2/82 + 10/03 + 10/10/85

Publication approved CW Date 1-26-83 + 11-01-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HWT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8059, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 19th day of April, 1989.

J. Blum Saylor

MICROFILMED

JUN 12 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 16, 1994

CHARLES SHACKLEFORD
1400 S 3950 W
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08059

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

FEB 22 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 2, 1994

CHARLES SHACKLEFORD
1400 S 3950 W
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08059

YOUR IMMEDIATE RESPONSE IS REQUESTED

Dear Water Right Holder(s):

The department is trying to license all outstanding permits located in your area by the first week of February.

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the place of use. You can assist us in meeting our time goal by reviewing the amendment carefully and if you concur, signing the amendment and returning it with the \$20.00 filing fee immediately. Enclosed, for your convenience, is a self addressed pre-paid return envelope.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,

for JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

FEB 2 2 1994

WR0749NP
No. L35-08059

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/02/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	CHARLES SHACKLEFORD 1400 S 3950 W ABERDEEN ID 83210 (208) 397-5287	11/10/1982	IRRIGATION	04-01	10-31	1.90 CFS	
TOTAL DIVERSION:						1.90 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 7.66 CFS

Point(s) of Diversion: T05S R30E S08 SWSESW BINGHAM County

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE				
T	R	S	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
05S	30E	7	:				:				:				:	08		10	: 18.0
05S	30E	8	:				:				:	32	39	39	29	:			: 139.0
05S	30E	17	:				:	37	39	40	40	:			:				: 156.0
05S	30E	18	:	09			:				:				:				: 19.0
TOTAL ACRES																			: 332.0

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-02425 35-07872 35-08059

Other Water Rights Listing Overlapping Place(s) of use:
35-02425 35-07694 35-07695 35-07872 35-08058 35-08059

Remarks: Use of this right with the rights listed below is limited to a total combined annual diversion volume of 1328 af, a total combined consumptive use volume of 996 af, and to the irrigation of a combined total of 332 acres in a single irrigation season. The combined rights are: 35-02425A and 35-07872.
The following rights are also diverted through the point of diversion described above: 35-02425A and 35-07872.
This right is limited to the irrigation of 110 acres within the place of use described above in a single irrigation season.

Dates: App. Received: 11/10/1982 Priority Date: 11/10/1982
Proof Due Date: 05/01/1990 Proof Made Date: 06/10/1989
Exam Made Date: 09/18/1990 Exam Sent to S.O.: 10/29/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/02/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3508059	T05S R30E S 7 GROUNDWATER																					
	:																	08			10	: 18
R3508059	GROUNDWATE :																	10			10	: 20
3507695	GROUNDWATE :																			40	25	: 65
R3507695	GROUNDWATE :													08		06	04			37	28	: 83
L3508059	T05S R30E S 8 GROUNDWATER																					
	:													32	39	39	29					: 139
R3508059	GROUNDWATE :													30	40							: 70
3502425	GROUNDWATE :															10	20	30	15	35	40	: 150
R3502425A	GROUNDWATE :															39	39	26				: 104
R3502425B	GROUNDWATE :													05				04	39	38	36	38 : 160
3507694	GROUNDWATE :													03				04	39	40	36	38 : 160
~~3507872~~	~~GROUNDWATE :~~															40	38	06				: 84
R3507872	GROUNDWATE :															39	39	26				: 104
3508058	GROUNDWATE :					09	09							02	08			04	39	38	39	39 : 187
L3508059	T05S R30E S17 GROUNDWATER																					
	:													37	39	40	40					: 156
3502425	GROUNDWATE :	40	40	20	10			40	40	35	30											: 255
R3502425A	GROUNDWATE :							37	39	40	40											: 156
3507872	GROUNDWATE :							37	39	40	40											: 156
R3507872	GROUNDWATE :							37	39	40	40											: 156
L3508059	T05S R30E S18 GROUNDWATER																					
	:																					: 19
R3508059	GROUNDWATE :	10																				: 20
3507695	GROUNDWATE :	25	40	40	25																	: 130
R3507695	GROUNDWATE :	28	40	38	30		10				09											: 155

Rights in combination with this one.

Shelly will
change if we
get the
amendment
back in time.

R-RECORD

AJ5809NP
No. R35-08059

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 02/02/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES J SHACKELFORD PO BOX 212 ABERDEEN ID 83210 (208) 397-5287	11/10/1982	IRRIGATION	04-01 10-31	2.20 CFS	
TOTAL DIVERSION:					2.20 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T05S R30E S08

SESW

BINGHAM County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE						
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: SUM	
05S	30E	7	:								:								:						:	
05S	30E	8	:								:								:						:	
05S	30E	18	:	10							:								:						:	
TOTAL ACRES																							110.0			

PQU County: BINGHAM

Other Rights: 35-02425A 35-07872

Other Water Rights with Same Point(s) of Diversion and Source:
A35-12631 R35-12631

Other Water Rights Listing Overlapping Place(s) of use:

A35-07694 A35-07695 A35-08058 A35-08059 A35-12927 R35-02425A R35-02425B R35-07694 R35-07695 R35-07872
R35-08058 R35-12927

Conditions of Approval:

- A01 - THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION
- IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION
- OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS
- SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL
- BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY
- IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 01G - Prior to the diversion of water under this right a flow
- measurement port or other device as specified by the Department
- shall be installed to provide for the installation of measuring
- equipment and the determination of the rate of diversion by the
- Department.

Dates: Exam Made Date: 04/20/1993 Verified Date: 02/01/1994

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

AJ5809NP
No. R35-08059

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 02/02/94
PAGE: 2

Audit: 11/02/92 DCARLSON 04/22/93 VERNER 05/05/93 VERNER 07/23/93 THOMPSON
10/20/93 VERNER 01/20/94 RUBERRY 02/01/94 KEEN

Permit # 35-8059 Date 12-14-93
2-2-94 Brenda Chapman

Special
Brush
Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8059

1. Owner: Charles Shackelford Phone No. 397-5287
Current Address: 14005. 3950 W. Aberdeen, ID 83210

2. Accompanied by: Charles Shackelford EXAM. DATE: 9-18-90
Address: PO Box 212 Phone No. Same

Relationship to Permit Holder: Same

3. Source: groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-7695, 35-7694, 35-8058, 35-7872
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: 35-2425, 72087, 35-7872
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more)
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump, booster, mainline to 19- 1/4 mile
wheel lines

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well Pump	General Elect	450	HMJ825015	Layne & Bowler	20780
Booster	General Elect	200	FP252029	Cornell	26852

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
P/O		SE	SE	SW	8	5S	30E	Bingham	On-site inspection, USGS Quad
	(B)	SW							

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	30E	7													8			10	18
		8									32	39	39	29					139
		17					37	39	40	40									156
		18	9			10													19
Recommend																			
5S	30E	7													8			10	18
		8									32			3					35
		18	9			10													19

Total 72

• Permit is for 110 acres. Analysis showed additional water was developed for new lands, plus the licensed lands. Recommend licensing 332 acre permissible place of use w/ condition that this right irrigates 110 acres 1/2/332 acres in one irrigation season.

Do not use this space

FEB 22 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge		rainbird			0-160 psi	
Flow meter station	non-contact	polysonics	TF-P	149743	Small	

2. Measurements:

Operating pressure $\Rightarrow$ 80 psi

Sonic meter $\Rightarrow$ 3440 gpm = 7.66 cfs

Static water level $\Rightarrow$ 181'

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Sonic meter $\Rightarrow$ 7.66 cfs

2. Alternate Method for Checking Purposes:

Theoretical Flow $\Rightarrow$ 667 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level _____ ft (2)

Total Head (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW 36 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (110) \times (4.0) = 440 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.51) (214) (1.9835) = 640.9 \text{ afa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = V_{IR} = 440 \text{ afa}$

2. Volume Calculations for Other Uses.

FEB 22 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

It appears that 35-7872 overlaps Place of Use while 35-2425 / T2087 and 35-7872 overlap on Point of Diversion.

SRBA REVIEW DETERMINED 175 ACRES OF 35-02425 ^(SEE 35-02425A) AND ALL OF 35-07872 OVERLAP COMMON SYSTEM PERMISSIBLE PLACE OF USE (332ac).

FURTHER ANALYSIS DETERMINED THAT THESE TWO LICENSES ALLOWED IRRIGATION OF 260 ACRES w/1 THE 332 ACRE PERMISSIBLE PLACE OF USE.

RECOMMENDED CONDITIONS: COMBINED AFA FOR 35-02425A, 35-07872 AND 35-08059 SHALL NOT EXCEED 1320 AFA (332ac X 4.0).

THE COMBINED DIVERSION RATE IS NOT EXCESSIVE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	11-1	1.51 cfs	440
Totals:			*1.51 cfs	440

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Scott M King

Scott M King

Eric Sverdrup

4/23/93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

*SEE ITEM NO. 4B ON POINT OF
DIVERSION OVERLAP REVIEW
SHEET.

RECEIVED

FEB 22 1994

35-08059

PLACE OF USE OVERLAP REVIEW
- OVERLAPPING POU REVIEW -

CLAIM NO.	TWN	RNG	SEC	NE				NW				SW				SE				TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
235-0242SA	5S	30E	8											10	20					30
			17					40	40	35	30									145
																				175)
35-07872	5S	30E	8										40	38	6					31
			17					37	39	40	40									156
																				(240)
PPOU	5S	30E	7													8			10	18
			8									32	39	39	29					139
			17					37	39	40	40									156
			18	9			10													19
																				(332)
NOT LICENSED PRIOR TO 35-08099	5S	30E	7													8			10	18
			8									32	0	0	3					35
			17					0	0	0	0									0
			18	9			10													19
																				(72)

* APPEARS THEN THAT 35-0242SA AND 35-07872 IRRIGATE 260 ACRES (332-72) IN COMBINATION. ADD 37 ACRES OF 35-08059 AND ENTIRE PROJ OF 332 ACRES IS COVERED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POINT OF DIVERSION OVERLAP REVIEW

35-08059
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Number of Acres irrigated = 332 acres

B. Total Diversion Rate = 7.66 cfs (1990 SONIC METER)

$$Q_c = \text{Total Diversion rate [1.B]} / \text{Total irrigated acres [1.A]} \\ = \frac{7.66}{\text{cfs}} / \frac{332}{\text{acres}} = \underline{0.0231}$$

2. Old Application Rate per Acre (Qo) from Licensed Flow

License # R35-02425A @ 2.74 cfs / 175

License # 35-07872 @ 2.00 cfs / 240

License # _____ @ _____ cfs / _____

$$Q_o = \text{Total Licensed Rate} = \frac{4.74}{\text{cfs}} / \frac{260}{\text{acres}} \\ (\text{Old Diversion Rate}(Q_o) = \text{Licensed Flow Rate} / \text{acres})$$

3. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : EX

$$Q_o(\#2) = \underline{\hspace{2cm}} > Q_c(\#1) = \underline{\hspace{2cm}}$$

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : IN

$$Q_c(\#1) = \underline{0.02} > Q_o(\#2) = \underline{0.0182}$$

1. Additional Flow Rate for Licensed Lands.

$$Q_a = (Q_c - Q_o) \times (\# \text{ Lic. Ac.}) = \left[\left(\frac{0.02}{\text{cfs/ac}} \right) - \left(\frac{0.0182}{\text{cfs/ac}} \right) \right] \times \left(\frac{38}{\text{acres}} \right) = \underline{0.07} \text{ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres

$$\left(\frac{332}{\text{acres}} \right) - \left(\frac{260}{\text{acres}} \right) = \underline{72} \text{ acres}$$

$$Q_n = (Q_c) \times (\# \text{ New Ac.}) = \left(\frac{0.02}{\text{cfs/ac}} \right) \times \left(\frac{72}{\text{ac}} \right) = \underline{1.44} \text{ cfs}$$

GO TO ITEM #4B.

4. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres

$$\left(\frac{\hspace{2cm}}{\text{acres}} \right) - \left(\frac{\hspace{2cm}}{\text{acres}} \right) = \underline{\hspace{2cm}} \text{ ac}$$

$$Q_t = Q_c(\#1) \times (\# \text{ New Acres}) = \underline{\hspace{2cm}} \text{ cfs/ac} \times \underline{\hspace{2cm}} \text{ ac} =$$

$$Q_t = \underline{\hspace{2cm}} \text{ cfs}$$

CONDITIONS/REMARKS: _____

- B. Flow Rate including licensed land.

$$Q_t = Q_a(\#3.B.1) + Q_n(\#3.B.2) = \underline{0.07} \text{ cfs} + \underline{1.44} \text{ cfs} =$$

$$Q_t = \underline{1.51} \text{ cfs}$$

CONDITIONS/REMARKS: * = PERMITTED FOR 110 ACRES THEREFORE (ADDITIONAL FLOW ON LICENSED LANDS) WAS CALCULATED FOR:

$$\left(\frac{1100 \text{ cfs PERMITTED}}{\text{acres}} \right) - \left(\frac{72 \text{ ACRES NEW LAND}}{\text{acres}} \right) = \underline{38 \text{ ACRES LICENSED FEB 22 1994}}$$

why fiddle with this an old entire sheet!

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

35-08059
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Number of Acres irrigated = 332 acres

B. Total Diversion Rate = 7.66 cfs (1990 SOLID METER)

Qc = Total Diversion rate [1.B]/Total irrigated acres [1.A]

$$= \frac{7.66}{\text{cfs}} / \frac{332}{\text{acres}} = \underline{0.0231} \text{ cfs/ac} \text{ MUST LIMIT TO } 0.02 \text{ cfs/ac}$$

2. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # R35-02425A @ 2.74 cfs / 175 ac

License # 35-07872 @ 2.00 cfs / 240 ac

License # _____ @ _____ cfs / _____ ac

Qo = Total Licensed Rate = 4.74 cfs / 260 ac = 0.0182 cfs/ac
(Old Diversion Rate(Qo) = Licensed Flow Rate/# acres)

3. Comparison of Diversion Rates if:

A. Old Diversion Rate(Qo) > New Diversion Rate(Qc) : EXCLUDE Licensed Lands.

Qo(#2) = _____ > Qc(#1) = _____ GO TO ITEM #4A.

B. New Diversion Rate(Qc) > Old Diversion Rate(Qo) : INCLUDE Licensed Lands.

Qc(#1) = 0.02 > Qo(#2) = 0.0182 CONTINUE TO ITEM #3.B.1

1. Additional Flow Rate for Licensed Lands.

$$Qa = (Qc - Qo) \times (\# \text{ Lic. Ac.}) = \left[\left(\frac{0.02}{\text{cfs/ac}} \right) - \left(\frac{0.0182}{\text{cfs/ac}} \right) \right] \times \left(\frac{38}{\text{acres}} \right) = \underline{0.07} \text{ cfs}$$

2. Flow Rate for New Acreage. Total acres(#1.A) - Licensed acres(#3) = New Acres
(332) - (260) = 72 acres

$$Qn = (Qc) \times (\# \text{ New Ac.}) = (0.02 \text{ cfs/ac}) \times (72 \text{ ac}) = \underline{1.44} \text{ cfs}$$

GO TO ITEM #4B.

4. Calculate Total Flow Rate to be licensed:

A. Flow Rate excluding licensed land. Total Acres(#1.A) - Lic. Acres(#3) = New Acres
(332) - (260) = 72 ac

$$Qt = Qc(\#1) \times (\# \text{ New Acres}) = \text{_____ cfs/ac} \times \text{_____ ac} =$$

$$Qt = \text{_____ cfs}$$

CONDITIONS/REMARKS: _____

- B. Flow Rate including licensed land.

$$Qt = Qa(\#3.B.1) + Qn(\#3.B.2) = \underline{0.07} \text{ cfs} + \underline{1.44} \text{ cfs} =$$

$$Qt = \underline{1.51} \text{ cfs}$$

CONDITIONS/REMARKS: * = PERMITTED FOR 110 ACRES THEREFORE ADDITIONAL FLOW ON LICENSED LANDS WAS CALCULATED FOR:

$$(110 \text{ ac Permitted}) - (72 \text{ ac New Land}) = \underline{38 \text{ ACRES}} \text{ LICENSED FEB 22 1994}$$

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
12.0957 IN

PIPE MATERIAL
? CS.SS

WALL THICKNESS
0.1079 IN

INNER LINING
? HD LINING.

LIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPECLING
9.324 IN 11

ZERO MODE
CLEAN

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OFF

MODE SELECT
TO CHECK

0449.1 MMSEC
101.16 % T0

09-18 13:0000 4P
+002.90 % A12

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

13:01+ 1.560E 36PM 00R

13:02+ 1.544E 36PM 00R

13:03+ 1.553E 36PM 00R

13:04+ 1.548E 36PM 00R

5-man 35-8059

PRINTER USE
? YES
MODE SELECT
INPUT
OUTER DIAMETER
12.0957 IN
PIPE MATERIAL
? CS.35
WALL THICKNESS
0.1079 IN
INNER LINING
? NO LING.
KIND OF FLUID
? WATER
SENSOR MOUNTING
? U
TYPE OF SENSOR
? SMALL
DATA CHANGE
? NO
SPACING
9.324 IN U
ZERO MODE
CLEAR
ZERO MODE
AUT ZERO
ZERO MODE
ZERO OPR
MODE SELECT
T0 CHECK
0449.1 MMSEC
101.16 % T0

35-8059
South
Mainline

09-10 13:0000 *R
+002.90 % A12

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE ?
YES

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

13:01+ 1.560E 3GPM 00R

13:02+ 1.544E 3GPM 00R

13:03+ 1.553E 3GPM 00R

13:04+ 1.548E 3GPM 00R

35-8059

FEB 22 1994

MEASUREMENT TAPE

South Mainline

35-8059

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
CS.55

WALL THICKNESS
.11800 IN

INNER LINING
NO LINING.

LINIC OF FLUID
WATER

SENSOP MOUNTING
11

TYPE OF SENSOP
SMALL

DATA CHANGE
NO

SPACING
7.586 IN 11

ZERO MODE
CLEAR

ZERO MODE
HUT ZERO

ZERO MODE
ZERO OFF

MODE SELECT
TO CHECK

0371.8 MMSEC
101.31 % TO

09-18 12:2100 4P
DAMPING SET
15 SEC

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

09-18 12:2200 4P
+ 1.870E 36PM

12:33+ 1.880E 36PM 00R

12:34+ 1.868E 36PM 00R

508059
ms
checked for

N-Mainline

12:36+ 1.86DE 3GPM 00R

12:37+ 1.86DE 3GPM 00R

12:38+ 1.87DE 3GPM 00R

PRINTER USE
YES

MODE SELECT
INPUT

OUTER DIAMETER
12.0957 IN

PIPE MATERIAL
SS,SS

WALL THICKNESS
.10800 IN

INNER LINING
NO LING.

KIND OF FLUID
WATER

SENSOR MOUNTING
I

TYPE OF SENSOP
7THMS

DATA CHANGE
NO

SPACING
9.324 IN I

ZERO MODE
CLEAP

ZERO MODE
HUT ZERO

ZERO MODE
ZERO OPP

MODE SELECT
DATA SET

DATA SET MODE
PRINTER

12:50+ 1.72DE 3GPM 00R

09-18 12:5000 *R
+ 1.71DE 3GPM

12:51+ 1.73DE 3GPM 00R

12:52+ 1.71DE 3GPM 00R

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
? CS.SS

WALL THICKNESS
.11800 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.586 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
TO CHECK

0371.8 MMSEC
101.31 % T0

09-10 12:3100 *R
DAMPING SET
15 SEC

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

09-10 12:3200 *R
+ 1.870E 3GPM

12:33+ 1.880E 3GPM 00R

12:34+ 1.868E 3GPM 00P

12:35+ 1.866E 3GPM 00R

12:36+ 1.860E 3GPM 00R

12:37+ 1.863E 3GPM 00R

12:38+ 1.872E 3GPM 00R

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
12.8957 IN

PIPE MATERIAL
? CS.SS

WALL THICKNESS
.10800 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.324 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

12:50+ 1.723E 3GPM 00R

09-10 12:5000 *R
+ 1.710E 3GPM

12:51+ 1.707E 3GPM 00R

12:52+ 1.713E 3GPM 00R

35-8059

FE - 2 1994

MEASUREMENT
TAPPE

NORTH
MAINLINE

35-8059

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-8059
Permit No.

Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Theoretical Flow

$$\text{Equation: } Q = \frac{8.8(\text{efficiency})(\text{Horsepower})}{\text{Depth} + 2.31(\text{pressure})} = [\text{cfs}]$$

efficiency $\Rightarrow$ 70% maximum

Horsepower $\Rightarrow$ 200 HP on Booster pump

Depth $\Rightarrow$ 0 ft'

(note - the well pump cancels the effect of the pumping head for the booster pump)

Pressure $\Rightarrow$ 80 psi

$$Q = \frac{8.8(0.70)(200)}{0 + 2.31 \times (80)}$$

$$= \underline{\underline{6.67 \text{ cfs}}}$$

RECEIVED

FEB 22 1994



567

LMOW

55

PERMISSIBLE
PLACE OF USE


Point of Diversion

FEB 22 1994

Irrigated by same POP

6508153

35-8059



6 5
7 8

135
R30E

35-8059

5 8

Reversible
PLACE OF USE

cut

R30E

T
S

cut

Point of Diversion

5
187.5

59.6

4 29

MEI

39

103

88

46.1

2

76.2

7

10

9

39

40

40

37

35-8054

Legend

8" = 1 mile



LAND IRRIGATED
BY 35-8059 POD
ON ANOTHER PERMIT



Permit 35-8059
Irrigated by 35-8054 POD

Department of Water Resources

9-18-1990

WELL INSPECTION FORM

If well is associated with water right, provide WR# 35-8059

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 55, Rge 30E Sec. 8, SE 1/4 SW 1/4 or Lot _____.

2. Owner: Charles Shackelford

Address H00S 3950W, City Aberdeen, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No X

4. Access Port:	Yes <u>X</u> No _____	Static Water Level:	<u>181'</u>
Pressure Gauge:	Yes <u>X</u> No _____	Casing Diameter:	<u>-</u>
Flowing:	Yes _____ No <u>X</u>	Temperature:	<u>-</u>


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
FEB 22 1994


35-8059
SHACKLEFORD



35-8059

FEB 22 1994

92-802d



35-8059

Well
Pump



Booster
Pump



2 1994

35-8059

35-8059

~~Adolph~~ RUNNING MAINLINE



SOUTH
-RUNNING
MAINLINE

35-8059

~ 1994

October 17, 1989

CHARLES SHACKLEFORD
P.O. BOX 212
ABERDEEN, ID 83210

RE: PERMIT NO. 35-08059

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

NOT RECORDED

OCT 18 1989

October 10, 1989

Permit No. 35-08059

Charles Shackelford
P.O. Box 212
Aberdeen, ID 83210

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:lk

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 35-8059

Date: 9/18/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- _____ Surface water
☒ Groundwater
_____ 1. well log in file 1982 - NO WELL LOG FOUND
N/A 2. drilling permit
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- Yes Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

N/A

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 22, 1989

Charles Shackelford
Box 212
Aberdeen, Ida. 83210

Dear Mr. Shackelford:

Re: Permit No. 35-8059

This office acknowledges receipt of the proof of beneficial use form submitted on June 10, 1989.

Note the condition of approval of your permit which requires you to install a flow measurement port or other device to provide for the determination of the rate of diversion. The next step is for the department to conduct a field examination for licensing purposes. At the time the field examination is conducted, a type of measuring device must be installed. Failure to comply is reason for the department to cancel the permit.

The department understands, however, that certain methods of diversion make it impossible to install measuring devices. If this situation applies to you, discuss with the department representatives alternative techniques of measuring your diversion rate. At the time of the field inspection, the field examiner can be prepared with the appropriate measuring equipment.

If you have any questions concerning this matter, please feel free to contact the Eastern regional office at 525-7161.

Sincerely,

NINA K. SHIELDS
Clerical Assistant

C: Region

INDEXED

OCT 18 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 2, 1989

CHARLES SHACKLEFORD
BOX 212
ABERDEEN, ID 83210

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 35-08059

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

JUN 12 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 12 1989

January 23, 1989

CHARLES SHACKLEFORD
BOX 212
ABERDEEN, ID 83210

RE: APPLICATION FOR PERMIT NO. 35-8058 & 35-8059

Dear Applicant:

The department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy. In connection with this processing, the department requests the information described below.

From the department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

In order to process the application, the application needs to be re-advertised in compliance with Water Appropriation Rule 4,2,2,1. Please submit the readvertisement fee in the amount of \$20 within 30 days or the department will void the application pursuant to Water Appropriation Rule 4,2,2,4.

Please feel free to contact the department if you have any questions.

Sincerely,



Ronald D. Carlson
REGIONAL MANAGER

RDC/rb

MICROFILMED

JUN 12 1989

RECEIVED

OCT 28 1985

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho, and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

35-8061

DOIG, Bill L.
Rt. 1, Box 363
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 11/23/1982

Amount: 0.68 CFS
Diversion Point: NWNW, Sec. 04, T. 02S, R. 35E, BINGHAM CO.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01.
STOCKWATER (0.04 CFS) from 01/01 to 12/31.
DOMESTIC (0.04 CFS) from 01/01 to 12/31.
Place of Use: NWNW, Sec. 04, T. 02S, R. 35E, for 30 ACRES.
Diversion Means: WELL, PUMP, SPRINKLERS & DELIVERY SYSTEM.

25-7350

LDS CHURCH
50 E.N. Temple
Salt Lake City, Utah 84111
Source: SPRING trib. to MUD CREEK.
Date Filed: 06/23/1983
Diversion Pt.: SWSE, Sec. 06, T. 02S, R. 40E.
Use DOMESTIC (0.02 CFS)
RECREATION (0.23 CFS)
RECREATION STORAGE (9.0 AF).
In: SWSE, Sec. 06, T. 02S, R. 40E

35-8059

SHACKLEFORD, Charles
Box 212
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/10/1982
Amount: 2.20 CFS
Diversion Point: SESW, Sec. 08, T. 05S, R. 30E, BINGHAM CO.
Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01.
Place of Use: NESW, NWSW, Sec. 08, T. 05S, R. 30E, NESE, SESE, Sec. 07, T. 05S, R. 30E, NENE, SENE, Sec. 18, T. 05S, R. 30E, for 110 ACRES.
Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

35-8058

SHACKLEFORD, Charles
Box 212
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/10/1982
Amount: 0.80 CFS
Diversion Point: SWSE, Sec. 08, T. 05S, R.

30E, Bingham Co.
Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01.

Place of Use: SWNE, SENE, SENW, NESW, SESW, Sec. 08, T. 05S, R. 30E, for 40 ACRES.
Diversion Means: WELL, PUMP & SPRINKLER SYSTEM.

35-8018

THOMPSON, William D.
P.O. Box 519
Blackfoot, Idaho 83221
Source: WASTE WATER tributary to SPRING CREEK.
Date Filed: 02/03/1982

Amount: 0.60 CFS
Diversion Point: SWNE, Sec. 21, T. 04S, R. 32E, BINGHAM CO.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01.
Place of Use: SWNE, SENE, Sec. 21, T. 04S, R. 32E, FOR 30 ACRES.
Diversion Means: PUMP & FLOOD IRRIGATION

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before October 21, 1985.

KEN DUNN, Director

(8809)
Pub.: 10-3, 10

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

Catherine C. Brown

I, _____
solemnly

swear that I am the Office Manager of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thurs of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks

the first publication having been made on the 3rd day of October, 19 85

and the last publication having been made on the 10th day of October, 19 85

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Catherine C. Brown

Subscribed and sworn to before me this 23rd day of October, 19 85

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1988

MICROFILMED

JUN 12 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

October 23, 1985

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

RE: Applications for Permits Numbers: 25-7360 LDS Church,
35-8018 William D. Thompson, 35-8058 Charles Shackelford,
35-8059 Charles Shackelford, 35-8061 Bill L. Doig, 35-8155 Royce
and Anna Brookshier.

Gentlemen:

Would you please submit an affidavit of publication and certified
bill in connection with the above referenced applications. The
legal notice was to have been published in your paper on October
3, and 10, 1985.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

MICHELE DAVIS
Office Secretary

MICROFILMED

JUN 12 1989

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 21, 1985.

KEN DUNN

Director 1980

Published 10/3 and 10/10/85.

08/85

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE SURVEY

35-8059

SHACKLEFORD, CHARLES

BOX 212, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 2.20 CFS

Diversion Point: SESW Sec 08 T 05S R 30E, BINGHAM Co.

Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01

Place of Use: NESH NWSW Sec 08 T 05S R 30E NESE SESE Sec 07 T 05S R 30E NENE
SENE Sec 18 T 05S R 30E FOR 110 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

Check the box to the left of the paragraph which accurately describes the status of the project described by the application and then sign on the line at the bottom of the page.

A. ☐ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was not being diverted and put to beneficial use as represented by the application.

B. ☒ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was being diverted and put to beneficial use as represented by the application.

MICROFILMED

JUN 12 1989

If paragraph "B" was selected return the form with documentation confirming beneficial use occurred prior to October 1, 1984. This documentation should include a sworn statement from you as applicant, plus other evidence that will substantiate beneficial use.

Additional information is not required for paragraph "A".


(Signature)

RECEIVED

AUG 23 1985

Department of Water Resources
Eastern District Office 8/22/85

Water Resources Department

Pump #81 has been in use for 31 years, with a new pump set in 1979.


Pump #82 has been in use since 1972.

However, I did not file for a permit until 1982.

Thank you,
Charles Strickford
P.O. Box 212
Aberdeen, Idaho
83210

STATE OF IDAHO 1
 : ss
County of Bingham 1

Signed before me, a Notary Public in and for the State of Idaho, this 22nd day of August, 1985.



Notary Public
Residing at Aberdeen, Idaho

MICROFILMED

JUN 12 1989



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 12, 1985

RE: Applications for Permits Nos. 35-8058 and 35-8059

Charles Shackelford
Box 212
Aberdeen, Idaho 83210

Dear Mr. Shackelford:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

JUN 12 1989

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JUL 8 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8059

Name(s) of Permit Holder: Charles Shackelford

Post Office Address: Box 212 Aberdeen Idaho 83210

Telephone No. None

Source of Water: _____

Extent of Use: Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation X _____ (acres) 12 acres

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 1974

Measuring Device: Required? _____ Yes _____ No
Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes _____ No
Required? X Yes _____ No

Person to contact to accompany the Department representative during field examination: Charles Shackelford

(Name)

Box 212 Aberdeen Idaho

(Address)

(Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/22/85
Date

Charles Shackelford
Signature of Permit

(and Title, if appropriate)

MICROFILMED

JUN 12 1989

Statement of development for exemption from Swan Falls processing. Not acceptable as proof of beneficial use.

December 15, 1982

RE: Application for Permit No. 35-3058 SHACKLEFORD
No. 35-3059 "

Claim to a Water Right No. 25-4163 BUTLER

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 33221

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on November 25 and December 2, 1982.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

Called 1/13/83 BP -
Called 1/20/83 BP

MICROFILMED

JUN 12 1989

RECEIVED

JAN 21 1983

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have

been filed to appropriate the public
waters of the State of Idaho:

35-8058

SHACKLEFORD, Charles
Box 212

Aberdeen, Idaho 83210

Source GROUNDWATER

Date Filed 11/10/1982

Amount: 0 80 CFS

Diversion Point SWSE, Sec 08, T

05S, R 30E, Bingham Co

Use IRRIGATION (0 80 CFS) from
04/01 to 11/01

Place of Use SWNE SENE SENW
NESW SESW, Sec 08, T. 05S, R
30E, for 40 ACRES.

Diversion Means. WELL, PUMP &
SPRINKLER SYSTEM

35-8059

SHACKLEFORD, Charles

Box 212

Aberdeen, Id 83210

Source GROUNDWATER

Date Filed 11/10/1982

Amount. 2 20 CFS

Diversion Point SESW, Sec. 08, T

05S, R 30E, Bingham Co

Use. IRRIGATION (2 20 CFS) from
04/01 to 11/01

Place of Use NESW NWSW, Sec

08, T 05S, R 30E NESE SESE, Sec

07, T. 05S, R 30E, NENE, SENE,

Sec. 18, T 05S, R. 30E for 110

ACRES

Diversion Means: WELL, PUMP &
SPRINKLER SYSTEM

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Ste
15, Idaho Falls, Idaho 83402, on or
before DECEMBER 13, 1982

KEN DUNN

Director

(7542)

Pub. 11-25, 12-2

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, David Mark Brown

solemnly

Publisher

swear that I am the Publisher of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks

the first publication having been made on the
25th day of November, 19 82

and the last publication having been made on the

2nd day of December, 19 83;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper, and not in a supplement.

Subscribed and sworn to before me this 19th

day of January, 19 83.

Patricia A. Johnson

Notary Public for the State of Idaho,

Residing at Blackfoot, Idaho

My commission expires

Oct. 20, 1984

MICROFILMED

JUN 12 1989

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161
NOVEMBER 17, 1982

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a reply proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before DECEMBER 13, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region
Encl.

MICROFILMED
JUN 12 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 13, 1982.

KEN DUNN, Dir.

Published 11/25 & 12/2/82.

MICROFILMED

JUN 12 1989

35-8059

SHACKLEFORD, CHARLES

BOX 212, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982


Amount: 2.20 CFS

Diversion Point: SESW Sec 08 T 05S R 30E, BINGHAM Co.

Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01

Place of Use: NESW N4SW Sec 08 T 05S R 30E NESE SESE Sec 07 T 05S R 30E NENE
SENE Sec 18 T 05S R 30E FOR 110 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM



11/10/1982

MICROFILMED

JUN 12 1989

November 5, 1982

Charles Shackelford
Box 212
Aberdeen, ID 83210

Dear Mr. Shackelford:

Enclosed you will find your 2 applications for a water right. Please review them and if all seems correct, sign each one. The fee for the 0.76 cfs application is \$45.00 and the fee for the 2.20 cfs is \$85.00.. We will need you to send the \$130.00 with your applications.

Please advise Mr. Vanderford that he should respond to the licensing letter sent to him from Boise about permit 35-7694 by choosing to license only the 153 acre option listed.

Have Mr. Vanderford call me if he has any questions.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:bp

Enclosures

RECEIVED

JUN 12 1989

35 8058
8059

May 14, 1982

Charles Shackelford
P.O. Box 212
Aberdeen, Idaho 83210

Dear Mr. Shakelford:

Enclosed are the two applications for permit and check #92-145 in the amount of \$130.00 that you submitted to this office.

Several problems make it necessary to return the applications. The problems are noted in red on the copies of each application.

Upon receipt of the corrected applications and appropriate filing fee, processing will begin.

Please feel free to contact this office for any additional assistance that that may be needed.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:bp

Enclosures

MICROFILMED

JUN 12 1989

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.