


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 12 1989

Charles Shackelford
(Applicant)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				NE				NW				SW				SE				SUM
		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
L3508058	T05S R30E S 8 GROUNDWATER																																	
	:					09		09						02		08					04		39		38		39		39		187			
3502425	GROUNDWATE :																				10		20		30		15		35		40		150	
A3502425	GROUNDWATE :																				10		20		30		15		35		40		150	
R3502425A	GROUNDWATE :															32		39		39		29										139		
R3502425B	GROUNDWATE :					09		09						02		08								04		39		38		39		39		187
3507694	GROUNDWATE :															03							04		39		40		36		38		160	
A3507694	GROUNDWATE :															03							04		39		40		36		38		160	
R3507694	GROUNDWATE :					09		09						02		08							04		39		38		39		39		187	
3507872	GROUNDWATE :																	40		38		06										84		
A3507872	GROUNDWATE :																			40		40										80		
R3507872	GROUNDWATE :															32		39		39		29										139		
3508058	GROUNDWATE :					09		09						02		10						10										40		
A3508058	GROUNDWATE :					09		09						02		10						10										40		
R3508058	GROUNDWATE :					09		09						02		08						04		39		38		39		39		187		
3508059	GROUNDWATE :															30		40														70		
A3508059	GROUNDWATE :															30		40														70		
R3508059	GROUNDWATE :															32		39		39		29										139		

R-
FILE

AJ5809NP
No. R35-08058

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 11/19/93
PAGE: 8

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME																																																																																		
C	CHARLES J SHACKELFORD PO BOX 212 ABERDEEN ID 83210 (208) 397-5287	11/10/1982	IRRIGATION	04-01 10-31	0.49 CFS																																																																																			
TOTAL DIVERSION:					0.49 CFS																																																																																			
Water Source: GROUNDWATER		Tributary to:		Stage: PERMIT																																																																																				
Point(s) of Diversion:		T05S R30E S08 SESWSE		BINGHAM County																																																																																				
Place of use Legal Description for: IRRIGATION																																																																																								
<table border="0"><thead><tr><th colspan="4">NE</th><th colspan="4">NW</th><th colspan="4">SW</th><th colspan="4">SE</th><th></th></tr><tr><th>T</th><th>R</th><th>S</th><th>:</th><th>Lt</th><th>Ac</th><th>Lt</th><th>Ac</th><th>Lt</th><th>Ac</th><th>Lt</th><th>Ac</th><th>Lt</th><th>Ac</th><th>Lt</th><th>Ac</th><th>:</th><th>SUM</th></tr></thead><tbody><tr><td>05S</td><td>30E</td><td>8</td><td>:</td><td></td><td></td><td>09</td><td></td><td>09</td><td>:</td><td></td><td></td><td>02</td><td>:</td><td>08</td><td></td><td>04</td><td>:</td><td>39</td><td>38</td><td>39</td><td>39</td><td>:</td><td>188.0</td></tr><tr><td colspan="19"></td><td colspan="2">TOTAL ACRES</td><td colspan="2">188.0</td></tr></tbody></table>							NE				NW				SW				SE					T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	05S	30E	8	:			09		09	:			02	:	08		04	:	39	38	39	39	:	188.0																				TOTAL ACRES		188.0	
NE				NW				SW				SE																																																																												
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM																																																																							
05S	30E	8	:			09		09	:			02	:	08		04	:	39	38	39	39	:	188.0																																																																	
																			TOTAL ACRES		188.0																																																																			

POU County: BINGHAM

Other Rights: 35-02425B, 35-07694

Other Water Rights with Same Point(s) of Diversion and Source:
A35-02425 A35-07694 A35-08058 R35-02425 R35-02425B R35-07694

Other Water Rights Listing Overlapping Place(s) of use:
A35-02425 A35-07694 A35-07872 A35-08058 A35-08059 R35-02425 R35-02425A R35-02425B R35-07694 R35-07872
R35-08059

Conditions of Approval:

- A01 - THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION
- IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION
- OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS
- SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL
- BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY
- IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.

Remarks:

RIGHT NOS. 35-02425B AND 35-07694 ARE ALSO DIVERTED THROUGH
POINT OF DIVERSION DESCRIBED ABOVE.

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 3.28 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 752 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 564 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 188 ACRES IN A SINGLE IRRIGATION SEASON.
COMBINED RIGHT NOS.: 35-02425B AND 35-07694.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 28 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

R-FILE

ÅJ5809NP
No. R35-08058

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 11/19/93
PAGE: 9

=====

Dates:	Exam Made Date: 04/20/1993	Verified Date: 04/21/1993
Misc:	Water District Number:	Field Inspection Flag: Y Presumption Flag:
Audit:	11/02/92 DCARLSON	04/21/93 VERNER

R 30 E

T 55

35-8058

54
89

615
718

12372
1096

PERMISSIBLE

PLACE OF USE

R 30 E
T 55

718
1817

3
88.6

4
59.6

5
187.5

819

12116
545

COUNTY
ROADS

Point of Diversion

35-8058

35-7694

35-8058

8
24.6

9
85.6

10
80.4

59.8

5.99

6.21

6.70

6.76

mainline

35-8058
POD

7.46

7.11

6.3

6.3

3.8

9.3

9.3

4

8

2

9.3

16.1

18

17

7.46

7.11

7.46

12116

545

545

35-8058 Schackelford

WINKLEYS



35-8058
Schackelford

REPRODUCTION
FEB 04 1994

35-8058

SHACKLEFORD, CHARLES

BOX 212, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 0.80 CFS

Diversion Point: SWSE Sec 08 T 05S R 30E, BINGHAM Co.

Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01

Place of Use: SWNE SENE SENW NESW Sec 08 T 05S R 30E FOR 40 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

35-8058

SHACKLEFORD, Charles

Box 212

Aberdeen, Idaho 83210

Amount: 0.80 CFS

Diversion Point: SWSE, Sec. 08, T. 05S, R.

30E, Bingham Co.

Use: IRRIGATION (0.80 CFS) from 04/01 to

11/01.

Place of Use: SWNE, SENE, SENW, NESW, SESW, Sec. 08, T. 05S, R. 30E, for 40 ACRES.

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM.

*Source:
Date filed:*

*Called Patented
Legal 809
11-22-88
11-10-88*

Legals for pat and connie — Jackie

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-8058

SHACKLEFORD, Charles

Box 212

Aberdeen, Idaho 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 0.80 CFS

Diversion Point: SWSE, Sec. 08, T.

05S, R. 30E, Bingham Co.

Use: IRRIGATION (0.80 CFS) from

04/01 to 11/01

Place of Use: SWNE SENE SENW

NESW SESW, Sec. 08, T. 05S, R.

30E, for 40 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM.

RECORDED

JUN 12 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08058

Priority: November 10, 1982

Maximum Diversion Rate:

0.49 CFS

This is to certify, that CHARLES SHACKELFORD
1400 S 3950 W
ABERDEEN ID 83210

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 10, 1982; and
has submitted Proof of Beneficial Use on June 10, 1989. An examination indicates
that the works have a diversion capacity of 3.280 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	0.49 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION: SESWSE , Sec. 8, Township 05S, Range 30E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	30E	8	SWNE 9.5	SENE 9.5	SENEW 2	
			NESW 8	SESW 4	NESE 39	
			NWSE 38	SWSE 39	SESE 39	188

Total number of acres irrigated: 188

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of this right with the rights listed below is limited to a total combined diversion rate of 3.28 cfs, a total combined annual diversion volume of 752 af, a total combined annual consumptive use volume of 564 af, and to the irrigation of a combined total of 188 acres in a single irrigation season.
5. The combined rights include: 35-02425B and 35-07694.
6. This right is limited to the irrigation of 28 acres within the place of use described above in a single irrigation season. The following rights are also diverted through the point(s) of diversion described above: 35-02425B and 35-07694.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of JANUARY, 1994.

Acting for

R. Keith Higginson, Director

FEB 04 1994

JUN 10 1989

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 100.00
Date 7-5-89
Receipt # E009419
Receipt by EMG
Reviewed by [Signature]
Sent to region 10-25-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08058

Name(s) of Permit Holder: Charles Shackelford

Post Office Address: P.O. Box 212 Aberdeen, ID 83210

Telephone No. 397-5287

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 40 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.80 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 11-10-1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Same as Above.

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 20 1989

7/5/89
Date

Charles J. Shackelford
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Charles Shackelford Phone N.A.

Post office address Box 212, Aberdeen, Idaho 83210

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 5S

Range 30E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.80 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well/pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 375 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 12 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	30E	8			9	9				2	10			10					40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None

Permit #35-7872 overlaps in SESW of Section 8

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks PD is same one used in License 35-2425 and license 35-7694

RECORDED

JUN 12 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 12 1989

Charles Shackelford
(Applicant)

Proposed Priority 11/10/82

Assisted by HWT

Received by BP Date 11-10-82 Time 3:15pm

Preliminary check by HWT Fee \$ 45.00

Received by BP Date 11-12-82 #22581

Publication prepared by BP Date 11/17/82

Published in Blackfoot News

Publication dates 11/25 + 12/2/82 + 10/03 + 10/10/85

Publication approved CW Date 1-21-83 + 11-01-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HWT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8058, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 19th day of April, 1989.

J. New Saylor

MICROFILMED

JUN 12 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 20, 1994

CHARLES SHACKELFORD
1400 S 3950 W
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08058

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

FEB 04 1994

WR0749NP
No. L35-08058

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/20/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES SHACKELFORD 1400 S 3950 W ABERDEEN ID 83210 (208) 397-5287	11/10/1982	IRRIGATION	04-01 10-31	0.49 CFS	
TOTAL DIVERSION:					0.49 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.28 CFS

Point(s) of Diversion: T05S R30E S08 SESWSE BINGHAM County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
05S	30E	8	:			09	09	:			02		:	08			04	:	39	38	39	39	:	188.0
TOTAL ACRES																							188.0	

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-02425 35-07694 35-08058

Other Water Rights Listing Overlapping Place(s) of use:
35-02425 35-07694 35-07872 35-08058 35-08059

Remarks: Use of this right with the rights listed below is limited to a total combined diversion rate of 3.28 cfs, a total combined annual diversion volume of 752 af, a total combined annual consumptive use volume of 564 af, and to the irrigation of a combined total of 188 acres in a single irrigation season. The combined rights include: 35-02425B and 35-07694. This right is limited to the irrigation of 28 acres within the place of use described above in a single irrigation season. The following rights are also diverted through the point(s) of diversion described above: 35-02425B and 35-07694.

Dates: App. Received: 11/10/1982 Priority Date: 11/10/1982
Proof Due Date: 05/01/1990 Proof Made Date: 06/10/1989
Exam Made Date: 09/18/1990 Exam Sent to S.O.: 10/29/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/20/93 CHAPMAN 01/07/94 CHAPMAN 01/19/94 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3508058	T05S R30E S 8 GROUNDWATER																	
	:			09		09				02		08				04		187
3502425	GROUNDWATE :											10		20		30	15	150
A3502425	GROUNDWATE :											10		20		30	15	150
R3502425A	GROUNDWATE :											39		29		39	38	139
R3502425B	GROUNDWATE :			09		09				02		08		04		39	38	187
3507694	GROUNDWATE :											03		04		39	40	160
A3507694	GROUNDWATE :											03		04		39	40	160
R3507694	GROUNDWATE :			09		09				02		08		04		39	38	187
3507872	GROUNDWATE :											40		06				84
A3507872	GROUNDWATE :											40		40				80
R3507872	GROUNDWATE :											39		29				139
3508058	GROUNDWATE :			09		09				02		10		10				40
A3508058	GROUNDWATE :			09		09				02		10		10				40
R3508058	GROUNDWATE :			09		09				02		08		04		39	38	187
3508059	GROUNDWATE :											40						70
A3508059	GROUNDWATE :											40						70
R3508059	GROUNDWATE :											39		29				139

AJ5809NP
No. R35-08058

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 11/19/93
PAGE: 8

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES J SHACKELFORD PO BOX 212 ABERDEEN ID 83210 (208) 397-5287	11/10/1982	IRRIGATION	04-01 10-31	0.49 CFS	
TOTAL DIVERSION:					0.49 CFS	
Water Source: GROUNDWATER		Tributary to:		Stage: PERMIT		
Point(s) of Diversion:		T05S R30E S08 SESWSE		BINGHAM County		
Place of use Legal Description for: IRRIGATION						
NE NW SW SE						
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac
05S	30E	8	: 09 09	: 02	: 08 04	: 39 38 39 39
TOTAL ACRES						188.0

POU County: BINGHAM

Other Rights: 35-02425B, 35-07694

Other Water Rights with Same Point(s) of Diversion and Source:
A35-02425 A35-07694 A35-08058 R35-02425 R35-02425B R35-07694

Other Water Rights Listing Overlapping Place(s) of use:
A35-02425 A35-07694 A35-07872 A35-08058 A35-08059 R35-02425 R35-02425A R35-02425B R35-07694 R35-07872
R35-08059

Conditions of Approval:

- A01 - THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION
- IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION
 - OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS
 - SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL
 - BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY
 - IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.

Remarks: RIGHT NOS. 35-02425B AND 35-07694 ARE ALSO DIVERTED THROUGH
POINT OF DIVERSION DESCRIBED ABOVE.

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 3.28 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 752 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 564 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 188 ACRES IN A SINGLE IRRIGATION SEASON.
COMBINED RIGHT NOS.: 35-02425B AND 35-07694.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 28 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

R-FILE

AJ5809NP
No. R35-08058

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 11/19/93
PAGE: 9

=====

Dates:	Exam Made Date: 04/20/1993	Verified Date: 04/21/1993
Misc:	Water District Number:	Field Inspection Flag: Y Presumption Flag:
Audit:	11/02/92 DCARLSON 04/21/93 VERNER	

LICENSE REVIEW CHECKLIST

Permit # 35-8058 Date 12-14-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u> Advanced to: <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void - Source change.
P/D	<u>✓</u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Overlap(s) <u>35-2425B and 35-7694</u>
P/U	<u>✓</u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Overlap(s) <u>35-2425B & 35-7694</u>
TOTAL CFS	<u>✓</u>	<u> </u>	Measurement done?? <u>POLYSONIC</u>
	<u> </u>	<u> </u>	<u>1470 gpm = 3.28 CFS</u>
	<u> </u>	<u> </u>	Theoretical $8.8 \times .70 \times 300$
	<u> </u>	<u> </u>	$274 + 2.31 \times 85 = 3.93 \text{ CFS}$
	<u> </u>	<u> </u>	Allowable Amount: <u> </u>
	<u> </u>	<u> </u>	Capacity of System: <u>3.28</u>
TOTAL VOLUME	<u> </u>	<u> </u>	Season of Use: <u>C/4.0 (4-1 to 10-31)</u>
	<u> </u>	<u> </u>	Calculations: <u> </u>
	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	Flow limit: <u> </u> $\times 214 \times 1.9835 =$ <u> </u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>was</u>	<u>was</u>	Special Overlap <u>28 acres</u>
	<u>was</u>	<u> </u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring/Locking Devices
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Irrigation Overlap <u>11-10-82</u> Water Dist App Rec'd
	<u> </u>	<u>✓</u>	Water Quality <u>9-18-90</u> Exam Made

COMMENTS: Amend P/U ; Reduce RATE ; Combined rates exceed Capacity - Condition

RECOMMENDED CFS DIV VOL CON VOL

Irrigation 3.28 752 564 (DO NOT LIST)

Comb rate/vol 3.28 752 564

LICENSE

1ST AMEND LETTER P41

2ND AMEND LETTER P47

21
349 8"
76 3"
273 6"

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 35-8058
1. Owner: Charles Shackelford Phone No. 397-5287
Current Address: Box 1400 S. 3950 W Aberdeen, ID 83210
2. Accompanied by: Charles EXAM. DATE: 9-18-1990
Address: Box 212 Phone No.
Relationship to Permit Holder Same
3. Source: groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-7694, 35-2425/T2087 35-8057
35-7872 (these may not overlap) ☐ Copies Attached
2. Other water rights with same point of diversion 35-7694, 35-2425/T2087
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

FEB 04 1994

2. ☒ Copy of U.S G S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3 **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc.)

Well, pump, mainline to 8 wheel lines, 4-1/4 mile,
4 longer (equivalent to 9-1/4 mile lines total)
Well ≈ 380' deep
Operating at 85 psi

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D	General Elec.	300	AKT123134	Johnston	GF 14802

*Code to correspond with No. on map and aerial photo

5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
P/D		SE	SW	SE	8	5S	30E	Bingham	On site inspection, USGS Quad

6. **Place(s) of Use:**

Indicate Method of Determination ASCS Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	30E	8			9.5	9.5				2	8			4	39	38	39	39	188
5S	30E	8			9.5	9.5				2	7								28
5S	30E	8			9.5	9.5				2	8			4	39	38	39	39	188*

* CONDITION AS A PERMISSIBLE PLACE OF USE, LIMIT RIGHT TO IRRIGATION OF 28 ACRES IN A SINGLE IRRIGATION SEASON.

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge		Rainbird			0-100psi	
Water Level Indicator	Electric	Fisher			500'	
Flow meter station	Non-Contact	Poly-sonics	TF-P	149743	small	

2. Measurements:

Sonic Meter $\Rightarrow$ 1470 GPM = 3.28 cfs
 Operating Pressure $\Rightarrow$ 85psi
 Static Water Level $\Rightarrow$ 273' 6"

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached SEE ATTACHED OVERLAP REVIEW

1. Measured Method:

Sonic Meter $\Rightarrow$ 3.28 cfs (1470 gpm)

2. Alternate Method for Checking Purposes

$$Q = \frac{h_p (8.814) (eff)}{4 ft + (P \times 2.308)} = \frac{300 (8.814) (.7)}{273.5' + (85 \times 2.308)} = 3.94 \text{ cfs}$$

Theoretical Flow $\Rightarrow$ 3.93 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate _____ cfs (4)

Water HP (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (28)(4.0) = 112 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.49)(214)(1.9835) = 207.9 \text{ afa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 112 \text{ AFA}$

2. Volume Calculations for Other Uses

RECEIVED

04 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The system under licence 35-7694 irrigated more land than the license allows. This license is to cover this extra acreage. (See ASCS aerial photo) See attached overlap review

LIMIT DIVERSION Rate to 3.28cfs when 35-02425B, 35-07694, & 35-8058 are used in combination

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.49	112
Totals:			* 0.49	112

LIMIT DIVERSION OF 35-02425B, 35-07694 AND 35-08058 TO 3.28 cfs IN COMBINATION.

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Scott N King
Signature Scott N King
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILM

FEB 04 1994

OVERLAP REVIEW FOR Permit 85-08058

4/24/93 EBL

SYSTEM CAPACITY = 3.28 cfs

TOTAL ACRES UNDER SYSTEM = 188

CURRENT IRRIGATION RATE:

$$\frac{Q_{\text{SYSTEM}}}{\text{TOTAL AC}} = \frac{3.28}{188} = 0.0174 \text{ cfs/acre}$$

• OLD APPLICATION RATE:

$$R_{85-024258} = 1.88 \text{ cfs} / 120 \text{ AC} = 0.0157 \text{ cfs/acre}$$

$$\text{New } 35-07694 = 1.31 \text{ cfs} / 160 \text{ AC} = 0.0082 \text{ cfs/acre}$$

• CAPACITY OF WEN WAS MEASURED TO BE 4.4 cfs, BUT RIGHT WAS LIMITED TO 1.31 cfs AS PERMITTED. SO THE SITUATION WAS

LICENSED AS:

$$1.88 + 1.31 = 3.19 \text{ cfs on } 160 \text{ acres} = (3.19/160) = 0.0199 \text{ cfs/acre.}$$

OR 0.02 cfs/acre

• NOW ADD 35-08058:

- OLD APPLICATION RATE UNDER R85-024258 AND 35-07694 IS 0.02 cfs/acre on 160 acres.

- NEW APPLICATION RATE IS:

$$3.28 \text{ cfs} / 188 \text{ AC} = 0.0174 \text{ cfs/acre.}$$

- SINCE NEW RATE IS LESS THAN OLD RATE, CAN ONLY RECOMMEND NEW WATER ON NEW LAND.

RECOMMEND: 188 ac - 160 ac = 28 ACRES. AT NEW

APPLICATION RATE OF 0.0174 cfs/ac FOR (0.0174)(28) = 0.49 cfs.

* LIMIT RATE TO 3.28 cfs WHEN USED IN COMBINATION w/ R35-024258 AND 35-07694.

35-8058

MICROFILMED

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
.143000 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.626 IN U

ZERO MODE
CLEAP

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
TO CHECK

0373.9 MMSEC
102.33 % TO

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1429 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1450 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.424 IN U

ZERO MODE
CLEAP

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

MODE SELECT
TO CHECK

0371.3 MMSEC
100.01 % TO

09-18 10:4200 *P
+002.70 % A12

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

09-18 10:4300 *R
+ 1.457E 3GPM

10:44+ 1.460E 3GPM 00R

10:45+ 1.461E 3GPM 00R

10:46+ 1.460E 3GPM 00P

10:47+ 1.464E 3GPM 00R

10:48+ 1.458E 3GPM 00R

10:49+ 1.470E 3GPM 00P

10:50+ 1.465E 3GPM 00R

10:51+ 1.463E 3GPM 00R

$Q = 3.28 \frac{cf}{s}$

35-8058

FEB 04 1994

PROPERTY

41394

Flow Measurement
Tape

30463-1

35-8058

PPINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
CS.SS

WALL THICKNESS
.143660 IN

INNER LINING
NO LINING.

KIND OF FLUID
WATER

SENSOR MOUNTING
U

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
7.626 IN

ZERO MODE
CLEAR

ZERO MODE
HUT ZERO

ZERO MODE
ZERO OPP

MODE SELECT
TO CHECK

OUTER DIAMETER
102.39 MMSEC

MODE SELECT
INPUT

OUTER DIAMETER
10.0583 IN

PIPE MATERIAL
CS.SS

WALL THICKNESS
0.1429 IN

INNER LINING

FEB 04 1994

NO LING.

FIND OF FLUID
; ANOTHER

SOUND VELOCITY
1450 M.S-

SENSOR MOUNTING
; II

TYPE OF SENSOR
; SMALL

DATA CHANGE
; NO

SPACING
1.424 IN II

ZERO MODE
; CLEAR

ZERO MODE
; HUT ZERO

ZERO MODE
; ZERO OPR

MODE SELECT
; TO CHECK

0371.3 MMSEC
100.01 . TO

09-18 10:4200 +P
+002.70 " HIC

MODE SELECT
; DATA SET

DATA SET MODE
; PRINTER

09-18 10:4200 +P
+ 1.457E 3GPM

10:44+ 1.450E 3GPM 00R

10:45+ 1.461E 3GPM 00R

10:46+ 1.460E 3GPM 00R

10:47+ 1.464E 3GPM 00R

10:48+ 1.458E 3GPM 00R

10:49+ 1.470E 3GPM 00R

10:50+ 1.465E 3GPM 00R

10:51+ 1.463E 3GPM 00R

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-8058
Permit No.

Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Theoretical Q

$$\text{Equation: } Q = \frac{8.8(\text{eff})(HP)}{\text{Depth} + 2.31(\text{pressure})} \quad [\text{cfs}]$$

$$= \frac{8.8(0.70)(300)}{273.5 + 2.31(85)}$$

$$= 3.93 \text{ cfs}$$

RECEIVED

FEB 04 1994

NOW

54
89

PERMISSIBLE

PLACE OF USE

5.99

0.70

(43)

(3)

(12)

(12)

0.21

R 30E
T 10 S

MEI
4
59.6

MEI
3
88.6

MEI
5
187.5

81

35-8059
FOV

78
78
1817

POINT OF DIVERSION

35-8058

35-7694

35-8058

Department of Water Resources

WELL INSPECTION FORM

9/18/1990

If well is associated with water right, provide WR# 35-8058

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 55, Rge 30E Sec. 8, SW 1/4 SE 1/4 or Lot _____.

2. Owner: Charles Sheekelford

Address 1900S 3950W, City Aberdeen, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No X

4. Access Port: Yes X No _____

Static Water Level: 273 1/2'

Pressure Gauge: Yes _____ No X

Casing Diameter: 20"

Flowing: Yes _____ No X

Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

PROCESSED

FEB 04 1994

ack Eford



35-8058

Schackelford

EB 04 1994

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

RECEIVED

FEB 04 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 26, 1989

CHARLES SHACKLEFORD
P.O. BOX 212
ABERDEEN, ID 83210

RE: PERMIT NO. 35-08058

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 20 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 35-8058

Date: 10-25-87

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file *no well log found*
_____ 2. drilling permit
y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: *Well drilled in 1982*
Proof acceptable

N/A Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 2, 1989

CHARLES SHACKLEFORD
BOX 212
ABERDEEN, ID 83210

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 35-08058

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

JUN 12 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 19 1983

Fee not required.
Return IF sent
HLS

January 23, 1989

CHARLES SHACKLEFORD
BOX 212
ABERDEEN, ID 83210

RE: APPLICATION FOR PERMIT NO. 35-8058 & 35-8059

Dear Applicant:


The department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy. In connection with this processing, the department requests the information described below.

From the department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

In order to process the application, the application needs to be re-advertised in compliance with Water Appropriation Rule 4,2,2,1. Please submit the readvertisement fee in the amount of \$20 within 30 days or the department will void the application pursuant to Water Appropriation Rule 4,2,2,4.

Please feel free to contact the department if you have any questions.

Sincerely,



Ronald D. Carlson
REGIONAL MANAGER

RDC/rb

MICROFILMED

JUN 12 1989

RECEIVED

OCT 28 1985

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho, and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

35-8061

DOIG, Bill L.
Rt. 1, Box 363
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 11/23/1982
Amount: 0.68 CFS
Diversion Point: NWNW, Sec. 04, T. 02S, R. 35E, BINGHAM CO.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01.
STOCKWATER (0.04 CFS) from 01/01 to 12/31.
DOMESTIC (0.04 CFS) from 01/01 to 12/31.
Place of Use: NWNW, Sec. 04, T. 02S, R. 35E, for 30 ACRES.
Diversion Means: WELL, PUMP, SPRINKLERS & DELIVERY SYSTEM.

25-7360

LDS CHURCH
50 E. N. Temple
Salt Lake City, Utah 84111
Source: SPRING trib. to MUD CREEK.
Date Filed: 06/23/1983
Diversion Pt.: SWSE, Sec. 06, T. 02S, R. 40E.
Use: DOMESTIC (0.02 CFS).
RECREATION (0.23 CFS).
RECREATION STORAGE (9.0 AF)
In SWSE, Sec. 06, T. 02S, R. 40E.

35-8059

SHACKLEFORD, Charles
Box 212
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/10/1982
Amount: 2.20 CFS
Diversion Point: SESW, Sec. 08, T. 05S, R. 30E, BINGHAM CO.
Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01.
Place of Use: NESW, NWSW, Sec. 08, T. 05S, R. 30E, NESE, SESE, Sec. 07, T. 05S, R. 30E, NENE, SENE, Sec. 18, T. 05S, R. 30E, for 110 ACRES.
Diversion Means: WELL, PUMP & SPRINKLER SYSTEM.

35-8058

SHACKLEFORD, Charles
Box 212
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/10/1982
Amount: 0.80 CFS
Diversion Point: SWSE, Sec. 08, T. 05S, R.

30E, Bingham Co.
Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01.
Place of Use: SWNE, SENE, SENW, NESW, SESW, Sec. 08, T. 05S, R. 30E, for 40 ACRES.
Diversion Means: WELL, PUMP & SPRINKLER SYSTEM.
35-8018
THOMPSON, William D.
P.O. Box 519
Blackfoot, Idaho 83221
Source: WASTE WATER tributary to SPRING CREEK
Date Filed: 02/03/1982
Amount: 0.60 CFS
Diversion Point: SWNE, Sec. 21, T. 04S, R. 32E, BINGHAM CO.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01.
Place of Use: SWNE, SENE, Sec. 21, T. 04S, R. 32E, FOR 30 ACRES
Diversion Means: PUMP & FLOOD IRRIGATION

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before October 21, 1985.

KEN DUNN, Director

(8809)
Pub. 10-3, 10

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

Catherine C. Brown

I, _____ do solemnly

swear that I am the Office Manager of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thurs of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks

the first publication having been made on the 3rd day of October, 19 85

and the last publication having been made on the 10th day of October, 19 85

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Catherine C. Brown

Subscribed and sworn to before me this 23rd day of October, 19 85

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1988

MICROFILMED

JUN 12 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

October 23, 1985

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

RE: Applications for Permits Numbers: 25-7360 LDS Church,
35-8018 William D. Thompson, 35-8058 Charles Shackelford,
35-8059 Charles Shackelford, 35-8061 Bill L. Doig, 35-8155 Royce
and Anna Brookshier.

Gentlemen:

Would you please submit an affidavit of publication and certified
bill in connection with the above referenced applications. The
legal notice was to have been published in your paper on October
3, and 10, 1985.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

MICHELE DAVIS
Office Secretary

MICROFILMED

JUN 12 1989

NOTICE OF APPLICATION

FOR WATER RIGHT .

The following applications have been filed to appropriate the public waters of the State of Idaho and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 21, 1985.

KEN DUNN

Director

MICROFILMED

JUN 12 1989

Published 10/3 and 10/10/85.

08/85

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE SURVEY

35-8058

SHACKLEFORD, CHARLES

BOX 212, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 0.80 CFS

Diversion Point: SWSE Sec 08 T 05S R 30E. BINGHAM Co.

Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01

Place of Use: SWNE SENE SENW NESW SESW Sec 08 T 05S R 30E FOR 40 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

Check the box to the left of the paragraph which accurately describes the status of the project described by the application and then sign on the line at the bottom of the page.

- A. ☐ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was not being diverted and put to beneficial use as represented by the application.
- B. ☒ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was being diverted and put to beneficial use as represented by the application.

If paragraph "B" was selected return the form with documentation confirming beneficial use occurred prior to October 1, 1984. This documentation should include a sworn statement from you as applicant, plus other evidence that will substantiate beneficial use.

Additional information is not required for paragraph "A".

JUN 12 1989

Charles Shackelford
(Signature)

RECEIVED

AUG 23 1985

Department of Water Resources
Eastern District Office

8/22/85

Water Resources Department

Lump # 81 has been in use for
31 years, with a new pump set in 1979.

Lump # 82 has been in use since 1972.

However, I did not file for a permit
until 1982.

Thank you,
Charles Macbefford

P.O. Box 212

Aberdeen, Idaho

83210

STATE OF IDAHO }
 : SS
County of Bingham }

Signed before me, a Notary Public in and for the
State of Idaho, this 22nd day of August, 1985.



Notary Public
Residing at Aberdeen, Idaho

MICROFILMED

AUG 29 1985

IDAHO vs. EKL

READING DATES
PREVIOUS

PRESENT
11-14-79 CHARLES SHACKLEFORD

RATE	READING	KWH USED/DEMAND	AMOUNT	SYMBOL
PREVIOUS BAL			904.24	CR
CLOSING BILL				
SERVICE ADDRESS 682				
CUSTOMER NO. 2071-004918-1			TOTAL AMOUNT DUE	
Explanation of Symbols CR - CREDIT MN - MINIMUM AV - AVERAGE PER L			PAST DUE 11-30 ON	
			904.24	
			CR	

CHARLES SHACKLEFORD
ABERDEEN, ID 83210

2071-004918-1		CASH CEE
11-30	904.24	

MAIL PARCELS WITH THIS STICK TO -
BOX 30-BOISE, IDAHO 83721

IDAHO POWER COMPANY
P.O. BOX 30, BOISE, IDAHO 83721

READING DATES **FOR INFORMATION REGARDING YOUR**
PREVIOUS **ACCOUNT, RATES OR SERVICE, CALL THE**
AMERICAN FALLS OFFICE

PRESENT
11-14-79 CHARLES SHACKLEFORD

RATE	READING	KWH USED/DEMAND	AMOUNT	SYM
PREVIOUS BAL			1942.19	
CLOSING BILL				
SERVICE ADDRESS 681				
Explanation of Symbols CR - Credit MM - MINIMUM AV - AVERAGE BILL			CUSTOMER NO. 2078-004920-8 PAST DUE 11-30 ON	TOTAL AMOUNT DUE 1942.19

CHARLES SHACKLEFORD
ABERDEEN, ID 83210

2071-004920-B	11-30	1942.19
---------------	-------	---------

PLEASE MAIL PAYMENTS WITH THIS CLUB TO -
BOX 30-BOISE, IDAHO 83721

No. 18913 PRINT NAME SHACKELFORD CHARLES
(Last) (First or Initial)

CUSTOMER'S RECEIPT

DISTRICT Om Falls

DATE 24 April 79

SERVICE ADDRESS G-8-1
G-8-2

Table 1

Commercial.....

Residential.....

Irrigation

Service Advance..

\$	
\$	
\$8,700	00

CUSTOMER NUMBER

2071-004919 - 2

2071-004920-8

2071-004918-1

VALUABLE**Save**

This

Receipt

The above Customer has deposited with IDAHO POWER COMPANY

the sum of Eight thousand seven hundred and 70 Dollars to be applied to the payment of any amount or amounts due from said Customer to said Company. Upon final settlement of said Customer's accounts with said Company, the unused portion, if any, of such deposit will be returned to said Customer only upon presentation of this receipt.

THIS RECEIPT IS NOT TRANSFERABLE

IDAHO POWER COMPANY Above terms accepted by:

By

1008 - 80M - 9-78

Customers

MICROFILMED

JUN 12 1989

DEPOSIT REFUND

Refunded by:

Date	Amount of Deposit \$	Interest From	to	Total	Less—Previously applied to account	Balance Refunded	Accepted by:

Customer

Customer

RECEIVED JUL 4 1985

Mail to: Nelson + Gosholt
20, Box 1906
Twin Falls, ID 83303

RECEIVED

JUL 3 1985

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8058

Name(s) of Permit Holder: _____

Charles Shackelford

Post Office Address: Box 212 Aberdeen Idaho

Telephone No. None

Source of Water: Ground

Extent of Use: Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation X (acres)

Other/Remarks: Main Water right is for about 320
added right is for about 40 acres

Indicate the date water was first diverted and beneficially used under this permit: About 1978

Measuring Device: Required? _____ Yes _____ No
Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes _____ No
Required? X Yes _____ No

Person to contact to accompany the Department representative during field examination: Charles Shackelford

Box 212 Aberdeen Ida. 83210
(Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

4/22/85
Date

Charles Shackelford MICROFILMED
Signature of Permit
(and Title, if appropriate)

JUN 12 1989

Statement of development for exemption from Swan Falls processing. Not acceptable as proof of beneficial use.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 12, 1985

RE: Applications for Permits Nos. 35-8058 and 35-8059

Charles Shackelford
Box 212
Aberdeen, Idaho 83210

Dear Mr. Shackelford:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

JUN 12 1989

RECEIVED

JAN 21 1983

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been

filed to appropriate the public
waters of the State of Idaho:

35-8058

SHACKLEFORD, Charles
Box 212

Aberdeen, Idaho 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 0.80 CFS

Diversion Point: SWSE, Sec. 08, T.

05S, R. 30E, Bingham Co.

Use: IRRIGATION (0.80 CFS) from
04/01 to 11/01.

Place of Use: SWNE SENE SENW
NESW SESW, Sec. 08, T. 05S, R.
30E, for 40 ACRES

Diversion Means: WELL, PUMP &
SPRINKLER SYSTEM

35-8059

SHACKLEFORD, Charles
Box 212

Aberdeen, Id 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 2 20 CFS

Diversion Point: SESW, Sec. 08, T.

05S, R. 30E, Bingham Co.

Use: IRRIGATION (2 20 CFS) from
04/01 to 11/01

Place of Use: NESW NWSW, Sec.

08, T. 05S, R. 30E NESE SESE, Sec.

07, T. 05S, R. 30E, NENE, SENE,

Sec. 18, T. 05S, R. 30E for 110

ACRES.

Diversion Means: WELL, PUMP &
SPRINKLER SYSTEM.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave.,
15, Idaho Falls, Idaho 83402, on or
before DECEMBER 13, 1982

KEN DUNN

Director

(7542)

Pub.: 11-25, 12-2

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, David Mark Brown do
solemnly

Publisher of

The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks

the first publication having been made on the
25th day of November, 19 82,

and the last publication having been made on the
2nd day of December, 19 83;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 19th

day of January, 19 83.

Patricia A. Johnson

Notary Public for the State of Idaho,

Residing at Blackfoot, Idaho

My commission expires

Oct. 20, 1984

MICROFILMED

JUN 12 1989

December 15, 1982

RE: Application for Permit No. 35-8058 SHACKLEFORD
No. 35-8059 "

Claim to a Water Right No. 25-4163 BUTLER

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 33221

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on November 25 and December 2, 1982.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

Called 1/13/83 BP
called 1/20/83 BP

MICROFILMED

JUN 12 1989

35-9058

SHACKLEFORD, CHARLES

BOX 212, HESDERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/10/1982

Amount: 0.80 CFS

Diversion Point: SWESE Sec 08 T 055 R 30E, BINGHAM Co.
Use: IRRIGATION

Place of Use: SAME SENE SENW NESW Sec 08 T 055 R 30E from 04/01 to 11/01

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM FOR 40 ACRES

SOURCE:
Date Filed:

35-9058-1
1. The above described water right is hereby
diverted to the use of irrigation for the
purpose of growing crops of grain and
other agricultural products on the land
owned by Charles Shackleford, located in
the SW 1/4 of Sec 08, T 055 N, R 30 E, Bingham
County, Idaho.

Patented 8/8/86
Filed 12/8/86
10-0-00

REGISTERED

JUN 12 1989

May 14, 1982

Charles Shackelford
P.O. Box 212
Aberdeen, Idaho 83210

Dear Mr. Shakelford:

Enclosed are the two applications for permit and check #92-145 in the amount of \$130.00 that you submitted to this office.

Several problems make it necessary to return the applications. The problems are noted in red on the copies of each application.

Upon receipt of the corrected applications and appropriate filing fee, processing will begin.

Please feel free to contact this office for any additional assistance that that may be needed.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:bp

Enclosures

RECEIVED

JUN 12 1982