

RECEIVED

SEP 14 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-8054

STROSCHEIN, Ronald W.
Sterling Rt., Box 1
Aberdeen, Id. 83210
Source: GROUNDWATER
Date Filed: 08/23/1982
Amount: 3.20 CFS

Diversion Point: SESE, SWSE, Sec. 03, T. 05S, R. 31E, Bingham Co.
Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01.

Place of Use: NESE, NWSE, SWSE, SESE, Sec. 03, T. 05S, R. 31E, for 160 ACRES.

Diversion Means: WELL, PUMP, MAINLINE & WHEEL LINES.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho, 83402, on or before SEPTEMBER 20, 1982.

A. KENNETH DUNN
Director

(7449)
Pub.: 9-2, 9

38

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

I, _____
solemnly

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks,

the first publication having been made on the 2nd day of Sept, 19 82,

and the last publication having been made on the 9th day of Sept, 19 82;

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Patricia A. Johnson

Subscribed and sworn to before me this 13th

day of Sept, 19 82.

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

35-8054

STROSCHEIN, Ronald W.

Sterling Rt., Box 1

Aberdeen, Id. 83210

Source: GROUNDWATER

Date Filed: 08/23/1982

Amount: 3.20 CFS

Diversion Point: SESE, SWSE, Sec.

3, T. 05S, R. 31E, Bingham Co.

Use: IRRIGATION (3.20 CFS) from

4/01 to 11/01.

Place of Use: NESE, NWSE, SWSE,

ESE, Sec. 03, T. 05S, R. 31E, for

50 ACRES.

Diversion Means: WELL, PUMP,

AINLINE & WHEEL LINES.

If issued, the permit(s) will be sub-

ject to all prior water rights. Protests


against the granting of any permit

must be filed with the Director of the

Idaho Department of Water

Resources, 150 Shoun Ave, Idaho

10. Other water rights on these lands Aberdeen-Springfield Canal shares
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature H.W. Jones Date 10-2-84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED

DEC 16 1986

WATER RIGHT LICENSE

Description and location of place of use:

[illegible]

Tract or Block	Acres	Total number of acres irrigated
151		

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of NOVEMBER, 19 86.

MICROFILMED

DEC 16 1986

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald W. Stroschein Phone 208-397-4705

Post office address Sterling Route Box 1, Aberdeen, Idaho 83210

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 5S

Range 31E B.M. Bingham County, additional points of diversion if any: _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, T. 5S, R. 31E.

4. Water will be used for the following purposes:

Amount 3.20 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well pump, mainline, wheel lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	31E	3													40	40	40	40	160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

160 shares in the Aberdeen-Springfield Canal Co.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald W. Starcher
(Applicant)

Proposed priority 8/23/1982

Received by CW Date 9-03-82 Time 9:58A
CW 8-23-82 10:05am

Preliminary check by EMC Fee \$ 105.00

Receipted by BP Date 8-24-82 #22465

Publication prepared by BP Date 8-25-82

Published in Blackfoot News

Publication dates 9/2 & 9/9/82

Publication approved CW Date 9-15-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8054, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of September, 1982.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

RECEIVED

SEP 14 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-8054

STROSCHER, Ronald W.
Sterling Rt., Box 1
Aberdeen, Id. 83210
Source: GROUNDWATER
Date Filed: 08/23/1982
Amount: 3.20 CFS
Diversion Point: SESE, SWSE, Sec
03, T. 05S, R. 31E, Bingham Co.
Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01.
Place of Use: NESE, NWSE, SWSE,
SESE, Sec. 03, T. 05S, R. 31E, for
160 ACRES.

Diversion Means: WELL, PUMP,
MAINLINE & WHEEL LINES.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho, 83402, on or before SEPTEMBER 20, 1982.

A. KENNETH DUNN
Director

(7449)
Pub 19-2, 9

38

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

solemnly

I, David Mark Brown do
solemnly swear that I am the Publisher of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks.

the first publication having been made on the
2nd day of Sept, 19 82.

and the last publication having been made on the
9th day of Sept, 19 82;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 13th

day of Sept, 19 82

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

35-8054

W. H. HEN, Road
King Rt. Box 1
Poe, Id. 83210
Type: GROUNDWATER

Date Filed: 08/23/1982

Amount: 3.20 CFS

Diversion Point: SESE, SWSE, Sec
03, T. 05S, R. 31E, Bingham Co

Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01

Place of Use: NESE, NWSE, SWSE,
SESE, Sec 03, T. 05S, R. 31E, for
160 ACRES.

Diversion Means: WELL, PUMP,
MAINLINE & WHEEL LINES

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 150 Shoup Ave., Idaho
Falls, Idaho, 83402, on or before
SEPTEMBER 20, 1982

A KENNETH DL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35-8054
Name(s) of Permit Holder(s): Ronald W. Strassheim
Post Office Address: Sterling Route Box 7
Aberdeen Idaho 83210 Phone No. 327-4705

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on Nov. 1, 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

11/25/83 Date Ronald Strassheim Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JAN 26 1983

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 8, 1986

RE: Permit No. 35-8054

Ronald W. Stoschein
Sterling Rt., Box 1
Aberdeen, ID 83210

Dear Mr. Stoschein:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED

DEC 15 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 3, 1986

RE: Permit No. 35-8054

Ronald W. Stroschein
Sterling Rt., Box 1
Aberdeen, ID 83210

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

DEC 16 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

NOV 26 1984

35-8054

Permit No

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$0.920 \text{ correction factor} \times 14" \text{ meter reading} = 12.88"$$

$$(9.75" \text{ ID})^2 \times 3.85 \times \sqrt{12.88} = 1313.49 \text{ gpm}$$

or 2.93 cfs Capacity

$$151 \text{ acres} \times 0.02 \text{ cfs} = 3.02 \text{ cfs}$$

amt limited by capacity - allow capacity; no pld overlap

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 151 \text{ acres} \times 3.5 \text{ af/a} = 528.5 \text{ af}$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.93 \text{ cfs} \times 214 \text{ d} \times 1.9835 = 1246 \text{ af}$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 528.5 \text{ af}$$

c) Volume Calculations for Other Uses:

2. Overlap Review per VAX:

a) Other water rights with same place of use: shares of Aberdeen-Springfield Canal
01-00230, 01-0297

b) Other water rights with same point of diversion: NA.

c) Analysis:

$$R16(3.5) \text{ } \underline{\underline{B30}}$$

RECEIVED

DEC 10 1984

RECOMMENDED AMOUNTS

10 day

3.	Permit No. ✓	Priority	Amount ✓	App. Date	Date Proof Submitted	System Capacity ✓
	35-8054	8-23-1982	2.93 cfs	8-23-1982	8-8-1983	2.93 cfs

4. Permit Holder: Ronald H. Strasschein ✓

Address: Stedins Rt. Box 1 ✓ Aberdeen, Idaho 83210 ✓

5. Source: Groundwater ✓ tributary to _____

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Irrigation ✓</u>	<u>4-1 ✓</u> <u>11-1 ✓</u>	<u>2.93 cfs ✓</u>	<u>528.5 afa ✓</u>

Allowable Maximums: 2.93 cfs 528.5 AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		SW	<u>SE</u>	<u>SE</u>	3	5S	31E	Bingham ✓

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	31E	3													39	39	39	34	151 ✓
Total Acres																			151 ✓

9. Recommended Conditions/Remarks: R30

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature HW Jones

Checked in Regional Office by Keith C Wilson

Approved in State Office by K. Walker

Date 10-2-84

Date 15 Nov 1984

Date 9-2-1986

RECORDED

DEC 16 1986

RECEIVED
NOV 26 1964

Department of Water Resources
Permit No. 35-8054
Phone No. 399-4705

1. Owner: Ronald Stroschan Phone No. 397-4705
Current Address: Stirling Rt Box 1 Aberdeen
2. Accompanied by: Applicant EXAM. DATE: 6-27-84
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	100	CWJY6286	Bakelby	NA

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
well/pump to 8 sprinklers

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Eagle Eye Meter					10-80	
Annubar					7.9"	

7. Measurements 9.75" ID 14" MR ☐ Additional data/computation sheets attached

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]


- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

10. Other water rights on these lands Aberdeen-Springfield Canal shares

11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature H.W. Jones Date 10-2-84

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____ CONSULTANT SEAL

DEC 10 1984

*

#35-8054


EASTERN

METER NO. 091471

RANGE 10-80

DATE TESTED 5/27/84

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
8.59	7.89	8.24	10 ³⁴	+10.16	.908
18.02	17.20	17.61	20	+6.57	.938
28.57	27.15	27.86	30	+3.77	.964
39.42	37.81	38.62	40	+1.78	.983
49.02	47.54	48.28	50	+1.77	.983
59.85	57.67	58.76	60	+1.05	.990
68.47	67.64	68.06	70	+1.42	.986
76.90	76.71	76.81	80	+2.06	.980



RECORDED

DEC 16 1986



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

August 24, 1983

RECEIVED
Ronald W. Stroschein
Sterling Route Box 1
Aberdeen, ID 83210

RE: Permit 35-8054

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:JK

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-8054.

Name(s) of Permit Holder: RONALD W. STROSCHER

Post Office Address: STERLING ROUTE BOX 1

ABERDEEN, IDAHO 83210 Tel. No. 397-4705

Source of Water: GROUND WATER

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>160</u>	(acres)
☐ Other	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: ☒ Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug. 3, 1983
Date

Ronald W. Stroscher
Signature of Permit Holder

RECEIVED

AUG 8 1983

Department of Water Resources

Ronald Stroschein
Sterling Route Box 57
Aberdeen, Idaho 83210



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

STROSCHEIN, RONALD W.
STERLING RT., BOX 1
ABERDEEN, ID 83210

OCTOBER 13, 1982

RE: PERMIT NO. 35-8054

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
OCT 15 1982
WATER RESOURCES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

35 8054

INITIAL REVIEW BY: Emil

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
- ☒ Point of diversion.
- ☒ County.
- ☒ Quantity of water and period of use.
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map.
- ☒ Signature.
- ☒ Fee.
- ☐ Yes ☒ No Field check required.
- ☐ Yes ☒ No Critical groundwater area.
- ☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
- ☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

+ Initiate advertising.
2- type new application - return for signature.

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
- ☐ Idaho Fish and Game Department. _____
- ☐ Idaho Department of Lands. _____
- ☐ U.S. Bureau of Land Management. _____
- ☐ U.S. Forest Service. _____
- ☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
- ☐ Yes ☒ No Other rights on same place of use. _____
- ☒ Yes ☐ No* In form for advertising.
- ☐ Yes ☒ No Final date for protests: Sept 20, 1982 ✓
- ☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-14-82 ✓
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☒ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.
- ☐ Yes ☒ No Measuring device required.
- ☒ Yes ☐ No Access port required.
- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
- ✓ 8-23-82 Date of priority recommended.
- Special conditions of approval or cover letter. _____

Case 26

By: Ernest Carlson Date: Sept. 20, 1982.

STATE OFFICE REVIEW:

SLW/L11, L12, L03 26 OIC

- ☐ See attached sheet for more information.

By: Kebyn Date: 9/28/82

RECEIVED
SEP 23 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

35-8054-

STROSCHEIN, RONALD M.

STERLING RT., BOX 1, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 08/23/1982

Amount: 3.20 CFS

Diversion Point: SESE SWSE Sec 03 T 05S R 31E, BINGHAM Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

Place of Use: NESE NWSE SWSE SESE Sec 03 T 05S R 31E FOR 160 ACRES

Diversion Means: WELL, PUMP, MAINLINE & WHEEL LINES

RECEIVED