



R34E
T2S

point of diversion

place of use

T 34E
R 3

23	24
26	25


35-8045

NOV 26 1990

RECEIVED

NOV 26 1970

35-8045



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08045

Priority: June 17, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.14 CFS
15.2 AF

This is to certify, that JOHN L. DEWEY
689 W. 175 N.

BLACKFOOT, ID 832210000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 17, 1982; and
has submitted Proof of Beneficial Use on July 29, 1987. An examination indicates
that the works have a diversion capacity of .140 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.12 CFS	14.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.14 CFS	15.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 25, Township 02S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	34E	25	SWNW	4		4
Total number of acres irrigated:						4

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
02S	34E	25

NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

NOV 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08045

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of NOVEMBER, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

NOV 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John L. Dewey Phone 684-3421

Post office address Rt. #7, Box 147, Blackfoot, ID 83221

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 2S

Range 34E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for irrigation purposes from 4/1 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. portable aluminum mainline and
handline sprinklers with 3 hp submersible pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 80 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 2S

Range 34E B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X John L. Dewey
(Applicant)

Proposed Priority 6/17/1982

Received by CW Date 6-17-82 Time 10:40N

Preliminary check by JM. Fee \$ 30⁰⁰

Receipted by BP Date 6-21-82 # 22324

Publication prepared by BP Date 6-23-82

Published in Blackfoot News

Publication dates 7-1 ; 7-8-1982

Publication approved CW Date 8-02-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ENC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8045 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1 , 19 87 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of August, 1982.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED

JUL 26 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho

35-8045

DEWEY, John L.
Rt 7, Box 147
Blackfoot, Idaho 83221
Source, GROUNDWATER
Date Filed: 06/17/1982
Amount, 0 16 CFS
Diversion Point SWNW, Sec 25,
T. 02S, R. 34E, Bingham Co
Use IRRIGATION (0 12 CFS) from
04/01 to 10/15
DOMESTIC (0 04 CFS) from 01/01
to 12/31
Place of Use NWNW, SWNW, Sec
25, T. 02S, R. 34E, for 4 ACRES
Diversion Means MAINLINE,
HANDLINES & PUMP

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 150 Shoup Ave., Idaho
Falls, Idaho, 83402, on or before JU-
LY 19, 1982

A KENNETH DUNN
Director

(7371)
Pub. 7-1, 8

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, David Mark Brown do

solemnly

Publisher

swear that I am the _____ of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper two (2) consecutive weeks

the first publication having been made on the

1st day of July, 19 82.

and the last publication having been made on the

8th day of July, 19 82;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 23rd

day of July, 19 82

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

November 19, 1990

JOHN L. DEWEY
689 W. 175 N.
BLACKFOOT, ID 832210000

RE: WATER RIGHT NO. 35-08045

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

NOV 20 1990

October 15, 1990

JOHN L. DEWEY
689 W. 175 N.
BLACKFOOT, ID 832210000

RE: PERMIT NO. 35-08045

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MicroFILMED

NOV 26 1990

LICENSE REVIEW CHECKLIST

Permit No. 35-8045

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance N/A
Blue sheet inserted N/A

Order to reinstate needed? yes no ✓

Total cfs Limited by fee tu ok

Limited by capacity ✓ .14

Total volume Limited by flow

Chart checked for AF rate/ac 3.5

Capacity Actual measurement checked ✓

~~Theoretical~~ checked ✓

If greater than permit, check for other rts

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓ 4/1-11/1

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ✓
Special overlap condition

Conditions Measuring device
W.Master control
Overlap R50
Water quality
Other

Dates/Misc Water district
App Rec'd date ✓
Proof Rec'd date ✓

Comments/Changes to Examiner's Recommendations:

License 10-day ✓ 30-day

Back of field report signed? ✓

Reviewer S. Curtis Date 10-10-90
Review time 12 minutes

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

35-8045
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

Dewey

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ ~~Computer Data Proof Report~~
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/O index SD 9-15-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index SD 9-15-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/O's
☐ Increase number of acres within tracts
☐ Other: Surface Canal Rts. Check 35-8146
To make sure report is well.

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Larry J. Mathis 6-6-89 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent KCW 7/2/89 (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Data Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 13 1990
35-8095
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8095
Phone No. 684-5427


1. Owner: John L. Dewey
Current Address: 689 W 175 N Blackfoot Id. 83221
2. Accompanied by: John L. Dewey EXAM. DATE: 6-2-89
Address: Same Phone No. Same
Relationship to Permit Holder: Owner (permit holder)
3. Source groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- 1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well 42' deep, Pump to house and irrigation system with 13 heads (max) operating at one time. beginning pressure = 46.3 psi and ending pressure = 46 psi for irrigation system. The irrigation system consists of 4 acres and with 0.5 acres also irrigated around the house.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkley	3	2823028202	Berkley (Dickens-mfg)	46 psi

**Code to correspond with No on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

~~Indicate Method of Determination~~

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	34E	25					d	4										4	

MICROFILMED

NOV-26 1964

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	P.T. +	excel			0-100 (psi)	

2. Measurements:

beginning pressure = 46.3 psi
 end pressure = 46 psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method

0.09 cfs

2. Alternate Method for Checking Purposes:

0.14 cfs

} from attached sheet

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation.

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{irrigation } (4) (3) = 12 \text{ afa}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.09 (1.9835) (214) = 38.2 \text{ afa}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 12 \text{ afa}$

2. Volume Calculations for Other Uses:

$V_{Dom} = 1.2 \text{ afa}$ (from chart)

MICROFILMED

NOV 26 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

1/2 acre irrigated with house and 4
acres irrigated behind domestic area.
No overlaps (Canal Rt. Not used)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	4/1	10/15	0.09	12 afa
domestic	1/1	12/31	0.04	1.2 afa
Totals:			0.13 cfs	13.4 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Larry Waters
Signature Larry L. Waters
Certification Date _____
Field Report Preparation Date 6-5-89

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

10-10-90
SC

RECEIVED

NOV 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-8045

Permit No.

Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

acreage calc. : $\frac{161' \times 1043.5'}{43,560} = 3.86 \text{ acre (call it 4 acres) (rear area)}$

$\frac{(180' \times 133.5') - (50' \times 38.2')}{43,560} = 0.5 \text{ acres (front area w/o house)}$

using tables for sprinkler heads (model 29)
with average pressure = $\frac{46.3 + 46}{2} = 46.15 \text{ psi}$

for $1/8"$ $\Rightarrow Q = 3.0891 \text{ gpm} = 0.00688 \text{ cfs}$

for $3/4"$ $\Rightarrow Q = 3.88 \text{ gpm} = 0.0086 \text{ cfs}$

1/8" interpolated values				
psi	gpm			
45	3.05	$\frac{.17}{5} = \frac{x}{1.15}$		
46.15	y			
50	3.22	$x = 0.0391$		
		$y = 3.05 + x = 3.0891 \text{ gpm}$		

3/4" interpolated values				
psi	gpm			
45	3.84	$\frac{.2}{5} = \frac{x}{1.15}$		
46.15	y			
50	4.04	$x = 0.046$		
		$y = 3.84 + x = 3.88 \text{ gpm}$		


Total = $(12)(3.0891 \text{ gpm}) + 3.88 \text{ gpm} = 40.949 \text{ gpm} = \underline{\underline{0.09 \text{ cfs}}}$

Theor. Calc.

$Q = \frac{hp (8.814) (eff)}{1.48 + (psi \times 2.308)} = \frac{(3) (8.814) (.80)}{42 + (46.15 (2.308))} = 0.14 \text{ cfs}$

RECEIVED

NOV 26 1990



Borrow Pits

Well

Moreland

L-1

L-2

L-3

L-4

Clarkson

DITCH

BM X
4461

Borrow Pit

35-8045
NOV 26 1930

NORTH

BM

UNION

Stora

LATERAL

WEST

.....

.....

RECORDED
INDEXED

NOV 26 1950

35-8045

INVEST

SEARCHED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 14, 1987

JOHN L. DEWEY
589 W. 175 N.
CLACKFORD

ID 83224

RE: Permit No. 25-8045

Dear Permit Holder,

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
CHAROLD W. JONES
Sr. Resource Agent

MICROFILMED

NOV 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35-8045
Name(s) of Permit Holder(s): John L. Dewey
Post Office Address: Rt. 7 Box 147
Blackfoot, Idaho Tel. 208-3421

☒ I hereby certify that construction of diversion works on the above referenced permit began on 3/1/82 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

10/1/82
Date

[Signature]
Signature of Permit Holder

for Deveney
Rt. 7 Box 47
Blyt., Id. 83722



MICROFILMED

NOV 26 1990



RECEIVED

OCT 4 1982

Department of Water Resources

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

RECEIVED
JUL 29 1987

For Office Use Only
Fee Received \$50.00
Date 7-29-87
Receipt # 44115
Reviewed by [Signature]
Sent to region 12-87

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-8045
Name(s) of Permit Holder: John L Dewey
Post Office Address: 689W - 175 N Blackfoot IDA 83221
Telephone No. 684-3421

Source of Water: WELL

Extent of Use:
Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation 4 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .14 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5/1/82

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
John Dewey 285-1435
(Name) (Telephone Number)

Dewey Irr. 585 Cotton St. Blackfoot
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/15/87 [Signature]
Date Signature of Permit Holder (and title, if appropriate)
MICROFILMED
AUG 24 1987

● T A T E O F I D A H O ●
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MAY 31, 1987

138531

DEWEY, JOHN L.
RT. 7, BOX 147
BLACKFOOT, ID 83221

PROOF DUE NOTICE

RE: PERMIT NO. 35-8045

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

AUG 24 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

AUG 24 1987

NAME AND
ADDRESS
OF SENDERIndicate type of mail
☐ Registered
☐ Insured
☐ COD
☐ CertifiedI certify that we have
☐ Commercial Insurance
☐ A deductible clause of \$Affix stamp here if issued as
certificate of mailing or for
additional copies of this bill
POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	Handling Charge	Actual Value (if Registered)	DUE SENDER IF C.O.D.	R R	R R	S.D.	S.H.	REST DEL. FEE	REMARKS
1	John J. Deary Rt. 7, Box 947 Blackport, Ill 83221	20 75										35-8045

1

138797

2

3

4

5

6

7

8

9

10

11

12

13

14

15

MICROFILMED

TOTAL NUMBER OF
PIECES LISTED BY
SENDER

1

TOTAL NUMBER OF
PIECES RECEIVED
AT POST OFFICE

one

POSTMASTER, PER (Name of receiving employee)

D. L. King

The full declaration of value is required on all domestic and international registered mail. Commercial Insurance—Payment of the full registry fee is required on articles valued up to \$1,000 or the full amount of the deductible if the deductible exceeds \$1,000. The maximum indemnity payable is \$25,000 for registered mail, \$400 for COD and \$400 for insured mail. Special handling charges apply only to third- and fourth-class parcels. Special delivery service also includes special handling service.

S T A T E O F I D A H O
DEPT M : OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DEWEY, JOHN L.
RT. 7, BOX 147
BLACKFOOT, ID 83221

SEPTEMBER 15, 1982

RE: PERMIT NO. 35-8045

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS MUST BE STARTED WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. THE PROJECT MUST THEN BE DILIGENTLY CONSTRUCTED UNTIL COMPLETED. TO MAINTAIN THE PERMIT IN A VALID STATUS YOU MUST COMPLETE AND RETURN THE ENCLOSED POSTCARD WHEN CONSTRUCTION IS COMMENCED, NO LATER THAN ONE YEAR FROM THE DATE OF APPROVAL OF THE PERMIT.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

RE: PERMIT 35-8045


PAGE 01
SEPTEMBER 15, 1982

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE
READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO
DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Steve McCormick APPLICATION NUMBER 35 8045
CHECK

- ☒ Source
☒ Point of diversion OK
☒ County
☒ Quantity of water and period of use
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated.
☒ Map
☒ Signature.
☒ Fee
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area
☒ Yes ☒ No Request dam safety information Sent by _____ Date: _____
☒ Yes ☒ No In form to receipt

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT. _____

SEND COPIES TO

- ☐ Idaho State Health Department Copies sent by _____ Date: _____
☐ Idaho Fish and Game Department _____
☐ Idaho Department of Lands _____
☐ U.S. Bureau of Land Management _____
☐ U.S. Forest Service _____
☐ Other _____

PROCESSING

- ☐ Yes ☒ No Platten by _____ Map No _____
☐ Yes ☒ No Other rights on same place of use _____
☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Final date for protests July 19, 1982
☐ Yes ☒ No Protests received If yes, record information on 4th page of application

FINAL REGIONAL PROCESSING REVIEW

- ☒ Affidavit of publication received Date 7-26-82
☒ Application published correctly If not, record act on taken _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application
☒ Protests, dates, withdrawal, etc., recorded on application
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/17/82 Date of priority recommended
☒ Special conditions of approval or cover letter _____

Code #26

By Ernest Carlson Date Aug 13, 1982
STATE OFFICE REVIEW

return receipt
SLW/LH, LIZ 26
See attached sheet for more information
By Ralph Date 8/25/82

RECEIVED
AUG 17 1982

J.S.D. Water Company

Drawer G
Moreland, Idaho 83256

Craig Reed, President
Jacobsen Subdivision Water Co.
Box G
Moreland, Idaho, 83256

A. Kenneth Dunn, Director
Department of Water Resources
150 Shoup Ave.
Idaho Falls, Idaho, 83402


Dear Mr. Dunn,

In reviewing the legal notices in The Morning News this past week, we noticed an application for a water permit in the name of John L. Dewey; Case #35-8045. While we do not object to the granting of a water permit for the irrigation of his crops, we are concerned that he may eventually desire to draw his culinary water from this source as well. Our concern in this matter stems from the fact that we are a shareholder owned company that draws its income from assessments to the shareholders. In the recent past there has been considerable talk of some of the shareholders buying some of the surrounding property and sinking their own wells. As I'm sure you can see, if we let this get started it could be devastating to the financial well-being of the co-operative.

Our suggestion is that a permit be granted, conditional that it not be used as a culinary source.

Any assistance that you could give us in this matter would be greatly appreciated.

Sincerely,



Craig Reed, President
J.S.D. Water Co.

684-3248

S T A T E O F I D A H O

D E P A R T M E N T O F W A T E R R E S O U R C E S

E a s t e r n R e g i o n

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161
JUNE 23, 1982

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 19, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region
Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before JULY 19, 1982.

A. KENNETH DUNN
Director

Published 7/1 & 7/19/82.

35-8045

DEWEY, JOHN L.

RT. 7, BOX 147, BLACKFOOT, ID 83221

Source: GROUNDWATER

Date Filed: 06/17/1982

Amount: 0.16 CFS

Diversion Point: SWNW Sec 25 T 02S R 34E, BINGHAM Co.

Use: IRRIGATION (0.12 CFS) from 04/01 to 10/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWNW SWNW Sec 25 T 02S R 34E FOR 4 ACRES

Diversion Means: MINILINE, HANDLINES & PUMP