

35-8014

T-15, R-32E

4
19.4

8.3

JUN 29 1993

ORIGINAL

10 11
15 14

5
89.8

11 12
14 13

ROAD

3
7.8

39

40

40

40

38

40

40

40

T599
C116

PLACE OF USE

C106
see
pg 1

2
119.9

1
117.5

15 14
22 23

14 13
23 24

2
6.3

81.7

E7

TIS

35-8014

35-8014
4780

POINT OF DIVERSION

R3ZE
T 4752
13
+ S

PLACE OF USE

32E

33E

35-8014

JUN 29 1993

35 - 8014




POINT OF DIVERSION

RECEIVED

JUN 29 1993

3
5
1
8
0
1
4



35-8014

Leaks →



LEAK →

35-8014

POINT
OF
DIVERSION



MICROFILMED
JUN 29 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08014

Priority: March 28, 1982

Maximum Diversion Rate: 3.52 CFS
Maximum Diversion Volume: 1268.0 AF

This is to certify, that T B SMITH
J R SMITH
W W SMITH
GENE BOWMAN

PO BOX 399

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 11, 1981; and has submitted Proof of Beneficial Use on April 13, 1982. An examination indicates that the works have a diversion capacity of 3.740 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	3.52 CFS	1268.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 14, Township 01S, Range 32E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	32E	14	NENE 40	NWNE 40	SWNE 38	
			SENE 40	NENW 40	NWNW 39	
			SWNW 40	SENE 40		317

Total number of acres irrigated: 317

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

MICROFILMED

JUN 29 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 35-08014

CONDITIONS/REMARKS:

6. The total combined rate of diversion under this right and Right 35-02510 shall not exceed 3.74 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of JUNE, 1993.

Acting for  R. Keith Higginson, Director


JUN 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 35-8014 IN THE NAME OF)
T.B. SMITH ET AL.)

ORDER ADVANCING
DATE OF PRIORITY

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 35-8014 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 35-8014 to appropriate the public waters of the State of Idaho with a proposed priority of DECEMBER 11, 1981.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was received on OCTOBER 14, 1986, 107 day(s) late.

RECEIVED

JUN 29 1993

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 35-8014 should be advanced 107 day(s).

ORDER


IT IS HEREBY ORDERED that the date of priority of Permit No. 35-8014 is advanced to MARCH 28, 1982.

Dated this 7th day of June, 1993.

J. Glen Saylor
Chief, Water Allocation Bureau

JUN 29 1993

4/86



COOT 4-1986

STATE OF IDAHO

Department of Water Resources
Eastern District Office

EXAMINATION FEE INFORMATION

For Office Use Only
OK-HUT
Fee Received \$175.00
Date 10-14-86
Receipt # 39921
Receipt by MD
Sent to S.O.

1. Permit No. 35-2510 35-8014

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: 3525-10 35-8014

3. Post Office Address: P.O. Box 399

Blackfoot Telephone No. 785-3404

4. Source of Water: Well

5. Extent of Use: (No Domestic Listed)

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation 320 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 3.52/HUT cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

August 1957 # 35-2510

8. Person to contact to accompany the department representative during the field examination:

Tom Smith
(Name)

316 West Bridge - Blackfoot 785-3404
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

G. B. Smith
Signature of Permit Holder (and title, if appropriate)

JUN 29 1993

copy returned for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
✓ 3.01 - 4.0 ✓	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AMENDED APPLICATION FOR PERMIT AMENDED

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant T. B. Smith &/or J. R. Smith, &/or
W. W. Smith &/or Gene Bowman Phone 785-3397

Post office address 1055 Airport Road, Blackfoot, Idaho 83221

2. Source of water supply groundwater which is a tributary of

3. Location of point of diversion is NW ¼ of NE ¼ of Section 14 Township 1S

Range 32E B.M. Bingham County, additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 3.52 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.52 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump to booster then two
pivots

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir
capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: ¼ of ¼ of Section Township

Range B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served, or number of families to be
supplied with domestic water

(5) If water is to be used for other purposes describe:

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	32E	14	40	40	40	40	40	40	40	40									320

Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes as described above.

License No. 35-2510

9. a. Who owns the property at the point of diversion Applicants


b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

J R Smith
(Applicant)

Processed Priority 12/11/1981

Assisted by KCW
Received by KCW Date 1-8-82 (amended) Time 11:25 A.
Preliminary check by EMC. Fee \$ 20⁰⁰
Received by CW Date 1-08-82 # 20038
Publication prepared by CW Date 1-13-82
Published in Blackfoot News
Publication dates Jan 21 + 28, 1982
Publication approved CW Date 2-02-82
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC. Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8014, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 26th day of March, 19 82.

A. Glen Saylor
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant T.B. Smith &/or J.R. Smith, &/or Phone 785-3397
W.W. SMITH &/or Gene Bowman
 Post office address 1055 Airport Road, Blackfoot, Idaho 83221

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 1S
 Range 32E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.52 cfs for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.52 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump to booster then two
pivots

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
 capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
 (Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
 use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water _____.

If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x J R Smith
(Applicant)

RECORDED

Drafted by HWT
Received by CW Date 12-11-81 Time 10:20A
Preliminary check by KCW Fee \$ 105⁰⁰
Received by CW Date 12-14-81 # 20004
Publication prepared by Jo Date 12-16-81
Published in Blackfoot News
Publication dates 12-24 and 12-31-81
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

MICROFILMED

35-8014

SMITH, T B &/or

J R &/or W.W.

BOWMAN, Gene

1055 Airport Road

Blackfoot, Idaho 83221

Source GROUNDWATER

Date Filed 12/11/1981

Amount 3.52 CFS

Diversion Point NENW, Sec 14,
T 01S R 32E, Bingham Co

Use IRRIGATION (3.52 CFS) from
04/01 to 11/01

Place of Use NENE NWNE SWNE
SENE NENW NWNW SWNW SENW,
Sec 14 T 01S, R 32E, for 320
ACRES

Diversion Means WELL & PUMP

legal001-ust,ust

**NOTICE OF AMENDED
APPLICATION FOR PERMIT**

Notice is hereby given that application for permit No 35-8014 in the name of T B Smith &/or J R Smith &/or W W Smith &/or Gene Bowman was filed for the diversion of 3.52 cfs of water from a groundwater source with point of diversion within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec 14, T 1S, R 32E, B M, Bingham County, to be used from Apr 1 to Nov 1 for the irrigation of 320 acres within the N $\frac{1}{2}$, Sec 14, T 1S, R 32E.

The applicants now propose to amend application No 35-8014 changing the point of diversion to the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec 14, T 1S, R 32E, B M Bingham County.

Any protest to the proposed amending of the application must be filed with the Idaho Department of Water Resources, 150 Shoup, Idaho Falls, Idaho, 83402, on or before February 8, 1982.

A KENNETH DUNN
Director

(7171)
Pub 1-21, 28

RECEIVED
FEB 11 1982
IDAHO DEPARTMENT OF WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 14, 1993

T B SMITH
J R SMITH
W W SMITH
GENE BOWMAN
PO BOX 399
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08014

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Please note that the date of priority of this right has been advanced due to late submittal of the examination fee &/or exam fee information sheet.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 29 1993

DATE: 06/07/93
PAGE: 1

Audit: 06/07/93 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

		NE								NW								SW								SE								
WR-NUMBER	SOURCE	NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
L3508014	T01S R32E S14	GROUNDWATER																																
	:	40		40		38		40	:	40		39		40		40	:																317	
3502510	GROUNDWATE	:	40		40		40		40	:	40		40		40		40	:															320	
A3502510	GROUNDWATE	:	40		40		40		40	:	40		40		40		40	:															320	
3507312	GROUNDWATE	:								:								:	30		30		30		30	:	30		30		28	:	238	
A3507312	GROUNDWATE	:								:								:	30		30		30		30	:	30		30		28	:	238	
3508014	GROUNDWATE	:	40		40		40		40	:	40		40		40		40	:															320	
A3508014	GROUNDWATE	:	40		40		40		40	:	40		40		40		40	:															320	
	C11Q-Y 87	:	40		38		39		40	:	39		36		39		40	:	38		38		36		39	:	40		37		40		38	617

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 35-8014

FROM: BRENDA CHAPMAN

RE: PRIORITY ADVANCE REVIEW

DATE: 3-JUN-1993

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	DECEMBER 11 1981	345
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	OCTOBER 14 1986	287
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		107 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	DECEMBER 11 1981	345
Total Days Late:		107 DAY(S)
New Priority Date:	MARCH 28 1982	87

FILED
JUN 29 1993

LICENSE REVIEW CHECKLIST

 Permit # 35-8014

 Date 6-7-93

Brenda Chapman

NAME	Yes ☒	No ☐	Or Address Change?
PRIORITY DATE	☒	☐	Advance? ☒ Memo to Advance ☒ Order to Reinstall Needed? ☒
SOURCE	☐	☒	Changes? Clarification of Originally Intended source ☐ Notice of Intent to Void - Source change.
P/D	☐	☒	Amendment Needed? ☐ ☐ Is Overlap Analysis a Consideration?
P/U	☐	☒	Amendment Needed? ☐ ☒ Is Overlap Analysis a Consideration? <u>35-02510</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree/Measurement <u>Halls meter + manometer = 3.74 cfs</u>
	☒	☐	Pumping Theoretical $(8.8) \times (.70) \times (250)$ $(347 + [2.31 \times 38]) = 3.54 \text{ cfs}$
	☐	☒	System Capacity <u>3.74</u> Allowable Amount: <u>limited by permit to 3.52</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u> <u>4-1 to 10-31</u> Standard Irr. Season <u>Standard</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? <u>317 @ 4 AFA = 1268</u>
	☒	☐	Flow limit: <u>3.52 x 214 x 1.9835 = 1494</u>
USES	☐	☒	Change(s) in Nature of Use? ☐
	☐	☒	Amendment Needed? ☐
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? ☐
	☐	☒	Non-Irr. Uses ☐
	<u>WB1</u>	☐	Special Overlap Condition <u>35-2510</u>
	☐	☒	Other ☐
CONDITIONS	☐	☒	Measuring Devices
	☐	☒	W/Master Control
	<u>B31</u>	☐	Overlap
	☐	☒	Water Quality
			Dates/Misc <u>1-8-82</u> Water Dist <u>6-7-88</u> App Rec'd Exam Made

COMMENTS: Did not use the overlap review sheet in exam.
 (NOTE: Examiner used system capacity to figure volume)

RECOMMENDED	CFS	VOL
Irrigation	<u>3.52</u>	<u>1268</u>
Domestic	<u> </u>	<u> </u>
Stockwater	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE ☒
 AMEND ☐

* Special paragraph
 to include the Order
 Advancing Date of
 Priority

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8014

1. Owner: Tom Smith

Phone No. 785-3404

Current Address: 316 W. Bridge, Blackfoot, Idaho 83221

2. Accompanied by: Kim Wolfley

EXAM. DATE: 6-7-88

Address: 342 N. 1100 W. Blackfoot, Idaho

Phone No. 684-3320

Relationship to Permit Holder: LEASOR

3. Source: GROUNDWATER

tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-2510

☐ Copies Attached


2. Other water rights with same point of diversion: NO 35-2510

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" =

MICROFILMED

JUN 29 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump/motor to 2-tar tower center pivots with end guns. (low pressure system).

corners are in set-aside program and will remain in program as long as program will last

well depth = 428' (well Log)

☒ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motors	250	1120415	LAYNE	3690-1

***Code to correspond with No. on map and aerial photo**

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination.

[illegible]

317

Do not use this space

JUN 29 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
HALLS meter		HALLS		120385	10"	
manometer					57"	

2 Measurements:

main line : o.d. = 10" I.d. = 9.75"
main line pressure = 38 psi
manometer reading = 25.5" - 4.5" = 21"
static water level = 337' (well Log) Dynamic water level =

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

@ 70% eff Q = 3.63 cfs

1 Measured Method:

$$\text{Theoretical } Q_T = \frac{(250 \text{ HP})(8.814)(0.80)}{337' + (2.31)(38)} = 4.15 \text{ C.F.S.}$$

2. Alternate Method for Checking Purposes:

☒ PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS SEE ATTACHED ANALYSIS - Kew

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(319)(3.5)}{3.74} = 1,113.00$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(3.52)(214)(1.9835)}{1.9835} = 1,494.13$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1,113.00$$

☒ Volume Calculations for Other Uses.

JUN 29 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

<R-17> The maximum combined rate of diversion under this right and Right No. 35-2510 shall not exceed 3.74 c.f.s.

* NOTE: C.F.S. is limited by permit. # 35-0014
and # 35-2510

1. **RECOMMENDATIONS** See attached Analysis - Kew

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	4/1	11/1	~~3.52~~ 0.86	1,113.00
Totals:			~~3.52~~ 0.86 Q = 0.89 cfs	~~1,113.00~~ 284.4 afa 377.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard Lewon

Signature Richard L. Moore

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

JUN 29 1993

PERMIT NO. 35-8014

OVERLAP REVIEW:

1. Other water rights with same place of use: 35-02510/T2624
2. Other water rights with same point of diversion:
35-02510/T2624

ANALYSIS:

Old diversion rate 35-2510/T2624 = 2.88 cfs/320 ac = 0.009 cfs/ac

New diversion rate 35-8014 = 3.74 cfs / 317 ac = 0.0117981 cfs/ac

NEW DIVERSION RATE > OLD DIVERSION RATE

0.0117981 cfs/ac > 0.009 cfs/ac

DETERMINE PORTION OF NEW WATER RIGHT THAT IS APPURTENANT TO PREVIOUSLY COVERED LANDS.

Diversion rate = New diversion rate - Old diversion rate
= 0.0117981 cfs/ac - 0.009 cfs/ac =
= 0.0027981 cfs/ac

TOTAL FLOW RATE TO BE LICENSED UNDER 35-08014 @ 317 acres

Diversion rate = 317 ac x 0.0027981 cfs/ac = 0.887 cfs
Q = 0.89 cfs

VOLUME CALCULATIONS:

V ir = (Ac Irrigated)(Irrigation Requirement) =
= (317 ac)(3.5 afa) = **1109.5 afa**

V dr = [Diversion Rate(cfs)]x(Days in Irr. season)x1.9835 =
= (0.89 cfs)(214 days)(1.9835) = **377.8 afa**

V = 377.8 afa

CONDITION: LIMIT RIGHT THAT IN COMBINATION WILL NOT EXCEED
3.74 cfs

6-7-93

DID NOT USE
THIS
INFORMATION

BChapman


KEITH C. WILSON
SENIOR RESOURCE AGENT

JUN 29 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT35-8014
Permit No.

Measurement Calculations

Field Measurement Calculations (Include theoretical capacities and system capacity)

Halls Meter: $Q = (A)(V_h)$ $A = \text{Area} = \frac{\pi d^2}{4}$ $V_h = \text{Halls Manometer Reading}$

$$Q_{\text{gpm}} = (A)(V_h) = \left[\frac{\pi d^2}{4} \right] (V_h) = \text{GPM} \div 448.8 \text{ gpm/cfs} = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(3.1416)(9.75'')^2}{4} \right] \times \left[\frac{22.5''}{448.8} \right] = 3.74 \text{ cfs}$$

TABLE 1

CHART TO CONVERT LINEAR INCHES DIFFERENTIAL
IN THE MANOMETER TO MANOMETER READING

$V_h = \text{HALLS}$ Manometer Reading	Diff. Inches of Water	$V_h = \text{HALLS}$ Manometer Reading	Diff. Inches of Water	$V_h = \text{HALLS}$ Manometer Reading	Diff. Inches of Water
1	.140	17	12.435	33	43.950
1.5	.240	17.5	13.132	33.5	45.200
2	.350	18	13.848	34	46.500
2.5	.470	18.5	14.582	34.5	47.850
3	.600	19	15.336	35	49.200
3.5	.750	19.5	16.108	35.5	50.550
4	.903	20	16.898	36	51.900
4.5	1.080	20.5	17.707	36.5	53.250
5	1.283	21	18.534	37	54.600
5.5	1.540	21.5	19.380	37.5	56.000
6	1.803	22	20.246	38	57.35
6.5	2.094	22.5	21.129	38.5	58.7
7	2.397	23	22.031	39	60.05
7.5	2.722	23.5	22.951	39.5	61.4
8	3.066	24	23.891	40	62.75
8.5	3.428	24.5	24.849	40.5	64.1
9	3.810	25	25.825	41	65.45
9.5	4.210	25.5	26.820	41.5	66.8
10	4.627	26	27.834	42	68.15
10.5	5.063	26.5	28.866	42.5	69.5
11	5.520	27	29.917	43	70.85
11.5	5.994	27.5	30.987	43.5	72.2
12	6.486	28	32.075	44	73.55
12.5	6.997	28.5	33.181	44.5	74.9
13	7.526	29	34.307	45	76.25
13.5	8.074	29.5	35.461	45.5	77.6
14	8.642	30	36.580	46	78.95
14.5	9.228	30.5	37.750	46.5	80.3
15	9.832	31	38.960	47	81.65
15.5	10.454	31.5	40.200	47.5	83.00
16	11.096	32	41.450	48	84.35
16.5	11.756	32.5	42.800		

JUN 29 1993

Annubar:

B = Difference in inches of water

C = Annubar Factor: Model 75 = -3.85
Model 73 = 4.14

$$Q_{\text{cfs}} = \left[\frac{(C)(id)^2 \sqrt{B}}{448.8} \right] K = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(\quad)(\quad)^2 \sqrt{\quad}}{448.8} \right] (\quad) =$$

$$Q_{\text{cfs}} = \quad \text{cfs}$$

K = Flow Correction Factor
= 1 for Manometer
= # From Calibration Chart

C=Correction Factor

6" -----3.75
7.98"-----3.87
10"-----3.94
12"-----3.99
14"/16"-----4.01
18"/24"-----4.02
30" -----4.03



35-8014

T/S

JUN 29 1993

unclassified


ROAD



R328
S-T

19.4

8.3



State of Idaho
Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.



1. Legal Description of well location. Twp. 1S, Rge. 32E,
Sec. 14, Qtr./Qtr. NW 1/4 NE 1/4 or Lot —
2. Owner Tom Smith
Address Box 399,, City Blackfoot, State Idaho
3. Approx. date of well construction 6-11-57
Well Driller C.L. Williams
4. Casing: Diameter Condition
5. Casing length above land surface
6. Well depth (ft) 428' Flowing — Temp. 50°
Access port yes
7. Condition of piping and valving —
8. Evidence of well seal —
9. Shut in pressure or static water level —
10. Evidence of leakage around the casing yes
11. Does well need repair
12. Comments see photos.

(OVER)

JUN 29 1993

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by

Richard L. Lorton

Date

6-7-88

RECEIVED

JUN 29 1993

35-8014

|||||


|||||



POINT OF DIVERSION

JUN 29 1993

35-8014



LEAKS →

POINT
OF
DIVERSION



JUN 29 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-8014
SMITH, T.B.
SMITH, J.R.
BOX 399
BLACKFOOT, ID 83221

138643

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

July 16, 1932

T.B., J.R. &/or W.H. Smith
Gene Bowman
Box 399
Blackfoot, ID 83221

RE: Permit No. 35-8014

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

— A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 25-8014.

Name(s) of Permit Holder: Smith T.B., JR +/mww

Post Office Address: And. New Bawnk Bay 399

Blackfoot, Id. 83221 Tel. No. 785-3404

Source of Water: g.w

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 320 (acres)
☐ Other _____

Measuring Device Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4/13/82
Date

T. B. Smith
Signature of Permit Holder

MICROFILMED

RECEIVED

RECEIVED

PLACE
STAMP
HERE

APR 13 1982

Department of Water Resources
Eastern District Office

APR 13 1982

Department of Water Resources



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SMITH, T.B. & J.R.
1055 AIRPORT RD.
BLACKFOOT, ID 83221

APRIL 07, 1982

RE: PERMIT NO. 35-8014

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application for permit No. 35-8014 in the name of T.B. Smith &/or J.R. Smith &/or W.W. Smith &/or Gene Bowman was filed for the diversion of 3.52 cfs of water from a groundwater source with point of diversion within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 1S, R. 32E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 320 acres within the N $\frac{1}{2}$, Sec. 14, T. 1S, R. 32E.

The applicants now propose to amend application No. 35-8014 changing the point of diversion to the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 1S, R. 32E, B.M. Bingham County.

Any protest to the proposed amending of the application must be filed with the Idaho Department of Water Resources, 150 Shoup, Idaho Falls, Idaho, 83402, on or before February 8, 1982.

A. KENNETH DUNN

Director

Published in the Blackfoot News, January 21 & 28, 1982.

MICROFILMED

JAN 8 1982

Original Filed 1/10/82
Section 154 of Idaho Code

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

35-8013

MICHAELSON, Gary &/or Rhea
R.F.D. Box 67
Sterling, Id 83210
Source: GROUNDWATER
Date Filed: 10/19/1981
Amount: 2.90 CFS
Diversion Point: SENW Sec. 33, T. 04S, R. 32E, Bingham Co.
Use: IRRIGATION (2.50 CFS) from 04/01 to 11/01
DOMESTIC: (0.04 CFS) from 01/01 to 12/31
Place of Use: NENE SWNE NENW SWNW SENW NESW, Sec. 33, T. 04S, R. 32E, for 125 ACRES.
Diversion Means: WELL & PUMP

35-8014

SMITH, T.B. &/or
J.R. &/or W.W.
BOWMAN, Gene
1055 Airport Road
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 12/11/1981
Amount: 3.52 CFS
Diversion Point: NENW, Sec. 14, T. 01S, R. 32E, Bingham Co.
Use: IRRIGATION (3.52 CFS) from 04/01 to 11/01
Place of Use: NENE NWNE SWNE SENE NENW NWNW SWNW SENW, Sec. 14, T. 01S, R. 32E, for 320 ACRES
Diversion Means: WELL & PUMP.

35-8015

BROWN, Jack C. &/or
Patricia E.
525 Polk
American Falls, Id. 83211
Source: GROUNDWATER
Date Filed: 12/14/1981
Amount: 0.32 CFS
Diversion Point: LOT 01 (SESE), Sec. 32, T. 02S, R. 35E, Bingham Co.
Use: IRRIGATION (0.02 CFS) from 04/01 to 11/01
DOMESTIC (0.30 CFS) from 01/01 to 12/31
Place of Use: LOT 02 (SWSE) LOT 01 (SESE) Sec. 32, T. 02S, R. 35E, for 2 ACRES.
Diversion Means: WELL, PUMP & DELIVERY SYSTEM

If Issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Department of Water

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, David Mark Brown do

solemnly

Publisher

swear that I am the _____ of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 two consecutive weeks

the first publication having been made on the 24th day of Dec., 19 81,

and the last publication having been made on the 31st day of Dec., 19 81

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 6th

day of January, 19 82

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

FEB 1 1982

Department of Water Resources
Eastern District Office

**NOTICE OF AMENDED
APPLICATION FOR PERMIT**

Notice is hereby given that application for permit No. 35-8014 in the name of T B Smith &/or J R Smith &/or W W Smith &/or Gene Bowman was filed for the diversion of 3.52 cfs of water from a groundwater source with point of diversion within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 1S, R. 32E, B M, Bingham County, to be used from Apr. 1 to Nov. 1 for the irrigation of 320 acres within the N $\frac{1}{2}$, Sec. 14, T. 1S, R. 32E.

The applicants now propose to amend application No. 35-8014 changing the point of diversion to the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 1S, R. 32E, B M Bingham County.

Any protest to the proposed amending of the application must be filed with the Idaho Department of Water Resources, 150 Shoup, Idaho Falls, Idaho, 83402, on or before February 8, 1982.

A KENNETH DJINN
Director

(7171)
Pub 1-21, 28

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

I, _____
solemnly

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thurs of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper two consecutive weeks

the first publication having been made on the 21st day of January, 19 82,

and the last publication having been made on the 28th day of January, 19 82;

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 28th

day of January, 19 82.

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

35-8014-

SMITH, T.B. &/or J.R. &/or W.W.
BOWMAN, GENE

1055 AIRPORT RD., BLACKFOOT, ID 83221

Source: GROUNDWATER

Date Filed: 12/11/1981

Amount: 3.52 CFS

Diversion Point: NENW Sec 14 T 01S R 32E, BINGHAM Co.

Use: IRRIGATION (3.52 CFS) from 04/01 to 11/01

Place of Use: NENE NWNE SWNE SENE NENW NWNW SWNW SENW Sec 14 T 01S R 32E
FOR 320 ACRES

Diversion Means: WELL & PUMP

Blackfoot News

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

December 7, 1981

J.R. Smith
1055 Airport Road
Blackfoot, Idaho 83221

Dear Mr. Smith:

Enclosed you will find your application for permit. Please review it and if all is correct, sign and send it to this office with a fee for \$105.

If you have any questions, please call me.

Sincerely,

Harold W. Jones
HAROLD W. JONES
Sr. Resource Agent

HWJ:brs

enc: as stated

MICROFILMED