

35-8005

KENDALL, Wayne

Rural Route Box 12

Aberdeen, Idaho 83210

Source: GROUNDWATER

Date Filed: 11/13/1981

Amount: 3.20 CFS

Diversion Point: NENW Sec. 34, T.
04S, R. 31E, Bingham Co.

Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01

Place of Use: NWNE SWNE NENW
SENE Sec. 34, T. 04S, R. 31E for
160 ACRES.

Diversion Means: WELL & PUMP

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35 8005
Name(s) of Permit Holder(s): Wayne Kendall
Post Office Address: B.R. Box 12
Abbeville, Ida 83210 Tel. No. 397-4884

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1975 - 1982. I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit. Completed.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

16 July 82
Date

Wayne E. Kendall
Signature of Permit Holder

WAYNE E. KENDELL
Sterling Route Box 12
Aberdeen, Idaho 83210



POCA TELLO, ID
CENTENNIAL
1882 — 1982



35-8006

35-8004

35-8005



Dept of Water Resources
Statehouse

Laird, Ida

83720

RECEIVED
JUL 26 1982
MICROFILMED
Department of Water Resources

10. Other water rights on these lands N/A
11. Other water right diverted from same p.d. NA
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Filled a bucket in 29 all. bucket 15 seconds on bird next to pump. then Filled 2gallon bucket in 20 sec. on the other end of wheel line. This was done because the applicant couldn't understand low meter reading. The high psi at birds led me to suspect the same. Actual bucket + stopwatch test of sprinkler flow contradicted meter reading. Access port on mainline only 55' from pump.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature

Richard L. Linn

Date 6-16-86

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

MICROFILMED
MAR 20 1987

County Rd


Transferred
Powell Cty 1982

T45

35-8005

MICROFILMED

MAR 20 1981



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-8005

Priority: November 13, 1981 Amount: 3.04 CFS 532.0 AF

This is to certify, that WAYNE KENDELL
2652 W. 1200 S.
ABERDEEN, ID 83210

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated November 13, 1981, and has submitted proof to the Department of Water Resources on May 16, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 3.91 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	3.04 cfs	532.0 af

LOCATION OF POINT OF DIVERSION(S): NENW , Sec. 34, Township 4S, Range 31E
Bingham County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
4S	31E	34	NWNE 34	SWNE 40	NENW 38	SENE 40	152

Total number of acres irrigated: 152

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of MARCH, 1987.

MICROFILMED

MAR 20 1987

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne Kendell Phone 397-4884

Post office address RR Box 12, Aberdeen, Idaho 83210

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 4S

Range 31E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.20 for irrigation purposes from 4/01 to 11/01 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED
INDEXED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4S	31E	34		40	40		40			40									160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant & Elden Willey

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Lease agreement

10. Remarks

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Wayne E. Kessell
(Applicant)

Proposed Priority 11/13/1981

Received by Kew Date 11-13-81 Time 2:45p

Preliminary check by HWS Fee \$ 105.00

Receipted by cu Date 11-13-81 # 19156

Publication prepared by So Date 11-18-81

Published in Blackfoot News

Publication dates 11-26 and 12-3-81

Publication approved cu Date 1-04-82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC. RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-8005, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 25th day of January, 19 82.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

the public of the State of
Idaho

35-8003

KENDALL, Wayne
Rural Route Box 12
Aberdeen, Id. 83210
Source: GROUNDWATER
Date Filed: 11/13/1981
Amount: 0.11 CFS
Diversion Point: SESW Sec. 34 T.
04S R. Bingham Co. Roye
Use: STOCKWATER (0.07 CFS)
from 01/01 to 12/31
DOMESTIC: (0.04 CFS) from
01/01 to 12/31
Place of Use: SESW Sec. 34 T.
04S, R. 31E.
Diversion Means: WELL AND
PUMP

35-8004

KENDALL, Wayne
Rural Route Box 12
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/13/1981
Amount: 2.40 CFS
Diversion Point: SESE Sec. 34 T.
04S R. 31E Bingham Co.
Use: IRRIGATION (2.40 CFS) from
04/01 to 11/01
Place of Use: NESE NWSE SESE
Sec. 34, T. 04S, R. 31E, for 120
ACRES.
Diversion Means: WELL & PUMP

35-8005

KENDALL, Wayne
Rural Route Box 12
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/13/1981
Amount: 3.20 CFS
Diversion Point: NENW Sec. 34, T.
04S, R. 31E, Bingham Co.
Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01
Place of Use: NWNE SWNE NENW
SENE Sec. 34, T. 04S, R. 31E for
160 ACRES
Diversion Means: WELL & PUMP.

35-8006

KENDALL, Wayne
Rural Route Box 12
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 11/13/1981
Amount: 4.00 CFS
Diversion Point: NESW Sec 34 T
04S, R. 31E, Bingham Co.
Use: IRRIGATION (4.00 CFS) from
04/01 to 11/01
Place of Use: NESW NWSW SWSW
SESW SWSE Sec. 34, T. 04S, R. 31E
for 200 ACRES.
Diversion Means: WELL & PUMP.

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 150 Shoup Ave., Idaho
Falls, Idaho, 83402, on or before
DECEMBER 14, 1981

A KENNETH DUNN
Director

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the
following application(s) have been
submitted for permit to appropriate

(7125)
Pub.: 11-26; 12-3

DEC 18 1981

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, _____
solemnly

David Mark Brown

Publisher

swear that I am the _____ of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper two consecutive weeks

the first publication having been made on the
26th day of November, 19 81

and the last publication having been made on the
3rd day of December, 19 81;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 15th

day of December, 19 81

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

35-8005

KENNALL Wayne

Rural Route Box 12

Aberdeen, Idaho 83210

Source GROUNDWATER

Date Filed 11/13/1981

Amount 3.20 CFS

Diversion Point NEWN Sec 34, T 04S, R 31E

04S R 31E Bingham Co., Idaho

Use IRRIGATION (320 CFS)

04/01 to 11/01

Place of Use NWNE 34E

SENW Sec 34, T 04S, R 31E for

160 ACRES

Diversion Means WELL & PUMP

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35 8005
Name(s) of Permit Holder(s): Wayne Kendall
Post Office Address: B.R. Box 12
Abbeville, Ida 83210 Tel. No. 397-4884

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1975-07-16 (date). I understand that I must continue to develop the water project with due diligence to maintain a valid permit. COMPLETED

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note. A financing difficulty is not an acceptable reason.

16 July 82
Date

Wayne E. Kendall
Signature of Permit Holder



RECEIVED

JUL 19 1982

Department of Water Resources

PLACE
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

WAYNE E. KENDALL
Sterling Route Box 12
Aberdeen, Idaho 83210



35-8006
35-8004
35-8005

RECEIVED
MICROFILMED
JUL 26 1982

Department of Water Resources

*Dept of Water Resources
Statehouse*

Lewis, Ida

1 2727

March 10, 1987

WAYNE KENDELL
2652 W. 1200 S.
ABERDEEN, ID 83210

RE: Permit No. 35-8005

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

MEMORANDUM

FROM: Gary Spackman *Gary*

TO: File

DATE: March 6, 1987

RE: Permit No. 35-8005 in the Name of Wayne Kendell

I reviewed the field exam for Permit No. 35-8005. The examiner measured the flow with an annubar located in a short section of pipe between the pump and an elbow which takes the pipeline underground. The examiner measured a flow rate of 2.5 cfs with the annubar which the applicant felt was extraordinarily low.

The examiner also measured pressure at the first rainbird and the last rainbird on the wheel line closest to the pump. He also measured the flow rates from these two nozzles with a bucket and a stopwatch. The field examiner concluded that the annubar measurement was low because of turbulence in the line, and recommended that we use the bucket and stopwatch measurements of the two nozzles as average flows, and spread the average flows over the entire system.

I consulted the well logs in the area of the point of diversion, and the well logs show static water levels of about 40 feet. Using a pumping water depth of 40 feet, an efficiency of 80%, and pressure of 60 psi, the following is a theoretical calculation of the flow rate:

$$\frac{8.814 \times 125 \times .80}{(2.31 \times 60) + 40} = 4.94 \text{ cfs}$$

RECORDED

MAR 20 1987

The measurement of the flows of two nozzles on one wheel line is hardly justification for extending that measurement over the remaining seven wheel lines. There is no evidence in the file to show that the nozzle sizes are the same nor that the pressures will be similar farther down the main line. Other than requiring the examiner to gather additional flow data on the other wheel line, however, it would be difficult to obtain a more accurate measurement because of the inaccessibility of the main line pipe. It also appears that the system has sufficient capacity based on the theoretical calculation to license for 3.04 cfs, or the rate of .02 cfs per acre for the 152 acres found to be irrigated. I recommend that we license this permit for 3.04 cfs.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 12, 1987

RE: Permit No. 35-8005

Wayne Kendell
2652 W. 1200 S.
Aberdeen, ID 83210

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
NOV 7 1988

35-8005
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\text{eq. eye} \Rightarrow \frac{(9.75)^2 (3.85) (\sqrt{9.6})}{448.8 \text{ g/cfs}} = \frac{(9.75 \text{ ID})^2 \times 3.85 \sqrt{9.4} \text{ corrected reading}}{448.8 \text{ gpm/cfs}}$$

$$\text{Easle } Q = \frac{1122.1 \text{ gpm}}{448.8 \text{ gpm/cfs}} = 2.50 \text{ cfs Capacity}$$

*Q direct from sprinkler = 2 gallon bucket filled in 15 seconds (Bird near pump) @ 85 psi
(Flow control) 2 gallon bucket filled in 20 seconds (Bird at end of system) @ 64 psi on NE corner of prop
= average 6.85 gpm/sprinkler
= 6.85 gpm x 256 sprinklers = 1753.6 gpm or 3.91 cfs capacity

Recommend we use Q direct from sprinklers - high psi & high flow from test sprinkler lead me to believe access port location was a problem.

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 152 \text{ acres} \times 3.5 \text{ af/a} = 532 \text{ af} \\ V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.04 \text{ cfs} \times 214 \text{ d.} \times 1.9835 = 1290 \\ V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 532 \text{ af}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: N.A. 01-0023C, 01-0297

b) Other water rights with same point of diversion: N.A.

c) Analysis: R30

MICROFILMED
MAR 20 1989


10 day

- Date 1-26-87

MICROFILMED
MAR 20 1987

Total Acres 152

10. Other water rights on these lands N/A
11. Other water right diverted from same p.d. NA
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Filled 2 bucket in 2gall. bucket 15 seconds on bird next to pump. then filled 2gallon bucket in 20 sec. on the other end of wheel line. This was done because the applicant couldn't understand low meter reading. The high psi at birds led me to suspect the same. Actual bucket & stopwatch test of sprinkler flow contradicted meter reading. Access port on mainline only 55" from pump.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature

Richard Larson

Date 6-16-86

Consultant's License Number _____

IDWR Director's Authorization to Conduct


Beneficial Use Examination _____

Date


MICROFILMED

MAR 20 1987

CONSULTANT SEAL



#35-8005



4/86

MAY 9 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 17.50
Date 5-15-86
Receipt # 39635
Receipt by MD
Sent to S.O. 5-21-86

RECEIVED

MAY 29 1986

1. Permit No. 35-8005

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Wayne Kendall

3. Post Office Address: 2652 W 1200 So.

Chandler, Ida 83210 Telephone No. 397-4884

4. Source of Water: ground

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 160 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 3.2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6/24/74

8. Person to contact to accompany the department representative during field examination:

Wayne Kendall (Name)

2652 W 1200 So. Chandler, Ida 83210 (Address)

397-4884 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5/4/86

Signature of Permit Holder (and title, if appropriate)
Wayne E. Kendall

copy retained for file



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address.
Statehouse
Boise, Idaho 83720

35-8005
KENDELL, WAYNE
2652 W. 1200 S.
ABERDEEN, ID 83210

138641

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 18, 1985

WAYNE KENDELL
2652 WEST 1200 SOUTH
ABERDEEN ID 83210

RE: Permit No. 35-8005

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

MAR 20 1987

OK

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
MAY 15 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 35-8005

Name(s) of Permit Holder: Wayne Kendall

Post Office Address: 2652 W 1200 So. Aberdeen, Ida 83210

Telephone No. 397-4884

Source of Water: ground

Extent of Use: Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 160 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 6-24-74

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Required? ☐ Yes ☐ No

Person to contact to accompany the Department representative during field examination: Wayne Kendall

(Name)

2652 W 1200 So. Aberdeen, Ida 397-4884

(Address)

(Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 12, 1985

Date

Wayne E. Kendall
Signature of Permit
(and Title, if appropriate)

MICROFILMED

kw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KENDELL, WAYNE
RURAL ROUTE BOX 12
ABERDEEN, ID 83210

FEBRUARY 02, 1982

RE: PERMIT NO. 35-8005

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

35 8005

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWS

APPLICATION NUMBER: Dendell
35-8005

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Dec 14 1981 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-18-81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11-13-81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carlson Date: Jan. 5, 1982

STATE OFFICE REVIEW:

SLW/103 OK, 04

☐ See attached sheet for more information.
By: Rolyn

Date: 1/8/82

RECEIVED
JAN 08 1982

Department of Water Resources

MICROFILMED

December 14, 1981

RE: Applications for Permits No. 35-8003, 8004, 8005 & 8006
KENDELL

Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on November 26 and December 3, 1981.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

35-8005-

KENDELL, WAYNE

RURAL ROUTE BOX 12, ABERDEEN, ID 83210

Source: GROUNDWATER

Date Filed: 11/13/1981

Amount: 3.20 CFS

Diversion Point: NENW Sec 34 T 04S R 31E LOT 00 (0000) LOT 00 (0000)
Sec 00 T 000 R 000, BINGHAM Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

Place of Use: NWNE SWNE NENW SENW Sec 34 T 04S R 31E FOR 160 ACRES

Diversion Means: WELL & PUMP

MICROFILMED