

35-7980

SEAMONS, Gary

Rt. 4, Box 337

Blackfoot, Id. 83221

Source: GROUNDWATER

Date Filed: 05/11/1981

Amount: 0.80 CFS

Diversion Point: NENE Sec. 33, T.
01S, R. 34E, Bingham Co.

Use: IRRIGATION (0.80 CFS) from
04/01 to 11/01

Place of Use: NWSE SWSE, Sec.
28, T. 01S, R. 34E, NENE, Sec. 33,
T. 01S, R. 34E, for 40 acres.

Diversion Means: WELL &
PIPELINES.

NOT RECORDED

PLACE OF USE OVERLAP REVIEW

35-07980

2250

135.5

HEL
48.0

NHEL
3
7.5

35-07980 COMPLETE SYSTEM
(INCLUDES PORTION OF 35-02094B)

PLACE OF USE

HEL
2
63.8

TIS
R34E

PIPELINE

28	27
33	34

well


POINT OF DIVERSION

35-07980

7-9-92 Gary

MICROFILMED

APR 08 1994



T1S
R34E

PLACE OF USE

POINT OF DIVERSION

35-07980 COMPLETE SYSTEM
(INCLUDES PORTION OF 35-02091B)

MICROFILMED


APR 08 1994

35-07980

3470 1 SE
(OLSEN)

4795

T1S



35-7980



35-7980

MICROFILMED

APR 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-07980

Priority: April 1, 1982

Maximum Diversion Rate:

0.20 CFS

This is to certify, that GARY SEAMONS
727 W 700 N

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 11, 1981; and has submitted Proof of Beneficial Use on July 21, 1981. An examination indicates that the works have a diversion capacity of 3.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 33, Township 01S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	34E	27	SWSW 16			16
		28	NESE 5	NWSE 21	SWSE 36	
			SESE 36			98
		33	NENE 30			30

Total number of acres irrigated: 144

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of this right with Right 35-02094H is limited to a total combined annual diversion volume of 576 af, a total combined consumptive use volume of 432 af, and to the irrigation of a combined total of 144 acres in a single irrigation season.
5. Right 35-02094H is also diverted through the point of diversion described above.
6. This right is limited to the irrigation of 24 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12TH day of MARCH, 1994.

Acting for R. Keith Higginson, Director

APR 08 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
MAR 07 1994
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-07980

Date of Priority: April 1, 1982
Comes now GARY SEAMONS
727 W 700 N
BLACKFOOT ID 83221

Maximum Diversion Rate: 0.20 CFS

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-07980, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 33, Township 01S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	34E	27	SWSW 16			16
		28	NESE 5	NWSE 21	SWSE 36	98
			SESE 36			30
		33	NENE 30			

Total number of acres irrigated: 144

RECEIVED

APR 08 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 2 day of March, 1994.

Gary Seamons
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-07980

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20⁰⁰ Receipted by AMM # ED19532 Date 3-2-1994 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 35-07980 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of this right with Right 35-02094H is limited to a total combined annual diversion volume of 576 af, a total combined consumptive use volume of 432 af, and to the irrigation of a combined total of 144 acres in a single irrigation season.
5. Right 35-02094H is also diverted through the point of diversion described above.
6. This right is limited to the irrigation of 24 acres within the place of use described above in a single irrigation season.

Witness my hand this 12th day of MARCH, 1994.

Acting for R. Keith Higginson, Director

RECEIVED
APR 08 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 35-7980 IN THE NAME OF
GARY SEAMONS

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 35-7980 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 35-7980 to appropriate the public waters of the State of Idaho with a proposed priority of MAY 11, 1981.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

APR 08 1994

4. The license examination fee was received on
MAY 20, 1987, 325 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 35-7980 should be advanced 325 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 35-7980 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 35-7980 is advanced to APRIL 01, 1982.

Dated this 21st day of January, 1994.

A. Glen Saxton
Chief, Water Allocation Bureau

REINSTATEMENT ORDER-PAGE 2

APR 08 1994

4/86

Applicant came in on 7-24-86
and we thought we had covered
all fees at that time. This was
an oversight. HWT.

RECEIVED

MAY 20 1987

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 50.00

Date 5-20-87

Receipt # 41202

Receipt by HWT

Sent to S.O. 5-20-87

RECEIVED

MAY 22 1987

1. Permit No. 35-7980

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit;
attached is the examination fee. (If this box is marked, complete items 1
thru 8.)

2. Permit Holder: Gary Seamans

3. Post Office Address: 727 W. 700 N. Blackfoot, ID

Telephone No. 684-4220

4. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 15 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.20 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field
examination:

Applicant
(Name)

APR 08 1994

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right
examiner. Attached is a statement from the certified examiner I have selected
verifying that he has been retained to conduct the examination. (If this box is
marked, complete items 1 thru 7.)

5-20-87
Date

Gary Seamans
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

INTER-DEPARTMENT MEMO — 1

FROM ERIC VERNER

DATE 5/20/87

TO FILES

SUBJECT LATE EXAM FEE PAYMENT FOR PERMIT No. 35-7980

RECEIVED


MAY 22 1987

FEE DUE DATE: 6/30/86

Department of Water Resources

FEE RECIVED: 5-20-87

Permit should therefore loose 324 days priority.



SIGNATURE

APR 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Gary Seamons Phone 684-4220

Post office address Route #4, Box 337, Blackfoot, ID 83221

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 1S

Range 34E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.80 for irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Wells to handlines and wheel lines.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 210 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

marks

Applicant to make this thing

If the property is owned by a person other than the applicant, describe the arrangement enabling the

Who owns the land to be irrigated or place of use Applicant

Who owns the property at the point of diversion

Applicant


Describe any other water rights used for the same purposes as described above. none

40 Total number of acres to be irrigated

[illegible]

If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gary Seamon
(Applicant)

MICROFILMED

MICROFILMED

David R. T. ~~Stall~~
Acting Chief, Operations Bureau

Witness my hand this 11 day of July, 1981.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

- d. Other:
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- fore August 1, 1982.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7980, and said application is hereby approved.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by Raw Date 5/11/81 Time 1330 hrs
Preliminary check by Raw Date 5/11/81 # 17029 Fee \$ 45.00
Receipted by Raw Date 5/21/81
Publication prepared by Blackfoot Press Date 5/21/81
Published in Blackfoot Press Publication dates 5/28 & 6/04/81
Protests filed by: None Publication approved Raw Date 6/11/81
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by BMC

35-7980

SEAMONS, Gary
Rt. 4, Box 337

05/11/01
0.80 CFS
Division Point: NENE Sec. 33
R. 34E, Bingham Co.
Use: IRRIGATION (0.80 CFS) from
to 11/01
Use: NWSE, SWSE, Sec.
R. 34E, NENE, Sec. 33
R. 34E, for 40 acres
Means: WELL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1994

GARY SEAMONS
727 W 700 N
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-07980

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

APR 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

January 28, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

GARY SEAMONS
727 W 700 N
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-07980

YOUR IMMEDIATE RESPONSE IS REQUESTED

Dear Water Right Holder(s):

The department is trying to license all outstanding permits located in your area by the first week of February.


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the place of use. You can assist us in meeting our time goal by reviewing the amendment carefully and if you concur, signing the amendment and returning it with the \$20.00 filing fee immediately. Enclosed, for your convenience, is a self addressed pre-paid return envelope.

If you do not concur with this information, please contact me as soon as possible.

Also enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to April 1, 1982, due to late submittal of the exam fee.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



APR 08 1994

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 35-7980

FROM: BRENDA CHAPMAN

RE: PRIORITY ADVANCE REVIEW

DATE: 5-JAN-1994

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MAY 11 1981	131
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	MAY 20 1987	505
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		325 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MAY 11 1981	131
Total Days Late:		325 DAY(S)
New Priority Date:	APRIL 01 1982	91

APR 06 1982

WR0749NP
No. L35-07980

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/19/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GARY SEAMONS 727 W 700 N BLACKFOOT ID 83221 (208) 684-4220	04/01/1982	IRRIGATION	04-01 10-31	0.20 CFS	
TOTAL DIVERSION:					0.20 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.22 CFS

Point(s) of Diversion: T01S R34E S33 NENE BINGHAM County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE															
T	R	S	NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		SUM
---	---	---	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	---		
01S	34E	27	:		:		:		:		:		:		:		:		:		:		:		:		:		:		:		:	16.0	
01S	34E	28	:		:		:		:		:		:		:		:		:		:		:		:	05	21	36	36	:		:	98.0		
01S	34E	33	:	30	:		:		:		:		:		:		:		:		:		:		:								30.0		
TOTAL ACRES																												144.0							

Pou County: BINGHAM

Other Water Rights with Same Point(s) of Diversion and Source:
35-02094B 35-07980

Other Water Rights Listing Overlapping Place(s) of use:
35-02094A 35-02094B 35-07980 35-07983

Remarks: Use of this right with Right 35-02094H is limited to a total combined annual diversion volume of 576 af, a total combined consumptive use volume of 432 af, and to the irrigation of a combined total of 144 acres in a single irrigation season. Right 35-02094H is also diverted through the point of diversion described above.
This right is limited to the irrigation of 24 acres within the place of use described above in a single irrigation season.

Dates: App. Received: 05/11/1981 Priority Date: 04/01/1982
Proof Due Date: 08/01/1982 Proof Made Date: 07/21/1981
Exam Made Date: 06/09/1989 Exam Sent to S.O.: 11/30/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 01/05/94 CHAPMAN 01/05/94 CHAPMAN 01/05/94 CHAPMAN 01/07/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac				
L3507980	T01S R34E S27	GROUNDWATER																	
	:	:																16	
R3502094H	GROUNDWATE	:	:																16
R3507980	GROUNDWATE	:	:																16 ✓
3507982	GROUNDWATE	:	:																14
R3507982	GROUNDWATE	:	:																14
																		16	
3507983	GROUNDWATE	:	:																15 37 05 06
R3507983	GROUNDWATE	:	:																17 35 05 06
L3507980	T01S R34E S28	GROUNDWATER																	
	:	:																05 21 36 36	
R3502094H	GROUNDWATE	:	:																05 21 36 36
R3507980	GROUNDWATE	:	:																05 21 36 36
L3507980	T01S R34E S33	GROUNDWATER																	
	:	:																30	
R3502094H	GROUNDWATE	:	:																30
3507980	GROUNDWATE	:	:																15
R3507980	GROUNDWATE	:	:																30
R3507982	GROUNDWATE	:	:																07

OVERLAP

AJ5809NP
No. R35-07980

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/08/94
PAGE: 3

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GARY SEAMONS 727 W 700 N BLACKFOOT ID 83221 (208) 684-4220	05/11/1981	IRRIGATION	04-01 10-31	0.48 CFS	
TOTAL DIVERSION:					0.48 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T01S R34E S33

NWNE

BINGHAM County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE					
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: SUM
01S	34E	27	:								:					16	:								: 16.0
01S	34E	28	:								:								:	05	21	36	36	:	: 98.0
01S	34E	33	:	30							:								:						: 30.0
TOTAL ACRES																							144.0		

POU County: BINGHAM

Other Rights: 35-02094H

Other Water Rights with Same Point(s) of Diversion and Source:
A35-02094B A35-07980 R35-02094B R35-02094H

Other Water Rights Listing Overlapping Place(s) of use:
A35-02094A A35-02094B A35-02094E A35-02219B A35-07980 A35-07983 R35-02094B R35-02094E R35-02094H R35-02094I
R35-07982 R35-07983

Conditions of Approval:

- C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO IDAHO CODE 42-1416A.
- A01 - THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.

Remarks:

USE OF THIS RIGHT WITH RIGHT NO. 35-02094H IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 2.69 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 576 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 432 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 144 ACRES IN A SINGLE IRRIGATION SEASON.
RIGHT NO. 35-02094H IS ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE.
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 24 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

R- RECORD

AJ5809NP
No. R35-02094B

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GARY SEAMONS 727 W 700 N BLACKFOOT ID 83221 (208) 684-4220	04/21/1948	IRRIGATION	04-01 10-31	2.21 CFS	
TOTAL DIVERSION:					2.21 CFS	

Water Source: GROUNDWATER Tributary to: Stage: LICENSE

Point(s) of Diversion: T01S R34E S33 NWNE BINGHAM County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
NENE NUNE SWNE SENE												NENW NWNW SNNW SENW				NESW NWSW SWSW SESW				NESE NWSE SWSE SESE				SUM
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac				
01S	34E	27	:													16					16.0			
01S	34E	28	:															05	21	36	36	98.0		
01S	34E	33	:	30																	30.0			
TOTAL ACRES																				144.0				

POU County: BINGHAM

Other Rights: 35-07980

Other Water Rights with Same Point(s) of Diversion and Source:
A35-02094B A35-07980 R35-02094B R35-07980

Other Water Rights Listing Overlapping Place(s) of use:
A35-02094A A35-02094B A35-02094E A35-02219B A35-07980 A35-07983 R35-02094B R35-02094E R35-02094I R35-07980
R35-07982 R35-07983

Conditions of Approval:

- C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
- PURSUANT TO IDAHO CODE 42-1416A.
- C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- IDAHO CODE 42-1416A.

Remarks:

USE OF THIS RIGHT WITH RIGHT NO. 35-07980 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 2.69 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 576 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 432 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 144 ACRES IN A SINGLE IRRIGATION SEASON.
RIGHT NO. 35-07980 IS ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE.
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 120 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

OVERLAPPING
PROFILE REPORT

Dates: Exam Made Date: 10/22/1993 Verified Date: 11/09/1993

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

LICENSE REVIEW CHECKLIST

Permit # 35-7980

Date 1-5-94

Brenda Chapman

NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☒	☐	Advance? <u>DO</u> Advanced to: <u>4-1-82</u>
	☒	☐	Order to Reinstatement Needed? <u>DO</u>
	☒	☐	Incorrect Fee for rate recommended? <u>SUBMITTED</u>
SOURCE	☐	☒	Changes? Clarification of Originally Intended source
	☐	☒	Notice of Intent to Void - Source change.
P/D	☐	☒	Amendment Needed?
	☒	☐	Overlap(s) <u>35-2094H</u>
P/U	☒	☐	Amendment Needed? <u>PPU SITUATION</u>
	☐	☒	Overlap(s)
TOTAL CFS	☐	☒	Measurement ☒ Theoretical only ☐
CAPACITY = 3.22			<u>ANNUBAR 7 Q = 3.22 CFS</u>
35-2094H = 2.21			<u>SPRINKLERS</u>
AVAILABLE 1.01			Allowable Amount: <u>24 acres x .02 = .48 *</u>
			Capacity of System: <u>3.22</u>
TOTAL VOLUME			Season of Use: <u>C/4.0 4-1 to 10-31</u>
	☐	☒	Calculations: <u>COMBINED 144 acres =</u>
			<u>24 x 4 = 96 ANNUAL VOL 576 GFA</u>
			<u>CONSUMP VOL 432 GFA</u>
			Flow limit: <u>2.41 x 214 x 1.9835 = 1022</u>
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	<u>W35 W36</u>		Special Overlap <u>144 acres / 24 acres</u>
	<u>W27</u>		
CONDITIONS	☐	☒	Measuring/Locking Devices
	☐	☒	W/Master Control - District
	☐	☒	Irrigation Overlap
	☐	☒	Water Quality
	☐	☒	Other

COMMENTS: Combined rates do not exceed capacity - no limiting condition necessary.

RECOMMENDED	CFS	DIV VOL	CON VOL
Irrigation	<u>.20</u>	<u>—</u>	
Comb rate/vol	<u>—</u>	<u>576</u>	<u>432</u>

LICENSE SPECIAL
 1ST AMEND LETTER SPECIAL
 2ND AMEND LETTER P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 02 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: GARY SEAMONS

Permit No. 35-7980

Phone No. 684-4220

Current Address: 727 W. 700 N. Blackfoot Idaho

2. Accompanied by: OWNER

EXAM. DATE: 6-9-89

PARTIAL DONE: 6-2-88

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 35-2094R (T 1870)

☒ Copies Attached

2. Other water rights with same point of diversion: 35-2094R (T 1870)


R35-02094H

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

APR 08 1994

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well + pump to 6 $\frac{1}{4}$ mile wheel lines ("64" nozzles)

Normally he has 2 $\frac{1}{4}$ mile bundlines extra - but they aren't in operation at this time.

Static water level = 120'

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Turbine	G.E.	125	EK3522110	Layne-Bowlex	45419

****Code to correspond with No. on map and aerial photo***

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination.

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	34E	28															24		24
1S																			16
				TWP	RNG	SEC	1/4	1/4	Lot	Acres									
				01S	34E	27	SW	SW	Permissible	16.0									
				01S	34E	28	NE	SE	Plat	5.0									
				01S	34E	28	NW	SE	off	21.0									
				01S	34E	28	SW	SE	use	36.0									
				01S	34E	28	SE	SE		36.0									
				01S	34E	33	NE	NE		30.0									
																Total		24	

RECEIVED

Do not use this space

APR 08 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MANOMETER					57"	
HALL'S meter	Pitot			120387	10"	
ANNULAR						

2. Measurements:

Pipe circ. = 32" I.d. = 9 7/8" O.d. = 10"
main pressure = 73 psi main line pressure gauge = 71 psi
MANOMETER READING = 48.5 - 33.5 = 15" Vh = 18.8
Second reading → 48 - 33 = 15"

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See Calculation sheet

2. Alternate Method for Checking Purposes:

See Calculation sheet

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = (24 acres) (4.0 acf/ac) = 96 acf

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 0.48 (214) 1.9835 = 203.7 acf

V = Smaller of V_{I.R.} and V_{D.R.} = 96 acf

2. Volume Calculations for Other Uses:

RECEIVED

APR 08 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~There appears to be an overlap with the place of use. The 25 acres that is claimed in 35-2094 B appears to be the remaining acres out of 40 acres in NE NE of section 33.~~

Use of this rt. with R35-02094H is limited to a total combined rate of 2.69cfs, a total combined annual diversion volume of 576 af, a total combined annual consumptive use volume of 432 af and to the irrigation of a combined total of 144 acres in a single irrigation season.

This rt. is limited to the irrigation of 24 acres within the place of use described in a single irrigation season.

HWT 11-5-93

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	0.48	96
Totals:			0.48	96 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Kelly Schild

Signature Kelly Schild

Certification Date _____

Field Report Preparation Date 6/9/89

PARTIAL Done By:

Richard Lenow
Richard Lenow

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 08 1994

MEMORANDUM

To: Field Examination File 35-07980
From: Paul Meyer
Date: 14 October 1993

RE: SRBA recommendations for A35-07980 and A35-02094B

Although 35-07980 and 35-02094B share a common point of diversion, there is no place of use overlap. Permit 35-07890 serves only to pick up lands not previously covered by a water right after 35-02094B was transferred onto its present place of use.


License 35-02094B consists of actually three separate systems, each from a different point of diversion. The SRBA review process will need to split each system apart. This analysis will cover only the portion (referred to in this memo as 35-02094B(1)) that shares its point of diversion with 35-07980.

The place of use for 35-07980 and 35-02094B(1) irrigates a combined 144 acres. Permit 35-07980 covers 24 acres of the system, with the balance; 120 acres, irrigated by 35-02094B(1).

Water right 35-02094 (parent of 35-02094B) was originally licensed for 15.0 cfs over 815 acres, or 0.0184 cfs/acre. This rate was carried through transfer 1870 which created 35-02094B. Taking this into account, 35-02094B(1) should then have a flow rate of 2.21 cfs (0.0184 cfs/acre * 120 acres).

Recommendations:

- 1) A35-02094B(1) and A35-07980 should be recommended with similar permissible places of use with a total of 144 acres. A35-07980 should cover 24 acres within the total 144 and A35-02094B(1) would cover the remaining 120 out of 144.
- 2) As noted above, A35-02094B should be split into appropriate portions; one for each of the three systems. Standard SRBA review will be needed for each portion.
- 3) A35-07980 should be reduced to 24 acres and 0.48 cfs as per licensing examination.



RECEIVED

APR 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-7980
Permit No.

Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$V_h = 18.8" \quad \text{I.D.} = (9 \frac{7}{8} \text{ measured})$$

$$Q_{\text{cfs}} = \left[\frac{\pi (id)^2}{4} \right] V_h \div 448.8$$

$$Q_{\text{cfs}} = \left[\frac{\pi (9.875)^2}{4} \right] (18.8) \div 448.8$$

$$Q_{\text{cfs}} = \underline{3.21 \text{ cfs (measured)}} = \underline{239 \text{ gpm/line}}$$

$$Q_{\text{cfs}} = \frac{hp(8.814)(\text{eff})}{\text{lift} + (\text{psi} \times 2.308)}$$

$$Q_{\text{cfs}} = \frac{125(8.814)(.8)}{120 + (73 \times 2.308)} = \underline{3.05 \text{ cfs}} \quad (\text{Theoretical})$$

1 1/64" nozzle system pressure = 73 psi

$$Q = A \sqrt{2gh}$$

$$Q = \frac{\pi (id)^2}{4} \sqrt{2(32.2) \times 2.308 \times \text{psi}}$$

$$Q = .01678 \text{ cfs} = 7.53 \text{ gpm/nozzle}$$

$$(7.53 \text{ gpm/nozzle})(32 \text{ nozzles}) = \underline{241 \text{ gpm/line}} = \underline{3.22 \text{ cfs}}$$

RECEIVED

APR 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-07980

Permit No.

Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

* P/D OVERLAP w/ 35-020948 (PORTION)

* 35-020948 LICENSED AT 0.018401 CFS/AC.

* SYSTEM THAT COVERS 35-07980 ALSO COVERS 120 ACRES OF 35-020948.

120 ACRES AT 0.018401 CFS/AC = 2.21 CFS

MEASURED Q = 3.21 CFS

3.21 CFS - 2.21 CFS (PORTION OF 35-020948) = 1.00 CFS AVAILABLE

24 ACRES (35-07980) * 0.02 = 0.48 CFS

PERMIT 35-07980 Q = 0.80 CFS

** RECOMMEND 0.48 CFS LIMITED BY 0.02 CFS/AC LOWE MAX.

RECEIVED

APR 08 1994

CLAIM IDENTIFICATION NO.

[illegible]

35-07980

2250

HEL
1
48.0

HEL
3
75

35-07980 COMPLETE SYSTEM
(INCLUDES PART OF 35-02094B)

PLACE OF USE

HEL
2
63.8

TIS
R34E

PIPELINE

28	27
33	34

POINT OF DIVERSION


35-07980

7-9-92 Gary



—
—
u
T
▽
—
S

APR 08 1994



35-7980



35-7980

MICROFILMED

APR 08 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

35-7440
SEATTLE, WASH
RT. 4 BOX 330
BLAINE, ID 83221

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

APR 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-7980
SEAMONS, GARY
RT. 4 BOX 337
BLACKFOOT, ID 83221

138633

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECORDED

APR 08 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

APR 08 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

August 10, 1981

RE: Permit No. 35-7983, 7982, 7981, and 7980

Gary Seamons
Rt. #4, Box 337
Blackfoot, Idaho 83221

Dear Mr. Seamons:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7980.

Name(s) of Permit Holder: Gary Seamons

Post Office Address: Route 4 Box 337
Blackfoot, Idaho 83221 Tel. No. 684-4220

Source of Water: ground water.

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>40</u>	(acres)
☐ Other	_____	

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Point: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-21-81
 Date

Gary Seamons
 Signature of Permit Holder

MICROFILMED

PLACE
TEN CENT
STAMP
HERE



UNRECORDED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SEAMONS, GARY
RT. 4 BOX 337
BLACKFOOT, ID 83221

JULY 21, 1981

RE: PERMIT NO. 35-7980

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

27-7285

SEAMONS, Gary
Rt. 4, Box 337
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 05/11/1981
Amount: 6.43 CFS
Diversion Point: NENE, Sec. 26 T. 02S, R. 36E, Bingham Co.
Use: IRRIGATION (6.43 CFS) from 04/01 to 11/01
Place of Use: NESE SWSE SESE, Sec. 23, T. 02S, R. 36E, SWSW Sec. 24, T. 02S, R. 36E, NENW NWNW SWNW SENW, Sec. 25 T. 02S, R. 36E, NENE NWNE SWNE SENE, Sec. 26, T. 02S, R. 36E, for 322 acres.
Diversion Means: WELL & PIPELINES.

35-7980

SEAMONS, Gary
Rt. 4, Box 337
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 05/11/1981
Amount: 0.80 CFS
Diversion Point: NENE Sec. 33, T. 01S, R. 34E, Bingham Co.
Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01
Place of Use: NWSE SWSE, Sec. 28, T. 01S, R. 34E, NENE, Sec. 33, T. 01S, R. 34E, for 40 acres.
Diversion Means: WELL & PIPELINES.

35-7981

SEAMONS, Gary
Rt. 4, Box 337
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 05/11/1981
Amount: 1.14 CFS
Diversion Point: NENE, Sec. 35, T. 01S, R. 34E, Bingham Co.
Use: IRRIGATION (1.14 CFS) from 04/01 to 11/01
Place of Use: NENE NWNE, Sec. 35, T. 01S, R. 34E, for 57 acres
Diversion Means: WELL & PIPELINES.

35-7982

SEAMONS, Gary
Rt. 4, Box 337
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 05/11/1981
Amount: 0.40 CFS
Diversion Point: SWNW, Sec. 34, T. 01S, R. 34E, Bingham Co.
Use: IRRIGATION (0.40 CFS) from 04/01 to 11/01
Place of Use: SESW, Sec. 27, T. 01S, R. 34E, for 20 acres

RECEIVED
JUN 8 1981

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, David Mark Brown do
solemnly

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thurs of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper two consecutive wks,

the first publication having been made on the 28th day of May, 19 81,

and the last publication having been made on the 4th day of June, 19 81;

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 5th

day of June, 19 81

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

MICROFILMED

35-2980-

SEAMONS, GARY

RT. 4 BOX 337, BLACKFOOT, ID 83221

Source: GROUNDWATER

Date Filed: 05/11/1981

Amount: 0.80 CFS

Diversion Point: NENE Sec 33 T 015 R 34E, BINGHAM Co.

Use: IRRIGATION (0.80 CFS) from 04/01 to 11/01

Place of Use: NWSE SWSE Sec 28 T 015 R 34E NENE Sec 33 T 015 R 34E
FOR 40 ACRES

Diversion Means: WELL & PIPELINES.

MICROFILMED