

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-7854
NEWCOMB, RUSSELL

ROUTE 3, HIGHLINE DRIVE

TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 04/23/1979

Amount: 3.74 CFS

Diversion Point: NWSE Sec 07 T

02S R 33E NWSE Sec 12 T 02S R

32E, BINGHAM Co.

Use: IRRIGATION (3.74 CFS) from

04/01 to 11/01

Place of Use: NESE NWSE SESE

SWSE Sec 12 T 02S R 32E NESW

NWSW SESW NESE NWSE SESE

SWSE Sec 07 T 02S R 32E FOR 440

ACRES

Diversion Means: WELL, PUMP &

SPRINKLER SYSTEM

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of any

permit must be filed with the Director

of the Idaho Department of Water

Resources, 1515 Lincoln Rd., Idaho

Falls, Idaho 83401 on or before MAY

21, 1979.

C. STEPHEN ALLRED

Director

(6039)

Pub: 5/3 & 5/10/79.

38

RECEIVED

MAY 14 1979

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss.

I, David Mark Brown do

solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction within the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper two consecutive weeks

the first publication having been made on the
3rd day of May, 19 79

and the last publication having been made on the
10th day of May, 19 79

that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

David Mark Brown

Subscribed and sworn to before me this 10th

day of May, 19 79

Patricia K. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

MICROFILMED

35-784

C-38
38-C

B
71.6

66.7

C
101.7

R 33 E

D
35.4

L-3

(29)

(40)

(40)

(39)

T2S

B
65.6

D
76.2 PD

E
78.1

(38)

(39)

ROAD

ROAD

C
59.8

C-367

MICROFILMED

SEP 15 1989

NOT TO SCALE

55-7854



Gov. Lot Plat sheet

833 E



For TF 35-7854

4	3	2	1	4	3	2
76.79	3190	3282	3374	3467	3559	3651
2743	40	80		80		
590.12						
2739	80	160		160		
28.35						
1	2	3	4	5	6	7
28.59						
2						
28.53						
3						
28.47						
4						
28.41						

T2S

MICROFILMED

SEP 15 1989



10 FEET
DATUM OF 1929

MAP ACCURACY STANDARDS
ORADO 80225, OR RESTON, VIRGINIA 22092
SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

MICROFILMED

SEP 15 1989

ROAD CLASSIFICATION

Primary highway, hard surface _____ Light-duty road, hard or improved surface _____
Secondary highway, hard surface _____ Unimproved road _____
○ Interstate Route ○ U. S. Route ○ State Route

TABER, IDAHO
N4315—W11237.5/7.5

1973

AMS 3470 I SW—SERIES V893

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-07854

Priority: April 23, 1979

Maximum Diversion Rate:

3.74 CFS

This is to certify, that RUSSELL NEWCOMB
RT. 3 HIGHLINE DR.

TWIN FALLS, ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 23, 1979; and has submitted Proof of Beneficial Use on July 6, 1982. An examination indicates that the works have a diversion capacity of 7.850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	3.74 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 7, Township 02S, Range 33E
NWSE , Sec. 12, Township 02S, Range 32E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	32E	12	NESE 40	NWSE 40	SWSE 39	158
			SESE 39			
	33E	7	NESW 40	LOT 3(NWSW) 29	NESE 39	225
			NWSE 40	SWSE 39	SESE 38	

Total number of acres irrigated: 383

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right & Rights 35-2246 & 35-2364 shall not exceed 7.85 cfs.
5. The maximum combined annual volume of water under this right & Rights 35-2246 & 35-2364 shall not exceed 1340.5 afa. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.

MICROFILMED

SEP 10 1989


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-07854

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12th
day of SEPTEMBER, 1989.

acting for


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 35 7854
APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Russell Newcomb Phone 734-2885

Post office address Route 3 - Highline Drive, Twin Falls, Idaho 83301

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 2S

Range 33E B.M. Bingham County, additional points of diversion if any: _____

NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 12, T 2S, R. 32E

4. Water will be used for the following purposes:

3.74 (per telecon 5-22-79 JC)

Amount 4.20 for irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

(per telecon 5-22-79 JC)

a. 4.20 3.74 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing wells, pumps and sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

TWP	RANGE	SEC.	NE%								NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
2S	32E	12																	40	40	40	40	160
2S	33	7									40		40		40				40	40	40	40	280

077

Figure 1

LIc. 35-2246 & 35-2364

Who owns the property at the point of diversion _____ applicant


Who owns the land to be irrigated or place of use _____ applicant

If the property is owned by a person other than the applicant, describe the arrangement enabling the

Applicant to make this filing

~~filling is to bring water rights on acreage up to 1 inch per acre.~~

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Russell Newcomb
(Applicant)

Proposed Priority 4-23-79 dh

4-25-79 11:00 a.m.

Received by dh Date 4-23-79 Time 2:50

Preliminary check by dh Fee \$ 75.00

Received by mealy Date 4/23/79 # 12765

Publication prepared by dh Date 4-27-79

Published in Blackfoot News

Publication dates May 3 & 10, 1979

Publication approved dh Date 5/16/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by dh 5.51

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 35-7854 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore June 1 , 19 84 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be

installed by the permit holder to provide for the installation of measuring

equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28 day of June , 19 79 .

Chief, Operations Bureau

D. Alan Saylor

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-7854
NEWCOMB, RUSSELL

ROUTE 3, HIGHLINE DRIVE

TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 04/23/1979

Amount: 3.74 CFS

Diversion Point: NWSE Sec 07 T

02S R 33E NWSE Sec 12 T 02S R

32E, BINGHAM Co.

Use: IRRIGATION (3.74 CFS) from

04/01 to 11/01

Place of Use: NESE NWSE SESE

SWSE Sec 12 T 02S R 32E NESW

NWSW SESW NESE NWSE SESE

SWSE Sec 07 T 02S R 32E FOR 440

ACRES

Diversion Means: WELL, PUMP &

SPRINKLER SYSTEM

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of any

permit must be filed with the Director

of the Idaho Department of Water

Resources, 1515 Lincoln Rd., Idaho

Falls, Idaho 83401 on or before MAY

21, 1979.

C. STEPHEN ALLRED

Director

(6039)

PUB: 5/3 & 5/10/79.

38

RECEIVED

MAY 14 1979

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss.

I, David Mark Brown) do

solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction within the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper two consecutive weeks

the first publication having been made on the
3rd day of May, 19 79

and the last publication having been made on the
10th day of May, 19 79;
that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

Subscribed and sworn to before me this 10th
day of May, 19 79.

Patricia Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

87-7

MICROFILMED

September 13, 1989

RUSSELL NEWCOMB
RT. 3 HIGHLINE DR.
TWIN FALLS, ID 83301

RE: PERMIT NO. 35-07854

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 15 1989

March 14, 1989

RUSSELL NEWCOMB
RT. 3 HIGHLINE DR.
TWIN FALLS, ID 83301

RE: PERMIT NO. 35-07854

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

SEP 15 1989

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
3507854 3502246	02S	33E	7	NW SE		GROUNDWATER GROUNDWATER	NEWCOMB, RUSSE NEWCOMB, G. T.
3507854 3502364	02S	32E	12	NW SE		GROUNDWATER GROUNDWATER	NEWCOMB, RUSSE NEWCOMB, G. T.

MICROFILMED

SEP 15 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 5, 1987

RE: Permit No. 35-7854

Russell Newcomb
RFD #3, Highlawn Dr.
Twin Falls, ID 83301

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

NOV 26 1984

35-7854
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

East well 0.943 correction factor x 22" meter reading = 20.746

$$(9.75" \text{ID})^2 \times 3.85 \times \sqrt{20.746} = 1667.0 \text{ gpm}$$

or 3.71 cfs ✓

west well

0.956 correction factor x 27" meter reading = 25.812

$$(9.75" \text{ID})^2 \times 3.85 \times \sqrt{25.812} = 1859.4 \text{ gpm or } \underline{4.14 \text{ cfs}} \checkmark$$

Total capacity 7.85 cfs ✓

Permit asks for 3.74 cfs

- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{383 \text{ acres} \times 3.5 \text{ af} = 1340.5 \text{ af}} \checkmark$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{3.74 \text{ cfs} \times 214 \text{ d} \times 1.9835 = 1587.5 \text{ af}} \checkmark$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{1340.5 \text{ af}} \checkmark$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: 35-2246 ✓ + 35-2364 ✓

- b) Other water rights with same point of diversion: 35-2246 ✓ + 35-2364 ✓

- c) Analysis: This license when used in conjunction with 35-2246 + 35-2364 shall not exceed a rate of 7.85 cfs or more than 3.5 af per acre.

R15, R17

for different lands.
Lic. 35-2246 = 3.08 cfs / 240 ac. = 0.012 cfs/ac.
Lic. 35-2364 = 2.28 cfs / 217 ac. = 0.010 cfs/ac.

35-7854 → 3.74 cfs for 383 ac. = 0.009 cfs/ac.

RECEIVED

SEP 16 1984

Checked in Regional Office by Keith C. Wada Date 16 Nov 1984
Approved in State Office by J. W. Baker Date 12/4/86

Description and location of place of use:

Total number of acres irrigated

SEP 15 1989

State of Idaho

License and Certificate of Water Right

Water License No. G-24641

Amount 2.28 c.f.s.

Water District No. _____

Priority January 2, 1954

THIS IS TO CERTIFY that G. T. NEWCOMB
of Twin Falls, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated January 2, 1954; that Permit No. G-24641
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
2.28 second feet, was issued thereunder on January 14, 1958, showing that said works
were completed on the 25th day of February, 1956; and that on the 25th
day of February, 1956, G. T. NEWCOMB

of Twin Falls, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
a tributary of subterranean, for the purpose of Irrigation
under Use Permit No. G-24641 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
10 of Licenses at page 6248, on the 14th day of January, 1958;
The right hereby confirmed dates from January 2, 1954;

The Point of Diversion is located
in the NW 1/4 SE 1/4, Sec. 12, Tp. 2 S., R. 32 E., B. M. County Bingham
That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 2.28 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
2 S.	33 E.	7	NW 1/4 SW 1/4	--	28.47
			SW 1/4 SW 1/4	--	28.41
2 S.	32 E.	12	NE 1/4 SE 1/4	40	40
			NW 1/4 SE 1/4	40	40
			SW 1/4 SE 1/4	40	40
			SE 1/4 SE 1/4	40	40
Total number of acres irrigated -				- - -	216.88

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

14th day of January, 1958



/s/ Mark R. Kulp
State Reclamation Engineer.

(SEAL)

SEP 10 1958

35-2364

State of Idaho

License and Certificate of Water Right

Water License No. G-23034

Amount 3.08 c.f.s.

Water District No. _____

Priority September 5, 1952

THIS IS TO CERTIFY that G. T. NEWCOMB
of Twin Falls, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated September 5, 1952; that Permit No. G-23034
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
3.08 second feet, was issued thereunder on January 14, 1958, showing that said works
were completed on the 25th day of February, 1956; and that on the 25th
day of February, 1956, G. T. NEWCOMB

of Twin Falls, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
, a tributary of subterranean, for the purpose of Irrigation
, under Use Permit No. G-23034 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
10 of Licenses at page 6250, on the 14th day of January, 1958;
The right hereby confirmed dates from September 5, 1952;

The Point of Diversion is located
in the NW 1/4 SE 1/4, Sec. 7, Tp. 2 S., R. 33 E., B. M. County Bingham
That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 3.08 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
2 S.	33 E.	7	NE 1/4 SE 1/4	40	40
			NW 1/4 SE 1/4	40	40
			SW 1/4 SE 1/4	40	40
			SE 1/4 SE 1/4	40	40
			NE 1/4 SW 1/4	40	40
			SE 1/4 SW 1/4	40	40
			Total number of acres irrigated	- - -	240

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

14th day of January, 1958

/s/ Mark R. Kulp

State Reclamation Engineer.

(SEAL)

SEP 15 1989

35-2246

RECEIVED
NOV 26 1964

NOV 25 1934

Department of Water Resources
Permit No. 55-7834

Phone No. 734-2885

1. Owner: Russell Newcomb Phone No. 734-2885
Current Address: RPD #3 Highlam Dr. Tum Falls, ID
2. Accompanied by: Clyde Gamble EXAM. DATE: 6-26-86
Address: _____ Phone No. 684-4186
Relationship to Permit Holder: Renter
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
East Pump	GE	200	HARTB11105	Wellinc	460 12
West Pump	GE	200	FNJ622115	Bakley	780 1131

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
- East) well/pump to 8 tower watermain Piest + 3 wheel lines
- West) well/pump to 10 sprinkler lines

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar				191138	7.9"	
Eagle Eye meter				091471	10-80	5-20-84
Annubar				191138	7.9"	
Eagle Eye Meter				091471	10-80	

7. Measurements 9.75" ID 22" M.R. ☐ Additional data/computation sheets attached
(East Well)

9.75 "ID

(West well) 27" N.R


8. Point(s) of Diversion: Indicate Method of Determination *ASCS M&D*

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination ASCS Map

[illegible]

10. Other water rights on these lands _____ 35-2246 + 35-2364
11. Other water right diverted from same p.d. _____ 35-2246 + 35-2364
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature _____

Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

35-784

C-38
38C

B
71.6

C
107.7

R33E

D
588

L-3

(29)

(40)

(40)

(39)

B
65.6

D
76 PD

(39)

(38)


C
59.8

E
78.1

C-367

MED

SS-7854





Gov. Lot Plat sheet

833E

Per # 35-7854

T2S

1 28.59	Sec 7	
2 28.53		
3 28.47		
4 28.41		



MAP ACCURACY STANDARDS
ORADO 80225, OR RESTON, VIRGINIA 22092
SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
() Interstate Route	() U. S. Route () State Route

RESTON

SEP 13 1973

TABER, IDAHO
N4315-W11237.5/7.5


1973

AMS 3470 I SW-SERIES V893

EASTERN

METER NO. 091471RANGE 10-80DATE TESTED 5/29/84

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
8.59	7.89	8.24	10	+10.16	.908
18.02	17.20	17.61	20 ²²	+6.57	.938
28.57	27.15	27.86	30 ²⁷	+3.77	.964
39.42	37.81	38.62	40	+1.78	.983
49.02	47.54	48.28	50	+1.77	.983
59.85	57.67	58.76	60	+1.05	.990
68.47	67.64	68.06	70	+1.42	.986
76.90	76.71	76.81	80	+2.06	.980



SEP 15 1989

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

September 27, 1982

Russell Newcomb
RFD #3
Highlawn Drive
Twin Falls, Idaho 83301

RE: Permit No. 35-7854

Dear Mr. Newcomb:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

 A field examination of your system has been scheduled for .

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

SEP 15 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7854

Name(s) of Permit Holder: Russell Newcomb

Post Office Address: RFD#3

HIGHLAND, ID

TWIN FALLS, IDAHO

Tel. No. 734-2885

Source of Water: WELLS

Clyde Smith (owner)

Extent of Use:

☐ Domestic

☐ Stockwater

☒ Irrigation

☐ Other

MUGNIFICENT
(number of acres)
(type of stock)

450

SEP 15 1989

Measuring Device: Required? ☐ Yes ☐ No

Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No

Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/6/82

Date

Russell Newcomb

Signature of Permit Holder

RECEIVED

PLACE
TEN CENT
STAMP
HERE

SEP 15 1989

RECEIVED



JUL 6 1982 IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
Southern District Office
BOISE, IDAHO 83720

RECEIVED

JUL 8

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 35-7854.

Name(s) of Permit Holder: Dr. Russell Newcomb

Post Office Address: 666 Shoreline St East, Twin Falls

Operated by Clyde Gamble Blackfoot Tel. No. 733-3700

Source of Water: well

Extent of Use:

- ☐ Domestic
☐ Stockwater
☒ Irrigation
☐ Other

(number of households)

(number and type of stock)

SEP 15 1981

Measuring Device: Required?

Access Port: Required?

☒ Yes ☒ No
☒ Yes ☐ No

Installed?

Installed?

☒ Yes ☐ No
☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug 9 1981

Date

Russell Newcomb

Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

July 10, 1979

Russel Newcomb
Route 3, Highline Drive
Twin Falls, ID 83301

Dear Mr. Newcomb:

RE: Permit No. 35-7854

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

Enclosures

DRT:lr

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: John C

APPLICATION NUMBER: Newcombr

CHECK:

- 53
- ☒ Source.
 - ☒ Point of diversion.
 - ☒ County. Ant
 - ☒ Description of diverting works.
 - ☒ Time required for beneficial use of water.
 - ☒ Place of use or acres irrigated.
 - ☒ Map.
 - ☒ Signature.
 - ☒ Fee.
 - ☐ Yes ☒ No Field check required.
 - ☒ Yes ☒ No Critical groundwater area.
 - ☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
 - ☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- N/A
- ☐ Idaho State Health Department.
 - ☐ Idaho Fish and Game Department.
 - ☐ Idaho Department of Lands.
 - ☐ U.S. Bureau of Land Management.
 - ☐ U.S. Forest Service.
 - ☐ Other _____
- Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: John C Map No. Basin 35 - T2S R 32E + 33E
- ☒ Yes ☐ No Other rights on same place of use. this permit will bring land up to full inc on acre - OIC
- ☒ Yes ☐ No* In form for advertising. MAY
- ☐ Yes ☐ No Final date for protests: APR 21, 1979
- ☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-14-79
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☐ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.
- ☒ Yes ☒ No Measuring device required.
- ☒ Yes ☐ No Access port required.
- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
- ☒ 4/23/79 Date of priority recommended.
- Special conditions of approval or cover letter. _____

By: FDC

Date: 5/23/79

RECEIVED

MAY 31 1979

STATE OFFICE REVIEW:

OIC, IP LETTER

Department of Water Resources

- ☐ See attached sheet for more information.

By: John

Date: 6/22/79

RECEIVED

MEMO TO FILE

DATE: 5-22-79

RE: Application for Permit 35-7854

As per telecon with Russell Newcomb this date, he agreed to reduce the amount filed for irrigation from 4.20 cfs to 3.74 cfs, so as to not exceed one inch per acre.

JOHN CARLSON
Water Resource Agent

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

APRIL 27, 1979

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

MICROFILMED

two0-lega,deb

Legals for Tuesday, May 1. Two
copies each and give back to Pat.
Thanks Dorothy

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN that the
following application(s) have been
submitted for permit to appropriate
the public waters of the State of
Idaho:

35-7854

NEWCOMB, RUSSELL
ROUTE 3, HIGHLINE DRIVE
TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 04/23/1979

Amount: 3.74 CFS

Diversion Point: NWSE Sec 07 T
02S R 33E NWSE Sec 12 T 02S R
32E, BINGHAM Co.

Use: IRRIGATION (3.74 CFS) from
04/01 to 11/01

Place of Use: NESE NWSE SESE
SWSE Sec 12 T 02S R 32E NESW
NWSW SESW NESE NWSE SESE
SWSE Sec 07 T 02S R 32E FOR 440
ACRES

Diversion Means: WELL, PUMP &
SPRINKLER SYSTEM

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of any
permit must be filed with the Director
of the Idaho Department of Water
Resources, 1515 Lincoln Rd., Idaho
Falls, Idaho 83401 on or before MAY
21, 1979.

C. STEPHEN ALLRED
Director

(6039)

Pub: 5/3 & 5/10/79.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-2854

NEWCOMB, RUSSELL

ROUTE 3, HIGHLINE DRIVE, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 04/23/1979

Amount: 3.74 CFS

Diversion Point: NWSE Sec 07 T 02S R 33E NWSE Sec 12 T 02S R 32E,
BINGHAM Co.

Use: IRRIGATION (3.74 CFS) from 04/01 to 11/01

Place of Use: NESE NWSE SESE SWSE Sec 12 T 02S R 32E NESW NWSE SESW NESE NWSE
SESE SWSE Sec 07 T 02S R 32E FOR 440 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before MAY 21, 1979.

D. STEPHEN ALLRED

Director

Published 5/3 & 5/10/79.

MICROFILMED