

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

RECEIVED

DEC 14 1978

Department of Water Resources
Eastern District Office

Phyllis Ringe being first duly sworn
on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2
successive weekly issues thereof, the date of the first publica-
tion being the 11th day of December, 1978

the date of last publication being the

11th day of December, 1978

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

8th day of Nov., 1978

Rose Ann Link
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of, 19

Legal Notice

Published in The Power County Press
Dec. 7 and 14, 1978.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following
application(s) have been submitted for permit
to appropriate the public waters of the
State of Idaho:

35-7825

ROTH RANCHES
761 Hutchinson, American Falls, ID 83211

Source: Groundwater

Date Filed: 11/30/1978

Amount: 3.20 CFS

Diversion Point: NWNW Sec 33 T 065 R
29E, Power Co.

Use: Irrigation (3.20 CFS) from 04/01 to
11/01

Place of Use: NENW NWNW SWNW SENW
Sec 32 T 065 R 29E for 160 acres

Diversion Means: Well, Pump and Center
Pivot

If issued, the permit(s) will be subject
to all prior water rights. Protests against
the granting of any permit must be filed
with the Director of the Idaho Department
of Water Resources, 1515 Lincoln Rd.,
Idaho Falls, Idaho 83401 on or before
December 26, 1978.

C. STEPHEN ALLRED
Director

MICROFILMED

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

RECEIVED

JAN 31 1979

Department of Water Resources
Eastern District Office

Phyllis Ringe being first duly sworn

on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ² successive weekly issues thereof, the date of the first publication being the ^{4th} day of January, 1979

the date of last publication being the

11th day of January, 1979

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

30th day of January, 1979

Rose Ann Funk
Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of , 19

Legal Notice

Published in The Power County Press, American Falls, ID, on Jan. 4 & 11, 1979.

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 35-7825 in the name of Roth Ranches was advertised incorrectly on Dec. 7 and 14, 1978. The place of use was advertised as being within the NW¼, Sec. 32, T. 6S, R. 29E, B.M.


WHEREAS, the actual place of use is within the NE¼, Sec. 32, T. 6S, R. 29E, B.M.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, ID, 83401 on or before Jan. 22, 1979.

C. STEPHEN ALLRED
Director

MICROFILMED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. Permit 35-7255, 35-7926
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ **Photo of Diversion & System Attached** ☒ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**
14. Remarks Photo taken at pd. System Capacity measurement needs to be taken when other permit measurement made.

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature RL Jones Date 6-12-84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL

DEC 13 1989



A-286
Roth Ranch

Sec F-5

(STATE)

A-55
Roth Ranches

(STATE)

A-23
Ernest Bauer

R 29E

33

33

33

33

PD

T6S


P/u

A-256
John Kugler

DEC 13 1989
G-6

NOT TO SCALE

35-~~7726~~ 7825



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-07825

Priority: November 30, 1978

Maximum Diversion Rate:

2.64 CFS

Maximum Diversion Volume:¹

462.0 AF

This is to certify, that ROTH RANCHES
761 HUTCHINSON

AMERICAN FALLS, ID 83211 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1978; and has submitted Proof of Beneficial Use on December 29, 1984. An examination indicates that the works have a diversion capacity of 8.310 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	2.64 CFS	462.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW, Sec. 33, Township 06S, Range 29E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	29E	32	NENE 33	NWNE 33	SWNE 33	132
			SENE 33			

Total number of acres irrigated: 132

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The maximum combined rate of diversion under this right & Rights 35-7255 & 35-7926 shall not exceed 8.31 cfs.

RECORDED

DEC 13 1989

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of NOVEMBER, 1989.

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Roth Ranches Phone 226-2216

Post office address 761 Hutchinson, American Falls, Idaho 83211

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 33 Township 6S

Range 29E B.M. Power County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.20 for Irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and center pivot, 200 Hp booster

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 480 feet. (existing well and works)

7. Time required for the completion of the works and application of the water to the proposed beneficial use is five years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

Changed as per tela. con. of 12/26/78

Total number of acres to be irrigated 160


existing well under Permit No. 35-7255

b. Who owns the land to be irrigated or place of use

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Theodore J. Roth
(Applicant)

Proposed Priority 11-30-78

Received by dh Date 11/30/78 Time 2:45 PM

Preliminary check by S.M. Fee \$ 65.00 # 12805

Received by dh Date 11/30/78

Publication prepared by dh Date 12/1/78

Published in POWER COUNTY PRESS

Publication dates DECEMBER 7 & 14, 1978 & 1/4 & 11/11/79

Publication approved 97 - Date 10-15-78

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC JJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7825, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 5th day of February, 19 79.

A. Glen Saxton

Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER }

s.s.

Phyllis Ringe

being first duly sworn

on oath, states:

That ~~She~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for .2..... successive weekly issues thereof, the date of the first publica-

tion being the day of ...December..., 19..78

the date of last publication being the

.....14th... day of December....., 19.....78

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

.....8th... day of Nov....., 19.....78

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL)

..... day of 19

RECEIVED

DEC 14 1978

Department of Water Resources
Eastern District Office

Published in the Power County Press
Dec. 7 and 14, 1978

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

35-7823

RUTH RANCHES

At American Falls, Idaho

Source: Groundwater

Date Filed: 11/16/78

Amount: 120 CFS

Reversion Point: 1/1/80

Use: Irrigation

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Filed for Record: 11/16/78

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

RECEIVED

JAN 31 1979

Department of Water Resources
Eastern District Office

Phyllis Ringe
being first duly sworn
on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ²
successive weekly issues thereof, the date of the first publica-
tion being the ⁴th day of January, 19...⁷⁹

the date of last publication being the
11th day of January, 19...⁷⁹

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

30th day of January, 19...⁷⁹

Rose Ann Link
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of 19

American Falls, ID, on Jan. 4 & 11, 1979.

NOTICE OF CORRECTION

Notice is hereby given that Application
for Permit No. 35-7825 in the name of Roth
Ranches was advertised incorrectly on Dec. 7
and 14, 1978. The place of use was adver-
tised as being within the NW 1/4, Sec. 32,
T. 6S, R. 29E, B.M.

WHEREAS, the actual place of use is
within the NE 1/4, Sec. 32, T. 6S, R. 29E,
B.M.

Any protests against the granting of this
permit as a result of this correction must be
filed with the Idaho Department of Water
Resources, 1515 Lincoln Road, Idaho Falls,
ID, 83401 on or before Jan. 22, 1979.

MICROFILMED

November 24, 1989

ROTH RANCHES
761 HUTCHINSON
AMERICAN FALLS, ID 83211

RE: PERMIT NO. 35-07825

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

DEC 13 1989

September 11, 1989

ROTH RANCHES
761 HUTCHINSON
AMERICAN FALLS, ID 83211

RE: PERMIT NO. 35-07825

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
DEC 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 35-7825

Name(s) of Permit Holder(s): Roth Ranches

Post Office Address: American Falls Idaho 83211

Tel. No. 226-2216

☒ I hereby certify that construction of diversion works for the above referenced permit began on 10-7-80 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.



7-10-82
Date

Theodore J. Roth
Signature of Permit Holder

Rock Ranch

761-Hutchinson

American Falls Idaho -83211



MICROFILMED



DEC 13 1989

RECEIVED

JUL 14 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

5 OK - 10 FEE REQ.
10 day letter

4. Permit Holder: North Ranches
Address: 761 Hutchinson, American Falls, ID 83211
5. Source: GW tributary to _____

- Allowable Maximums:** _____

- [illegible]

- | Twp. | Rge. | Sec. | NE 1/4 | | | | NW 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | Totals |
|-------------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | |
| 6S | 29E | 32 | 33 | 33 | 33 | 33 | | | | | | | | | | | | 132 | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Total Acres | | | | | | | | | | | | | | | | | | 132 | |

- [illegible]

- ☐
- Change P.U. as reflected above
- ☐
- Add P.U. as reflected above
- ☐
- Other

- Date 5/24/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**
- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

- b) Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$
$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: _____
- b) Other water rights with same point of diversion: _____
- c) Analysis: _____

MICROFILMED
DEC 13 1989

MEMORANDUM

TO:FILE 35-7825

FROM:JOHN MCLEOD

RE: CHANGES IN EXAMINER RECOMMENDATIONS

DATE: 24-APR-1989

=====

The examiner's recommendation for rate of diversion for irrigation use has been changed to 2.64 cfs (.02 cfs/acre) from 1.99 cfs. The examiner had limited the recommended rate to 1.99 cfs by virtue of the flow measurement from an annubar manometer. However, there is such a great difference between the measured rate and the theoretical rate based on a 450 hp pump, plus 100 hp and 150 hp boosters, that deference is given to the theoretical calculation to allow .02 cfs per acre.

MICROFILMED

DEC 13 1989

RECOMMENDED AMOUNTS

SF OK

4. Permit Holder: Roth Ranches

5. Source: ground water tributary to —

-
-
-

7. Point(s) of Diversion: ✓

[illegible]

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
65	29E	32	33	33	33	33												132	
Total Acres																		132	

9. Recommended Conditions/Remarks: _____

MICROFILMED

DEC 13 1989

- ## 10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature H. W. R. Jones

Date 8-28-86

Checked in Regional Office by E.S. Verna

Date 10-20-86

Approved in State Office by _____

Date 10/4/82

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

NOV 27 1986

Permit No.

35-7825

Department of Water Resources

1. Measurement Calculations (Include theoretical capacities and system capacity)

$Q_{979} \text{ correction factor} \times 6.1' \text{ metering} = 5.9719$

$(9.75' ID)^2 \times 3.85 \sqrt{5.9719} = 894.38 \text{ gpm or } 1.99 \text{ cfs}$

$132 \text{ acres} \times 0.02 \text{ cfs} = 2.64 \text{ cfs}$

Main Pump Theoretical
 $Q = \frac{479 \text{ hp} (8.814) (.9)}{-6 \text{ psi} (2.31) + 466'} = 8.40 \text{ cfs.}$
100 hp booster
 $Q = \frac{93 \text{ hp} (8.814) (.8)}{83 \text{ psi} (2.31) + 0} = 3.42 \text{ cfs.}$
150 hp booster
 $Q = \frac{133 \text{ hp} (8.814) (.8)}{83 \text{ psi} (2.31) + 6} = 4.89 \text{ cfs.}$
 This theoretical capacity of entire system taken from Idaho power efficiency test. capacity can be figured from main pump plant or from boosters when used together. Capacity amt was 8.31 cfs.

b) Volume Calculations for Irrigation:

$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 132 \text{ acres} \times 3.5 \text{ cfs} = 462 \text{ cfs}$
 $V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.99 \text{ cfs} \times 214 \text{ d.} \times 1.9835 = 844.7$
 $V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 462 \text{ cfs}$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: **None**

b) Other water rights with same point of diversion: **Same PD as license 35-7255**

and 35-7926

c) Analysis: $R(17) \text{ } 35-7255 + 35-7926 \text{ } (8.31 \text{ cfs})$ when utilizing the common pd. in the NWC of sed. JJ TCS R29E.

UNRECORDED

DEC 13 1989

RECEIVED

NOV 7 1986

Department of Water Resources

Permit No. 55-1823

Phone No. 226-2216

1. Owner: Roth Ranches Phone No. 226-2216
Current Address: 761 Hutchison Am. Falls, ID
2. Accompanied by: Dennis Roth EXAM. DATE: 6-12-84
Address: _____ Phone No. 226-2772
Relationship to Permit Holder: Son
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Yaskawa	450	807395101	Johnston	NA.
Booster	Marathon	150	92073 6/13-1	Cornell	31803
Booster	G.E.	100	MN503039	Cornell	26701

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
Well/pump with two boosters to two pivots + wheel lines. Main pump + one mainline to single pivot only in operation at time of measurement. Marathon booster side goes to this pivot. (C/Tower T+L pivot)
Well depth $\Rightarrow$ ~~466~~ ' bowl depth $\Rightarrow$ 485' water level $\Rightarrow$ 466'

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Meter	Eagle Eye				0-18	5-29-84
Annubar					7.2"	

7. Measurements 9.75 ID machine + 6.1" meter reading ☐ Additional data/computation sheets attached

Also see Blake Power Pump Efficiency Test Results

- | | | |
|---------------------------|----------------------------------|----------------|
| 8. Point(s) of Diversion: | Indicate Method of Determination | ASCS Air Photo |
|---------------------------|----------------------------------|----------------|

[illegible]

- | | | |
|----|------------------|--|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination <u>ASCS Aerial Photo</u> |
|----|------------------|--|

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	29E	32	33	33	33	33													132
Total Acres <u>132</u>																			

- ~~35-7255-35-7906~~

downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



- ☒ Aerial Photo of Place of Use Attached
☐ or Map of Irrigated Acreage Attached

- Photo taken of pd
System Capacity measurement needs
to be taken when other permit measurement made.

- | | | | |
|-------------------------------------|--------------------------------|--------------------------|--------------------------------|
| ☐ | Change P.D. as reflected above | ☐ | Change P.U. as reflected above |
| ☐ | Add P.D. as reflected above | ☐ | Add P.U. as reflected above |
| ☒ | None | ☐ | Other |

Date 6-12-84

7/10/12

Beneficial Use Examination

IDWR Director's Authorization to Conduct

Consultant's License Number

Date _____

CONSULTANT SEAL

600 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500 8000 8500 9000 9500 10000

SS-1625

A-246
Ralph
Breding

Sac F-5

(STATE)

702

1920
3029

A-55
Ruth Breding

A
535

2021
28

A-23
Ernest Breding

T65

2920

R 29E

3029
3132

T65



P/u

A-252
John K. Breding

EC 13
G-6
L

NOT TO SCALE

Topographic map of Pleasant Valley showing a proposed diversion point. The map includes contour lines, spot elevations, and a grid. A circular area with diagonal hatching is centered on a point labeled "Point of Diversion". Handwritten labels "R29B" and "T6S" are present. A date stamp "DEC 13 1989" is visible in the lower right.

Snake River



Hydro Power

IDAHO POWER COMPANY

Box 70 • Boise, Idaho 83707

PUMP EFFICIENCY TEST RESULTS

District American Falls Date July 22, 1982 Meter Acct.# 4-7458X
 Customer Roth Ranches (Ted Roth) Pump Identification I-35-1
North Pleasant Valley Rd. Aberdeen, ID 450 Hp - 150 Hp - 100 Hp
 Pump Test Team Al Badgley, Mike Vaughn & Bill Berry

Thank you for participating in the pump efficiency test program. Cost effective changes that reduce your costs and require less power from Idaho Power Company at a critical time of the year are expected to result from these measurements.

The results of the efficiency test and your record of the measurements are as follows:

Date of Test June 24, 1982

Pumping Plant Efficiency _____ % - water flow couldn't be measured!

Water Level Measurements:

Ground to well water _____ feet with pump off

Ground to well water 466 feet with pump on

Pressure Measurements:

_____ psi at location of gage _____

_____ psi at location of gage _____

_____ psi at location of gage _____

(TDH) Total Dynamic Head - total of ground to well water and pressure _____ feet

Flow & Power Measurements _____ gpm at _____ ft TDH at _____ Hp

_____ gpm at _____ ft TDH at _____ Hp

_____ gpm at _____ ft TDH at _____ Hp

Comments and Evaluation of the test result and measurements:

A loose connection was discovered at the line side of the circuit breaker. All the current to one phase was coming through 1 wire instead of the 2 wires. It was not causing measurable problems to the motor. The one wire was operating quite hot.

Water could not be measured with the Collins meter due to lack of a straight pipe run of 10 to 12 diameters.

--- OVER ---

signed

Bill Berry

Agricultural Engineer

DEC 13 1989

After changes are made to increase the pump efficiency or reduce kilowatt hour usage, one free efficiency test will be conducted to assure the customer that savings are occurring.

We measured power & pressures as follows. Distance to water was measured at 466 feet.
 450 Hp only operating - 10 sprinkler lines 12 nozzles - 5/32
 5 nozzles - 6 gpm FCN's
 Balance - 5 gpm FCN's

Power measured 370 KW which would apply about 462 Hp to the pump(2.7% overload).

Power required by the 450 Hp pump at various pressures was measured as follows -
 (pressure was measured at the discharge of the 450 Hp pump)

<u>PSI</u>	<u>KW</u>	<u>Produced Hp</u>
-6	393	491
0	404.2	505
9	401.9	502
20	399.5	499
40	388.3	485
50	381.9	477
75	367.0	459

Then the 100 Hp booster was started and 10 wheel lines and one pivot were operated. The measurements were as follows: Vavles were adjusted to provide 89 psi to the wheel lines and 92 psi to the pivot.

<u>Pump</u>	<u>Discharge Pressure (psi)</u>	<u>Motor Load (Hp)</u>
450	34	484
100	90	114

598 Hp total by 2 motors

Roth Pump - I-35-1


All 3 motors were then operated and power & pressure measurements made as follows:

<u>Pump</u>	<u>Motor Load (Hp)</u>	<u>Discharge Pressure (psi)</u>	<u>Motor Amps @ 472 Volts</u>	<u>Approx. \$ Per Day For Power (1982 prices)</u>
450	491	-6	540	\$260
150	135	?	148	\$70
100	89	?	98	\$45

Total - \$375

The four pressure gages were not positioned to measure pressures at the discharge of the booster pumps.

A 1-line diagram below shows pressures measured.



NOT FILMED


DEC 13 1989

--- Continued ---

-- Continued ---

The booster pumps created a negative pressure to the 450 Hp well pump so their capacity slightly exceeds the capacity of the well pump. Booster pumps work best and with the least wear if a slight (1 or 2 psi) positive pressure is maintained to their inlet. The well pump produces more water as the pressure is reduced.

Valves were re-adjusted to produce the following pressures and #5 gage was added to measure the pressure produced by the 150 Hp.



Valves are necessary control devices but they waste power. A reduction of 25 psi with 1000 gpm flow wastes 50 Hp.

RECEIVED

DEC 13 1989


#35-7825

EASTERN

METER NO. 091461 RANGE 2-13DATE TESTED 5/29/84

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
2.00	1.83	1.92	2	+2.20	.979
2.90	2.75	2.83	3	+3.05	.970
3.90	3.68	3.79	4	+2.73	.973
4.84	4.61	4.73	5	+2.87	.972
5.87	5.64	5.76	6	+2.11	.979
6.86	6.64	6.75	7	+1.84	.982
7.76	7.51	7.64	8	+2.36	.977
8.78	8.48	8.63	9	+2.12	.979
9.72	9.46	9.59	10	+2.12	.979
10.65	10.36	10.51	11	+2.33	.977
11.54	11.30	11.42	12	+2.51	.976
12.33	12.30	12.32	13	+2.74	.973

1 2 3 4 5 6 7 8 9 10 11 12 13





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

35-7825
ROTH RANCHES
761 HUTCHINSON
AMERICAN FALLS, ID 83211

138597

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECEIVED
DEC 13 1989

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

DEC 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 20, 1984

ROTH RANCHES
761 HUTCHINSON
AMERICAN FALLS ID 83211

RE: Permit No. 35-7825

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

DEC 13 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7825.

Name(s) of Permit Holder: Roth Ranches Theodore J. Roth

Post Office Address: 761-Hutchinson

Artesian Falls Idaho 83211 Tel. No. 226-2216

Source of Water: ground water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No


Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-27-1983
Date

Roth Ranches
Theodore J. Roth
Signature of Permit Holder

Roth Ram
761 Hutchinson Ave.
American Falls, Id. 83211



DEC 29 1983



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138209

ROTH RANCHES
761 HUTCHINSON
AMERICAN FALLS, ID 83211

PROOF DUE NOTICE

NOVEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7825 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

138209



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 7, 1979

Re: Permit No. 35-7825

Roth Ranches
761 Hutchinson
American Falls, Idaho 83211

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide the specifications for the installation to you.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

Enclosure

*access port
letter sent 9/9/79
Harry Byington*

DRT:lr

STAFF REVIEW - STATE OFFICE

35-7825

1. ✓ Name vs. Signature
2. W Source
3. ✓ Point of Diversion
4. 3.2 Amnt. & Period of Use
5. 8 ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 160 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map?
11. 65 Fee & Rec't. No.

Copies Sent To:

NO Idaho Health Department
7 Idaho Fish & Game Dept.
7 Bureau of Land Management

NO U.S.F.S.
7 Dept. of Lands
7 Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land see 35-7255 was originally covered
this land but the system was not complete when the field exam was
made. this app. will be the only right on the parcel described.
 Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition No

Payette River Letter No

Priority Date 11/30/78

Water Quality #16 NO

Water Quality #10 7
 intrastate interstate

Meas. Dev. or Sc. Meas. Yes

Totalizing meter No

Supplemental No

Right-of-Way Cond. No

Watermaster Cond. No
 Wtr. Dist No. 7

Meas. Dev. Cond. for apps within
 a Water Dist. 7

Jin

Reviewer

2/5/79

Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) _____ 11/30

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) _____

In form for advertising

(5) _____ 11/30

Platted on Map No. AA-84

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) RP 11/30

Comments: NONE

(11) dh 1-31-79
cu 12-14-78

Affidavit of Publication received(date) 1-31-79
12-14-78

(12) cu 12-14-78

Final date for protests JAN 22, 1979
DECEMBER 26, 1978
Protests received: yes _____ no ☒

(13) dh 1-31-79

All requested information received from agencies or
applicant: yes ☒ no _____

(14) RC 1/31/79

Action recommended:

☒ Approve _____ Deny

11/30/78 Proposed Priority

Reason for Reduction

☒ Measuring device ^{ACCESS} required

See attached sheet for other conditions of
approval

No special conditions for approval

(15) District E

By RC Date 1/31/79

RECEIVED
FEB 02 1979

Department of Water Resources

"Pinned" Copy Sent

MICROFILMED

Printed by
The Power County Press
The Aberdeen Times

The Gooding County Leader
The Lincoln County Journal

Phone 2 6-5294
American Falls, Idaho

January 30, 1979

Idaho Department of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho 83401

Dear Mr. Carlson:

Enclosed are affidavits for notice of correction No. 29-7467 Chevron
and No. 35-7825 Roth Ranches.

We have already billed your department for the publications. The
notices of correction were at our expense. Thank you.

Very truly yours,

THE POWER COUNTY PRESS

RECEIVED

JAN 31 1979

Department of Water Resources
Eastern District Office

January 22, 1979

The Power County Press
174 Idaho Street
American Falls, ID 83221

Gentlemen:

Re: Application 35-7825 - Roth Ranches (Notice of Correction)

Would you please send an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published on January 4 and 11, 1979. Your cooperation in this matter is appreciated.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

December 29, 1978

Power County Press
174 Idaho Street
American Falls, ID 83221

Re: Application 35-7825 - Roth Ranches (Notice of Correction)

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

Bill submitted No Bill by _____

RDC:dh

Enc.: 1 legal

MICROFILMED


NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 35-7825 in the name of Roth Ranches was advertised incorrectly on Dec. 7 and 14, 1978. The place of use was advertised as being within the NW¼, Sec. 32, T. 6S, R. 29E, B.M.

WHEREAS, the actual place of use is within the NE¼, Sec. 32, T. 6S, R. 29E, B.M.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, ID, 83401 on or before Jan. 22, 1979.

C. STEPHEN ALLRED
Director



NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 35-7825 in the name of Roth Ranches was advertised incorrectly on Dec. 7 and 14, 1978. The place of use was advertised as being within the NW $\frac{1}{4}$, Sec. 32, T. 6S, R. 29E, B.M.

WHEREAS, the actual place of use is within the NE $\frac{1}{4}$, Sec. 32, T. 6S, R. 29E, B.M.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, ID, 83401 on or before Jan. 22, 1979.

C. STEPHEN ALLRED
Director

Published in the Power County Press, American Falls, ID, on Jan. 4 & 11, 1979.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

DECEMBER 1, 1978

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1978.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

Bill submitted 12-15-78

cut

RECEIVED
DEC 11 1978
IDaho Falls

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

35-2825-

ROTH RANCHES

761 HUTCHINSON, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Date Filed: 11/30/1978

Amount: 3.20 CFS

Diversion Point: NWNW Sec 33 T 06S R 29E, POWER Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

Place of Use: NENW NWNW SWNW SENW Sec 32 T 06S R 29E FOR 160 ACRES

Diversion Means: WELL, PUMP & CENTER PIVOT

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before DECEMBER 26, 1978.

C. STEPHEN ALLRED

Director

Published 12/7 & 12/14/78.

RECORDED

IDENT. NO. 35-7825

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]