


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Shuman S. Smith
(Applicant)

RECEIVED

AUG 24 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, _____
solemnly

David Mark Brown

)
)ss.
)
do

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
134 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction withing the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper two consecutive weeks,

the first publication having been made on the
11th day of August, 19 77,

and the last publication having been made on the
18th day of August, 19 77;

that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

David Mark Brown

Subscribed and sworn to before me this 23rd

day of August, 19 77.

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Sherman N. Smith, Sterling,
Idaho has on 8-02-77 submitted
Application No. 35-7737 for a
permit to appropriate 4.00 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 5S, R.
32E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 200 acres
within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$,
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 5S, R. 32E,
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho 83401 on or
before August 29, 1977.


C. STEPHEN ALLRED
Director

(5229)

Pub.: 8-11, 18


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW of SE SECT 7 T5S R32E

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
5S	32E	7			37	38									34	39		38	186

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature F.W. Jones

Date 10-20-80

Checked by John D. Cannon

Date 11/10/80

Approved by Robyn

Date 1/22/81

Sherman Smith

35-7737



**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Sherman N. Smith, Sterling, Idaho has on 8-02-77 submitted Application No. 35-7737 for a permit to appropriate 4.00 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 5S, R. 32E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 200 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 5S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before August 29, 1977.

C. STEPHEN ALLRED
Director

(5229)
Pub.: 8-11, 18

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7737 Priority August 2, 1977 Amount 3.05 cfs

THIS IS TO CERTIFY, that SHERMAN N. SMITH
of Sterling, Idaho, has complied with the terms and conditions of Permit
No. 35-7737 issued pursuant to Application for Permit dated August 2, 1977,
and has submitted proof to the Department of Water Resources on October 22, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.05 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>3.05</u> cfs and	<u>651</u> acre feet
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.05 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
651 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 5S,
Rge. 32E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5S	32E	7			37	38											39	38	186

Total number of acres irrigated 186

This right when combined with all other rights shall provide no more than 3.5 afa
per acre for the lands above, nor more than .02 cfs per acre.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
February, 19 81.

Director

DRT

Identification No. 35 7737
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Sherman N. Smith Phone: 397-4612
post office address Sterling, ID 83279
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 5S
Range 32E B.M. Bingham County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.0 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works: well, pump and sprinkler system
a. Description of ditches, flumes, pumps, headgates, etc. _____

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 130 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

[illegible]

9. a. Who owns the property at the point of diversion
Applicant
b. Who owns the land to be irrigated or place of use
Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Shuman S. Smith
(Applicant)

Proposed priority: August 2, 1977

Received by me Date 8-02-77 Time 4:45 P.

Preliminary check by EMC Fee \$ 55.00

Received by me Date 8-02-77 # 9315

Publication prepared by me Date 8-03-77

Published in Blackfoot Review

Publication dates Aug. 11 & 18 - 1977

Publication approved me Date August 24, 1977

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC jk

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7737, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: 1. For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use.

2. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second per acre of land.

Witness my hand this 23 day of September 19 77

Deputy Director

RECEIVED

AUG 24 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, _____
solemnly

David Mark Brown

)
)ss.
)
do

Publisher

swear that I am the _____ of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction with the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

11th day of August, 19 77

and the last publication having been made on the

18th day of August, 19 77

that said notice was published in the regular and on-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

David M. Brown

Subscribed and sworn to before me this 23rd
day of August, 19 77

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Shuman N. Smith, Sterling,
Idaho has on 8-02-77 submitted
Application No. 35-7737 for a
permit to appropriate 4.00 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SE1/4, Sec. 7, T. 5S, R.
36E, B.M., Bingham County, to
be used from Apr. 1 to Nov. 1 for
irrigation of 200 acres
in the S1/2NE1/4, N1/2SE1/4,
SE1/4, Sec. 7, T. 5S, R. 32E.

If issued, this permit will be
subject to all prior water rights.
Objections against the granting of
this permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Boise Falls, Idaho 83401 on or
before August 29, 1977.

STEPHEN ALLRED
Director

31
8-11, 18



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 6, 1981

Sherman N. Smith
Sterling,
Idaho 83279

Dear Mr. Smith,

RE: License No. 35-7737

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 23, 1981

Sherman N. Smith
Sterling,
Idaho 83279

Dear Mr. Smith,

A representative of this Department has made an examination of the works covered by your Permit No. 35-7737, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.05 cfs Source: groundwater

The maximum quantity diverted shall not exceed 651 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 5S, Rge. 32E, B.M.

Beneficial use: Irrigation of 186 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7,
Twp. 5S, Rge. 32E.

Priority date established: August 2, 1977

Conditions (if any): This right when combined with all other rights shall provide
no more than 3.5 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JOHN JOHNSON
Water Rights Supervisor

MICROFILMED

MICROFILMED

10-20-80	Date
11/10/80	Date
1/22/81	Date

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

☐ Add P.D. as reflected above


☐ Add P.U. as reflected above

☒ None

[illegible]

Place(s) of Use

Point(s) of diversion: NW of SE SECT 7 T5S R32E



(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

A hand-drawn diagram on a grid. A vertical line is drawn, with points marked 37, 38, 39, and 38 from bottom to top. A horizontal line labeled 'MAINLINE' intersects this vertical line at point 39. A curved line labeled 'PD' is drawn to the left of the vertical line, passing through point 38. The diagram is labeled 'TSS' and 'R32E'.

MAP (Attach Aerial Photo)

35-7737




No access port
as of 7/9/80

Permit No. 35-7737

Examination for B/u

TOTAL ACREAGE 200

Diagram of System



DATE OF EXAM _____

ACREAGE

Found _____

Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

December 7, 1979

RE: Permit No. 35-7507 and 35-7737

Sherman H. Smith
R.R. Box 144
Sterling, ID 83210

Dear Mr. Smith:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JACKIE S. DENKING
Senior Clerk

cc: IDWR - State Office

RECEIVED
DEC 10 1979
IDWR - STATE OFFICE

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7737.

Name(s) of Permit Holder: SHERMAN N. SMITH

Post Office Address: PR Box 144 STERLING ID.
83210

Source of Water: GROUND WATER

Extent of Use: ☒ Domestic _____ (number of households)

☒ Stockwater _____ (number and type of stock)

☒ Irrigation 180 (acres)

☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/19/79 Date Sherman N. Smith Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

OCT 20 1979

Department of Water Resources



Department of Water Resources
Boise District Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

FEB 2 1978

Department of Water Resources
Eastern District Office

1. WELL OWNER

Name PATNER BROS. / SHERM SMITH
Address ABERDEEN, ID. 83218
Owner's Permit No. 359737

7. WATER LEVEL

Static water level Flowing feet below land surface
Flowing? ☒ Yes ☐ No G.P.M. flow 1100
Temperature ° F. Quality
Artesian closed-in pressure
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor

Department of Water Resources
Eastern District Office

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 14 inches Total depth 270 feet
Casing schedule: ☒ Steel ☒ Concrete

Thickness	Diameter	From	To
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
perforations	<u>205</u> feet	<u>250</u> feet
perforations	feet	feet
perforations	feet	feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet

Surface seal depth 20' Material used in seal ☐ Cement grout
☐ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name

Lot No. Block No.

County Bingham
NW 1/4 SE 1/4 Sec. 7, T. 5, R. 32 E

10.

Work started 9/16/77 finished 10/6/77

11. DRILLERS CERTIFICATION

Firm Name VOLLMER & SONS Firm No. 67
Address ABERDEEN, ID. 83218
Signed by (Firm Official) Paul Vollmer
and Paul Vollmer
(Operator)

September 20, 1977

Re: Permit No. 35-7737

Sherman N. Smith
Sterling, ID 83279

Dear Mr. Smith:

Enclosed is a copy of your approved Application for Permit No. 35-7737. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

August 5, 1977

RE: Application for Permit No. 27-7103 ESPLIN
35-7735 SWISS MILL
35-7737 SMITH

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW


Bill submitted 8-24-77 by CW

Enc: Legal Notice (3)

UNRECORDED

Page 28 (cont.)

129



130

(A) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) (AA) (AB) (AC) (AD) (AE) (AF) (AG) (AH) (AI) (AJ) (AK) (AL) (AM) (AN) (AO) (AP) (AQ) (AR) (AS) (AT) (AU) (AV) (AW) (AX) (AY) (AZ) (BA) (BB) (BC) (BD) (BE) (BF) (BG) (BH) (BI) (BJ) (BK) (BL) (BM) (BN) (BO) (BP) (BQ) (BR) (BS) (BT) (BU) (BV) (BW) (BX) (BY) (BZ) (CA) (CB) (CC) (CD) (CE) (CF) (CG) (CH) (CI) (CJ) (CK) (CL) (CM) (CN) (CO) (CP) (CQ) (CR) (CS) (CT) (CU) (CV) (CW) (CX) (CY) (CZ) (DA) (DB) (DC) (DD) (DE) (DF) (DG) (DH) (DI) (DJ) (DK) (DL) (DM) (DN) (DO) (DP) (DQ) (DR) (DS) (DT) (DU) (DV) (DW) (DX) (DY) (DZ) (EA) (EB) (EC) (ED) (EE) (EF) (EG) (EH) (EI) (EJ) (EK) (EL) (EM) (EN) (EO) (EP) (EQ) (ER) (ES) (ET) (EU) (EV) (EW) (EX) (EY) (EZ) (FA) (FB) (FC) (FD) (FE) (FF) (FG) (FH) (FI) (FJ) (FK) (FL) (FM) (FN) (FO) (FP) (FQ) (FR) (FS) (FT) (FU) (FV) (FW) (FX) (FY) (FZ) (GA) (GB) (GC) (GD) (GE) (GF) (GG) (GH) (GI) (GJ) (GK) (GL) (GM) (GN) (GO) (GP) (GQ) (GR) (GS) (GT) (GU) (GV) (GW) (GX) (GY) (GZ) (HA) (HB) (HC) (HD) (HE) (HF) (HG) (HH) (HI) (HJ) (HK) (HL) (HM) (HN) (HO) (HP) (HQ) (HR) (HS) (HT) (HU) (HV) (HW) (HX) (HY) (HZ) (IA) (IB) (IC) (ID) (IE) (IF) (IG) (IH) (II) (IJ) (IK) (IL) (IM) (IN) (IO) (IP) (IQ) (IR) (IS) (IT) (IU) (IV) (IW) (IX) (IY) (IZ) (JA) (JB) (JC) (JD) (JE) (JF) (JG) (JH) (JI) (JJ) (JK) (JL) (JM) (JN) (JO) (JP) (JQ) (JR) (JS) (JT) (JU) (JV) (JW) (JX) (JY) (JZ) (KA) (KB) (KC) (KD) (KE) (KF) (KG) (KH) (KI) (KJ) (KK) (KL) (KM) (KN) (KO) (KP) (KQ) (KR) (KS) (KT) (KU) (KV) (KW) (KX) (KY) (KZ) (LA) (LB) (LC) (LD) (LE) (LF) (LG) (LH) (LI) (LJ) (LK) (LL) (LM) (LN) (LO) (LP) (LQ) (LR) (LS) (LT) (LU) (LV) (LW) (LX) (LY) (LZ) (MA) (MB) (MC) (MD) (ME) (MF) (MG) (MH) (MI) (MJ) (MK) (ML) (MM) (MN) (MO) (MP) (MQ) (MR) (MS) (MT) (MU) (MV) (MW) (MX) (MY) (MZ) (NA) (NB) (NC) (ND) (NE) (NF) (NG) (NH) (NI) (NJ) (NK) (NL) (NM) (NN) (NO) (NP) (NQ) (NR) (NS) (NT) (NU) (NV) (NW) (NX) (NY) (NZ) (OA) (OB) (OC) (OD) (OE) (OF) (OG) (OH) (OI) (OJ) (OK) (OL) (OM) (ON) (OO) (OP) (OQ) (OR) (OS) (OT) (OU) (OV) (OW) (OX) (OY) (OZ) (PA) (PB) (PC) (PD) (PE) (PF) (PG) (PH) (PI) (PJ) (PK) (PL) (PM) (PN) (PO) (PP) (PQ) (PR) (PS) (PT) (PU) (PV) (PW) (PX) (PY) (PZ) (QA) (QB) (QC) (QD) (QE) (QF) (QG) (QH) (QI) (QJ) (QK) (QL) (QM) (QN) (QO) (QP) (QQ) (QR) (QS) (QT) (QU) (QV) (QW) (QX) (QY) (QZ) (RA) (RB) (RC) (RD) (RE) (RF) (RG) (RH) (RI) (RJ) (RK) (RL) (RM) (RN) (RO) (RP) (RQ) (RR) (RS) (RT) (RU) (RV) (RW) (RX) (RY) (RZ) (SA) (SB) (SC) (SD) (SE) (SF) (SG) (SH) (SI) (SJ) (SK) (SL) (SM) (SN) (SO) (SP) (SQ) (SR) (SS) (ST) (SU) (SV) (SW) (SX) (SY) (SZ) (TA) (TB) (TC) (TD) (TE) (TF) (TG) (TH) (TI) (TJ) (TK) (TL) (TM) (TN) (TO) (TP) (TQ) (TR) (TS) (TT) (TU) (TV) (TW) (TX) (TY) (TZ) (UA) (UB) (UC) (UD) (UE) (UF) (UG) (UH) (UI) (UJ) (UK) (UL) (UM) (UN) (UO) (UP) (UQ) (UR) (US) (UT) (UU) (UV) (UW) (UX) (UY) (UZ) (VA) (VB) (VC) (VD) (VE) (VF) (VG) (VH) (VI) (VJ) (VK) (VL) (VM) (VN) (VO) (VP) (VQ) (VR) (VS) (VT) (VU) (VV) (VW) (VX) (VY) (VZ) (WA) (WB) (WC) (WD) (WE) (WF) (WG) (WH) (WI) (WJ) (WK) (WL) (WM) (WN) (WO) (WP) (WQ) (WR) (WS) (WT) (WU) (WV) (WW) (WX) (WY) (WZ) (XA) (XB) (XC) (XD) (XE) (XF) (XG) (XH) (XI) (XJ) (XK) (XL) (XM) (XN) (XO) (XP) (XQ) (XR) (XS) (XT) (XU) (XV) (XW) (XX) (XY) (XZ) (YA) (YB) (YC) (YD) (YE) (YF) (YG) (YH) (YI) (YJ) (YK) (YL) (YM) (YN) (YO) (YP) (YQ) (YR) (YS) (YT) (YU) (YV) (YW) (YX) (YY) (YZ) (ZA) (ZB) (ZC) (ZD) (ZE) (ZF) (ZG) (ZH) (ZI) (ZJ) (ZK) (ZL) (ZM) (ZN) (ZO) (ZP) (ZQ) (ZR) (ZS) (ZT) (ZU) (ZV) (ZW) (ZX) (ZY) (ZZ)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Sherman N. Smith,
Sterling, Idaho

has on 8-02-77 submitted Application No. 35-7737
for a permit to appropriate 4.00 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source acre feet per annum
by means of well and pump
within the NW¹SE⁴, Sec. 7, T. 5S, R. 32E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 200 acres

within the S¹NE⁴, N²SE⁴, SE⁴SE⁴, Sec. 7, T. 5S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 29, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINS

Director

Published in the Blackfoot News, Blackfoot, Idaho
on August 11 and August 18, 1977

MICROFILMED
J.C.W.-H.
me-d.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Smith

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ARK 8/3/77

In form to receipt yes

(2) ARK 8/3/77

Send Copies to:

n/a Idaho State Health Department
n/a Idaho Fish and Game Department
n/a Bureau of Land Management

(3) ARK 8/3/77

n/a Request Special Use Permit from U.S.F.S.
n/a Request Easement from B.L.M.
n/a Request Information from Applicant
n/a Request Dam Safety Information

(4) ARK 8/3/77

In form for advertising yes

(5) ARK 8/3/77

Platted on Map No. 5S 32E

(6) ARK 8/3/77

Located within Water District No. Basin 35

(7) ARK 8/3/77

Critical groundwater area: yes no X

(8) ARK 8/3/77

Groundwater levels:

Declining, X Stable, Increasing

(comment) 18 cde 1 (Bingham)

(9) ARK 8/3/77

Other rights on the same place of use no
conflicting Groundwater Rights

(10) ARK 8/3/77

Comments: None

(11) aw 8-24-77

Affidavit of Publication received (date) Aug. 24-1977

(12) aw 8-29-77

Final date for protests August 29-1977

Protests received: yes no X

(13) EMC 8-29-77

All requested information received from agencies or applicant: yes no X

(14) _____

Action recommended:

X Approve

Deny

8-02-77 Proposed Priority

Reason for Reduction

X Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Eastern

By Ernest Carlson

Date 8-29-77

Copy sent

Supplemental