

RECEIVED

JUN 10 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, David Mark Brown do
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction within the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper two consecutive weeks,
the first publication having been made on the
2nd day of June, 19 77,
and the last publication having been made on the
9th day of June, 19 77;
that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

David Mark Brown

Subscribed and sworn to before me this 9th

day of June, 19 77.

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Cyp Gentillon, Pingree, Idaho,
has on 5-13-77 submitted
Application No. 35-7716 for a
permit to appropriate 1.60 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T. 3S, R.
33E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 80 acres within
the W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 24, T. 3S, R.
33E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before June 20, 1977.

C. STEPHEN ALLRED


Director
(5141)
Pub.: 6-2, 9

28

MICROFILMED

10. Other water rights on these lands Abbeville-Springfield Canal rights
11. Other water right diverted from same p.d. N.A.

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.





13. ☒ **Photo of Diversion & System Attached** ☒ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks _____


15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature HW Jones Date 10-15-84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____


Date _____ CONSULTANT SEAL

35mm FILMED

[illegible]



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

35-7716



QUADRANGLE LOCATION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
MADE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Heavy-duty
Medium-duty

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7716 Priority May 13, 1977 Amount 1.53 cfs

THIS IS TO CERTIFY, that Cyp Gentillion
of Pingree, Idaho, has complied with the terms and conditions of Permit
No. 35-7716 issued pursuant to Application for Permit dated May 13, 1977,
and has submitted proof to the Department of Water Resources on July 12, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.53 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.53</u> cfs and	<u>269.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 1.53 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
269.5 acre feet per year, said waters to be diverted within the NW 1/4 SE 1/4 Section 24,
Twp 3S, Rge 33E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3S	33E	24														40	37		77

Total number of acres irrigated 77

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18th day of

September, 19 86.

Acting for the Director

Boyd D. Flowers

RECEIVED

5.00
4/8

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 35-7716)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. 35 7716

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CYP Gentillion Phone: 684-4988
post office address Pinckney, Idaho 83263

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 3S
Range 33E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.6 for Irrigation purpose from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.6 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 25,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

[illegible]

c. Describe any other water rights used for the same purposes as described above. 80 shares


Aberdeen-Springfield Canal Co.

b. Who owns the land to be irrigated or place of use

applicant to make this filing-

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Cyp Gentillon
(Applicant)

Proposed Priority 5/13/77

Received by me Date 5-13-77 Time 11:20X
Preliminary check by OC Fee \$ 35.00
Received by OC Date 5-13-77 H 924
Publication prepared by OC Date 5-27-77
Published in Blackfoot News
Publication dates June 8 & 9-1977
Publication approved me Date 6-13-77
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by g

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7716, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82
- c. Other: For licensing purposes a scientific measurement of the diversion

rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.
The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 22 day of August 19 77.

Deputy Director

RECEIVED

JUN 10 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

I, do
solemnly

Publisher

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction withing the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper two consecutive weeks

the first publication having been made on the
2nd day of June, 19 77

and the last publication having been made on the
9th day of June, 19 77;

that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

David Mark Brown

Subscribed and sworn to before me this 9th

day of June, 19 77.

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Cyp Gentillon, Pingree, Idaho,
has, on 6-13-77, submitted
Application No. 85-7716 for a
permit to appropriate 1.60 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
NW1/4SE1/4, Sec. 24, T. 35, R.
33E, S. 4A, Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 80 acres within
the NW1/4SE1/4, Sec. 24, T. 35, R.
33E, S. 4A.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before June 20, 1977.

C. STEPHEN ALLRED

Director

(5141)

Pub.: 5-2, 9.

28



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 22, 1986

RE: Permit No. 35-7716

Cyp Gentillion
Box 112
Pingree, ID 83262

Dear Mr. Gentillion:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 25, 1986

RE: Permit No. 35-7716

Cyp Gentillion
Box 112
Pingree, ID 83262

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

NOV 26 1984

35-7716

Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$0.977 \text{ correction factor} \times 8" \text{ meter reading} = 7.816$$

$$(8" \text{ ID})^2 \times 3.85 \times \sqrt{7.816} = 688.86 \text{ gpm or } \underline{1.53 \text{ cfs}} \checkmark$$

$$77 \text{ acres} \times 0.02 \text{ cfs} = 1.54 \text{ cfs}$$

Limited by capacity to 1.53 cfs

- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 77 \text{ acres} \times 3.5 \text{ cfs/acre} = 269.5 \text{ cfs} \checkmark$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.53 \text{ cfs} \times 214 \text{ days} \times 1.9835 = 649.4 \text{ cfs} \checkmark$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{269.5 \text{ cfs}} \checkmark$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: ✓ Shares (80) in Aberdeen - Springfield Canal

- b) Other water rights with same point of diversion: NA.

per VAX: none

- c) Analysis:

~~R16 (3.5)~~ R30

MICROFILMED

RECEIVED

RECOMMENDED AMOUNTS

10 day

35-7716	5-13-1977	1.53 cfs	5-13-1977	7-12-1982	1.53 cfs
Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity

4. Permit Holder: Cyp Gentillion

Address: Box 112, Pingree, ID 83262

5. Source: g.w.

6. Beneficial Use: Irrigation

Period of Use
From 4-11 To 11-11

Rate of Diversion
Q (cfs) 1.53

Annual Volume
V (afa) 269.5

Irrigation

4-11

1.53

269.5

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
					NW SE	24	35	Bingham
							33E	

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	NE 1/4	NW 1/4	SE 1/4	Totals
35	33E	24													77
															77
Total Acres															77

9. Recommended Conditions/Remarks: 830

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

R. Walden

Date

10-15-84

Date


16 Nov 84

Date

8-12-86

[illegible]

10. Other water rights on these lands _____
 11. Other water right diverted from same p.d. _____
 12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☐ Other _____
16. Examiner's/Consultant's Signature _____ Date 10-15-84
 Consultant's License Number _____
 IDWR Director's Authorization to Conduct _____
 Beneficial Use Examination _____
 Date _____

CONSULTANT SEAL

33-7716

E-169

RECEIVED

B.
56.8

A.
20.5

54540-E

C.
39.1

D.
26.8

E-318
39.1-E

E-392
453-E

86

T
3
S

E.
29.0

R33E

C.
40.1

D.
39.7


(40)

B.
15.0


372-E

E-292
525-E

C.
23.0



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

35-7716

Heavy-duty
Medium-du



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
MADE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

35-7716


EASTERN

METER NO. 091461

RANGE 2-13

DATE TESTED 5/29/84

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
2.00	1.83	1.92	2	+2.20	.979
2.90	2.75	2.83	3	+3.05	.970
3.90	3.68	3.79	4	+2.73	.973
4.84	4.61	4.73	5	+2.87	.972
5.87	5.64	5.76	6	+2.11	.979
6.86	6.64	6.75	7	+1.84	.982
7.76	7.51	7.64	8	+2.36	.977
8.78	8.48	8.63	9	+2.12	.979
9.72	9.46	9.59	10	+2.12	.979
10.65	10.36	10.51	11	+2.33	.977
11.54	11.30	11.42	12	+2.51	.976
12.33	12.30	12.32	13	+2.74	.973



MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
EASTERN REGION

EASTERN REGION

John V. Evans
Governor

**150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161**

A. Kenneth Dunn
Director

September 27, 1932

Cyp Gentillon
Box 112
Pingree, ID 83262

RE: Permit No. 35-7716

Dear Mr. Gentillon:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-17110

Name(s) of Permit Holder: Carp Ventilation

Post Office Address: Box 112 Panguitch, Utah

Source of Water: Ground

Tel. No. 684-4988

Extent of Use:

☐ Domestic

☐ Stockwater

☒ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

80

Measuring Device: Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port: Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


7-6-82

Date

Carp Ventilation
Signature of Permit Holder

RECEIVED


Cap St. Hill
Box 112
Parque del Rio



Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUL 12 1982

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

GENTILLION, CYP
PINGREE, ID 83263

138040

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7716 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 31, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

August 25, 1977

Re: Permit No. 35-7716

CYP Gentillion
Pingree, ID 83263

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 35-7716. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Mentillon

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) LH 5-17-77

In form to receipt LH

(2) " "

Send Copies to:

- ☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) " "

- ☒ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☒ Request Information from Applicant
☒ Request Dam Safety Information

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. Z-38

(6) " "

Located within Water District No. NA

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels:

Declining, ☒ Stable, Increasing

(comment) Ref obs well 35 33E 14 BBA1

(9) " "

Other rights on the same place of use NO OTHER G.W. RIGHTS

(10) " "

Comments:

(11) CW 6-10-77

Affidavit of Publication received (date) June 10-1977

(12) CW 6-20-77

Final date for protests June 20-1977

Protests received: yes no ☒

(13) RDC 6/29/77

All requested information received from agencies or applicant: yes no

(14) " "

Action recommended:

☒ Approve Deny

5/13/77 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 6/29/77

Supplemental

Copy Sent

May 27, 1977

RE: Application for Permit No. 27-7088 ESPLIN
35-7721 EDWARDS
35-7717 TAYLOR
35-7716 GENTILLION
Claim to a Water Right No. 35-4059 PAPAS

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 6-13-77 by Ad

RDC:CW

Enc: Legal notice (5)

RECEIVED
JUN 1 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Cyp Gentillion, Pingree, Idaho, has on 5-13-77 submitted Application No. 35-7716 for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T. 3S, R. 33E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 80 acres within the W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 24, T. 3S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before June 20, 1977.

C. STEPHEN ALLRED
Director

(5141)

Pub.: 6-2, 9

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Cyp Gentillion,
Pingree, Idaho

has on 5-13-77 submitted Application No. 35-7716
for a permit to appropriate 1.60 cubic feet per second ~~XXXXXX~~ acre feet per annum
of water from a ground-water source
by means of well and pump
within the NW 1/4, Sec. 24, T. 3S, R. 33E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 80 acres

within the NW 1/4, Sec. 24, T. 3S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before June 20, 1977

C. STEPHEN ALLRED
~~XXXXXXXXXXXXXXXXXXXX~~
R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on June 2 and June 9, 1977

MICROFILMED

me - J.
me - H.
me - C.