


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CW Mulhaer
(Applicant)

● Proof of Publication ●
The Post-Register

RECEIVED

JUN 6 1977

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 19th day of May, 19 77, last publication
having been made on the 26th day of May, 19 77, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 27th day of May, 19 77.

Karlsson
Notary Public

My commission expires April 5, 19 79.

B10, 1M

cu NOTICE OF APPLICATION
FOR WATER PERMIT


Notice is hereby given that C. W. Mulhall, Idaho Falls, Idaho has on 5-09-77 submitted Application No. 35-7715 for a permit to appropriate 18.0 cubic feet per second of water from ground-water sources by means of wells and pumps within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 34, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 3N, R. 35E, B.M., Bonneville County; to be used from Apr. 1 to Nov. 1 for the irrigation of 914 acres within the N $\frac{1}{2}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 33, Sec. 34, SW $\frac{1}{4}$, Sec. 35, T. 3N, R. 35E, N $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 3, T. 2N, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before June 6, 1977.


C. STEPHEN ALLRED
Director
Pub: May 19, 26, 1977

ne

MICROFILMED



Place of Use



MICROFILMED
MAY 07 1987



35-7715

D-26
D-110

149.9

215.1

PLACE OF USE

P/O Mulhall Upper

POINT OF DIVERSION
MULHALL UPPER

POINT OF DIVERSION
MULHALL LOWER


REPRODUCED
MAY 07 1967

T 3 N

T2N R35E

N

35-7715



SYSTEM

LOWER MULHALL SYSTEM

UPPER MULHALL SYSTEM


UPPER MULHALL
POINT OF DIVERSION

R35E
T3N
M2

T3N
T2N

R35E

LOWER MULHALL
POINT OF DIVERSION



35-7715



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161



MULHALL UPPER SYSTEM

MICROFILMED
MAY 07 1987

35-7715

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-7715 IN THE
NAME OF C. W. MULHALL

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1982; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,


WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on January 25, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-7715 be REINSTATED and the priority advanced to November 2, 1977.

Dated this 7th day of February, 1983.



L. GLEN SAXTON

Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7715

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 11 1981

Identification No. 35 7715
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant C. W. Mulhall Phone: 522-2419
post office address Shane Building, Idaho Falls, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 3N
Range 35E B.M. Bonneville County; additional points of diversion if any: _____
SWNW, Sec. 34, SWNE, Sec. 33, T. 3N, R. 35E
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 18.0 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 18.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 existing wells, pumps, 1 new well
and pump, sprinkler system
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 24 inches; proposed depth of well is 700 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 100,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 914

Permit No. 35-2811 (comb. brings ^{to} 1" an acre)

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C W Mulhaen
(Applicant)

Proposed Priority 5/ 9/77

Received by Mr Date 5-9-77 Time 3:45

Preliminary check by BE Fee \$ 195.00

Received by BE Date 5-9-77 # 7226

Publication prepared by Mr Date 5-13-77

Published in Mr. Post Register

Publication dates May 19 + 26, 1977

Publication approved Mr Date 6-6-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for ~~approval~~ denial Mr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7715, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proct of construction of works and application of water to beneficial use shall be submitted on or

before August 1, 19 82.

c. Other: For licensing purposes a scientific measurement of the diversion

rate of the system as it is normally operated shall be provided by either

properly installing an approved type of measuring device or by having a

professional engineer certify the rate of diversion to the Department prior

to submitting proof of beneficial use of water.

Witness my hand this 22 day of August 19 77.

Deputy Director

RECEIVED

Department of Water Resources
Eastern District Office

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls News, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.


That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 19th day of May, 19 77, last publication having been made on the 26th day of May, 19 77, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 27th day of May, 19 77

Notary Public

My commission expires April 5, 1979

B10, 1M



SECRET

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-7715

Priority: November 2, 1977 Amount: 3.83 CFS 1381.8 AFA

This is to certify, that C. W. MULHALL
395 MAPLE ST., APT. #5
IDAHO FALLS, ID 83402

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated May 9, 1977, and
has submitted proof to the Department of Water Resources on January 25, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 5.09 cfs of water from a **GROUNDWATER**
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	3.83 cfs	1381.8 afa

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 34, Township 3N, Range 35E
Bonneville County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
2N	35E	2	LOT 3(NENW) 20	LOT 4(NWNW) 20			40
		3	LOT 1(NENE) 4	LOT 2(NWNE) 4			8
3N	35E	34	NWNE 10	SENE 24	NENW 15	NESE 36	
			NWSE 28	SWSE 37	SESE 37		187
		35	NESW 40	NWSW 40	SWSW 40	SESW 40	160

Total number of acres irrigated: 395

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd day
of April, 1987.

MICROFILMED

MAY 07 1987

Acting for the Director

Norman Young

April 23, 1987

C. W. MULHALL
395 MAPLE ST., APT. #5
IDAHO FALLS, ID 83402

RE: Permit No. 35-7715

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAY 07 1987

March 3, 1987

C. W. MULHALL
395 MAPLE ST., APT. #5
IDAHO FALLS, ID 83402

RE: Permit No. 35-7715

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 07 1987

ACTION REQUIRED

FROM: Keith C. Wilson

TO: C. W. Mulhall

*COPY OF
INFORMATION
SENT TO
CW. Mulhall*

35-7710 - COMPLETE ASSIGNMENT IN FRONT OF A NOTARY AND RETURN AS SOON AS POSSIBLE TO THIS OFFICE.

35-2811 - INFORMATION INCLUDED FOR YOUR INFORMATION. 35-2811 WILL BE SPLIT
& INTO 35-2188A AND 35-2811B BECAUSE OF DIFFERENT SYSTEMS.

35-7715 **2811**

ANY AMENDMENTS ON 35-2811A/2811B/7709/7710/7715 WILL BE DONE THRU LICENSING AMENDMENTS THRU THE BOISE OFFICE TO ELIMINATE ANY DUPLICATION.

MICROFILMED

MAY 07 1987

RECOMMENDED AMOUNTS

10 day

3. (late proof)

Permit No. ✓	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
35-7715	11-2-1977	3.83 cfs	5-9-1977	1-25-1983	5.09 cfs ✓

4. Permit Holder: C. W. Mulhall
Address: 395 Maple St., Apt. #5, Idaho Falls, ID 83402

5. Source: GROUNDWATER ✓ tributary to ✓

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>IRRIGATION</u> ✓	<u>4/1</u> ✓ <u>4/1</u> ✓	<u>3.83 cfs</u> ✓	<u>1381.8</u> ✓ <u>AF</u>

Allowable Maximums: 3.83 cfs ✓ 1381.8 ✓ AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NE	SE	34	3 N	3 SE	BONNEVILLE ✓

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2 N	35 E	2					20	20											40 ✓
							13	14											
		3	4	4															8 ✓
			L1	L2															
3 N	35 E	34		10		24	15								36	27.8	37	37	186.8 ✓
		35									40	40	40	40					160 ✓
Total Acres																			394.8 ✓

9. Recommended Conditions/Remarks:

MICROFILMED
MAY 07 1987

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Keith C. Wilson

Date 11 Dec 1986

Checked in Regional Office by C. S. Bremer

Date 12/16/86

Approved in State Office by R. Walker

Date 12-31-86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

35-7715
Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (include theoretical capacities and system capacity)

$$Q_{\text{ac}} = \left[\frac{3.85 (14)^2 \sqrt{Y}}{448.8 \text{ gpm/ft}} \right] K$$

Upper Mainall System

Mainline inside diameter $id = 11.75$

Manometer differential head $Y = 35.2 - 16.7 = 18.5$

Manometer correction factor $K = 1$

$$= \frac{3.85 (11.75)^2 \sqrt{18.5}}{448.8 \text{ gpm/ft}} = 5.09 \text{ cfs}$$

$$Q_{\text{ac}}/\text{ac} = \frac{5.09 \text{ cfs}}{525 \text{ ac}} = 0.0096952 \text{ cfs/ac}$$

Acres under System = 525 ac

Acres remaining under Upper Mainall System = 394.8 ac

$$Q_{\text{ac}} = 394.8 \text{ ac} \times 0.0096952 \text{ cfs/ac} = 3.83 \text{ cfs}$$

$$Q = 3.83 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$V_{\text{ir}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 394.8 \text{ ac} \times 3.5 \text{ ac} = 1381.8 \text{ ac-ft}$$

$$V_{\text{dr}} = [\text{Division Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.83 \text{ cfs} \times 1.9835 \times 214 = 1625.72 \text{ ac-ft}$$

$$V = \text{Smaller of } V_{\text{ir}} \text{ and } V_{\text{dr}} = 1381.8 \text{ ac-ft}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: NONE
- b) Other water rights with same point of diversion: 35-28118 - licenses will be issued with equal amounts of water on each acre
- c) Analysis: No overlap

MICROFILMED
MAY 07 1981

DEC 19 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTPermit No. 35-~~22~~/7715Phone No. 522-2419

1. Owner: C. W. Mulhall
Current Address: 395 Maple St Apt #5 Idaho Falls Id 83402
2. Accompanied by: Otis Walker EXAM. DATE: 8 Aug 1984
Address: Rt 9 Box 325 Idaho Falls Id 83402 Phone No. 522-6535
Relationship to Permit Holder: Operator
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Mulhall Lower Well	GE	600	CNJ323027	Alvora	V73-07472A
Booster	GE	200	AKJ130106	Layne's Boiler	V74-07468B
Mulhall Upper Well	GE	600	AKJ109020	Alvora	V73-07042B
Booster	GE	200	AKJ130105	Alvora	V75-86278

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
well pump booster mainline to handline and 3 center pivots (Mulhall Lower)
CIRCLES 1, 2; 3
well pump booster mainline to laterals w/sprinkler and 3 center pivots (Mulhall Upper)
The two wells are not interconnected circle # 4, 5; 6

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar		Dover	7517-316 ss	191158	12.0"	
Manometer						
Annubar		Dover	7517-316 ss	191158	12.0	

7. Measurements Mulhall Lower 33 15.5 2319 gpm ☐ Additional data/computation sheets attached
40 1/4" circ = 12" id
Mulhall Upper 35.2-116.7 = 18" 2286 gpm
37 1/8" circ = 11 3/4" id

DEC 19 1986

8. Point(s) of Diversion: Indicate Method of Determination Department of Water Resources


Ident #	1/4	1/4	1/4	Sec.	Twp.	Rge.	Survey Method	Known Corner	County	Remarks
Mulhall Lower		SW	NW	34	3N	35E	MICROFILMED		Bonneville	35-2811A
Mulhall Upper		NE	SE	34	3N	35E	MAY 07 1981		Bonneville	35-2811B 35-7715

9. SPLIT PLU BECAUSE OF Place(s) of Use: SEPARATE SYSTEMS Irrigation - give acres served by system at time of exam. Indicate Method of Determination
- | Twp. | Rge. | Sec. | NE 1/4 | | | | NW 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | Totals |
|------|------|------|--------|-----|----|----|--------|-----|----|----|--------|----|----|----|--------|----|----|----|--------|
| 3N | 35E | 33 | 34 | 32 | 39 | 38 | | | | | | | | | 38 | 37 | 6 | 6 | 230 |
| | | 34 | 5 | 40 | 40 | 36 | 40 | 39 | 35 | 38 | 35 | 38 | 20 | 24 | 36 | 34 | 37 | 36 | 533 |
| | | 35 | | | | | | | | | 40 | 40 | 40 | 40 | | | | | 160 |
| 2N | 35E | 2 | | | | | 18 | 18 | | | | | | | | | | | 36 |
| | | 3 | 4 | 4 | | | L-3 | L-4 | | | | | | | | | | | 8 |
| | | | L-1 | L-2 | | | | | | | | | | | | | | | |
- * This is total acreage irrigated. Recommended acreage for licensing contained in paragraph B of licensing report for each permit. Total Acres 967*

10. Other water rights on these lands

11. Other water right diverted from same p.d. 35-2811/7715

12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipeline d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipeline bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks 5% 73-12-166 McCrocker Broken

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

16. Examiner's/Consultant's Signature

Consultant's License Number

IDWR Director's Authorization to Conduct

Beneficial Use Examination

Date

MAY 07 1981

CONSULTANT SEAL


MICROFILMED

Date


8 Aug 1984


☒ None

☐ Other



Place of Use





PLACE OF USE

P/O Mulhall Upper
POINT OF DIVERSION
MULHALL UPPER

POINT OF DIVERSION
MULHALL LOWER

T3N

T2N R35E

R35E

SYSTEM

LOWER MULHALL SYSTEM

UPPER MULHALL SYSTEM

T3N
T2N

R35E


LOWER MULHALL
POINT OF DIVERSION

UPPER MULHALL
POINT OF DIVERSION

RECEIVED
MAY 07 1987
ZWM

35-7715

(N)





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161



MULHALL UPPER SYSTEM

MICROFILMED
MAY 07 1987

35-7715



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1985

C. W. Mulhall
395 Maple St., Apt. 5
Idaho Falls, ID 83402

Re: Water Right Identification No. 35-7715

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

☒ Proof of beneficial use has already been submitted for the water right.

☐ Proof of beneficial use is not applicable for existing licensed rights.

☐ Proof of beneficial use is not applicable for existing decreed rights.

☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.

☐ Other:

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

MICROFILMED

MAY 07 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 15, 1983

C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109

Dear Mr. Mulhall:

Re: Permit Nos. 35-7709, 35-7710, 35-7711, 35-7713, 35-7714 & 35-7715

Pursuant to your request, enclosed are copies of the above-referenced permits.

Just a reminder that the Statement of Beneficial Use has been received for Permit No. 35-7715.

If I can be of further assistance, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED
MAY 07 1987

RECEIVED

MAR 9 1983

Department of Water Resources

March 2, 1983
703 Litchfield Lane
Santa Barbara, CA 93109

Rita Fleck
Dept. of Water Resources
450 W. State St.
Boise, Idaho 83720

Dear Miss Fleck:

Thank you for your letter, with enclosures, regarding water rights on my farm land, dated Feb. 28, sent by registered mail.

Your letter and enclosures, deal with the following permits: 35-7709, 35-7710, 35-7711, 35-7713, and 35-7714, and 35-7715.

As I am spending the winter at the above address, and do not have my records here, could you kindly send a map or legal description of the land covered by these permits?

Thank you for your help.

Sincerely,

CW Mulhall
C. W. Mulhall

MICROFILMED
MAY 07 1987

February 9, 1983

C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109

Dear Mr. Mulhall:

Re: Permit No. 35-7715

This office acknowledges receipt of the Statement of Beneficial Use for Permit No. 35-7715. Enclosed is a copy of the Order which reinstates the permit and advances the priority.

Before a license can be issued, a field representative must conduct an examination of your extent of use. We cannot tell just when this examination will be made, but our examiner will try to contact Mr. Roland Walker of Rt. 1, Box 102, Rigby at the time he makes the examination so that he may show him the system.

Also, Mr. Mulhall, please watch for proof due notices to be sent out the end of February for Permit Nos. 35-7709, 35-7710, 35-7711, 35-7713 and 35-7714.

If you have any questions, please feel free to contact this office or our Eastern Regional office in Idaho Falls at 525-7161.

Sincerely,

RITA I. FLECK
Sr. Secretary

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 35-7715

DATE: 2-2-1983

Date Proof Received

Proof Due

Number of Days Proof Late

Priority Date

Number of Days Proof Late

New Priority Date

25	Jan. 25, 1983
365	
213	August 1
152	
+ 25	
177	
129	May 9, 1977
177	
306	= Nov. 2, 1977

Remarks

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as payment of the permit holder(s) has completed development to the extent shown below of Permit No. 55-1745

Name(s) of Permit Holder: C. W. Mulhall

Post Office Address: 395 Maple St., Apt. 5

Idaho Falls, Idaho 83402 Tel. No. 522-2419

Source of Water: two wells

Extent of Use:

☐ Domestic

☐ Stockwater

☒ Irrigation 1,000

☐ Other

(number of households)

(number and type of stock)

(acres) approx.

Measuring Device: Required? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No

Installed? ☐ Yes ☐ No

Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Jan. 21, 1983 Santa Barbara, CA 93109

C. W. Mulhall

703 Litchfield Lane

C. W. Mulhall

Date

WINTER ADDRESS

Signature of Permit Holder


C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109

(Winter Address)



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JAN 25 1987
DEPARTMENT OF WATER RESOURCES



CONVERSATION MEMORANDUM

DATE Jan. 25, 1983
FILE 35-7715NAME OF PARTY C.W. Mulhall
EMPLOYEE Pete FleckRE: Per Beneficial Use Statement and letter
dated Jan 24, 1983

I contacted Mr. Mulhall by phone to respond to his letter ^{of} I wanted to clear up the matter of whether or not the Dept. would accept the b/v statement from Mr. Walker, lease, unless he had a power of attorney.

In a phone conversation with Jim on Jan. 21, Mr. Mulhall states he did not receive the b/v postcard sent to him in our lapse notice of Dec 17, 1982. He told me, however, that he had located it and it was in the mail.

I answered all the questions he had on this permit and cleared up all of my concerns. He did have some questions about other water uses. I suggest he write to us concerning those.

Since Mr. Mulhall stated he had received the b/v postcard ^{sent} by our letter dated Dec. 17, 1982 and completed ^{sent} prior to Jim's sending another (dated b/v - Jan. 21, date of Jim's conversational memo Jan. 21), I

MICROFILMED

CONVERSATION MEMORANDUM

DATE Jan 25, 1983
FILE 35-7715

NAME OF PARTY C. W. Mulhall
EMPLOYEE Pete Fleck

RE: Continued

recommend the permit be reinstated
with an advance in Priority.

MICROFILMED

RECEIVED

JAN 24 1983

Department of Water Resources

Jan. 21, 1983
703 Litchfield Lane
Santa Barbara, CA 93109

Mr. L. Glen Saxton
Chief, Operations Bureau
Idaho Dept. of Water Resources
Statehouse, Boise, Idaho 83720

Dear Mr. Saxton:

I have just received letters dated Dec. 17, which were addressed to my former office (Shane Bldg., Idaho Falls) which I have now permanently closed. You also show my present home address of 395 Maple St., Apt. 5, Idaho Falls 83402, which is correct. However, I am spending the winter here at the above address here in Santa Barbara so can be reached here until spring.

In your mailings, you state that my water permit on farm land located west of Idaho Falls has lapsed.

You show permit number: 35-7715

As I believe I have mentioned in writing to you in the past, my farm land is operated by Lessees, and I have nothing to do with the farming. The Lessee on the land covered by Permit No. 35-7715 is Mr. Roland L. "Von" Walker, Route One, Box 102, Rigby, Idaho, 83442.

754-4580

It is Mr. Walker's responsibility to provide you with data you required. Can you please inform me if you have been in touch with him about this? The irrigation system on the land covered by the above permit has been in use for the past nine years.

I phoned the Idaho Falls office of Water Resources in October, before I left to go to California, and they told me that it would be OK to postpone action on the above permit, without penalty. I will appreciate hearing from you on this, as we certainly wish to maintain the permit on this land in good standing.

Sincerely,

C. W. Mulhall
C. W. Mulhall


1-805-

965-8170

C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109

Attn: Rita L. Fleck

Mr. L. Glen Saxton
Chief - Operations Bureau
Dept of Water Resources
Statehouse
Boise, Idaho 83720



1782-1982

USA 20c



CONVERSATION MEMORANDUM

DATE 1-21-83

FILE 35-7715

NAME OF PARTY C.W. Mulhall

EMPLOYEE Jim Johnson

RE: The above ^{party} called in reference to correspondence
sent 12-17-82.

He stated that the project had been completed for several years and he wanted to submit a proof to beneficial use statement, however, he had not received one in the correspondence.

He said that he had not received any correspondence prior to 12-17-82.

I am sending him a proof to beneficial use statement card and recommend that the priority date not be advanced? because he did not receive all of the necessary information required to full fill his responsibilities.

see
conv. memo
of
1-25-83
JF

MICROFILMED

January 17, 1983

C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109

Dear Mr. Mulhall:

Enclosed is a copy of the permit you requested along with the forms and letter sent to you on December 17, 1982.

If I can be of further assistance, please feel free to contact me at 208-334-4290.

Sincerely,

RITA I. FLECK
Sr. Secretary

RITA
RECEIVED

JAN 3 1983

Department of Water Resources

12-27-82
703 Litchfield Lane
Santa Barbara, CA 93109

L. Glen Saxton
Chief, Operations Bureau
Dept. of Water Resources
450 W. State St.
Boise, ID 83720

Dear Mr. Saxton:

I have received your letter dated Dec. 17, which was forwarded to me from Idaho Falls.

You notify me that water permit no 35-7715 has lapsed.

Since I am spending the winter here at the above address, I do not have any of my records with me here. Could you please let me know the legal description of the land covered by this permit?


My Idaho address is: 395 Maple St. Apt. 5, Idaho Falls, ID 83402. My office in the Shane Bldg. has been closed, as I am retired. Please address me in Santa Barbara, as I will be here until spring.

Yours truly,

CW Mulhall

C. W. Mulhall

C. W. Mulhall
703 Litchfield Lane
Santa Barbara, CA 93109



L. Glen Saxton
Chief Operations Bureau
Dept. of Water Resources
Statehouse, Boise, Idaho 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720



C. W. Mulhail
Shane Building
Idaho Falls, ID 83401

ENJOY IDAHO

STATE PARKS

REGISTERED

DEC 23 1982
Department of Water Resources



FORWARDING ORDER EXPIRED





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 17, 1982

C. W. Mulhall
Shane Building
Idaho Falls, ID 83401
and
395 Maple St.
Idaho Falls, ID 83401

Dear Mr. Mulhall:

Re: Permit No. 35-7715

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 35-7715 has lapsed. This office did not receive either a notice that you have completed the project by the date required on your permit or a request for an extension of time. You were provided the proper form in our notice to you dated May 31, 1982.

Your permit cannot be reinstated unless you submit the statement of beneficial use postcard or submit an extension of time request showing reasonable cause for delay. Either the completed postcard or the extension request must be received by this office within sixty days of the date of this lapse notice or the permit will no longer be of any force or effect.

A statement of beneficial use postcard and a request for extension of time form are enclosed for your use. Please note that a fee of \$15.00 must accompany an extension of time request.

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

LGS:rf

December 17, 1982

C. W. Mulhall
Shane Building
Idaho Falls, ID 83401
and
395 Maple St.
Idaho Falls, ID 83401

Dear Mr. Mulhall:

Re: Permit No. 35-7715

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 35-7715 has lapsed. This office did not receive either a notice that you have completed the project by the date required on your permit or a request for an extension of time. You were provided the proper form in our notice to you dated May 31, 1982.

Your permit cannot be reinstated unless you submit the statement of beneficial use postcard or submit an extension of time request showing reasonable cause for delay. Either the completed postcard or the extension request must be received by this office within sixty days of the date of this lapse notice or the permit will no longer be of any force or effect.

A statement of beneficial use postcard and a request for extension of time form are enclosed for your use. Please note that a fee of \$15.00 must accompany an extension of time request.

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

LGS:rf

CERTIFICATION OF MAILING

I hereby certify that on 12-17-1982
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Keta Fluck



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

HOUSE
Boise, Idaho 83720

*Sent to
395 Maple St
Falls, Id
83401*



Department of Water Resources
JUN 5 1982



138039

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MULHALL, C. W.
SHANE BLDG.
IDAHO FALLS, ID 83401

MAY 31, 1982


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7715 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,


RITA FLECK
SR. SECRETARY

ENC: 1



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138039

MULHALL, C. W.
SHANE BLDG.
IDAHO FALLS, ID 83401

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7715 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 31, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

August 25, 1977

Re: Permit No. 35-7715

C. W. Mulhall
Shane Building
Idaho Falls, ID 83401

Dear Mr. Mulhall:

Enclosed is a copy of your approved Application for Permit No. 35-7715. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED
AUG 28 1977
FBI - IDAHO

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Change application
by deleting 3 AC in NE 1/4 NE 1/4
Sec 34.

Application No. Mulhall

27.0 Source
☒ Point of Diversion
☒ County
18.0 Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
917 Place of Use or Acres Irrigated
☒ Map
☒ Signature
195.00 Fee

In form to receipt YES.

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☒ Bureau of Land Management

☒ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☒ Request Information from Applicant
☒ Request Dam Safety Information

In form for advertising YES.

Platted on Map No. 3N 35E B. 35

Located within Water District No. 35

Critical groundwater area: yes ☐ no ☒

Groundwater levels:

☐ Declining, ☐ Stable, ☒ Increasing

(comment) OB WELL 7N 35E 266C

Other rights on the same place of use Amended

Permit 35-2811 OK
Comments: OK

Affidavit of Publication received (date) June 6, 1977

Final date for protests June 6, 1977

Protests received: yes ☐ no ☒

All requested information received from agencies or applicant: yes ☐ no ☐

Action recommended:

☒ Approve ☐ Deny

5/9/77 Proposed Priority

☐ Reason for Reduction

☒ Measuring device required

☐ See attached sheet for other conditions of approval

☐ No special conditions for approval

(15) District E By RDC Date 6/6/77

UNCLASSIFIED

copy
sent

May 13, 1977

RE: Applications for Permit Nos. 25-7112 LOTT
35-7708)
35-7709)
35-7710)
35-7711)
35-7712) MULHALL
35-7713)
35-7714)
35-7715)

The Post Register

Gentlemen,
P.O. Box 1800

Idaho Falls, ID 83401

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted

6-06-77 by CW

RDC:ME

Enclosures

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that C. W. Mulhall,
Idaho Falls, Idaho

has on 5-09-77 submitted Application No. 35-7715
for a permit to appropriate 18.0 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from ground-water sources
by means of wells and pumps
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 34, ~~SW $\frac{1}{4}$ NE $\frac{1}{4}$~~ SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 3N, R. 35E, B.M.,
Bonneville County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 914 acres

within the N $\frac{1}{2}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 33, Sec. 34, SW $\frac{1}{4}$, Sec. 35, T. 3N, R. 35E,
N $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 3, T. 2N, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
June 6, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Published in the Post Register, Idaho Falls, Idaho
on May 19 and May 26, 1977.

RECORDED

the - R.
Filed 5-16-77
the - Q.