



MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ SW 1/4 of NW 1/4 SECT 24 T4S R31E

Place(s) of Use ✓ less acreage.

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4S	31E	24					39	38	39	39									155 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

H.W. Jones

Date 8-10-81

Checked by

K.C. Wilson

Date 12-8-81

Approved by

Kay Walker

Date 7-31-85

T4S
R31E

County Rd

PD

Conceal

F-571

F-579
57-F

F-61

F-571

F-410


F-571

F-10

F-27
617-F

MICROFILMED

NOT TO SCALE



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7699 Priority April 27, 1977 Amount 1.62 cfs

THIS IS TO CERTIFY, that Richard Winberg &/or Myrna Winberg
of Aberdeen, Idaho, has complied with the terms and conditions of Permit
No. 35-7699 issued pursuant to Application for Permit dated April 27, 1977,
and has submitted proof to the Department of Water Resources on April 13, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.28 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.62</u> cfs and	<u>542.5</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.62 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
542.5 acre feet per year, said waters to be diverted within the SW1/4 NW1/4 Section 24,
Twp 4S, Rge 31E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4S	31E	24					39	38	39	39									155

Total number of acres irrigated 155

MICROFILMS

399071 *See* 399069

- This right when combined with Right No. 35-2084 shall not exceed 542.5 acre feet per annum.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 11 day of September, 19 85.

Norman C. Young
Director

Identification No. 35 7699

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Richard Winberg &/or Myrna Winberg Phone: 397-4416
post office address Sterling, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 24 Township 4S
Range 31E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.70 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.70 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinklers system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4S	31E	24					40	40	40	40									160


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.
License No. 35-2084 at 1.5 cfs for 100 acres in NW 1/4, Sec. 24.

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks New well and well under License No. 35-2084 are in the same 40-acre subdivision.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Myrna Winberg
(Applicant)

Proposed Priority 4/27/77

Received by W Date 4-27-77 Time 1:50 p.

Preliminary check by EMC Fee \$ 35.00

Receipted by W Date 4-27-77 #6569

Publication prepared by W Date 4-29-77

Published in Blackfoot News

Publication dates May 5 & 12-1977

Publication approved me Date 5-16-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7699, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 82.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of July, 19 77.


Deputy Director

RECEIVED

MAY 16 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.
I, David Mark Brown do
solemnly

Publisher

swear that I am the of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thursday of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper ...2... consecutive

Wks the first publication having been made on
the 5th day of May, 19 77..

and the last publication having been made on the
13th day of May, 19 77..; that said

notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 13th

day of May, 19 77..

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho

My commission expires

Oct. 20, ~~1977~~ 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Richard Winberg and/or Myrna
Winberg, Sterling, Idaho have
on 4-27-77 submitted
Application No. 35-7699 for a
permit to appropriate 1.70 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 4S, R.
31E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 160 acres
within the NW $\frac{1}{4}$, Sec. 24, T. 4S,
R. 31E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before May 23, 1977.

C. STEPHEN ALLRED
Director
(5085)
Pub.: 5-5, 12

29 L7



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 18, 1985

RE: Permit No. 35-7699

Richard &/or Myrna Winberg
Aberdeen,
Idaho 83210

Dear Mr. and Mrs. Winberg:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

August 8, 1985

RE: Permit No. 35-7699

Richard & Myrna Winberg
Aberdeen, ID 83210

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 35-7699 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 1.62 cfs Source: groundwater

The maximum quantity diverted shall not exceed 542.5 acre feet
per year.

Point(s) of diversion: SW1/4 NW1/4, Sec. 24, Twp 4S, Rge 31E

Beneficial Use: Irrigation of 155 acres within NW1/4, Sec. 24,
Twp 4S, Rge 31E

Priority date established: April 27, 1977

Conditions (if any): This right when combined with Right No.
35-2084 shall not exceed 542.5 acre feet/annum.

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED


MICROFIL MED

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ SW 1/4 of NW 1/4 SECT 24 T4S R31E

Place(s) of Use ✓ less acreage.

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4S	31E	24					39	38	39	39									155 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

H.W. Jones

Date 8-10-81

Checked by

KC Wilson

Date 12-8-81

Approved by

Kay Walker

Date 7-31-85

T4S
R31E

County Rd

PD

F-571

38

39

39

39

8
95.1

F-410

P
12.6

F-571

D
52.9

F-4
34

F-4
6174

1 mile East

2/4 North

Overlap Review of Rt. 35-7699

per micro-fische 7/25/84:

p/d - 35-2084 ✓

p/u - 35-2084 ✓

35-2084 - Lic., same p/d, same
p/u - see copy attached -
Lic. shows 100 acres @ 1.5 cfs
 $100 / 1.5 = 0.015 \text{ cfs/acre} \dots$ no
volume shown on license.

Permit 35-7699 shows 155 acres -
 $155 \times 0.02 = 3.1 \text{ cfs}$

- 1.5 cfs (Lic. 35-2084)

1.6 cfs needed to
issue 1" per acre - see examiners
review of overlap - allow
1.62 cfs for this right. Will
not exceed capacity.

kw

limit volume when rights
are combined - R17 (35-2084,
542.5 ~~3.5~~ afa)

MICROFILMED

(8) Remarks 1.5 cfs from 35-2084 plus 1.615 cfs from 35-7699 gives total
on average of 3.12 cfs

MICROFILMED

LICENSE # 35-2084

T4S R3E SECT 24

NE NW - 15 acres
 NW NW - 25 "
 SW NW - 40 "
 SE NW - 20 "

100 acres at 1.5 cfs = 0.015 cfs/acre

PERMIT # 35-7699


NE NW - 15 acres at 0.005 cfs ✓
 or 0.75 cfs
 24 acres at 0.02 cfs ✓
 or 0.48 cfs

NW NW - 25 acres at 0.005 cfs ✓
 or 0.125 cfs
 13 acres at 0.02 cfs ✓
 or 0.26 cfs

SW NW - 39 acres at 0.005 cfs ✓
 or 0.195 cfs

SE NW - 20 acres at 0.005 cfs ✓
 or 0.10 cfs
 19 acres at 0.02 cfs ✓
 or 0.38 cfs

yields - 1.615 cfs ✓
~ 1.62



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions,

License and Certificate of Water Right

Water License No. 20309

Amount 1.5 second feet

Water District No. _____

Priority February 18, 1948

THIS IS TO CERTIFY that

J. ALAN NORMAN

of Sterling, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated February 18, 1948, 19 ; that Permit No. 20309 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 2.2 second feet, was issued thereunder on March 2, 1948, showing that said works were completed on the 28th day of February, 1948; and that on the 26th day of April, 1948,

J. ALAN NORMAN

of Sterling, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of

a well, a tributary of _____, for the purpose of irrigation

, under Use Permit No. 20309 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

8 of Licenses at page 4450, on the 28th day of February, 1949;

The right hereby confirmed dates from February 18, 1948;

The Point of Diversion is located

in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24, Tp. 4 S., R. 31 E., B. M. (Bingham Co)

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 1.5 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
4 S.	31 E.	24	NE $\frac{1}{4}$ NW $\frac{1}{4}$	20	15
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	35	25
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	39	40
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	25	20
			Number of Acres Actually irrigated - - -		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 28th day of February, 1949.

MARK R. KULP

State Reclamation Engineer

(SEAL)

35 20

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

May 7, 1981

RE: Permit No. ³
25-7798 and 35-7699

Richard Winberg
Aberdeen
Idaho 83210

Dear Mr. Winberg:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

HAROLD W. JONES
Sr. Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 38-2689

Name(s) of Permit Holder: Richard Weinberg

Post Office Address: Aberdeen Idaho 83200

Tel. No. 208-397-21416

Source of Water: Well - 1600 G.P.M.

Extent of Use:

☐ Domestic		(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>160</u>	(acres)
☐ Other		

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-8-81 **MICROFILMED** Richard Weinberg
 Date Signature of Permit Holder

Richard W.

Aberdeen, Idaho

83210



RECEIVED



APR 13 1981

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

MICROFILMED

July 18, 1977

Re: Permit No. 35-7699

Richard &/or Mryna Winberg
Sterling, ID 83279

Dear Richard &/or Mryna:

Enclosed is a copy of your approved Application for Permit No. 35-7699 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

April 29, 1977

RE: Claim to a Water Right No. 35-4058 SANDOW
Application for Permit No. 35-7699 WINBERG

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 5-16-77 by ML

RDC:CH

Enc: Legal Notice (2)

Legals: Joanne

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Richard Winberg and-or Myrna Winberg, Sterling, Idaho have on 4-27-77 submitted Application No. 35-7699 for a permit to appropriate 1.70 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 4S, R. 31E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the NW $\frac{1}{4}$, Sec. 24, T. 4S, R. 31E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 23, 1977.

C. STEPHEN ALLRED
Director

(5085)

Pub.: 5-5, 12

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Richard Winberg &/or Myrna Winberg,
Sterling, Idaho

have ~~xxxx~~ on 4-27-77 submitted Application No. 35-7699

for a permit to appropriate 1.70 cubic feet per second ~~xxxxxx~~ acre feet per annum

of water from a ground-water source

by means of well and pump

within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T. 4S, R. 31E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 160 acres

within the NW $\frac{1}{4}$, Sec. 24, T. 4S, R. 31E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 23, 1977.

C. STEPHEN ALLRED
~~XXXXXXXXXXXXXXXXXXXX~~
R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on May 5 and May 12, 1977

400-
Me-
R-
Cor-
h

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Winberg

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ARK 4/27/77

In form to receipts yes

(2) ARK 4/27/77

Send Copies to:

NA Idaho State Health Department
NA Idaho Fish and Game Department
NA Bureau of Land Management

(3) ARK 4/27/77

NA Request Special Use Permit from U.S.F.S.
NA Request Easement from B.L.M.
NA Request Information from Applicant
NA Request Dam Safety Information

(4) ARK 4/27/77

In form for advertising yes

(5) ARK 4/27/77

Platted on Map No. 4831E

(6) ARK 4/27/77

Located within Water District No. Basin 35

(7) ARK 4/27/77

Critical groundwater area: yes no X

(8) ARK 4/27/77

Groundwater levels:

Declining, X Stable, Increasing

(comment) 3leaba

(9) ARK 4/27/77

(10) ARK 4/27/77

Other rights on the same place of use Lic # 35-2084 at 1.5 cfs for 100 acres in NW 1/4, sec 24
Comments: Amnt. doesn't exceed 1" per acre.

(11) me 5-16-77

Affidavit of Publication received (date) 5-16-77

(12) RDC 5/23/77

Final date for protests May 23, 1977

Protests received: yes no

(13) ll ll

All requested information received from agencies or applicant: yes no

(14) ll ll

Action recommended:

Approve Deny

4/27/77 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 5/23/77

MICROFILMED

at supplemental!

copy sent