

Affidavit of Publication

RECEIVED
APR 14 1977

STATE OF IDAHO }
COUNTY OF POWER } S.S.

Department of Water Resources
Eastern District Office

Phyllis Ringe
being first duly sworn
on oath, states:

That ~~she~~ is the ~~principal clerk~~ of the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said
newspaper and not in any supplement thereof for2.....
successive weekly issues thereof, the date of the first publica-
tion being the31st... day ofMarch....., 19..77
the date of last publication being the
.....7th... day ofApril....., 19.....77

(Signed)

Subscribed and sworn to before me this

..... day ofApril....., 19..77

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of, 19

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
July 15, 1977

Legal Notice


Published in the Power
County Press, American
Falls, Idaho on March 31
and April 7, 1977.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given
that Otto L. Tiede, Ameri-
can Falls, Idaho has on
3-21-77 submitted Applica-
tion No. 35-7684 for a
permit to appropriate 1.60
cubic feet per second of
water from a ground-water
source by means of well
and pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T. 7S,
R. 29E, B.M., Power
County; to be used from
Apr. 1 to Nov. 1 for the
irrigation of 80 acres within
the N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T.
7S, R. 29E, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water
Resources, 1515 Lincoln
Road, Idaho Falls, Idaho,
83401 on or before April 18,
1977.


MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

#1 38psi 32 birds 38psi
11/64N
#2 48psi 32 birds 54psi
11/64N
#3 60psi 32 birds 60psi
11/64N



Point(s) of diversion: NW 1/4 NE 1/4 Sect. 24 T7S R29E

Place(s) of Use

same less acres

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	24					39	38											77 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

12-20-83

Examiner's Signature

David Jones
Keith Curtis

Checked by

Approved by

Kay Walker


Date 1-05-83

Date 30 Nov. 1983

Date 12-14-83



35-7238



total acres under both rights = 318.5

$$318.5 \times .02 = 6.37 \text{ cfs}$$

Right 35-7238 - 3.86
Right 35-2492 - 2.44
6.30

total capacity 5.86
total capacity 2.44

both wells


3.42 cfs

Diagram of System

South →

as per exam of 4/21/73 see copy
capacity of well 35-7238
1102.5
268.5
1372.5

MICROFILMED



1451.6

Grade Level

State of Idaho

License and Certificate of Water Right

Water License No. G-26739 35-2492

Water District No.

Amount 2.44 c.f.s.

Priority January 17, 1957

THIS IS TO CERTIFY that JOHN TIEDE

OTTO L. TIEDE, Assignee

of American Falls, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated January 17, 1957; that Permit No. G-26739 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 2.44 second feet, was issued thereunder on June 11, 1958, showing that said works were completed on the 7th day of April, 1958; and that on the 7th day of April, 1958, OTTO L. TIEDE

of American Falls, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of a well, a tributary of subterranean, for the purpose of Irrigation

, under Use Permit No. G-26739 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume 10 of Licenses at page 6347, on the 11th day of June, 1958, The right hereby confirmed dates from January 17, 1957.

The Point of Diversion is located

in the SE 1/4 NE 1/4 Sec. 24, Tp. 7 S., R. 29 E., E. M. County Power

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 2.44 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
7 S.	29 E.	24	NE 1/4 NE 1/4	40	40
			NW 1/4 NE 1/4	40	40
			SW 1/4 NE 1/4	40	40
			SE 1/4 NE 1/4	40	40
			NE 1/4 SE 1/4	40	40
			NW 1/4 SE 1/4	40	40
			Total number of acres irrigated	240	240

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 11th day of June, 1958.

RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7684 Priority March 21, 1977 Amount 1.32 cfs

THIS IS TO CERTIFY, that Otto L. Tiede
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7684 issued pursuant to Application for Permit dated March 21, 1977,
and has submitted proof to the Department of Water Resources on March 11, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.42 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.32</u> cfs and	<u>269.5</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.32 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
269.5 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 24,
Twp 7S, Rge 29E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	29E	24					39	38											77

Total number of acres irrigated 77

This right when combined with Right No. 35-7238 shall not exceed 3.42 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 5TH day of
JANUARY, 1984.

Acting for the Director Norman C Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7684

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

35 7684

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant Otto L. Tiede Phone: 226-5795
 post office address 614 Calder Street, American Falls, Idaho 83211

2. Source of water supply ground water which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 24 Township 7S
 Range 29E B.M. Power County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.60 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.60 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. existing well, pump and three
additional $\frac{1}{4}$ -mile laterals

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
 capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 400 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years.

b. Estimated construction cost is \$ 25,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	29E	24					40	40											80


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.
None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 3/21/77

Received by CW Date 3-21-77 Time 2:55P.

Preliminary check by Jay Fee \$ 35.00

Received by CW Date 3-21-77 # 6463

Publication prepared by CW Date 3-25-77

Published in Tanner City Press

Publication dates Mar. 31 + Apr. 7-1977

Publication approved me Date 4-14-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ARC ig

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7684, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 11 day of May, 19 77.


Deputy Director

Affidavit of Publication

RECEIVED
APR 4 1977

STATE OF IDAHO }
COUNTY OF POWER } S.S.

Department of Water Resources
Eastern District Office

Phyllis Ringe
being first duly sworn
on oath, states:

That ~~she~~ is the ~~principal clerk~~ of the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ~~2~~ successive weekly issues thereof, the date of the first publica-

tion being the ~~31st~~ day of ~~March~~, 19~~77~~

the date of last publication being the

~~7th~~ day of ~~April~~, 19~~77~~

(Signed)

Subscribed and sworn to before me this

~~11~~ day of ~~April~~, 19~~77~~

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of, 19

Legal Notice

Published in the Power County Press, American Falls, Idaho on March 31 and April 7, 1977.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Otto L. Tiede, American Falls, Idaho has on 3-21-77 submitted Application No. 35-7684 for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T. 7S, R. 29E, B.M., Power County; to be used from Apr. 1 to Nov. 1 for the irrigation of 80 acres within the N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T. 7S, R. 29E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 18, 1977.

RECEIVED

January 10, 1984


RE: Permit No. 35-7684

Otto L. Tiede
614 Calder St.
American Falls, ID 83211

Dear Mr. Tiede:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

100-100000-100000

10 DAY LICENSE REVIEW

License vs. Permit

- ☒ No. correct A & B
- ☒ Priority date correct
- ☒ Amount equal to or less than
- ☒ Name same
- ☒ Permit date correct
 - Proof due date correct
- ☒ Source correct
- ☒ Use correct
- ☒ Period of use/use correct
- ☒ Rate of diversion/use equal to or less than
- ☒ Point of diversion description same or different
- ☒ County same
- ☒ Place of use description same or different
- ☒ Other water used on p/u?

License vs. Field Exam

- ☒ Amount for rate of diversion correct
- ☒ Capacity correct
- ☒ Amount for each use correct
- ☒ Total amount correct
- ☒ Volume for each use correct
- ☒ Total volume correct
- ☒ Field exam showing p/d correct
- ☒ Field exam showing p/u correct
- ☒ Does field exam show more land irrigated than permit allows?
- ☒ Overlap review complete ~~Yes~~ Yes
- ☒ Conditions of approval correct R16
- ☒ Initial field exam

Cover Letter vs. License

- ☒ Name correct
- ☒ Number correct
- ☒ Amount correct
- ☒ P/D description correct
- ☒ P/U description correct
- ☒ Priority correct
- ☒ Conditions correct
- ☒ Initial license
- ☒ Sign letter

Name

Juni

Date

12-20-83

MILWAUKEE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 19, 1983

RE: Permit No. 35-7684

Otto L. Tiede
614 Calder Street
American Falls, ID 83211

Dear Mr. Tiede;

A representative of the Department has made an examination of the works covered by your Permit No. 35-7684, and has found the following:

Amount of water that can be recognized as groundwater for use under Idaho law: 1.32 cfs Source: 269.5

The maximum quantity diverted shall not exceed 269.5 acre feet per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 24, Twp 7S, Rge 29E

Beneficial use: Irrigation of 77 acres within NW $\frac{1}{4}$, Sec. 24, Twp 7S, Rge 29E

Priority date established: March 21, 1977

Condition(s) of this right when combined with right No. 35-7238 shall not exceed 3.42 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

35-7684
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-15-1982 Accompanied by Tim Evans Total Q measured 1.32 cfs
If source is surface water, estimate total flow of source 3.42 cfs
Methods of measurement Pitot gauge Meets Permit requirements? YES

Measurement calculations: Line #1 - 5.44 gpm x 32 birds = 174.08 gpm = 0.39 cfs
#2 - 6.24 gpm x 32 birds = 199.68 gpm = 0.44 cfs
#3 - 6.80 gpm x 32 birds = 217.60 gpm = 0.48 cfs
591.36 gpm = 1.32 cfs
Also meter read 3.18 cfs for total system of 9 lines

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	200	U.S. Motors	1400724	Johnston	GE14031	Badger Meter available Pitot gauge	Good	

System Description From well/pump past Badger meter to 9 lines. Only 3 lines were on property for this license and amt. was measured with a pitot gauge

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre
<u>Irrigation</u>	<u>3.5</u>	
<u>77 x 0.02 = 1.54</u>	<u>1.32 cfs</u>	<u>269.5</u>
		<u>4-11-1</u>
		<u>-214 days</u>
	<u>1.32 cfs</u>	<u>269.5</u>

Remarks This license when used in conjunction with license 35-7238 shall have a rate that doesn't exceed 3.42 cfs. Work up on #35-7238 says rate measured from well in NW1/4 was 3.42 cfs yet licensed amt is 3.86 cfs. I wonder if this was a typographical error.

MICROFILMED


MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

- #1 38psi 32 b/wds 38psi
11/64N
- #2 48psi 32 b/wds 54psi
11/64N
- #3 60psi 32 b/wds 60psi
11/64N



Point(s) of diversion: NW 1/4 NE 1/4 Sect. 24 T7S R29E

Place(s) of Use Same less acres

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	24					39	38											77 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

Examiner's Signature

Checked by

Approved by

Hardy Jones
Keith Carter
Kay Walker

12-20-83

Date


Date

Date

1-05-83

30 Nov. 1983

12-14-83



NOT TO SCALE

I-8

Overlap Review 35-7684
as per micro-fische:

1. p/d - NWNE, Sec. 24, T. 7S, R. 29E

same P/d for 35-7238 License g.w

2. p/u - N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 24, T. 7S, Rge. 29E

no overlaps ok

35-7238 - same source - same well & pump
capacity (as per copy of license)
combined w/well in SE $\frac{1}{4}$ NE $\frac{1}{4}$ is
5.86 cfs. These 2 wells were licensed
for 3.86 cfs. As per copy of exam
for 35-7238 total & measured ^{from 3/4 in NWNE} was
3.42 cfs (copy attached).

ok Recommended R/7 $\rightarrow$ 35-7238, 3.42
cfs.

no problem

MICROFILMED

~~35-7238 315 acres @ 3.86 cfs = ~~0.012253~~ cfs per acre~~
~~2492 240 acres @ 2.44 cfs = 0.0102 per acre~~
N/A $\uparrow$

35-7238





Diagram of System

South →



1451.6

capacity of well 35-7238
 2.4
 as per exam of 4/21/73
 see copy 1102.5
 268.5
 1372.5

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 35-7238 Priority June 7, 1972 Amount 3.86 cfs

THIS IS TO CERTIFY, that OTTO L. TIEDE
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7238 issued pursuant to Application for Permit dated June 7, 1972
and has submitted proof to the Department of Water Administration on August 9, 1972
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.86 cfs of water from a ground water source
tributary to _____ and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to Nov. 15	at 3.86 cfs and	1,102.5 acre feet or 3.5 af per acre
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 3.86 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
* 1,102.5 acre feet per year, said waters to be diverted within the NW 1/4 & SE 1/4 of
Sec. 24, Twp. 7 S, Rge. 29 E, B.M. in the County of _____ Power

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7 S	29 E	24	38	38.5	40	38.5									38.5	40	38.5	39	315

Total number of acres irrigated 315

* Subject to the condition that the maximum volume per year shall not exceed
1,102.5 acre feet when combined with License No. 28739/35-2492.

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appertenant to the lands or place of use
herein described, as provided by the laws of Idaho

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2 day of
May 19 74

Director

DATE OF EXAM June 21, 1973

29-7238

CROAGE

Found 315Recommended 315Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q = 3.42 c.f.s.V = 1103AF/Ann. from April 1 to Nov 1

Domestic Q = _____ c.f.s.

V = _____

AF/Ann. from _____ to _____

Livestock Q = _____ c.f.s.

V = _____

AF/Ann. from _____ to _____

Is water co-mingled? yes ☒ no ☐Name source: Groundwater

35-2492

located at 7 N/S, Rge 29 E/W, B.M., Sec. 24, Sub. SE 1/4 NE 1/4 Power CountyExchange? yes ☐ no ☒

Name source exchanged with: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured 3.42 CFS Method of measurement Badger meterTotal Q recommended 3.42 CFS Meter No. M0430532 Type Badger Condition goodTotal V recommended 1103 AF/Ann Injector

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None ☒

MEASUREMENT CALCULATION:

License # 35-2492 2.44 CFS
 + License # 35-7238 3.42 CFS
~~5.86 CFS~~ 0.2 CFS/Ac x 315 Ac = 6.3 CFS

Discharged 1000 gallons in 39 seconds or 1000 gal in 65 min = 1540 gal/min ÷ 448.8 = 3.42 CFS

$V = (3.42)(1.9835)(215) = 1465 \text{ AF} > (315)(3.5) = 1103 \text{ AF}$

SYSTEM DESCRIPTION:

200 HP U.S. Halls shaft motor Serial # 1400724 w/ Johnston pump Serial # GE14031 10" discharge south through gate valve - 3' to water then becomes buried main south

REMARKS:

System shown by Otto Tiede owner. Already has license for well in SE 1/4 NE 1/4 S. 29 Twp 75 29E and owner desires that this license cover the one point of diversion in the NW 1/4 NE 1/4 S. 29 Twp 75 R. 29E which is described above, with place of use: E 1/2 S. 24 Twp 75 Rge 29E

Examiner's Signature John TenebaumDate June 21, 1973Checked by (1) R. D. L.

State of Idaho

License and Certificate of Water Right

Water License No. G-26739 35-249~

Amount 2.44 c.f.s.

Water District No.

Priority January 17, 1957

THIS IS TO CERTIFY that JOHN TIEDE of American Falls, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated January 17, 1957; that Permit No. G-26739 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 2.44 second feet, was issued thereunder on June 11, 1958, showing that said works were completed on the 7th day of April, 1958; and that on the 7th day of April, 1958, OTTO L. TIEDE

of American Falls, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of a well

a tributary of subterranean, for the purpose of Irrigation

, under Use Permit No. G-26739 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

10 of Licenses at page 6347, on the 11th day of June, 1958.

The right hereby confirmed dates from January 17, 1957.

The Point of Diversion is located

in the SE 1/4 NE 1/4 Sec. 24 Twp. 7 S. R. 29 E. 3rd M. County Power

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 2.44 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
7 S.	29 E.	24	NE NE NW NE SW NE SE NE NE SE NW SE	40 40 40 40 40 40	40 40 40 40 40 <u>40</u>
Total number of acres irrigated					- - - 240

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

11th day of

MIC FILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

April 20, 1982

RE: Permit No. 35-7684

Otto L. Tiede
514 Calder Street
American Falls, Id. 83211

Dear Mr. Tiede:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7684

Name(s) of Permit Holder: OTTO L. TIEDE
614 Calder Street
 Post Office Address: American Falls,
Idaho 83211 Tel. No. 226-5795

Source of Water: groundwater
 Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 80 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-8-82

[Signature]
 e P

MICROFILMED

Otto D. Tied
614 Calder Street
American Falls, Idaho 83201

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



RECEIVED

MAR 11 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138290

TIEDE, OTTO L.
614 CALDER ST.
AMERICAN FALLS, ID 83211

FEBRUARY 28, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7684 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MILFURNISHED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

FEB 28 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

May 13, 1977

Re: Permit No. 35-7684

Otto L. Tiede
614 Calder Street
American Falls, ID 83211

Dear Mr. Tiede:

Enclosed is a copy of your approved Application for Permit No. 35-7684 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

March 25, 1977

RE: Application for Permit No. 35-7684 TIEDE
No. 35-7686 HUSE

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 4-14-77 by CW

RDC:CW

Enc: Legal Notice (2)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Otto L. Tiede,
American Falls, Idaho

has on 3-21-77 submitted Application No. 35-7684
for a permit to appropriate 1.60 cubic feet per second XXXXXXXXXXXXXXXXXXXX acre feet per annum
of water from a ground-water source
by means of well and pump
within the NW 1/4, Sec. 24, T. 7S, R. 29E, B.M., Power County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 80 acres

within the N₂NW₄, Sec. 24, T. 7S, R. 29E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
April 18, 1977

XXXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho
on March 31 and April 7, 1977

me. It
me. A

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Tiede

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ARK 3/21/77

In form to receipt

(2) ARK 3/21/77

Send Copies to:

n/a Idaho State Health Department
n/a Idaho Fish and Game Department
n/a Bureau of Land Management

(3) ARK 3/21/77

n/a Request Special Use Permit from U.S.F.S.
n/a Request Easement from B.L.M.
n/a Request Information from Applicant
n/a Request Dam Safety Information

(4) ARK 3/21/77

In form for advertising

(5) ARK 3/21/77

Platted on Map No. 7529E

(6) ARK 3/21/77

Located within Water District No. Basin 35

(7) ARK 3/21/77

Critical groundwater area: yes no X

(8) ARK 3/21/77

Groundwater levels:

Declining, X Stable, Increasing

(comment) 2866el obs well is stable

(9) ARK 3/21/77

Other rights on the same place of use none plotted

(10) ARK 3/21/77

Comments: None

(11) CW 4-14-77

Affidavit of Publication received (date) April 14-77

(12) CW 4-18-77

Final date for protests April 18-1977

Protests received: yes no X

(13) RDC 4/18/77

All requested information received from agencies or applicant: yes no

(14) CC CC

Action recommended:

Approve Deny

3/21/77 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 4/18/77

MICROFILMED