


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 8 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Funk
(Applicant)

RECEIVED

OCT 6 1976

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.
I, David Mark Brown do
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thurs of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper ..2.... consecutive
..wks the first publication having been made on
the ..9th.. day of ...Sept, 19 ..76...
and the last publication having been made on the
..16th day of ..Sept..., 19 ..76.; that said
notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown
Subscribed and sworn to before me this ..4th.

day of ..October 19 ..76....

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1976

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
William Funk, American Falls,
Idaho, has on 9-01-76 submitted
Application No. 35-7638 for a
permit to appropriate 3.20 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 29, T. 6S, R.
30E, B.M., Bingham County; to
be used from March 15 to Nov.
15 for the irrigation of 160 acres
within the SE $\frac{1}{4}$, Sec. 29, T. 6S,
R. 30E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before September 27, 1976.

R. KEITH HIGGINSON
Director

(4815)
Pub.: 9-9, 16

32

MICROFILMED

72.0

73.4

75.3

T2360
F4434
77.73
76.610
71.819/20
30/29 T2203F47
OT - Power6
43.75
48.6R30E
T
6
S8
14.47
11.9

Plu

T2427
F636T2427
F567

40

39

4
60.2

T Pou

P/O

39

38

10

9

86.7

83.6

159.4


30/29
31/32

MICROFILMED

30/29
32/33

JUN 16 1988

35-7638



4752
000
EET

4751

4750

4749

4748

4747

E CAVE 16 MI.

Well
4629

Funk
4690

Well

Well
4564

Well
4548

Well
4502

Well
4507

Well
4523

BINGHAM CO
POWER CO


MICROFILMED

JUN 16 1988

35-7638

NORTH


PLE



MIROFILMED

JUN 16 1988

35-7638



MICROFILMED

JUN 16 1988

35-7638

A-18

T6S

R30E

29

20 21
29 30

B
77.8

B
76.6

E.D.
78.6

PH. D
11.9

6.7
19.4

T. POWER

VOK

MICROFILMED

40

39

39

38

PD

21/2

86.7

83.6

28 33

Shoemaker Rd

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 35-7638

Priority: September 1, 1976 Amount: 3.12 CFS 546.0 AFA

This is to certify, that WILLIAM FUNK
C/O ANN FUNK POTRATZ
545 ELM

AMERICAN FALLS, ID 83211 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated September 1, 1976, and has submitted proof to the Department of Water Resources on October 8, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 3.12 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	3.12 cfs	546.0 afa

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 29, Township 6S, Range 30E
Bingham County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
6S	30E	29	NESE 39	NWSE 40	SWSE 39	SESE 38	156

Total number of acres irrigated: 156

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of March, 1988.

MICROFILMED

JUN 16 1988

Director

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7638 Priority September 1, 1976 Amount 1.94 cfs

THIS IS TO CERTIFY, that William Funk
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7638 issued pursuant to Application for Permit dated September 1, 1976,
and has submitted proof to the Department of Water Resources on October 8, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.94 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.94</u> cfs and	<u>546.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 1.94 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
546.0 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 29,
Twp 6S, Rge 30E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	30E	29													39	40	39	38	156

Total number of acres irrigated 156

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 8TH day of

FEBRUARY, 19 84

Acting for the Director

Norman C. Young

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7638

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

35 7638

Identification No. _____

Application No. _____

RECEIVED

AUG 30 1976

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

Department of Water Resources
Southern District Office

1. Name of applicant William Funk Phone: 226-2907
post office address 545 Elm, American Falls, Idaho 83211
2. Source of water supply ground which is a tributary of _____
3. a. Location of point of diversion is SW 1/4 1/4 of SE 1/4 1/4 of Section 29 Township 6 South
30E Range -29 E B.M. Bingham County; additional points of diversion if any: _____
Change per telecon w/John Kugler 9/03/76 RDC
- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 for irrigation purpose from March 15 to November 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 200 horsepower pump with Badger
meter with 8 inch main and 4 inch lateral
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 80,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
65	30E ~~29~~	29													40	40	40	40	160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 8 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Funk
(Applicant)

Proposed Priority 9-01-76

Received by CU Date 9-01-76 Time 11:01 A.

Preliminary check by RDC Fee \$ 55.00

Receipted by CU Date 9-01-76 # 2538

Publication prepared by CU Date 9-03-76

Published in Blackfoot Times

Publication dates Sept. 9 + 16, 1976

Publication approved Me Date 10-6-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7638, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 81.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 12 day of October, 1976.

R. Keith Higin
Director

OCT 6 1976

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.
I, David Mark Brown do
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thurs of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

.... issue of said newspaper ..2.... consecutive
wks the first publication having been made on
the 9th day of Sept, 19 76...
and the last publication having been made on the
16th day of Sept... 19 76; that said
notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 4th
day of October 19 76....
Patricia H. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1976

NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that
William Funk, American Falls, Idaho, has on 7-31-76 submitted
Application No. 35-7638 for a
permit to appropriate 3.20 cubic
feet per second of water from a
ground water source by means
of well and pump within the
SW 1/4 SE 1/4, Sec. 29, T. 6S, R.
30E, B.M., Bingham County; to
be used from March 15 to Nov.
15 for the irrigation of 160 acres
within the SE 1/4, Sec. 29, T. 6S,
R. 30E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before September 27, 1976.
R. KEITH HIGGINSON
Director
(4815)
Pub.: 9-9, 16 32



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 11, 1988

RE: Water Right No. 35-7638

William Funk
c/o Ann Funk Potratz
545 Elm
American Falls, ID 83211

Dear Mr. Funk:

Enclosed is a copy of the Amended water right license issued on the above referenced right. The license was amended to reflect the actual amount of water used as 3.12 cfs rather than the 1.94 cfs originally licensed.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 16 1988

RE-EXAM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RE-EXAM

A. GENERAL INFORMATION

Permit No. 35-7638

1. Owner: Mr William Funk % Ann Funk Potratz

Phone No. _____

Current Address: 545 Elm American Falls Id 83211

2. Accompanied by: Jim Pahl

EXAM. DATE: 27 Aug 1987

Address: Rt 1 Box 131 American Falls Id

Phone No. 226-2731

Relationship to Permit Holder: Operator

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUN 16 1988

RE-EXAM

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump mainline to 8-1/4 mile wheel lines

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	Newman	200	Frame# 445TPH/DD37E2PB # 81189506	JOHNSTON	L052-5 / 10"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	SE	29	6S	30E	Bingham	On Site / USGS MAP

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	30E	29													39	40	39	38	156

RECEIVED

JUN 16 1988

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube						

2. Measurements:

$\frac{1}{8} - 3.46 \times 7 = 24.22$
[See C(1)] Line 14.578 Avg 55psi $\frac{5}{32} - 5.39 \times 158 = 851.62$
$\frac{1}{8} - 3.43 \times 2 = 6.86$
(2) Avg 54psi $\frac{5}{32} - 5.34 \times 31 = 165.54$
$\frac{1}{8} - 3.396 \times 2 = 6.792$
(3) Avg 53psi $\frac{5}{32} - 5.29 \times 31 = 163.99$
$\frac{1}{8} - 3.54 \times 1 = 3.54$
(4) Avg 57.5psi $\frac{5}{32} - 5.52 \times 32 = 176.64$
Total 1399.2 gpm = 3.117 cfs = 3.12 cfs ✓

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: Pitot tube

$$Q = 3.12 \text{ cfs} \checkmark$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 156 \text{ ac} \times 3.5 = 546 \text{ ac-ft}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.12 \text{ cfs} \times 1.9835 \times 214 = 1324$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 546 \text{ ac-ft}$$

2. Volume Calculations for Other Uses:

MICROFILMED

JUN 16 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

FLOW MEASUREMENT PORT TOO CLOSE TO CHECK VALVE SIDE OF PUMP HOUSE
FOR ACCURATE READING.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	3.12 cfs	546 afa
Totals:			3.12 cfs	546 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON
Signature Keith C. Wilson
Certification Date OCT 7, 1987
Field Report Preparation Date 28 Aug 1987

Steve McCormick
CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 16 1988

19 20
30 21

01 - Power

6

13.7

5

49.6

14.4

4.3

10

86.7

9

83.6

31 32


MICROFILMED

JUN 16 1988

R30E
T
6
3

Play

35-7680



MACTILMED

JUN 16 1988

35-7638



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director


150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOZZLE DIAMETER IN INCHES													
	1/16"	5/64"	3/32"	7/64"	1/8"	9/64"	5/32"	11/64"	3/16"	13/64"	7/32"	1/4"	9/32"
20	0.52	0.81	1.17	1.59	2.09	2.65	3.26	3.92	4.69	5.51	6.37	8.35	10.5
25	0.58	0.90	1.31	1.78	2.34	2.96	3.64	4.38	5.25	6.16	7.13	9.34	11.8
30	0.64	1.00	1.44	1.96	2.56	3.26	4.01	4.83	5.75	6.80	7.85	10.2	13.0
35	0.69	1.08	1.55	2.11	2.77	3.50	4.31	5.18	6.21	7.30	8.43	11.1	13.9
40	0.74	1.15	1.66	2.25	2.96	3.74	4.61	5.54	6.64	7.80	9.02	11.8	14.9
45	0.78	1.22	1.76	2.40	3.13	3.99	4.91	5.91	7.03	8.30	9.60	12.5	15.9
50	0.83	1.29	1.85	2.52	3.30	4.18	5.15	6.19	7.41	8.71	10.10	13.2	16.6
55	0.87	1.36	1.94	2.63	3.46	4.37	5.39	6.48	7.77	9.12	10.50	13.8	17.4
60	0.90	1.40	2.03	2.76	3.62	4.50	5.65	6.80	8.17	9.56	11.05	14.5	18.3
65	0.94	1.47	2.11	2.86	3.77	4.78	5.87	7.06	8.45	9.92	11.45	15.1	19.0
70	0.98	1.53	2.19	2.98	3.91	4.95	6.10	7.34	8.78	10.32	11.95	15.7	19.8
75	1.01	1.58	2.27	3.08	4.05	5.12	6.30	7.58	9.08	10.66	12.32	16.2	20.4
80	1.05	1.64	2.35	3.18	4.18	5.28	6.52	7.84	9.39	11.02	12.74	16.7	21.1
85	1.08	1.68	2.42	3.28	4.31	5.45	6.71	8.07	9.67	11.35	13.11	17.3	21.7
90	1.11	1.73	2.49	3.38	4.43	5.61	6.91	8.31	9.95	11.69	13.51	17.7	22.3
95	1.14	1.78	2.56	3.46	4.56	5.76	7.09	8.53	10.2	11.99	13.86	18.2	22.9
100	1.17	1.83	2.63	3.56	4.67	5.91	7.29	8.76	10.5	12.32	14.23	18.7	23.5

MICROFILMED

JUN 16 1988


35-7638



MICROFILMED

JUN 16 1988

35-7638



MICROFILMED

JUN 16 1988

35-7638

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

35-7638
Permit No. Funb

Re-Exam

RECEIVED

OCT 23 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index _____ (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed SW Wilson 27 Aug 87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SM 9/3/87 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 9-30-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office 10/21/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

MEMORANDUM

TO: Skip

FROM: Jim *gm*

DATE: May 1, 1987

RE: Re-Examination of 35-7638

RECEIVED

MAY 5 1987

Department of Water Resources
Eastern District Office

Attached are copies of correspondence with Mr. Cavaness and a copy of the field exam.

I am retaining the original exam in our files because a license has already been issued and I don't think the original should be separated from the file.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 1, 1987

RE: Water Right No. 35-7638

Ben Cavaness
Cavaness & Boomer
Box 70
American Falls, ID 83211

Dear Mr. Cavaness:

In follow-up to your correspondence of 4/16/87, I checked with our regional office for the status of the re-examination on the above referenced water right.

Apparently there was a break in the communication lines as they were not aware that a re-examination had been requested. To avoid this from re-occurring, I personally discussed this matter with Mr. Harold Jones in our regional office and he will conduct the re-exam.

Mr. Jones indicated that since the first measurement was based upon sprinkler line discharge, rather than using that method again, a measurement access port installation will be required. The installation of the port is normally quite simple and inexpensive. I have enclosed instructions which you can pass on to your client. If he has any questions, have him call Harold Jones at 525-7161.

If I can be of any further assistance, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

cc: Eastern Region

MICROFILMED

JUN 16 1988

BEN CAVANESS
HENRY R. (Hank) BOOMER

Cavaness & Boomer

ATTORNEYS-AT-LAW
P.O. Box 70 — 376 Roosevelt
American Falls, Idaho 83211

April 16, 1987

Telephone
(208) 226-2562

RECEIVED
APR 21 1987

Mr. Jim Johnson
Water Rights Supervisor
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources


Re: Permit No. 35-7638

Dear Jim:

Approximately one year and half ago I wrote to you relative to having the Department reexamine the sprinkler system under the above numbered permit. The owner of the property is concerned since no reexamination has been scheduled and he would like to make sure that this matter is resolved.

Please advise me the status of the reexamination effort.

Very truly yours,


Ben Cavaness

BC:mh

cc: Mr. Jim Pahl

MICROFILMED

JUN 16 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 10, 1985

RE: Permit No. 35-7638

Ben Cavaness
Cavaness & Beebe
Box 70
American Falls, ID 83211

Dear Mr. Cavaness:

In light of your recent correspondence concerning the above referenced permit, the Department is returning the matter to our Eastern Regional Office for follow-up.

Their staff will confirm sprinkler system discharge via re-examination. I am not sure when the re-examination will be scheduled, however, normally the right holder is contacted for an examination appointment.

If there are any questions on this matter, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

cc: Eastern Region

MICROFILMED

JUN 16 1988

Cavaness and Beebe

BEN CAVANESS
MARK BEEBE

ATTORNEYS-AT-LAW
P.O. Box 70
American Falls, Idaho 83211

Telephone
(208) 226-2562

August 1, 1985

RECEIVED
AUG 5 1985

Mr. Jim Johnson
Water Rights Supervisor
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Re: Permit No. 35-7638 - Ms. Potratz


Dear Mr. Johnson:

I have been in contact with Mr. Jim Pahl relative to the above permit and he indicates that he is still of the opinion that a serious mathematical was made in your computations. He is still running the same system that he was when your man inspected with the same motor and the same number of lines. One possible explanation for the difference in the water being used and the water that you calculated was that the orifice on the last bird adjacent to the road has a much smaller capacity than than all of the other birds since it only turns a half a circle and must be smaller or it would over-water that section of ground.

If your field examiner measured his calculations based on the size of the orifice in the last rain bird adjacent to the road, that would account for the discrepancy in the amount of the water used verses the amount of water measured.

I would appreciate it if you let me know whether or not it would be possible for your field examiner to again go over his calculations after he has reexamined the conditions in the field at this location.

Very truly yours,


Ben Cavaness

BC:mh

MICROFILMED

JUN 16 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 17, 1985

RE: Permit No. 35-7638 - Ms. Potratz

Cavaness & Beebe
Attn: Ben Cavaness
Box 70
American Falls, ID 83211

Dear Mr. Cavaness:

We are in receipt of your letter dated June 28, 1985 regarding the above referenced water right. I have reviewed that water right file and have determined that a typographical error had not been made when the license was issued on February 8, 1984.

The determination of the 1.94 cfs used on the license is documented on the enclosed copy of the Field Report. As you will see, the pressure in the 8 lines did not average 65 psi, but rather varied somewhat between 50 psi and 56 psi. This is expected due to pipe friction and elevation changes in the field. The discharge from the sprinkler heads varies according to pressure and each line's discharge was calculated according to the discharge of the sprinkler head times the average pressure found in each line times the number of sprinkler heads for each line.

I hope this explanation satisfies your concerns. If I can be of any further assistance, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 16 1988

BEN CAVANESS
MARK BEEBE

Cavaness and Beebe

ATTORNEYS-AT-LAW
P.O. Box 70
American Falls, Idaho 83211

Telephone
(208) 226-2562

June 28, 1985

RECEIVED
JUL 2 1985

Mr. Jim Johnson
Water Distribution Supervisor
Department of Water Resources
State Office
450 West State
Boise, Idaho 83720

Department of Water Resources

Re: Ms. Potratz - Permit #35-7638


Dear Mr. Johnson:

Your letter dated January 3, 1984 was received much later in the year when she returned from the South where she spends the winter each year. I believe that a typographical error has been made in your permit finding in that at the time of the inspection that was made by the officials of your department there were eight (8) wheel lines on the premises, all of which were running approximately 65 pounds of pressure. These eight (8) wheel lines each had 33 lengths and had five gallon per minute nozzels at that pressure, which would indicate that the appropriate ownage to be received under this permit was 1323 gallons per minute which would equate to 2.94 cfs rather than 1.94 cfs.

I would appreciate it if you would review your field inspector's records and notes in this matter and get back to me if you are not willing to unilaterally amend your license to reflect this modification.

If you have any problems or questions, please do not hesitate to call or write.

Very truly yours,


Ben Cavaness

BC:mh

MICROFILMED

JUN 16 1988

February 9, 1984


RE: Permit No. 35-7638

Mr. William Funk
c/o Ann Funk Potratz
545 Elm
American Falls, ID 83211

Dear Ms. Potratz:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

10 DAY LICENSE REVIEW

2:20

License vs. Permit

- ☒ No. correct A & B
- ☒ Priority date correct
- ☒ Amount equal to or less than
- ☒ Name same
- ☒ Permit date correct
- ☒ Proof due date correct
- ☒ Source correct
- ☒ Use correct
- ☒ Period of use/use correct *OK changed*
- ☒ Rate of diversion/use equal to or less than
- ☒ Point of diversion description same or different
- ☒ County same
- ☒ Place of use description same or different
- ☒ Other water used on p/u?

License vs. Field Exam

- ☒ Amount for rate of diversion correct
- ☒ Capacity correct
- ☒ Amount for each use correct
- ☒ Total amount correct
- ☒ Volume for each use correct
- ☒ Total volume correct
- ☒ Field exam showing p/d correct
- ☒ Field exam showing p/u correct
- ☒ Does field exam show more land irrigated than permit allows?
- ☒ Overlap review complete
- ☒ Conditions of approval correct
- Initial field exam

Cover Letter vs. License

- ☒ Name correct
- ☒ Number correct
- ☒ Amount correct
- ☒ P/D description correct
- ☒ P/U description correct
- ☒ Priority correct
- ☒ Conditions correct
- ☒ Initial license
- ☒ Sign letter

Name

Jui

Date

1-3-84

2:26

Gummi

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

January 3, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 35-7638

Mr. William Funk
c/o Ann Funk Potratz
545 Elm
American Falls, ID 83211

Dear Ms. Potratz:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7638, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 1.94 cfs Source: groundwater

The maximum quantity diverted shall not exceed 546.0 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 29, Twp 6S, Rge 30E

Beneficial use: Irrigation of 156 acres within SE $\frac{1}{4}$, Sec. 29, Twp 6S, Rge 30E

Priority date established: September 1, 1976

Conditions (if any):

Also, on your permit you proposed an irrigation period of 3/15 to 11/15. Our office identifies a period of 4/1 to 11/1 for your area. If you do not concur with this and the above findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED



MIDPOINT

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 SE 1/4 Section 29 T 6S R 30E

Place(s) of Use

Same as permit - seed acres

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
6S	30E	29													39	40	39	38	156 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

J. W. Jones

Checked by

Keith Carter

Approved by

Kay Walker

Date

1-24-1983

Date

12-1-1983





Date

12-12-83

A-18

TGS

R30E



T. POWER

VOK

MICROFILMED

40

39

39

38

PD

86.7

83.6

2.0-1.8

2.0-1.8



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

**1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186**

December 8, 1981

RE: Permit No. 35-7638

Ann Funk Potratz
545 Elm
American Falls, Idaho 83211

Dear Ms. Potratz:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

SECRET

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7638.

Name(s) of Permit Holder: Ann Funk Potratz P.R.

Post Office Address: 545 Elm

Ann Falls, Ida. 83211 Tel. No. 226-2907

Source of Water: _____

Extent of Use: ☐ Domestic _____ (number of households)

☐ Stockwater _____ (number and type of stock)

☒ Irrigation 160 (acres) Completed

☐ Other Please call 226-2731 when

inspection is to be made

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No


Access Point: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-6-81
Date

Ann Funk Potratz P.R.
Signature of Permit Holder

Mrs. Ann Funk Potratz
545 Elm
American Falls, ID 83211



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

OCT 8 1981

Department of Water Resources

MAILED

C
O
P
Y

September 21, 1981

Ms. Ann Potratz
545 Elm
American Falls, ID 83211

Dear Ms. Potratz:

Re: Permit No. 35-7638

Enclosed is the statement of beneficial use postcard submitted for the above-referenced permit.

Please be advised that a water right permit is personal property and only the permit holder or authorized agent may take action on the permit. Permit No. 35-7638 is in the name of William Funk. Therefore, William Funk must sign and return the statement of beneficial use postcard for this permit.

If however, the property belongs to you and you wish to have the permit recorded in your name, Mr. Funk must complete and sign before a notary public the enclosed assignment form. At which time, you may return the postcard you've completed.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

MICROFILMED

*Per telephone conversation,
Mr. Funk has died.
Mrs. Potratz is the
administrator and personal
representative of the estate.*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138417

FUNK, WILLIAM
545 ELM
AMERICAN FALLS, ID 83211

JULY 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7638 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 20, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

35-7638

January 12, 1977

Mr. Ray Ruff
Rt. #1
Aberdeen, ID 83210

Dear Mr. Ruff:

We have received a well drillers report indicating that a well was drilled for you in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 7S, R. 30E, B.M., Bingham County.

SWSE, Sec. 29, T. 7S, R. 30E

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before ground water may be diverted. The only exception to this requirement is a well drilled for stock-watering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we over-looked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

Very truly yours,

LOY H. JOHNSON
Senior Water Resource Agent

LHJ:ME

MICROFILMED

corrected and filed 3-7-77 me-

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

RECEIVED
JAN 12 1977
Department of Water Resources
Eastern District Office

1. WELL OWNER

Name RAY RUFF
Address Route 1, Aberdeen
Owner's Permit No. No Permit 35-7638

7. WATER LEVEL

Static water level 200 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other not tested

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 286 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>16</u> inches	<u>1</u> feet	<u>16</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ TorchSize of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18' Material used in seal ☐ Cement grout
☒ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BINGHAM
SW SE 29 365 30
1/4 Sec. _____ T. _____ N/S, R. _____ E/W

10.

Work started Oct. 23, 1976 finished Dec. 11, 1976

11. DRILLERS CERTIFICATION

Firm Name DOUG CUSHMAN DRILLING CO. Firm No. 72Address 945 S. Broadway, Blackfoot Date 1/7/77

Signed by (Firm Official) _____

and

(Operator) Dw Winkles

October 13, 1976

Re: Permit No. 35-7638

William Funk
545 Elm
American Falls, ID 83211

Dear Mr. Funk:

Enclosed is a copy of your approved Application for Permit No. 35-7638. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

September 27, 1976

RE: Applications Nos. 35-4051 JOHNSON
35-7637 MELTON
35-7638 FUNK
35-7639 IDLE WHEEL

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Would you please submit affidavits of publication and certified bills in connection with the above referenced applications. The legal notices were to have been published on September 9 and September 16, 1976.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:ME

cc: IDWR - State Office

*Called
11-24-76
RDC*

September 3, 1976

RE: Application for Permit No. 35-7638 FUNK

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 10-06-76 by CW

RDC:CW

Enc: Legal Notice (1)

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that William Funk, American Falls, Idaho, has on 9-01-76 submitted Application No. 35-7638 for a permit to appropriate 3.20 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 29, T. 6S, R. 30E, B.M., Bingham County; to be used from March 15 to Nov. 15 for the irrigation of 160 acres within the SE $\frac{1}{4}$, Sec. 29, T. 6S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before September 27, 1976.

R. KEITH HIGGINSON
Director

(4815)

Pub.: 9-9, 16

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that **William Funk,**

American Falls, Idaho

has on 9-01-76 submitted Application No. 35-7638

for a permit to appropriate 3.20 cubic feet per second ~~acre feet per annum~~ ~~XXXXXXXXXXXXXXXXXXXXX~~

of water from a ground-water source

by means of well and pump

within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 29, T. 6S, R. 30E, B.M., Bingham County;

to be used from **March 15 to Nov. 15**

for the irrigation of 160 acres

within the SE $\frac{1}{4}$, Sec. 29, T. 6S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before September 27, 1976

R. KEITH HIGGINSON

Director

Published in the **Blackfoot News, Blackfoot, Idaho**

on **September 9** and **September 16, 1976**

me. D.
me. B.
me. C.

September 3, 1976

RE: Application for Permit No. 35-7638 FUNK

Mr. John B. Kugler
Attorney at Law
Box 1478
Pocatello, Idaho 83201

Dear Mr. Kugler:

Attached herewith is departmental receipt No. 2538 in the amount of \$55.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Attachment

LAW OFFICES

JOHN B. KUGLER

1156 East Center, Box ~~1392~~ 1478
POCATELLO, IDAHO 83201
208/233-6234

216 Idaho Street
American Falls, Idaho 83211
208/226-5241


August 27, 1976

State of Idaho
Department of Water Resources
1041 Blue Lakes Blvd, North
Twin Falls, Idaho 83301

Gentlemen:

Enclosed please an Application for Permit,
together with a check in the sum of \$55.00, which is
submitted to you on behalf of my client, William Funk.

Yours sincerely,



JOHN B. KUGLER

JBK/dk
Enclosure

Item	Initial	Date
------	---------	------

✓ Source
✓ Point of Diversion
✓ County
✓ Quantity of Water and Period of Use
✓ Description of Diverting Works
✓ Time required for B/U of water
✓ Place of Use or Acres Irrigated
✓ Map
✓ Signature
✓ Fee

In form to receipt y e s

Send Copies to:

 Idaho State Health Department

 Idaho Fish and Game Department

 Bureau of Land Management

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

In form for advertising

Platted on Map No. 65 30C ~~Part After~~
~~Survey of 1906~~

Located within Water District No.

Critical groundwater area: yes no ☒

Groundwater levels:

Declining, ☒ Stable, ☐ Increasing

(comment)

Other rights on the same place of use

Comments: ~~35-760-0000~~ ~~760-0000~~ ~~Else!~~
~~760-0000~~ NO CONFLICT

Affidavit of Publication received (date) *Oct 6, 1976*

Final date for protests Sept. 22, 1926
Protests received: yes no ☒

All requested information received from agencies or applicant: yes no

Action recommended:

☒ Approve ☐ Deny

9/1/74 Proposed Priority

Reason for Reduction

✓ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 10/6/76

Copy
176