

RECEIVED

MAY 21 1976

Department of
Eastern Dis

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.

I, David Mark Brown do solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of general
circulation published each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper having been so
published at Blackfoot, aforesaid for more than one year
past; that said newspaper heretofore complied with all the
provisions of Chapter 154 of the Sessions Laws of Idaho of
1933, approved March 11, 1933, and duly designated,
pursuant to law, a particular day of the week as the day on
which legal notices required by law or by the order of any
Court of competent jurisdiction within the State of Idaho
shall be published to-wit: Friday of each week; that the
notice attached hereto and which is a part of this affidavit
and part of the proof of publication was, published in said

Friday issue of said newspaper ²..... consecutive
weeks, the first publication having been made on
the 13th May 76
the day of 19

and the last publication having been made on the
20th May 76
..... day of 19; that said
notice was published in the regular and entire issue of every
number of the paper as aforesaid during the period and time
of publication, and that notice was published in the
newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 20th
day of May 19 76

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, ~~1975~~ 1976

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LaMar Whyte, Springfield,
Idaho has on 5-06-76 submitted
Application No. 35-7609 for a
permit to appropriate 3.20 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 4S, R.
32E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 160 acres
within the NE $\frac{1}{4}$, Sec. 10, T. 4S,
R. 32E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before June 1, 1976.

R. KEITH HIGGINSON
Director

(4667)
Pub.: 5-13, 20

28 *me*

MICROFILMED

HW 12-9-81

R 32 E

4 3
9 10

3 2
10 11

F-96

E-257

E-256

F-274
275F

28

out

36

out

30.4

T
4
5

B.
55.8

F-46

A.
24
B.
17.1

C.
19.1

E.
4.8

D.
7.6

F.
7.6

G.
4.7

H.
8.1

V.
6.5

W.
7.3

15.8

Z.
4.6

2.6

X.
4.0

3.4

5.5

R.
2.3

Q.
18.6

P.
3.5

NOT TO SCALE

9 10
16 15

10 11
15 14

E-409

F-514

A.
2.0

35-7609

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7609 Priority May 6, 1976 Amount 1.88 cfs

THIS IS TO CERTIFY, that LaMar Whyte
of Springfield, Idaho, has complied with the terms and conditions of Permit
No 35-7609 issued pursuant to Application for Permit dated May 6, 1976,
and has submitted proof to the Department of Water Resources on April 27, 1981,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 2.03 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.88</u> cfs and	<u>329.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.88 cfs of water be ~~diverted~~ at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
329.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 10, Twp.
4S, Rge. 32E in the County of Bingham

Description and location of place of use

Twp	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4S	32E	10		28	36	30													94

Total number of acres irrigated 94

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2nd day of
May, 19 83

Acting for the Director



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7609 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

Identification No. 35 7609
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant LaMar Whyte Phone 328-2262
post office address Springfield, Idaho
- 2 Source of water supply ground water which is a tributary of _____
- 3 a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 4S
Range 32E B.M. Bingham County; additional points of diversion if any _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes:
Amount 3.20 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated:
a 3.20 cubic feet per second and/or
b _____ acre feet per annum.
- 6 Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc well, pump and sprinkler system

- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)
- c Proposed well diameter is 16 inches, proposed depth of well is 200 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ 45,000.00
- 8 Description of proposed uses.
a If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4S	32E	10	40	40	40	40													160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. 160 shares in Aberdeen Springfield Canal - 120 shares American Falls


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lamar White
(Applicant)

Proposed Priority 5-6-76

Received by CW Date 5-06-76 Time 11:30A
Preliminary check by my Fee \$ 55.00
Receipted by CW Date 5-06-76 # 15295
Publication prepared by CW Date 5-07-76
Published in Blackfoot News
Publication dates May 13 + 20, 1976
Publication approved me Date 5-21-76
Priority reduced to _____ Reason _____

Protests filed by _____


Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RDC DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 35-7609, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1981.
 - c. Other. 1. A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works
2. No more water may be diverted under this permit, when combined with other rights appurtenant to the lands in question, than one miner's inch for acre of land served.
2. Denial of said application is for the following reasons _____

Witness my hand this 11 day of June 1976.


Director

MAY 21 1976

Department of
Economic

AFFIDAVIT of PUBLICATION

County of Bingham
State of Idaho

) ss.
)

I, David Mark Brown ... do solemnly

swear that I am the Publisher ... of
The Blackfoot News which is a daily newspaper of general
circulation published each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper having been so
published at Blackfoot, aforesaid for more than one year
past, that said newspaper heretofore complied with all the
provisions of Chapter 154 of the Sessions Laws of Idaho of
1933, approved March 11, 1933, and duly designated,
pursuant to law, a particular day of the week as the day on
which legal notices required by law or by the order of any
Court of competent jurisdiction within the State of Idaho
shall be published to-wit: Friday of each week, that the
notice attached hereto and which is a part of this affidavit
and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive

weeks, the first publication having been made on
the 13th day of May, 1976

and the last publication having been made on the
20th day of May, 1976, that said

notice was published in the regular and entire issue of every
number of the paper as aforesaid during the period and time
of publication, and that notice was published in the
newspaper and not in a supplement.

Subscribed and sworn to before me this 20th

day of May, 1976

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct 20, 1976

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LaMar Whyte, Springfield,
Idaho has on 5-06-76 submitted
Application No. 35-7609 for a
permit to appropriate 3.20 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SE 1/4 NE 1/4, Sec. 10, T. 4S, R.
32E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 160 acres
within the NE 1/4, Sec. 10, T. 4S,
R. 32E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before June 1, 1976.

R. KEITH HIGGINSON
Director

(4667)

Pub.: 5-13, 20

28

May 3, 1983

RE: Permit No. 35-7609

LaMar Whyte
Springfield,
Idaho 83277

Dear Mr. Whyte:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 3, 1983

RE: Permit No. 35-7609

LaMar Whyte
Springfield, I
Idaho 83277

Dear Mr. Whyte:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7609, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.88 cfs Source: groundwater

The maximum quantity diverted shall not exceed 329.0 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, Twp. 4S, Rge. 32E, Bingham County

Beneficial use: Irrigation of 94 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10,
Twp. 4S, Rge. 32E

Priority date established: May 6, 1976

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre for
the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.


Sincerely,

JIM JOHNSON
Water Distribution Supervisor


JJ:kw

Remarks

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SE 1/4 NE 1/4 SECTION 10 T4S R32E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4S	32E	10		28	36	30													94

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date 10-27-81

Date 12-9-81

Date 3-2-83

R 32E

E 251

Y 45

36

35

B
55.0

B
30.4

PD

35-7609

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: HWT

Date: 10-26-81

Owner: Lamar Whyte

Permit #: 35-7609

Description of well &/or measuring site (give distance to restrictions upstream and downstream): From well/pump thru check valve + gate valve over 12' of mainline to access ports. Distance to restrictions - N.A.

Measured inside diameter of pipe in inches

9.5"

Size of Annubar used in test

7.981

State ID# of Meter used

191138

Size Eagle Eye Meter used

0-13

State ID# of Meter used

091461

Date of Last Calibration of Meter

4/81

Observed inches of H2O read on Meter

7.5

Adjusted inches of H2O from Last Calibration

6.9


CALCULATION:

$$\frac{(3.85) \times \frac{(9.5)^2 \sqrt{6.9}}{B}}{448.8}$$

$$= \frac{912.7}{448.8} = 2.03 \text{ cfs measured}$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

May 27, 1981

RE: Permit No. 3597609

LaMar Whyte
Springfield
Idaho 83277

Dear Mr. Whyte:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

HAROLD W. JONES
Sr. Resource Agent

cc: IDWR - State Office

Handwritten note: 3597609

Lamar White
Springfield
Idaho 83297

RECEIVED

APR 27 1981



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 75-7609

Name(s) of Permit Holder: Lamar White

Post Office Address: Springfield Idaho
Ground Water (Well) Tel. No. 328-2262 ⁸³²⁷⁷

Source of Water: _____

Extent of Use: ☐ Domestic _____ (number of households)
☒ Stockwater 400 Cows (number and type of stock)
☒ Irrigation 160 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4/23/81
 Date

Lamar White
 Signature of Permit Holder

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

**STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL**

**WHYTE, LA MAR
SPRINGFIELD, ID 83277**

138050

MARCH 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7609 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

**RITA FLECK
SR. SECRETARY**

ENCLOSURES

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JAN 30 1977

1. WELL OWNER		7. WATER LEVEL		
Name <u>La Mar White</u>	Address <u>Springfield, Mo.</u>	Owner's Permit No. <u>35-7609</u>	Department of Water Resources Eastern District Office	
		Static water level <u>4</u> feet below land surface	Flowing? ☐ Yes ☒ No G.P.M. flow _____	
		Temperature _____ ° F Quality _____	Artesian closed-in pressure _____ p.s.i.	
		Controlled by ☐ Valve ☐ Cap ☐ Plug		
2. NATURE OF WORK		8. WELL TEST DATA		
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☐ Bailer ☐ Other		
☐ Abandoned (describe method of abandoning) _____				
3. PROPOSED USE		9. LITHOLOGIC LOG		
☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)				
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection				
4. METHOD DRILLED		Hole Diam.	Depth From To Material Water Yes No	
☒ Cable ☐ Rotary ☐ Dug ☐ Other		16"	0 10 Clay	
			10 20 Sand & gravel beneath	
			20 24 Sandstone	X
			24 44 Gray sandstone	
			44 55 Sandstone	X
5. WELL CONSTRUCTION				
Diameter of hole <u>16</u> " inches Total depth <u>55</u> feet				
Casing schedule: ☒ Steel ☐ Concrete				
Thickness	Diameter	From	To	
<u>250</u> inches	<u>16</u> " inches	+ <u>1</u> feet	<u>18</u> feet	
_____ inches	_____ inches	_____ feet	_____ feet	
_____ inches	_____ inches	_____ feet	_____ feet	
_____ inches	_____ inches	_____ feet	_____ feet	
_____ inches	_____ inches	_____ feet	_____ feet	
Was casing drive shoe used? ☐ Yes ☒ No				
Was a packer or seal used? ☐ Yes ☐ No				
Perforated? ☐ Yes ☒ No				
How perforated? ☐ Factory ☐ Knife ☐ Torch				
Size of perforation _____ inches by _____ inches				
Number	From	To		
_____ perforations	_____ feet	_____ feet		
_____ perforations	_____ feet	_____ feet		
_____ perforations	_____ feet	_____ feet		
Well screen installed? ☐ Yes ☒ No				
Manufacturer's name _____				
Type _____	Model No. _____			
Diameter _____ Slot size _____	Set from _____ feet to _____ feet			
Diameter _____ Slot size _____	Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☐ No Size of gravel _____				
Placed from _____ feet to _____ feet				
Surface seal depth <u>18</u> Material used in seal ☐ Cement grout				
☐ Puddling clay ☒ Well cuttings				
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing				
☐ Overbore to seal depth				
6. LOCATION OF WELL		10. Work started <u>11/14/76</u> finished <u>11/20/76</u>		
Sketch map location must agree with written location.		11. DRILLERS CERTIFICATION		
Subdivision Name _____		Firm Name <u>Bell Drilling & Drilling</u>	Firm No. <u>62</u>	
Lot No. _____ Block No. _____		Address <u>285 Brown, Blackfoot</u>	Date <u>11/25/76</u>	
County <u>Bingham Co.</u>		Signed by (Firm Official) <u>Bell E. Finley</u>		
SW 1/4 Sec. <u>1</u> , T. <u>45</u> N/S, R. <u>32</u> E/W		and (Operator) <u>Bell E. Finley</u>		

February 14, 1977

35-7609

Mr. LaMar Whyte
Springfield
Idaho 83277

Dear Mr. Whyte:

We have received a well driller's report indicating that a well was drilled for you in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T. 4S, R. 32E, B.M., Pingham County. In reviewing the application for permit no. 35-7609 filed by you we find a discrepancy in the location. The permit shows the point of diversion to be located within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 4S, R. 32E, B.M.

Could you please recheck the description to see which location is correct and notify this office. Your cooperation in this matter will be greatly appreciated.

Very truly yours,

LOY H. JOHNSON
Senior Water Resource Agent

LHJ:ME

CC: IDWR - State Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

RECEIVED
JUL 29 1980
WATER RESOURCES

June 11, 1976

Re: Permit No. 35-7609

LaMar Whyte
Springfield, ID 83277

Dear Mr. Whyte:

Enclosed is a copy of your approved Application for Permit No. 35-7609 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

May 7, 1976

RE: Application for Permit No. 35-7608 JOHNS
" " " No. 35-7609 WHYTE
" " " No. 35-7610 MATSUURA

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 5-21-76 by CW

RDC:CH

Enc: Legal Notice (3)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that LaMar Whyte, Springfield, Idaho has on 5-06-76 submitted Application No. 35-7609 for a permit to appropriate 3.20 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 4S, R. 32E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the NE $\frac{1}{4}$, Sec. 10, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before June 1, 1976

R. KEITH HIGGINSON
Director

(4667)

Pub.: 5-13, 20

Notice is hereby given that Lamar Whyte,
Springfield, Idaho

has on 5-06-76 submitted Application No. 35-7609
for a permit to appropriate 3.20 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source
by means of well and pump
within the SE 1/4, Sec. 10, T. 4S, R. 32E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 160 acres

within the NE $\frac{1}{4}$, Sec. 10, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____

June 1, 1976

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho
on May 13 and May 20, 1976

me. J.
me. J.
me. G.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Wlyte

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) M/L 5/6/76

In form to receipt

(2) M/L 5/6/76

Send Copies to:

N/A Idaho State Health Department
N/A Idaho Fish and Game Department
N/A Bureau of Land Management

(3) M/L 5/6/76

N/A Request Special Use Permit from U.S.F.S.
N/A Request Easement from B.L.M.
N/A Request Information from Applicant

(4) M/L 5/6/76

In form for advertising

(5) M/L 5/6/76

Platted on Map No. T45, R32E

(6) M/L 5/6/76

Located within Water District No. N/A

(7) M/L 5/6/76

Critical groundwater area: yes no X

(8) M/L 5/6/76

Groundwater levels:

Declining, X Stable, Increasing

(comment) Gnd H₂O Levels, 1974, T45, R31E, 36ABA1

(9) M/L 5/6/76

Other rights on the same place of use Yes - surface
H₂O - shares in Aberdeen-Springfield Canal Co.

(10) M/L 5/6/76

Comments: None.

(11) PW 5-21-76

Affidavit of Publication received (date) May 21, 1976

(12) PW 6-01-76

Final date for protests June 1, 1976

Protests received: yes no X

(13) RDC 6/1/76

All requested information received from agencies or applicant: yes no X

(14) LL LL

Action recommended:

☒ Approve

5/6/76 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 6/1/76

Supplementary ←

RECEIVED

JUN 4 1976

Department of Water Resources

Copy
Maitie