

RECEIVED

FEB 18 1976

Department of Water Resources
Eastern District Office

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, Wm. P. Beard, first being duly sworn, depose and say: That I am the
Foreman

of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of February, 1976, last publication having been made on the 12th day of February, 1976, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.


Subscribed and sworn to before me, this 16th day of February, 1976

Wm. P. Beard

Karl H. Hae
Notary Public

My commission expires April 5, 1979

B10, 1M




S89°17'20"W 1242.50

MARKET ROAD

330.00

N.E. Cor. Sec. 27
T.2 N., R.37 E. B.M.
(Bross Cap)



BELLIN ROAD

S0°34'09"W 2172.87

E. 1/4 Cor. Sec. 27
T.2 N., R.37 E. B.M.
(Bross Cap)

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7576 Priority January 28, 1976 Amount 0.38 cfs

THIS IS TO CERTIFY, that Woodland Heights Water Users Association, Division No. 1
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7576 issued pursuant to Application for Permit dated January 28, 1976,
and has submitted proof to the Department of Water Resources on May 22, 1980,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.57 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(12 Units)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.38</u> cfs and	<u>14.4 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.38 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
14.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 27,
Twp 2N, Rge 37E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	37E	27	X			X													

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of OCTOBER, 19 84

Acting for the Director

Norma C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7576

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau

RECEIVED

SEP 9 1976

State of Idaho
Department of Water Resources

Department of Water Resources
Eastern District Office

ASSIGNMENT OF PERMIT

I, Garren L. Peterson, hereby assign to Woodland Heights Water Users
XXX Association, Division No. 1, c/o Fum Nukaya, Rt. #4, Box 58, Idaho Falls, Idaho
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 35-7576
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 7th day of SEPTEMBER, 19 76.

Garren L. Peterson
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of BONNEVILLE) ss.

On this 7th day of SEPTEMBER, 19 76, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Ronald D. Carlson
Notary Public residing at

IDAHO FALLS, IDAHO

My commission expires:
2/14/78

Assigned to Woodland Heights
Water Users Assn
Division No. 1
c/o Garren Peterson
Rt. 1, Box 58,
Idaho Falls, Idaho
9/9/76

Identification No. 35 7576
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

- 1 Name of applicant Mountain View Development Phone 522-3914
post office address c/o Garren Peterson, Rt. #5, Box 358, Idaho Falls, Idaho
- 2 Source of water supply ground water which is a tributary of _____
- 3 a Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 2N
Range 37 E B.M. Bonneville County, additional points of diversion if any _____
well # 2 located as shown on attached plat
- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes
Amount 0.38 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated
a 0.38 cubic feet per second and/or
b _____ acre feet per annum
- 6 Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. 8" well, 20HP pump, pressure system

- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam. _____
Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)
- c Proposed well diameter is 8 inches, proposed depth of well is 258 feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ existing
- 8 Description of proposed uses
a If water is **not** for irrigation
(1) Give the place of use of water E $\frac{1}{2}$ xx of NE $\frac{1}{4}$ of Section 27 Township 2N
Range 37E B.M.
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
served _____
applied with domestic water 12
If water is to be used for other purposes describe _____

WATER DIVISION


S89°17'20"W 1242.50

MARKET ROAD

330.00

N.E. Cor. Sec. 27
T.2 N., R.37 E. B.M.
(Brass Cap)

N0°17'40"E 186.04



BELLIN ROAD

S0°34'09"W 2172.87

WOODLAND LANE

E. 1/4 Cor. Sec. 27
T.2 N., R.37 E. B.M.
(Brass Cap)

N89°39'50"W 460.00

A blank sheet of graph paper featuring a uniform grid of small squares. The grid consists of 20 columns and 20 rows, creating a total of 400 small square units. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Samuel Z. Peterson
(Applicant) Pres.

Proposed Priority 1-28-76
Received by me Date 1-28-76 Time 2:28 p.m.
Preliminary check by RDC Fee \$ 25.00
Received by me Date 1-28-76 # 15584
Publication prepared by me Date 1-25-76
Published in Idaho Register
Publication dates Feb. 5 & Feb. 12, 1976
Publication approved me Date 2-19-76
Priority reduced to _____ Reason _____
Protests filed by _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DET

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 35-7576, and said application is hereby APPROVED.
1 Approval of said application is subject to the following limitations and conditions
a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1981.
c Other A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2 Denial of said application is for the following reasons _____

Witness my hand this 2 day of March 1976.

[Signature]
Director

RECEIVED

FEB 18 1976

Department of Water Resources
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, Wm. P. Beard, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.


That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of February, 1976, last publication having been made on the 12th day of February, 1976, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Wm P Beard
Subscribed and sworn to before me, this 16th day of February, 1976

Karl Schaefer
Notary Public

My commission expires April 5, 1979

B10, 1M



November 7, 1984

RE: Water Right Permit No. 35-7576

Woodland Heights Water Users Association, Division No. 1
c/o Gary Parks
Route #9, Box 161
Idaho Falls, ID 83402

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure


DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

APR 5 1984


Department of Water Resources

FORWARDING ORDER EXPIRED



*Fuller
B9*

Woodland Heights Water Users Assoc. #1
c/o John C. Steidl
Rt. 9, Box 162
Idaho Falls, ID 83401



October 31, 1984

RE: Permit No. 35-7576

Woodland Heights Water Users Assoc. #1
c/o John C. Steidl
Rt. 9, Box 162
Idaho Falls, ID 83401

Dear Mr. Steidl:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

per telecon w/ Mr. Steidl
send to.
c/o Gary Parks
Rt. 9, Box 161
Idaho Falls, ID 83402
kw 11/7/84

Jim Davis

Date _____

11/2/82

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above


None ☒ Other ☐

[illegible]

Place(s) of Use

Point(s) of diversion:

SEITE 2681 22 N 318M.




(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

A blank sheet of graph paper with a grid of squares. The grid is composed of solid outer lines and dashed inner lines, creating a pattern of smaller squares within each main square. There are faint handwritten marks in the center-right area, possibly "du" and "cc".

MAP (Attach Aerial Photo)



NE Cor. Sec 27
T2 N, R37 E, B M
(Brass Cap)

S 0° 34' 09" W 2172.87

E 1/4 Cor. Sec 27
T.2 N., R37 E, B M
(Brass Cap)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.

1. WELL OWNER

Name Garren PetersonAddress 862 SO Holmes Idaho Falls, Idaho

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 230 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>120'6"</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 40+ Material used in seal ☒ Cement groutBentonite ☒ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Slurry pit ☐ Temporary surface casing☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BonnevilleSE 1/4 NE 1/4 Sec. 27 T. 2 N. R. 37 E. NW

7. WATER LEVEL

Static water level 130 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____Temperature _____ ° F. Quality good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes, N
	From	To		
10	0	4	Topsoil	
	4	18	Sand and Gravel	
	18	21	Brown Clay	
	21	45	Firm Gray Basalt	
	45	63	Hard Gray Basalt	
	63	70	Broken Gray Basalt	
	70	104	Firm Gray Basalt	
	104	113	Brown Gummy Clay	
	113	138	Firm Brown Basalt	
	138	145	Broken Gray Basalt	X
	145	157	Firm Gray Basalt	
	157	162	Cinders	
	162	182	Hard Green Basalt	
	182	185	Cinders	X
	185	191	Broken Brown Basalt	X
	191	203	Hard Green Basalt	
	203	208	Cinders	X
	208	219	Hard Green Basalt	
8	219	230	Cinders	X

10.

Work started Sept. 3, 1976 finished Sept. 8, 1976

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr Firm No. 5Address 1268 East 17th Street Date 3-3-77
Idaho Falls, Idaho 83401Signed by (Firm Official) Andrew Well
and
(Operator) Wale Hulse



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 12, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

June 17, 1960

RE: Permit No. 35-7575

Woodland Heights Water Users Assoc. #1
c/o John C. Steidl,
P.O. Box 162
Idaho Falls, Idaho 83401

Dear Mr. Steidl:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

Robert C. Stephens
Senior Clerk

cc: IDWR - State Office

DEPARTMENT OF WATER RESOURCES

I, Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7576

Name(s) of Permit Holder Woodward Heights Water Assoc. #1

Post Office Address: c/o John C. Steiner - Rt. 9 - Box 162

IDAHO FALLS, IDAHO Tel No 522-3086

Source of Water: Ground water

Extent of Use: ☒ Domestic 14 (number of households)

☐ Stockwater — (number and type of stock)

☐ Irrigation — (acres)

☐ Other —

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

May 20, 1980 Woodward Heights Water Assoc. #1 per John C. Steiner

Date Signature of Permit Holder

Good Land People Water Care

2/

JOHN C. STEIDL,
KT 9 BOX 162
IDAHO FALLS, IDA
83401



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

DATE December 7, 1976

FROM Ron Carlson

DEC 8 1976

TO Darlene

Department of Water Resources

SUBJECT

This was submitted as a proposed agreement for Woodland Heights Subdivision #1. I am sending it over for what is is worth. You can either file it with 35-7576 or in "13".

*Please file
35-7576*



SIGNATURE

WOODLAND HEIGHTS SUBDIVISION

DOMESTIC WELL AGREEMENT

The domestic water for all properties in this subdivision is provided by a community well. To facilitate the sharing of electrical costs and to provide a replenishing fund for periodic maintenance of the system, the following agreement has been adopted by the residents of this subdivision.

1. The electrical bill for this well will be divided into equal shares and billed to each resident monthly.
2. In addition to the monthly fee an additional \$5.00 will be paid each month by each resident until a maintenance fund of \$2000.00 is established. Thereafter, each new resident will pay this fee for the first year of occupancy in this subdivision. This fee is non-refundable should the resident move.
3. Builders of new homes will share electrical costs with residents from the time that water is connected to new homes until they are sold.
4. As the maintenance fund is depleted below the operating level, additional assessments will be made equally to all residents until the fund is once again replenished.
5. The position of "Water Master" for this well is to be transferred on a yearly basis from one resident to another on a basis of seniority. The Water Master is responsible for payment and collection of power bills and administration of the maintenance fund. A complete record of all transactions will be kept and a brief financial statement made available annually.
6. Monthly power bills are to be paid within fifteen days after billing by the Water Master. Water service will be terminated to any resident who has not paid within thirty days after billing by the Water Master.

I hereby agree to the above provisions and will abide by them as long as I am a property owner in this subdivision.

(Signed) _____

September 14, 1976

Re: Permit No. 35-7576

Woodland Heights Water Users Assn.
Division No. 1
c/o Fum Nukaya
Route 4, Box 58
Idaho Falls, Idaho 83401

Dear Mr. Nukaya:

We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department's records have been changed.

Sincerely,

BOBBY D. FLEENOP
Chief, Water Rights

BDF:JFR

September 14, 1976

Re: Permit No's. 25-7086 & 35-7576

Mountain View Development, Inc.
c/o Carron Peterson
595 Broadway, Box 2427
Idaho Falls, Idaho 83401

Dear Mr. Peterson:

We have received your letter of September 7, 1976, requesting the removal of the measuring device requirements on the conditions of approval for the above referenced permits.

However, we cannot grant this request since the amount has not decreased from the permitted amount and is greater than the minimum amount for which a measuring device is required.

We acknowledge receipt of the affidavits submitted as proof of beneficial use for the above referenced permits. In reviewing the affidavits, however, since the measuring devices have not been installed, we cannot accept the affidavits. Therefore, we are returning the proof affidavits.

We are enclosing a list of the types of measuring devices approved by this office. If you have any questions, please feel free to contact us.

Sincerely,

ROBBY D. FLEENOR
Chief, Water Rights

RDF:JFR

Enclosures

RECEIVED

SEP 9 1976

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Identification No. _____

Permit No. 35-7576

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Mountain View Development, c/o Garren Peterson
b) Post Office Address Rt. #5, Box 358, Idaho Falls, Idaho
2. Permit Number 35-7576
3. Date of Priority that you are prepared to establish 1-28-76
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 27
Township 2N, Range 37E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.38 for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.38 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
N.A.
b) Describe the agreement or understanding by which you take water from the works:
N.A.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 8" well, 20 Hp. pump, pressure system
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
c) Give well driller's name and address and the date the well was completed:
Andrew Well Drilling, Idaho Falls, well completed June, 1971.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
Domestic purposes for 12 families

RECEIVED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____


T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	37E	27	X			X													

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

(Date)


(Signature)

State of Idaho)

) ss.

County of Bonneville)

On this 20th day of April, 1976, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.


Notary Public residing at _____

IDAHO FALLS, IDAHO

My commission expires 2/14/78



585 Broadway P.O. Box 2427 Ph. 523-6060 Idaho Falls, Idaho 83401

September 7, 1976

RECEIVED

SEP 9 1976

Mr. Ron Carlson
Dept. of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho, 83401

Department of Water Resources
Eastern District Office

Dear Sir:

In regards to the requiremnt of a metering devise
on Permits: 25-7086 and 35-7576 I feel the the small amount
of water that will be pumped for Domestic use only that
a metering devise on these two wells is not justified.

Department of Water Resources

very truly yours
Mountain View Dev. Inc.

Garry S. Peterson

RECEIVED



March 4, 1976

Mountain View Development
c/o Garren Peterson
Rt. #5, Box 358
Idaho Falls, ID 83401

Re: Permit Nos.	25-7078	25-7082	35-7576
	25-7079	25-7083	35-7577
	25-7080	25-7084	35-7578
	25-7081	25-7085	

Gentlemen:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosures

RECEIVED
MARCH 10 1976



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT
636 Pershing
Pocatello, Idaho 83201

February 9, 1976

RECEIVED
FEB 10 1976

Ronald D. Carlson, Supervisor
Eastern Region
Idaho Department of Water Resources
Eastern District
1515 Lincoln Road
Idaho Falls, Idaho 83401

Department of Water Resources
Eastern District Office

Re: Applications for Permit Nos. 25-7078, 25-7079, 25-7080, 25-7081,
25-7082, 25-7083, 25-7084, 25-7085,
35-7576, 35-7577, 35-7578
Mountain View Development

Dear Mr. Carlson:

Our main concern is that the developer provide a "safe and adequate" water supply. This information is really not available until after the wells have been drilled. Therefore, I have no comments at this time except that I am curious as to why he has a rather large number of wells in a small area, serving 3-6 houses per well.

Mr. Peterson should be aware that actual plans and specifications will have to be approved by this office or the District Health Department in Idaho Falls (depending on circumstances) prior to construction.

If you have any questions regarding this matter, please don't hesitate to contact this office (233-6170, Ext. 291).

Sincerely,

Monty G. Marchus

Monty G. Marchus
Environmental Engineering Specialist

MGM/bf

cc: Garry Peterson
Dave Cousins, District 7 Health Department - Idaho Falls



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

January 30, 1976

Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

RE: Applications for Permit Nos. 25-7078, 25-7079, 25-7080, 25-7081,
25-7082, 25-7083, 25-7084, 25-7085

Applications for Permit Nos. 35-7576, 35-7577, 35-7578

The Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill Submitted 2-19-76 by AW

RDC:ME

Legal Notices (11)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Mountain View Development,
Idaho Falls, Idaho

has on 1-28-76 submitted Application No. 35-7576
for a permit to appropriate 0.38 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~
of water from a ground-water source
by means of well and pump
within the SE 1/4, Sec. 27, T. 2N, R. 37E, B.M., Bonneville County;

to be used from Jan. 1 to Dec. 31
for domestic purposes ~~XXXX~~ for 12 families

within the E 1/4, Sec. 27, T. 2N, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
February 1976.

R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho
on February 5 and February 12, 1976.

aw-l
me-a.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

February 3, 1976

RE: Applications for Permit Nos. 25-7078, 25-7079, 25-7080, 25-7081, 25-7082,
25-7083, 25-7084, 25-7085, 25-7086, 35-7576, 35-7577, 35-7578,
Application for Permit No. 29-7303

Engineering Department
Mountain Bell
1915 N. Boulevard
Idaho Falls, Idaho 83401

Gentlemen:

The information on the enclosed applications for permit indicates the location of wells that have been requested in conjunction with the proposed housing project.

Since we have no information on the present status of these projects, it may very well be that they have already been completed. You may need to check with the county if further information is required.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:ME

Enclosures

RECEIVED
FEB 11 1976
ENGINEERING DEPARTMENT
MOUNTAIN BELL



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

January 29, 1976

RE: Applications for Permit Nos. 25-7078, 25-7079, 25-7080, 25-7081, 25-7082,
25-7083, 25-7084, 25-7085
Applications for Permit Nos. 35-7576, 35-7577, 35-7578

Henry L. Moran
Regional Environmental Supervisor
Department of Health and Welfare
Division of Environment
636 Pershing
Pocatello, Idaho 83201

Dear Mr. Moran:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, submit them to our Department as soon as possible. The last date of protest is February 23, 1976, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:ME

Enclosures

RECEIVED
JAN 30 1976
EASTERN DISTRICT



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

January 29, 1976

RE: Applications for Permit Nos. 25-7078, 25-7079, 25-7080, 25-7081, 25-7082,
25-7083, 25-7084, 25-7085
Applications for Permit Nos. 35-7576, 35-7577, 35-7578

Mr. Shirl C. Boyce, Jr.
Southeast Idaho Regional Director
Idaho State Planning & Community Affairs Agency
Idaho State University
Box 8073
Pocatello, Idaho

Dear Mr. Boyce:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, submit them to our Department as soon as possible. The last date of protest is February 23, 1976, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:ME

Enclosures

RECEIVED
JAN 30 1976
WATER RESOURCES
EASTERN DISTRICT

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 35-1576

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RDC 1/28/76

In form to receipt YES

(2) 11 11

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☒ Bureau of Land Management

(3) 11 11

☒ SHIRI BOYCE

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) 11 11

In form for advertising YES

(5) RDC 11

Platted on Map No. _____

(6) 11 11

☒ Located within Water District No. _____

(7) 11 11

Critical groundwater area: yes _____ no ☒

(8) 11 11

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) 11 11

Other rights on the same place of use

(10) 11 11

Comments: NO EXIST

(11) OW 2-19-76

Affidavit of Publication received(date) 2-19-76

(12) OW 2-23-76

Final date for protests February 23, 1976

Protests received: yes _____ no ☒

(13) RDC 2/23/76

All requested information received from agencies or applicant: yes ☒ no _____

(14) 11 11

Action recommended:

☒ Approve

RECEIVED

Deny
FEB 2 1976

1/28/76 Proposed Priority

Department of Water Resources

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District E By RDC Date 2/23/76

RECEIVED

copy
sent
1-23-76