


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Derwin Kipung
(Applicant)

NOT TO SCALE



MICROFILMED

35-7546

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No 35-7546 Priority November 13, 1975 Amount 1.76 cfs

THIS IS TO CERTIFY, that Darwin L. Young
of Blackfoot, Idaho, has complied with the terms and conditions of Permit
No 35-7546 issued pursuant to Application for Permit dated November 13, 1975
and has submitted proof to the Department of Water Resources on July 14, 1980
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 3.96 cfs of water from a groundwater source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>1.76</u> cfs and	<u>308.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.76 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
308.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 4,
Twp 2S, Rge 33E in the County of Bingham

Description and location of place of use:

Twp	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2S	33E	4													1	15	40	32	88

Total number of acres irrigated 88

The point of diversion in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 4, Twp 2S, Rge 33E on this
right when combined with the same point of diversion on License 35-2264
T 1910, shall provide no more than 3.96 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20TH day of

September, 19 83

Norman C Young
Director

Identification No. 35 7546

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Darwin L. Young Phone: 684-4654
post office address Rt. #5, Box 99, Blackfoot, Idaho 83221
2. Source of water supply ground water which is a tributary of _____
3. a Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4 Township 2S
Range 33E B.M. Bingham County; additional points of diversion if any. _____
NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.80 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a 1.80 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works.
a Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)
c Proposed well diameter is 18 inches, proposed depth of well is 220 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b. Estimated construction cost is \$ 13,000.
- 8 Description of proposed uses
a If water is ~~not~~ for irrigation
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

RECEIVED
MAY 19 1964

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	33E	4													3	15	40	32	90

Total number of acres to be irrigated 90

c. Describe any other water rights used for the same purposes as described above. None


9 a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Derwin Kypung
(Applicant)

11-13-1975

Proposed Priority _____

Received by me Date 11-13-75 Time 10:15 a.

Preliminary check by LD Fee \$ 35.00

Receipted by me Date 11-13-75 # 15486

Publication prepared by me Date 11-14-75

Published in The Blackfoot News

Publication dates Nov. 20 + Nov. 27, 1975

Publication approved me Date 12-01-1975

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC me

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 35-7546, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.


a. SUBJECT TO ALL PRIOR WATER RIGHTS. _____

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 80.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons. _____

Witness my hand this 17 day of December 19 75.


Director

RECEIVED

DEC 1 1975

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Darwin L. Young, Blackfoot, Idaho, has on 11-13-75, submitted Application No 35-7546, for a permit to appropriate 1.80 cubic feet per second of water from ground-water sources by means of wells and pumps within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 90 acres within the SE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before December 1, 1975

R KEITH HIGGINSON
Director

(4458)
Pub. 11-20, 27

30

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.

I, David Mark Brown do solemnly

swear that I am the Publisher ... of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past, that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week, that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive

weeks, the first publication having been made on the 20th day of November, 1975 .

and the last publication having been made on the 27th day of November, 1975, that said

notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 27th

day of November, 1975 .

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho

My commission expires
Oct 20, 1976

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER
BALLPOINT PEN

RECEIVED

Resources

OCT 14 1962

Department of Health

U.S. GOVERNMENT PRINTING OFFICE

1. WELL OWNER Name <u>John Van Vliet</u> Address <u>2390E 3100S Wendell</u> Drilling Permit No. <u>36-92-5-274-000</u> or Water Right Permit No. <u>36-08546</u> <u>Well Site 200 N 370 W Jerome</u> 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) 3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="0" style="width: 100%;"> <tr> <td>Thickness</td> <td>Diameter</td> <td>From</td> <td>To</td> </tr> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>18</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="0" style="width: 100%;"> <tr> <td>Number</td> <td>From</td> <td>To</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Sanitary Well Cap</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>18</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>218</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>-85</u>°F. Quality _____ Describe artesian or temperature zones below _____ 8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table> 9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>6</td> <td>Top Soil</td> <td> </td> <td> </td> </tr> <tr> <td>6</td> <td>6</td> <td>18</td> <td>Gry loam</td> <td> </td> <td> </td> </tr> <tr> <td>6</td> <td>18</td> <td>28</td> <td>Gry loam</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>28</td> <td>33</td> <td>Gravel</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>33</td> <td>81</td> <td>Gry loam</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>81</td> <td>99</td> <td>Clay</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>99</td> <td>141</td> <td>Blk loam</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>141</td> <td>153</td> <td>Blk clinders</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>153</td> <td>181</td> <td>Gry loam</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>181</td> <td>190</td> <td>Clay</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>190</td> <td>202</td> <td>Blk loam</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>202</td> <td>209</td> <td>Gravel / 1st Returns</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>209</td> <td>231</td> <td>Hard</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>231</td> <td>239</td> <td>Soft</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>239</td> <td>259</td> <td>Hard</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>259</td> <td>265</td> <td>Soft</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>265</td> <td>-</td> <td>Soft</td> <td> </td> <td> </td> </tr> </tbody> </table> RECEIVED NOV 24 1992 DEPT. OF NATURAL RESOURCES DEC 04 1992 10. Work started <u>Sept. 27/92</u> finished <u>Sept. 27/92</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Eaton Drilling</u> Firm No. <u>26</u> Address <u>Wendell</u> Date <u>9-27-92</u> Signed by (Firm Official) <u>[Signature]</u> and <u>Mail Capant</u> (Operator)	Discharge G.P.M.	Pumping Level	Hours Pumped										Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	6	Top Soil			6	6	18	Gry loam			6	18	28	Gry loam				28	33	Gravel				33	81	Gry loam				81	99	Clay				99	141	Blk loam				141	153	Blk clinders				153	181	Gry loam				181	190	Clay				190	202	Blk loam				202	209	Gravel / 1st Returns				209	231	Hard				231	239	Soft		X		239	259	Hard				259	265	Soft		X		265	-	Soft		
Thickness	Diameter	From	To																																																																																																																																																										
<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>18</u> feet																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																										
Number	From	To																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																																																																											
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																											
Bore Diam.	Depth		Material	Water																																																																																																																																																									
	From	To		Yes	No																																																																																																																																																								
8	0	6	Top Soil																																																																																																																																																										
6	6	18	Gry loam																																																																																																																																																										
6	18	28	Gry loam																																																																																																																																																										
	28	33	Gravel																																																																																																																																																										
	33	81	Gry loam																																																																																																																																																										
	81	99	Clay																																																																																																																																																										
	99	141	Blk loam																																																																																																																																																										
	141	153	Blk clinders																																																																																																																																																										
	153	181	Gry loam																																																																																																																																																										
	181	190	Clay																																																																																																																																																										
	190	202	Blk loam																																																																																																																																																										
	202	209	Gravel / 1st Returns																																																																																																																																																										
	209	231	Hard																																																																																																																																																										
	231	239	Soft		X																																																																																																																																																								
	239	259	Hard																																																																																																																																																										
	259	265	Soft		X																																																																																																																																																								
	265	-	Soft																																																																																																																																																										

October 7, 1983

RE: Permit No. 35-7546

Darwin Young
Rt. 5, Box 99
Blackfoot, ID 83221

Dear Mr. Young:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 3, 1983

Darwin Young
RT. #5 Box 99
Blackfoot, Idaho 83221

Dear Mr. Young

A representative of this Department has made an examination of the works covered by your Permit No. 35-7546, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.76 cfs Source: Groundwater

The maximum quantity diverted shall not exceed 308.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 4, Twp. 2S, Rge. 33E.

Beneficial use: Irrigation of 88 ac, in SE $\frac{1}{4}$, Section 4, Twp. 2S, Rge. 33E

Priority date established: November 13, 1975

Conditions (if any): The point of diversion of the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 4, Twp. 2S, Rge. 33E, on this right when combined with the same point of diversion on License 35-2264, Twp. 1910 shall provide no more than 3.96 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: HWT

Date: 11-5-81

Owner: Darwin L Young

Permit #: 35-7546

Description of well &/or measuring site (give distance to restrictions upstream and downstream): _____

Measured inside diameter of pipe in inches

9.5"

Size of Annubar used in test

7.981"

State ID# of Meter used

191138

Eagle Eye Meter used

10-80

State ID# of Meter used

091471

Date of Last Calibration of Meter

4/81

Observed inches of H2O read on Meter

27"

Adjusted inches of H2O from Last Calibration

26.13"


CALCULATION:

$$\frac{(3.85) \times (A)^2 \times (B)}{448.8}$$

$$= \frac{(9.5)^2 \times \sqrt{26.13}}{448.8} = \frac{177.9}{448.8} = 3.95 \text{ cfs measured}$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



Overlap Review for 35-7546

License 35-2264 T1910

gw

P/D NWNE Sec 4 T2S R33E
NESE Sec 4 T2S R33E

(one well the same as
35-7546)

$$\frac{7.56 \text{ cfs}}{440 \text{ Ac}} = .017 \text{ cfs/Ac}$$

P/U see attached
Transfer copy
(same tracts, different acres)
see map on Field exam
for 35-7546

UNRECORDED

Capacity of well in NESE Sec 4 is 3.96 cfs
as measured on Field Exam for 35-7546.

This well was added to License 35-2264
by Transfer 1910, therefore there has
been no prior measurement of this
well. I recommend that we limit
the two rights when combined (well in
NESE Sec 4) to the capacity 3.96 cfs.

RC 7/26/83

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

**APPLICATION FOR TRANSFER OF WATER RIGHT
To Change the Point of Diversion and/or the Place of Use**

Name of applicant Darwin L. Young Phone 684-4654

Post office address Rt. #5, Box 99, Blackfoot, Idaho 83221

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

a. Decree to _____
in case of _____ (Name)
dated _____ in _____ county of _____
(Name of court)

b. License No. 35-2264 issued by the Idaho Department of Water Resources

c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant _____
Acquired by purchase from Mr. C. L. Williams in 1952 by contract

3. Source of water ground water tributary to _____

4. Date of priority 10-09-52

5. Water is used for the following purposes:

amount 7.56 for Irrigation purposes from Apr. 1 to Nov. 1
amount _____ for _____ purposes from _____ to _____
amount _____ for _____ purposes from _____ to _____
(month/day - both dates inclusive)

6. Total amount of water under right: a. 7.56 cubic feet per second
&/or
b. _____ acre feet per annum


7. Location of original point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 4
Township 2S Range 33E, B.M., in Bingham County
Additional points of diversion, if any NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M.

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2S	33E	3						40	40			40	20						140
		4	40	40	40	40	40	35		25					35	5			300

Total number of acres to be irrigated 440

- b. Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

3. Remarks _____

I hereby assert that no one will be injured by such change and the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

Derwin Lyseng
(Signature of applicant)

Subscribed and sworn to before me this 4TH day of NOVEMBER, 19 75

Stanley A. McDaniel
(Notary public)

My commission expires 9-1-80

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. 1910/35-2264, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of December, 19 75

R. Keith Higgins

FOR DEPARTMENT USE ONLY

Received by me Date 11-13-75

Protest filed by _____

Prelim. check by SPJ Fee \$30.00

Received by me Date 11-13-75 # 15486

Published in The Blackfoot News

Copies of protest forwarded by _____


Pub. dates Nov. 20 + Nov. 27, 1975

Hearing held by _____ Date _____

Watermaster recommendation requested on _____
_____ rec'd. _____


Recommended for approval denial
by me

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SE 1/4 Section 4 T2S R33E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2S	33E	4													1	15	40	32	88

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

11-4-81

12-9-81

7-26-83



F
965

965

40AC 35-2264

TA910

TA910

40AC 35-2264
TA910 L

113.0

40AC 35-2264
TA910

40AC 35-2264
TA910

40AC 35-2264
TA910

40AC 35-2264
TA910

40AC 35-2264
TA910

October 8, 1982

Darwin Young
Rt. 5 Box 115
Blackfoot, ID 83221

Dear Mr. Young:

Re: Permit No. 35-7546

Enclosed is the statement of beneficial use postcard which you submitted on August 31, 1982.

Please be advised that this statement has been filed in July of 1980. It is not necessary to submit a second time.

If, however, this is for another right, please identify it with an identification number and return it for further processing.

If I can be of further assistance, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary
S
Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

July 28, 1980

Darwin Young

RE: Permit No. 35-7546

Darwin Young
Rt. #5, Box 115
Balckfoot, Idaho 83221

Dear Mr. Young:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

Bobbie R. Stephens
Sr. Clerk

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7546

Name(s) of Permit Holder: DARWIN YOUNG

Post Office Address: RTE 5 Bx 185 Blkft. Idaho 83221

Tel. No. 684-4654

Source of Water: Groundwater


Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>90</u>	(acres)
☐ Other	_____	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☐ No <i>Not yet installed</i>

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date _____


 Signature of Permit Holder

RECEIVED

JUL 14 1980

**Department of Water Resources
Eastern District Office**



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

Department of Water Resources

JUL 17 1980

**PLACE
TEN CENT
STAMP
HERE**

PAID

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well. 12/13/75

RECEIVED
Department of Water Resources
Eastern District Office

1. WELL OWNER

Name Darwin Young
Address Route 5, Box 99, Blackfoot, Idaho
Owner's Permit No. 35-7546

7. WATER LEVEL

Static water level 170 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
NO TEST		

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION


Diameter of hole 20 inches Total depth 283 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>1</u> feet	<u>18</u> feet
<u>.250</u> inches	<u>16</u> inches	<u>190</u> feet	<u>210</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ TorchSize of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18' Material used in seal ☐ Cement grout
☒ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bingham 18 N. 2 E. 33 S. 3 E. 33 E. 33 E.

10.

Work started October 13 finished Nov. 10, 1975

11. DRILLERS CERTIFICATION

Firm Name Doug Cushman Drilling Co. Firm No. 72Address 945 S. Broadway, Blackfoot Date 11/13/75Signed by (Firm Official) Doug Cushmanand Michael L. Law
(Operator)

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

130 12 13/5

[illegible]



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

IDAHO FALLS, IDAHO 83401

January 9, 1976

RECEIVED

FEB 9 1976

Department of Water Resources
Eastern District

File 35-7546

Mr. Darwin Young
Route 5, Box 99
Blackfoot, Idaho 83221

Dear Mr. Young:

We have received a well drillers report indicating that a well was drilled for you in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, T. 2S, R. 33E, B.M., Bingham County.

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before ground water may be diverted. The only exception to this requirement is a well drilled for stock-watering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we over-looked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

Very truly yours,

LOY H. JOHNSON
Senior Water Resource Agent

LHJ:cw

cc: IDWR- State Office

Have filed an application under the name of Darwin Young and have received Permit no 35-7546.

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECORDED
12 13 75
Department of Water Resources
Eastern District Office

1. WELL OWNER

Name Darwin YoungAddress Route 5, Box 99, Blackfoot, IdahoOwner's Permit No. 35-7546

7. WATER LEVEL

Static water level 170 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow Temperature ° F. Quality Artesian closed-in pressure p.s.i.Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ OtherDischarge G.P.M. Draw Down Hours Pumped

NO TEST

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 283 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>1</u> feet	<u>18</u> feet
<u>.250</u> inches	<u>16</u> inches	<u>190</u> feet	<u>210</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal ☐ Cement grout☒ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Sherry gel ☐ Temporary surface casing☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BinghamNW 4 NE 5 Sec 2 T. 2 N. R. 33 E. W.

10.

Work started October 13 finished Nov. 10, 1975

II. DRILLERS CERTIFICATION

Firm Name Doug Cushman Drilling Co. Firm No. 72Address 945 S. Broadway, Blackfoot Date 11/13/75Signed by (Firm Official) [Signature]and
(Operator) [Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 19, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.

Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office

Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office

1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office

1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office

92 South Cole Road
Boise, Idaho 83705

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7546

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MIC

December 18, 1975

Re: Permit No. 35-7546
 , Transfer No. 35-2264 (1910)

Darwin L. Young
Route 5, Box 99
Blackfoot, ID 83221

Dear Mr. Young:

Enclosed are copies of your approved Application for Permit No. 35-7546 and Transfer No. 35-2264. We direct your attention to the condition of approval as listed on the fourth page of each the permit and transfer.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your points of diversion has been placed upon your permit and transfer. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:rb

Enc.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

November 14, 1975

RE: Applications for Permit Nos. 35-7541 - TERNUS
35-7542 - WILLIAMS
35-7543 - WILLIAMS
35-7544 - WILLIAMS
35-7545 - WILLIAMS
✓ 35-7546 - YOUNG

Application for Transfer No. T35-2264 - YOUNG

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Bill Submitted 12-01-1975 by mc

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:ME

Legal Notices (7)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Darwin L. Young, Blackfoot, Idaho, has on 11-13-75, submitted Application No. 35-7546, for a permit to appropriate 1.80 cubic feet per second of water from ground-water sources by means of wells and pumps within the NW 1/4 NE 1/4,

NE 1/4 SE 1/4, Sec 4, T. 2S, R. 33E, B.M., Bingham County, to be used from Apr. 1 to Nov. 1 for the irrigation of 90 acres within the SE 1/4, Sec 4, T. 2S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before December 1, 1975.

R. KEITH HIGGINSON
Director

(4458)

Pub - 11-20, 27

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Darwin L. Young,

Blackfoot, Idaho

has on 11-13-75 submitted Application No. 35-7546

for a permit to appropriate 1.80 cubic feet per second ~~acre feet per annum~~
of water from ground-water sources

by means of wells and pumps

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 90 acres

within the SE $\frac{1}{4}$, Sec. 4, T. 2S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on November 20, and November 27, 1975

RECORDED

CW-Lij
me-2
me-Q



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

IDAHO FALLS, IDAHO 83401

November 14, 1975

C RE: Transfer Number 35-2264
Application for Permit No. 35-7546

O Mr. Darwin L. Young
Rt. #5, Box 99
Blackfoot, Idaho 83221

P Dear Mr. Young:

Y Attached herewith is Departmental receipt No. 15486 in the amount of \$65.00 for the above referenced applications.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:ME

Attachment

RECEIVED
NOV 18 1975
IDAHO FALLS

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Points of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WR 11/13

In form to receipt

(2) WR 11/13

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
NO Bureau of Land Management

(3) WR 11/13

_____ Request Special Use Permit from U.S.F.S.
NO Request Easement from B.L.M.
_____ Request Information from Applicant

(4) WR 11/13

In form for advertising

(5) _____

Platted on Map No. N.A.

(6) WR 11/13

Located within Water District No. N.A.

(7) WR 11/13

Critical groundwater area: yes _____ no ☒

(8) WR 11/13

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) WR 11/13

Other rights on the same place of use

(10) _____

Comments: 35-2264 same P.D's. No Land overlap.

(11) me 12-1-75

Affidavit of Publication received (date) 12-1-75

(12) me 12-08-75

Final date for protests December 8, 1975
Protests received: yes _____ no ☒

(13) RDC 12/8/75

All requested information received from agencies or applicant: yes ☒ no _____

(14) " "

Action recommended:

☒ Approve

11/17/75 Proposed Priority

Reason for Reduction _____ Department of Water Resources

☒ Measuring device required

See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District E

By RDC

Date 12/8/75

RECEIVED

DEC 11

Deny

12/14/75
Hester
10/4/75

MICROFILMED