





T
7
S

Diagram of System

EMC
7/18/77

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No 35-7531 Priority September 3, 1975 Amount 4.63 cfs

THIS IS TO CERTIFY, that CLARENCE GOHL
of American Falls, Idaho, has complied with the terms and conditions of Permit
No 35-7531 issued pursuant to Application for Permit dated September 3, 1975
and has submitted proof to the Department of Water Resources on July 15, 1976,
that he has applied water to a beneficial use an examination by the Department indicates that the works have a
capacity for the diversion of 4.63 cfs of water from a groundwater source
tributary to _____ and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>4.63</u> cfs and	<u>816</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject however, to the condition that no more than 4.63 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
816 acre feet per year, said waters to be diverted within the SW 1/4 NE 1/4, Sec 15, Twp 7S,
Rge 30E, B M in the County of Power

Description and location of place of use

Twp	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals	
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4		
7S	30E	15			40	39											40	37	38	233
																				</

Total number of acres irrigated 233

NOTE Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code or the applicable Idaho Law This right may be forfeited by five years of non use

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described as provided by the laws of Idaho

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
November 19 79

Director

MICROFILMED

Identification No 35 7531

Application No _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant CLARENCE GOHL Phone _____
post office address Route #1, Box 60, American Falls, Idaho 83211

2 Source of water supply ground water which is a tributary of _____

3 a Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 7S
Range 30E B M Power County, additional points of diversion if any _____

b If water is not consumed it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B M _____

4 Water will be used for the following purposes

Amount 4.80 for Irrigation purpose from Apr 1 to Nov. 1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

5 Total quantity to be appropriated

a 4 80 cubic feet per second and or
b _____ acre feet per annum

6 Proposed diverting works

a Description of ditches flumes, pumps headgates etc One 300 HP pump with 3/4 mile of
mainline and 12 $\frac{1}{4}$ mile 4 inch sprinkler lines

b Height of storage dam _____ feet active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)

c Proposed well diameter is 20 inches, proposed depth of well is 250 feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years

b Estimated construction cost is \$ 112,916 76

8 Description of proposed uses

a If water is not for irrigation N.A.

(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe _____

b. If water is for irrigation indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
7S	30E	15			40	40									40	40	40	40	240


Total number of acres to be irrigated 240

c Describe any other water rights used for the same purposes as described above None

- 9 a Who owns the property at the point of diversion Applicant
- b Who owns the land to be irrigated or place of use Applicant
- c If the property is owned by a person other than the applicant describe the arrangement enabling the applicant to make this filing _____

10 Remarks Well Driller George Vollmer, American Falls, Idaho 83211

11 Map of proposed project show clearly, the proposed point of diversion place of use section number township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby make application for permit to appropriate the public waters of the State of Idaho as herein set forth

Clarence Lohle
(Applicant)

Proposed Priority 9-03-1975

MB 9-03-75 10 35 am
Received by MB Date 8-20-75 Time 11 00 am
Preliminary check by LT Fee \$ 65.00
Receipted by MB Date 9-03-75 # 15402
Publication prepared by MB Date 9-4-1975
Published in Power County Press
Publication dates Sept 11 + Sept 18
Publication approved 901 Date 9-24-75
Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RC W

ACTION OF THE DIRECTOR DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 35-7531 and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions

- a SUBJECT TO ALL PRIOR WATER RIGHTS
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 80
- c Other A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works

2 Denial of said application is for the following reasons _____

Witness my hand this 6 day of October, 19 75


Director

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER

SEP 11 1975

DEPT. OF REVENUES
Eugene District Office

Phyllis Range

being first duly sworn

on oath, states

That she is the principal clerk of the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County, that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 11th day of Sept., 1975

the date of last publication being the 18th day of Sept., 1975

the date of last publication being the

18th day of Sept., 1975

(Signed)

Subscribed and sworn to before me this

day of

Notary Public, residing at American Falls, Idaho

My Commission expires the

(SEAL)

day of , 19

Notary Public

Residing at

My Commission expires the

July 15 1977

Legal Notice

Published in the Power County Press September 11 and 18 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Clarence Gohl American Falls Idaho has on 9-3-75 submitted Application No 35 7531 for a permit to appropriate 4.80 cubic feet per second of water from a ground water source by means of well and pump within the SW 1/4 NE 1/4 Sec 15 T 7S R 30 E B M Power County to be used from Apr 1 to Nov 1 for the irrigation of 240 acres within the S 1/2 NE 1/4 SE 1/4 Sec 15 T 7S R 30 E B M

If issued this permit will be subject to all prior water rights Protests against the granting of the permit must be filed with the Idaho Department of Water Resources 1515 Lincoln Road Idaho Falls Idaho 83401 on or before September 29 1975

R KEITH HIGGINSON
Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W Franklin Street, Boise Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address
Storehouse
Boise Idaho 83720
(208) 384 2215

December 11, 1979

Cliff C. Cohl
Post Office Box 100
American Falls, Idaho 83211

Dear Mr. Cohl,

RE Permit No. 35-7551

Enclosed is a copy of the Water Right License issued on the above referenced permit

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG 1r

Enclosure



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise Idaho 83720
(208) 384 2215

November 13, 1979

Re. Permit No. 35-7531

Clarence Gohl
Route #1, Box 60
American Falls, ID 83211

Dear Mr. Gohl:

A representative of this Department made an examination of the works covered by your Permit No. 35-7531 on September 10, 1976, and has found the following

Amount of water that can be recognized as beneficially used under
Idaho law 4.63 cfs Source groundwater

The maximum quantity diverted shall not exceed 816 acre feet per
year

Point of diversion SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 7S, Rge. 30E, B.M.

Beneficial use Irrigation of 233 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 15
Twp. 7S, Rge. 30 E, B.M.

Priority date established September 3, 1975


If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

107. 1. 13



FIELD REPORT

224 - 2710

RECEIVED

Post office address

Rt 1, Box 60, American Falls, ID 83211 **AUG 23 1976**

Phone

Person to contact

Department of Water Resources

~~Eastern District Office~~

226-2710

Source of water supply Groundwater ☒ Surface water ☐

(name spring stream etc)

Tributary to

Account	4 80	for	Irrigation
---------	------	-----	------------

_____, ____ AF/Annum

(nature of use)

Period of Use from APR 11 1968 to NOV 1 1968

{mo -day} inclusive (mo -day)

Amount _____ c f s for

_____ AF/Annum

nature of use

Period of Use from

1mo -day} inclusive (mo-day)

Amount _____ for

_____ AF/Annum

(nature of use)

Period of Use from

(mo day) inclusive (mo day)

Other uses

Max Rate of Diversion 4.80 cubic feet per second and annual volume _____ AF/Annum

Max Rate of Diversion 4.80 cubic feet per second and annual volume _____ AF/Annum

Township 7S N/S Range 30E E/W B M Section 15 Subdivision SW NE Power

Township 7S N/S Range 30E E/W B M Section 15 Subdivision SW NE Power

County

Township _____ N/S Range _____ E/W B M Section _____, Sub division _____' 4 _____' 4 _____

County

Township _____ N/S Range _____ E/W, B M, Section _____ Subdivision _____ 1/4 _____ 1/4 _____

County

Other Points of Diversions _____

Description of diverting works

16" well casing, 571' deep, 250 hp pump with 3/4 mile of
mainline 10 1/2 mile 4" sprinkler line

Measuring device required

yes ☒ no ☐

Lands to be irrigated or place of use

[illegible]**TOTAL ACREAGE**

240



T
7
S

Diagram of System



11/12/17

DATE OF EXAM 7 C 76

ACREAGE
Found 233.5 ac
Recommended 232.5 ac

Irrigation Requirement 55 Ac Ft/Ac

USE
Irrigation Q = 4.63 cfs V = 816 AF/Ann from APR 1 to NOVEMBER 1
Domestic Q = cfs V = AF/Ann from to
Livestock Q = cfs V = AF/Ann from to

Is water mingled? yes no ✓

Name source
twp N/S, Rge E/W B M, Sec , Sub 14 County

Exchange? yes no

Name source exchanged with
twp N/S, Rge E/W B M, Sec Sub 14 County

Point of injection AA
twp N/S Rge E/W B M, Sec Sub 14 County

Point of exchange AA
twp N/S, Rge E/W B M Sec , Sub 14 County

Total Q measured 4.63 cfs Method of measurement IN LINE METER

Total Q recommended 4.63 cfs Meter No 76-14-34 Type ULROMETER Condition STR CONDITION

Total V recommended 816 AF/ANN

Recommended Amendments

P D
Place of Use
Other
None ✓

MEASUREMENT CALCULATION

$Q = 0.1 \text{ AF/74 SEC} = 4356 - 9 \text{ SEC} = 11.2 \text{ LPS}$
 $V = 3.5 \text{ AF/AC} \times 232.5 \text{ AC} = 816 \text{ AF/ANN}$
 $(4.63 \text{ FSR} (983 \text{ F/43/}) (215 \text{ d}) = 19,745 \text{ AF/ANN}$

SYSTEM DESCRIPTION

GE MOTOR, 252 HP, 3 PHASE, SERIAL # K1J1615124, JOHNSON PUMP MODEL #
5149.
STEEL RIGID 10' 3/4" WHEEL, 12.5" 1/2" 1/4" 3/4" NOZZELS.
32 NOZZELS PER WHEEL LINE.

REMARKS

SYSTEM DESCRIBED IN 301 OF M.D. 3214, & M.R. 6284 ACCOMPANIED
AGENT PURCHASER'S EXORATION.

Examiner's Signature Ernest C. C. C. Date 9/16/76

Checked by Anthony R. Kozlowski Date 2/24/78

Approved by Date

August 20, 1976

Re: Permit No. 35-7531

Clarence Gohl
Route 1, Box 60
American Falls, Idaho 83211

Dear Mr. Gohl:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Idaho Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

RECEIVED
SEP 1 1976
MICROFILMED

RECEIVED

JUL 15 1976

OK

Identification No _____

Permit No 35-7531

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

- 1 a) Name of Permit Holder Clarence Gohl
b) Post Office Address Rt. #1, Box 60, American Falls, Idaho 83211
- 2 Permit Number 35-7531
- 3 Date of Priority that you are prepared to establish 9-03-75
- 4 a) Source from which water was appropriated ground water
b) Location of the point of diversion SW 1/4 NE 1/4, Section 15
Township 7S, Range 30E, Boise Meridian Other points of diversion _____
- 5 a) The amount of water and use to which the water has been applied
Amount 4.80 for Irrigation purposes from Apr. 1 to Nov. 1 incl
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl
(cfs and/or acre-feet per annum) (Month Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl
(cfs and/or acre feet per annum) (Month Day) (Month Day)
b) Total amount appropriated 4.80 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement Funk Irrigation
- 6 If the means of diversion and conveyance are owned by someone other than the Permit Holder
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use
N.A.
b) Describe the agreement or understanding by which you take water from the works
N.A.
- 7 a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well, if from surface water give brief description of diversion structure and/or canal or ditch) 16" well depth 571 feet, 250 Hp pump with 3/4 mile of mainline 10 1/2 mile 4 inch sprinkler line
b) Describe the type and size of measuring device which you have installed at your point of diversion
McCrometer 10"
c) Give well driller's name and address and the date the well was completed George Vollmer, American Falls, completed in March, 1976.
- 8 If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

Entered typed 8-18-76 by [signature]

9 Irrigation uses describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision _____

T	R	SEC	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	30E	15			40	40									40	40	40	40	240

Total number of acres irrigated 240

10 Remarks _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 15, 1976
(Date)

Clarence Lohr
(Signature)

State of Idaho)
) ss
County of Bonneville)

On this 15th day of July 1976, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same

Loren C. Halmer
Notary Public residing at Idaho Falls
Idaho

My commission expires March 21, 1979

October 9, 1975

Re Permit No. 35-7531

Clarence Gohl
Route 1, Box 60
American Falls, ID 83211

Dear Mr. Gohl

Enclosed is a copy of your approved Application for Permit No 35-7531 We direct
your attention to the conditions of approval as listed on the fourth page

Be sure to note that a special condition requiring you to install and maintain a
measuring device at your point of diversion has been placed upon your permit We
are enclosing a letter describing different types of measuring devices accepted by
this office

Sincerely,

BOBBY D FLEENOR
Chief, Water Rights

BDF jfr

Enclosures

September 5, 1975

RE: Application for Permit No 35-7531 GOHL

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC ME

Bill submitted 9-24-75 by adl

Enc Legal Notice (1)

Published in the Power
County Press September 11
and 18 1975

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Clara Gold American Falls
Idaho has on 9/3/75 submitted
Application No. 7531 for a
permit to appropriate 1400
cubic feet per second of water
from a groundwater source by
means of well and pump
within the SW 1/4 NE 1/4 Sec
15 T 35 R 30 E B M
Power County to be used from
Apr 1 to Nov 1 for the
irrigation of 240 acres within
the SW 1/4 NE 1/4 Sec 15,
T 35 R 30 E B M

It is noted this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources
115 Lincoln Road Idaho
Fall Idaho 83401 on or
before September 29 1975

R KEITH HIGGINSON
Director

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Clarence Gohl

American Falls, Idaho

has on 9-3-75 submitted Application No 35-7531

for a permit to appropriate 4.80 cubic feet per second ~~acre feet per annum~~

of water from a ground-water source

by means of well and pump

within the SW¹/₄NE¹/₄, Sec 15, T. 7S, R. 30E, J.M., Power County,

to be used from Apr. 1 to Nov. 1

for the irrigation of 240 acres

within the S¹/₂NE¹/₄, SE¹/₄, Sec. 15, T. 7S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Blvd, Idaho Falls, Idaho, 83401 on or before September 29, 1975

R KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho

on September 11 and September 18, 1975

10/10
11/10
11/10
11/10

September 3, 1975

RE Application for Permit No 35-7531

Mr. Clarence Gohl
Route #1, Box 60
American Falls, ID 83211

Dear Mr. Gohl:

Attached herewith is departmental receipt No. 15402 in the amount of \$65.00 for the above referenced application.

Very truly yours,

LOREN O. HOLMES
Assistant to the
District Engineer

LOH:MB

Attachment

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) " "

In form to receipt yes

(2) " "

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☒ Bureau of Land Management

(3) " "

☒ Request Special Use Permit from U.S.F.S
☒ Request Easement from B.L.M
☐ Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No _____

(6) " "

☒ Located within Water District No _____

(7) " "

Critical groundwater area yes _____ no ☒

(8) " "

Groundwater levels:

Declining, ☒ Stable, _____ Increasing

(comment) Ref Obs well 75 30E 2866E

(9) " "

Other rights on the same place of use no

(10) " "

Comments NO OTHER G.W. RIGHTS ON PLAT

(11) me 9-24-75

Affidavit of Publication received (date) 9-24-75

(12) me 9-29-75

Final date for protests September 29, 1975

Protests received yes _____ no ☒

(13) Rxc 9/29/75

All requested information received from agencies or applicant yes _____ no _____

(14) " "

Action recommended

☒ Approve

9/3/75 Proposed Priority

Reason for Reduction _____ Department of Water Resources

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RPC Date 9/29/75

RECEIVED

OCT 1 1975

Deiv

RECEIVED

Copy

August 20, 1975

Mr Clarence Gohl
Route #1, Box 60
American Falls, ID 83211

Dear Mr Gohl

Inclosed please find the application for permit and check No. 92-291 in the amount of \$85 00. It is necessary the application be returned because the amount requested in Item 4 is in excess of the statutory limitation allowed to irrigate the 240 acres. Also, the irrigation season requested is excessive.

We have taken the liberty of retyping the application making the necessary changes. The maximum amount allowed to irrigate 240 acres is 4.80 cubic feet per second of water, and the recognized irrigation season for your area is from April 1 to November 1. Please check the application for correctness, sign your name exactly as it appears in Item 1 and return it to this office with the \$65 00 filing fee for the 4.80 cfs.

If you have any questions, please feel free to contact this office.

Very truly yours,

BILL RHOADS
Senior Resource Investigator

BR mb

Enc: Check No. 92-291
Apps/permit

RECEIVED