




A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the north boundary, T. 6 S., R. 31 E., Boise Meridian, Idaho.

Survey executed by Gerald W. Hochstrasser, Cadastral Surveyor, beginning November 2, 1981, and completed December 28, 1981, pursuant to Special Instructions dated October 22, 1981, and Supplemental Special Instructions dated December 28, 1981, for Group No. 630, Idaho.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Boise, Idaho April 1, 1982

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and regulations of this Bureau, is hereby accepted.

For The Director




Acting Chief Cadastral Surveyor for Idaho

RECORDED

FALLS
Latitude 42°56.2' N.
Longitude 112°53.7' W.
RESERVOIR

Sec. 36


5 S., R. 31 E.



S S., R. 31 E.

Sec. 2

Sec. 1




MACROFILMED

NOT TO SCALE

AMERICAN

I E.





E.

RECEIVED
JAN 11 1963

Sec. 2

Sec. 1



12-11-1900

Sec.

T. 5 S., R. 31 E.

N. 89° 33' W.
40.45


T. 6 S., R. 31 E.

Sec. 1



Mean
Magnetic
Declination
17°E.

Nº 31 East, Boise Meridian



Part	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

35-7530

HW 5

* SURVEY
CORRECTION
J.J.



NOT TO SCALE

Hurt

Rich. Keenye, No 31 East, Boise, Mo

2
6.41.41)

80. 10

15.822/117
40.25

300, 311

卷一

10
640

11
1111

8. 10. 22 11
251. 30

1985

4.6555
8075

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No 35-7530 Priority August 29, 1975 Amount 2.96 cfs

THIS IS TO CERTIFY, that Stanley Pierce
of Aberdeen, Idaho, has complied with the terms and conditions of Permit
No 35-7530 issued pursuant to Application for Permit dated August 29, 1975
and has submitted proof to the Department of Water Resources on August 19, 1980
that he has applied water to a beneficial use an examination by the Department indicates that the works have a
capacity for the diversion of 3.29 cfs of water from a groundwater source
tributary to _____ and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u> at <u>2.96</u> cfs and <u>518.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject however, to the condition that no more than 2.96 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
518.0 acre feet per year, said waters to be diverted within the Government Lot 1 (NE¹NE¹),
Section 3, Twp 6S, Rge 31E in the County of Bingham

Description and location of place of use

Twp	Range	Sec.	NE ¹ 4				NW ¹ 4				SW ¹ 4				SE ¹ 4				Totals
			NE ¹ 4	NW ¹ 4	SW ¹ 4	SE ¹ 4	NE ¹ 4	NW ¹ 4	SW ¹ 4	SE ¹ 4	NE ¹ 4	NW ¹ 4	SW ¹ 4	SE ¹ 4	NE ¹ 4	NW ¹ 4	SW ¹ 4	SE ¹ 4	
6S	31E	3	GL1 38	GL2 38	36		GL3 36												148

Total number of acres irrigated 148

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.5 afa per acre for the lands above

NOTE Modifications to or variance from this license must be made within the limits of Section 42-222 Idaho
Code or the applicable Idaho Law This right may be forfeited by five years of non-use

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described and is subject to all prior water rights as provided by the laws of Idaho

Witness the seal and signature of the Director affixed at Boise Idaho this 15TH day of
DECEMBER 19 83

Acting for the Director

Norman C Young

Identification No 35 7530

Application No _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant Stanley Pierce Phone 397-4366
post office address Box 571, Aberdeen, Idaho

2 Source of water supply Ground Water which is a tributary of _____

3 a Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 6S
Range 31E B M Bingham County, additional points of diversion if any _____

b If water is not consumed it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B M _____

4 Water will be used for the following purposes

Amount 320 for irrigation purpose from Apr 1 to Nov 1 (both dates inclusive)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

5 Total quantity to be appropriated

a 320 cubic feet per second and/or

b _____ acre feet per annum

6 Proposed diverting works

a Description of ditches, flumes, pumps headgates etc Well, pump and sprinkler system

b Height of storage dam _____ feet active reservoir capacity _____ acre feet, total reservoir capacity _____ acre feet materials used in storage dam _____

Period of year during which storage will occur _____ to _____ inclusive

c Proposed well diameter is 16 inches proposed depth of well is 100 feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years

b Estimated construction cost is \$ 50,000 00

8 Description of proposed uses

a If water is **not** for irrigation N A

(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe _____

11-111

b. If water is for irrigation, irrigate acreage in each subdivision in the subdivision below.

[illegible]

Total number of acres to be irrigated_____160_____

c. Describe any other water rights used for the same purposes as described above. 150 shares Aberdeen-Springfield Canal

9.3 Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____ - _____

10 Remarks _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

1. Map of proposed project showing clearly the proposed points of diversion, place of diversion, section number, township and range number.



2 1/2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

Stanley Pierce
(Applicant)

Proposed Priority 8-29-1975

Received by MB Date 8-29-75 Time 5:15 pm
Preliminary check by JW Fee \$ 55.00
Receipted by MB Date 8-29-75 # 4399
Publication prepared by MB Date 9-4-75
Published in The Blackfoot News
Publication dates Sept 11 & Sept 18
Publication approved 1 Date 1-22-76
Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by LR du

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7530 and said application is hereby Approved

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1 19 80
- c. Other _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 6 day of October 19 75


Director

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Frown

do solemnly

Publisher

swear that I am the Publisher of The Blackfoot News which is a duly newspaper of general circulation published each day, except Sunday at Blackfoot Bingham County Idaho and newspaper having been published at Blackfoot at least for more than one year past that said newspaper has heretofore complied with all the provisions of Chapter 14 of the Session Laws of Idaho of 1933 approved March 11 1933 and duly designated pursuant to law a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to wit Friday of each week that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said

1st issue of said newspaper 2 consecutive

weeks the first publication having been made on

the 11th day of Sept 19 75

and the last publication having been made on the

10th day of Sept 19 75 that said

notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication and that notice was published in the newspaper in full supplement

William H. Johnson

Subscribed and sworn to before me this 10th

day of Sept 19 75

Patricia H. Johnson

Notary Public for the State of Idaho

Residing at Blackfoot Idaho

My commission expires

Oct 27 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stanley Pierce Aberdeen Idaho has on 8 29 75 submitted Application No 35 7530 for a permit to appropriate 3 20 cubic feet per second of water from a groundwater source by means of well and pump within the NE 1/4 NE 1/4 Sec 3 T 6S R 31E B M Bingham County to be used from Apr 1 to Nov 1 for the irrigation of 160 acres within the NE 1/4 NE 1/4 NW 1/4 Sec 3 T 6S R 31E B M

If issued this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources 1515 Lincoln Road Idaho Falls Idaho 83401 on or before September 29 1975

R KEITH HIGGINSON
Director

14-787

Pub 7 11 18

30

RECEIVED

SEP 22 1975

Department of Resources
Engineering Office

December 16, 1993

REP Permit No. 35-7530

Stanley Pierce
Box 571
Aberdeen, ID 83210

Dear Mr. Pierce:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ kw
Enclosure

DATE 8-15-83FILE 35-7530

NAME OF PARTY

Stanley Pierce

EMPLOYEE

Jim Johnson

RE:


Mr. Pierce called Mr Johnson in regards to the licensing letter he received. He questioned why AN AMENDMENT WAS NEEDED.

In researching our government lots, we found A CORRECTION SURVEY done in April 1982.

The survey as shown now makes Mr Pierce's property all in Section 3 & No Amendment is needed.

The Aerial photo has been changed to reflect the survey.

MICROFILMED



A history of surveys is contained in the field notes.

This plot represents the dependent resurvey of a portion of the north boundary, T. 6 S., R. 31 E., Boise Meridian, Idaho.

Survey executed by Gerald W. Hochstrasser, Cadastral Surveyor, beginning November 2, 1981, and completed December 28, 1981, pursuant to Special Instructions dated October 22, 1981, and Supplemental Special Instructions dated December 28, 1981, for Group No. 630, Idaho.

EXPROFILIATED

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Boise, Idaho April 1, 1982


This plot is strictly conformable to the approved field notes, and the survey, having been executed in accordance with the requirements of the Department of the Interior, is hereby approved.

Cadastral Surveyor for Idaho

Sec. 35

Sec. 36


5 S., R. 31 E.




5 S., R. 31 E.

Sec. 2

ENCLOSURE




I E.



E.


Sec. 2

Sec. 1





Sec.




T. 5 S., R. 31 E.

N. 89° 35' W.
40.45

T. 6 S., R. 31 E.



Sec. 1



1	N. 73° E.	2	S. 5° E.	6	Sec. 20.
2	N. 44° E.	34	S. 25° W.	11	N. 1° E.
3	S. 23° E.	17	N. 28° W.	10	N. 33° E.
4	S. 43° E.	9	Sec. 23.		N. 37° E.
5	N. 66° E.	12	S. 53° W.	25	S. 43° E.
6	N. 15° E.	22			South
7	Sec. 24.		N. 21° W.	8	N. 31° E.
8	N. 36° E.	9	N. 36° E.	11	Sec. 31
9	N. 22° E.	8	N. 53° W.	12	N. 35° E.
10	N. 57° E.	11	N. 36° W.	11	N. 35° E.
11	N. 20° E.	14	Final	7	Sec. 3
12	N. 13° W.	14	S. 45° W.	17	N. 77° E.
13	N. 16° E.	10	S. 26° W.	12	N. 27° E.
14	Sec. 13.		Sec. 27.		N. 56° E.
15	N. 61° E.	12	S. 16° W.	14	Sec. 21
16	N. 18° W.	12	S. 33° W.	12	N. 27° E.
17	N. 65° E.	26	S. 64° W.	4	N. 43° E.
18	N. 4° W.	34	S. 11° W.	2	N. 7° W.
19	Sec. 12.		S. 70° E.	3	N. 55° E.
20	N. 31° E.	37	S. 2° E.	12	N. 62° E.
21	N. 66° W.	30	S. 36° W.	7	Sec.
22	N. 72° E.	14	S. 82° W.	12	N. 42° W.
23			S. 36° W.	6	N. 4° W.
24			S. 12° E.	18	N. 33° E.
25			S. 3° W.	8	N. 61° E.
Total Meridians 224° 68'					

True Map of Fractional Township N. 6 South, of Range 4
 in Boise Meridian, Idaho Territory, is strictly conformable to
 the records of the survey thereof on file in this Office, which have been
 read and approved.
 Surveyor General's Office,
 Boise City, Idaho Territory,
 June 14th 1888.

Joseph C. Strough
 U.S. Surveyor General



August 11, 1983

RE Permit No. 35-7530

Stanley Pierce
Box 571
Aberdeen, ID 83210

Dear Mr. Pierce:

On June 23, 1983, we forwarded an amendment to you to be completed to amend this permit to correspond with the findings of the field examiner so that we could issue this license.

As of this date, we have not received this amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in this permit and cancellation proceedings will begin.

If you have any questions, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ kw

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W State Street, Boise Idaho

JOHN V EVANS

JOHN V EVANS

A KENNETH DUNN

Director

Mailing address

Statehouse

Boise, Idaho 83720

(208) 334-4440

June 23, 1983

Stanley Pierce
Box 571
Aberdeen, ID 83210

Dear Mr. Pierce,

A representative of this Department made an examination of the works covered by your Permit No 35-7530 and has found the following

Amount of water that can be recognized as beneficially used under
Idaho law 2.96 cfs Source groundwater

The maximum quantity diverted shall not exceed 518 0 acre feet
per year

Point of diversion Government Lot 4 (NW $\frac{1}{4}$ NW $\frac{1}{4}$) Section 2, Twp 6S, Rge 31E

Beneficial use Irrigation of 13 acres in Government Lot 4 (NW $\frac{1}{4}$ NW $\frac{1}{4}$), Section 2,
112 acres in the NE $\frac{1}{4}$, 23 acres in Government Lot 3 (NE $\frac{1}{4}$ NE $\frac{1}{4}$) Section 3, Twp 6S,
Rge 31E

Priority date established August 29, 1975

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$200.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

CONDITION: This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

JIM JOHNSON
Water Distribution Supervisor


JJ:fw
Enclosure

Permit identifies canal water
Recommend R16(3.5)

Hand-drawn diagram on a grid showing a section line and a correction boundary. The diagram includes labels 'R 31E', 'T 6S', 'SECTION LINE', 'Point of Diversion', and 'correction boundary'. It shows a horizontal line with a vertical line intersecting it, and a dashed line labeled 'SECTION LINE' extending from the intersection point. A curved line labeled 'Point of Diversion' is also shown. The diagram is drawn on a grid with solid and dashed lines.

(Include distance from pump to measuring device, if applicable)

MICROFILMED



* GLI (NENE) Sec 3 per recovery

Point(s) of diversion

~~Lot 4 (NW/4) Sect 2 T6S R31E~~

Place(s) of Use

[illegible]

☒ Change P D as reflected above
☐ Change P U as reflected above

☐ Add P D as reflected above
☒ Add P U as reflected above

☐ None

☐ Other

Examiner's Signature

Checked by

* Approved by


Date _____

Date

Date _____

35-1530 HWS

* SURVEY
CORRECTION
J.J.



MICROFILMED

NOT TO SCALE

30-7030 HWS

1 = 11 11

4 3 2 1 4 3 2 1

3

2

3



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

G. Stephen Allred
Chief

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

September 2, 1980

RE Permit No 05-7530

Stanley Pierce
P O Box 571
Aberdeen, Idaho 83210

Dear Mr. Pierce

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit

Before a license can be issued a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

Bobbie R. Stephens
Sr. Clerk

cc IDWR - State Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-2380

Name(s) of Permit Holder STANLEY PIERCE

Post Office Address P.O. BOX 571

Tel No. 397-4366

Source of Water Well

Extent of Use

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>180</u>	(acres)
☐ Other	_____	

Measuring Device	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Point	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

Aug. 1980
Date

Stanley Pierce
Signature of Permit Holder

MICROFILMED

STANLEY PIERRE
P.O. Box 571
ABERDEEN, IDAHO
83210



AUG 7 1960

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

PIERCE, STANLEY
P.O. BOX 571
ABERDEEN, ID 83210

138335

JULY 31, 1980


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7530 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,



RITA FLECK
SR. SECRETARY

ENCLOSURES

NOT RECORDED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director Department of Water Resources within 30
days after the completion or abandonment of the well

FEB 1 1978

Department of Water Resources
Eastern District Office

1 WELL OWNER

Name Stanley Pierce
Address Aberdeen Idaho, 83210
Owner's Permit No 35-7530

7 WATER LEVEL

Static water level 3 feet below land surface
Flowing? ☐ Yes ☒ No
Temperature ° F Quality ps
Artesian closed in pressure ps
Controlled by ☐ Valve ☐ Cap MAR 17 1978

2 NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8 WELL TEST DATA

Department of Water Resources
Eastern District Office

☐ Pump ☐ Bailer ☐ Other

Discharge G P M Draw Down Hours Pumped

3 PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4 METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5 WELL CONSTRUCTION

Diameter of hole 18 inches Total depth 40 feet
Casing schedule ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>18</u> inches	<u>+ 1</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal ☐ Cement grout


☐ Pudding clay ☒ Well cuttings

Sealing procedure used ☐ Sherry gel ☐ Temporary surface casing

☒ Overbore to seal depth

6 LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name _____

Lot No _____ Block No _____

County Bingham

NE 1/4 NE 1/4 Sec 3 T 4S R 3E

10

Work started 5-1-75 finished 5-13-75

11 DRILLER'S CERTIFICATION

Firm Name Paul Vollmer & Son Firm No 67

Address Aberdeen Id Date 1-31-78

Signed by (Firm Official) Paul Vollmer

and (Operator) Gary Vollmer

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

October 1⁹, 1975

Re. Permit No. 35-7530

Stanley Pierce
Box 571
Aberdeen, ID 83210

Dear Mr. Pierce

Enclosed is a copy of your approved Application for Permit No 35-7530 We direct your attention to the conditions of approval as listed on the fourth page

Sincerely,

BOBBY D FLEENOR
Chief, Water Rights

BDF jfr

Enclosure

September 5, 1975

RE Application for Permit No 35-7530 ¹⁸⁴FEIRCE

The Blackfoot News
P O Box 70
Blackfoot, Idaho 83221

Gentlemen

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC ME

Bill submitted 9-22-75 by me

Enc. Legal Notice (1)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Stanley Pierce, Aberdeen, Idaho has on 8/24/75 submitted Application No. 357530 for a permit to appropriate 3.20 cubic feet per second of water from a groundwater source by means of well and pump within the NE1/4NE1/4, Sec. 3, T. 6S, R. 31E, B.M., Bingham County, to be used from April 1 to November 1 for the irrigation of 160 acres within the NE1/4NE1/4, SW1/4NE1/4, NE1/4NW1/4, Sec. 3, T. 6S, R. 31E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401, on or before September 29, 1975.

R. KEITH HIGGINSON
Director

(4478)

Pub. 9/11/75

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Stanley Pierce

Aberdeen, Idaho

has on 8-29-75 submitted Application No 35-7530

for a permit to appropriate 3.20 cubic feet per second ~~water from open water~~

of water from a groundwater source

by means of well and pump

within the NE1/4, Sec. 3, T. 6S, R. 31E, B.M., Bingham County.

to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres

within the NE1/4, SW1/4, NW1/4, Sec. 3, T. 6S, R. 31E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before September 29, 1975

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on September 11 and September 18, 1975

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No

Prince

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) KDF 9-2-75 yes In form to receipt
- (2) " " Send Copies to
Idaho State Health Department
Idaho Fish and Game Department
NA Bureau of Land Management
- (3) " " NA Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
- (4) " " yes In form for advertising
- (5) " " Platted on Map No 68-31E
- (6) " " NA Located within Water District No _____
- (7) " " Critical groundwater area yes _____ no ☒
- (8) _____ Groundwater levels
_____ Declining, ☒ Stable, _____ Increasing
(comment) Re f. obs. well 055-31E-27ABR1
- (9) " " Other rights on the same place of use yes
- (10) " " Comments Canal shares. No other G.W. rights
platted
- (11) me 9-22-75 Affidavit of Publication received (date) 9-22-75
- (12) me 9-29-75 Final date for protests September 29, 1975
Protests received yes _____ no ☒
- (13) RDC 9/29/75 All requested information received from agencies or applicant yes OK no _____
- (14) 11 11 Action recommended
☒ Approve
8/29/75 Proposed Priority
Department of Water Resources
Reason for Reduction _____
☒ Measuring device required
See attached sheet for other conditions of approval
No special conditions for approval

RECEIVED

OCT 1 1975

Department of Water Resources

- (15) District CE By RDC Date 9/29/75

Copy

RECEIVED