


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James John
(Applicant)

6


7

F82
A
557.1




MICROFILMED

Range 30E



Tap 63


Diagram of System



LA MAR Johns
35-7505

Lamar
F-32
Transferred
Power

400
in E/SW 1/4
are
irrigated
but not
filed in



1817

County Road

C-2

MICROFILMED

NA WITH JONES
35-1505

F-32
Transferred
Power

40ac
in E 1/2 Sec 4
are
irrigated
but not
filed for

A
557.7

40ac

40ac

mainline

P.D.

40ac

39ac

out
Buildings

C-2

County Road

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7505 Priority May 6, 1975 Amount 3.0 cfs

THIS IS TO CERTIFY, that LA MAR JOHNS
of American Falls, Idaho, has complied with the terms and conditions of Permit
No 35-7505 issued pursuant to Application for Permit dated May 6, 1975,
and has submitted proof to the Department of Water Resources on November 18, 1977,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 3.26 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>3.0</u> cfs and	<u>556.5 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
556.5 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 6S,
Rge. 30E, B.M. in the County of Bingham

Description and location of place of use.


Twp	Range	Sec	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	30E	7													40	40	40	39	159

Total number of acres irrigated 159

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
May, 19 81.


Director

Identification No. _____

Application No. _____

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

- 1 Name of applicant LaMar Johns Phone: 397-4538
 post office address ~~Box 53, Aberdeen, Idaho~~ 454 ARTHUR AMERICAN FALLS Id.
- 2 Source of water supply ground water which is a tributary of - - -
- 3 a Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 6S
 Range 30E B.M. Bingham County; additional points of diversion if any: _____

- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes.
 Amount 3.0 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated:
 a. 3.0 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a Description of ditches, flumes, pumps, headgates, etc 200 Hp. pump motor, mainline,
and wheel moves

- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
 capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c Proposed well diameter is 16 inches; proposed depth of well is 350 feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years
 b Estimated construction cost is \$ 94,000.
- 8 Description of proposed uses.
 a If water is **not** for irrigation
 (1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water: _____
 (5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6S	30E	7													40	40	40	40	160

Total number of acres to be irrigated 160


c. Describe any other water rights used for the same purposes as described above. None

- 9 a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number

RANGE 30 E



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ed Mar John
(Applicant)

Received by OW Date 5-06-75 Time 4:20 p.
Preliminary check by SC Fee \$ 45.00
Receipted by OW Date 5-06-75 # 4232
Publication prepared by MB Date 5-8-75
Published in The Blackfoot News
Publication dates May 15 + 22, 1975
Publication approved OW Date 5-23-75
Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by YJS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 35-7505, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 80.

c. Other, A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of JUNE, 19 75.

R. Karl Hjort
Director



RECEIVED

MAY 23 1975

Department of Agriculture
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham
State of Idaho

) ss.
)

I, ... David Mark Brown... do solemnly

swear that I am the Publisher... of
The Blackfoot News which is a daily newspaper of general
circulation published each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper having been so
published at Blackfoot, aforesaid for more than one year
past, that said newspaper heretofore complied with all the
provisions of Chapter 154 of the Sessions Laws of Idaho of
1933, approved March 11, 1933, and duly designated,
pursuant to law, a particular day of the week as the day on
which legal notices required by law or by the order of any
Court of competent jurisdiction within the State of Idaho
shall be published to-wit: Friday of each week, that the
notice attached hereto and which is a part of this affidavit
and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive

weeks, the first publication having been made on
the 15th day of May, 1975,

and the last publication having been made on the
22nd day of May, 1975, that said

notice was published in the regular and entire issue of every
number of the paper as aforesaid during the period and time
of publication, and that notice was published in the
newspaper and not in a supplement.

David Mark Brown
22nd

Subscribed and sworn to before me this

day of May, 1975

Patricia H. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct 20, 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LaMar Johns, Aberdeen, Idaho,
has on 5-6-75, submitted Ap-
plication No. 35-7505 for a
permit to appropriate 3.0 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
SE 1/4 Sec. 7, T. 6S, R. 30E,
B.M., Bingham County; to be
used from Apr. 1 to Nov. 1 for
the irrigation of 160 acres
within the SE 1/4, Sec. 7, T. 6S, R.
30E, B.M.

If issued, this permit will be
subject to all prior water rights.

Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before June 2, 1975.

R KEITH HIGGINSON
Director
(4254)
Pub.: 5-15, 22

29 (w)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 21, 1995

DOUG RUFF
3005 W 2100 S
ABERDEEN ID 83210

RE: Application for Permit

Dear Mr. Ruff:

I have reviewed the information you submitted to support your request for immediate approval of your application for permit to divert 5.00 cfs of groundwater on Lamar Johns's land near American Falls. Your effort in collecting the data is appreciated.

As you are aware, our previous director indicated he would approve applications in the Eastern Snake River Plain moratorium area if they are supported by incontrovertible evidence that the diversion and use of water began prior to November 19, 1987, the commencement date of the Snake River Basin Adjudication. The information you sent me in April indicated that you might be able to find strong evidence to contradict information in the department's files. In fact, some of the new information you submitted does give the impression that Lamar Johns's irrigation system was designed to pump about 2200 gpm (4.90 cfs) during the 1980s. But, the department has record of a direct measurement of the system's diversion capacity made in 1981 by department personnel. The measured rate of diversion was 3.61 cfs, which is the diversion rate allowed under licensed rights 35-07505, 35-07759, and 35-07953. Because the irrigation system has changed since the measurement was made, there is no way to test the accuracy of the measurement. Had Mr. Johns questioned the measurement, he could have indicated so in the 1980s before the system was changed.

It is my conclusion that the new information does not support the diversion of an additional 5.00 cfs prior to November 19, 1987. Moreover, it is insufficient to outweigh the direct measurement of 3.61 cfs in 1981. Therefore, the application you submitted will be held without being advertised until the moratorium on new development in the Eastern Snake River Plain is lifted. You will be notified when the application can be processed.

Meanwhile, it appears that you did not address item 11.c. on the application form. Item 11.c. says, "If the property is owned by a person or entity other than the applicant, the applicant must obtain written consent from the owner of the property to divert water from the property." The application form also states that the applicant must provide a copy of the deed to the property to the department.

RECEIVED
JUN 27 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Mr. Doug Ruff
Re: Application for Permit
June 21, 1995
Page 2

a person other than the applicant, describe the arrangement enabling the applicant to make this filing." Because you listed Lamar Johns as the property owner, you are required to submit information to answer item 11.c. If this information is not submitted within 30 days, the application could be viewed as speculative and may be rejected and returned to you.

If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK

For supporting documents, see file 35-07953.

MICROFILMED

JUN 27 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 1, 1995

Doug Ruff
3005 W 2100 S
Aberdeen, ID 83210

RE: Appropriations by Lamar Johns

Dear Mr. Ruff:

I have reviewed the irrigation system information you submitted to show that Lamar Johns had appropriated more than 3.61 cfs prior to November 19, 1987, with the irrigation system that is reflected in water right licenses 35-07505, 35-07759, and 35-07953.

The receipts and pump curves you submitted seem to indicate that the system was designed to produce about 2000 gpm, or 4.45 cfs. Moreover, 4.45 cfs seems more reasonable than 3.61 cfs for the twelve wheel lines on the system. However, our records indicate a measured diversion rate of 1619 gpm, or 3.61 cfs, in 1981. I do not see anything in our files that indicates that our flow rate measurement was done incorrectly. It is possible that factors for which we have no record may have impacted the actual production of the system. Such factors have included the following:

- Actual dynamic pumping level
- System wear and tear
- Number of lines in operation simultaneously
- Pumping plant efficiency
- Changes made after the 1981 measurement
- System operating pressure

As you know, under the current moratorium, applications for permit for new water right development in your area are being held without approval. However, the Director of the Department of Water Resources has indicated that he will consider approving applications for permit for uses commenced prior to November 19, 1987. Therefore, if you can collect additional information to definitively show that Mr. Johns system beneficially used more than 3.61 cfs prior to that date, then there is a possibility that the department will issue a new permit to Mr. Johns. If you are able to collect such information, please submit it with your application to our Idaho Falls office. I am enclosing an application form and the information you have already gathered from Funk Irrigation and Implement.


RECEIVED

JUN 27 1995

Mr. Doug Ruff
Re: Lamar Johns Appropriations
May 1, 1995
Page 2

If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,



Shelley Walter Keen
Water Rights Supervisor

SWK

Enclosures:

Application for Permit with Instructions
Funk Irrigation and Implement Information

For supporting documents, see file 35-07953.

RECEIVED
MED

JUN 27 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1994

Paul Laggis
376 Roosevelt
P.O. Box 70
American Falls, ID 83211

RE: Lamar Johns - Request for Re-Examination

Dear Paul:

I am responding to your request to Harold Jones for a re-evaluation of the diversion rates on the licenses issued to Mr. Lamar Johns for irrigation from groundwater. The three licensed rights; numbers 35-07759, 35-07505, and 35-07953; allow a maximum combined diversion rate of 3.61 cfs for 319 acres.

The field report completed for 35-07505 lists a measured diversion capacity for Mr. Johns's well at 3.26 cfs on May 21, 1979. The field examiner for 35-07759 and 35-07953 indicated a diversion capacity of 3.61 cfs measured on July 14, 1981. I reviewed the calculations in the field reports and found nothing obviously amiss.

Because water rights cannot exceed a water user's ability to divert and use water, the three licenses were limited to a combined maximum rate of 3.61 cfs. A rate of 3.61 cfs on 319 acres constitutes a diversion rate of 0.011 cfs per acre. My experience is that this rate per acre is within reason for sprinkler irrigation systems in Mr. Johns's area. In addition, 3.61 cfs is sufficient to produce a diversion volume of 4.0 acre-feet per acre for 319 acres over the course of the irrigation season. An analysis by department personnel indicates that 4.0 acre-feet per acre per year is a reasonable application volume for irrigation in Mr. Johns's area.

My conclusion is that there is nothing in the department's files to indicate that our analysis of Mr. Johns's water use in 1981 was incorrect. Moreover, Mr. Jones has told me that he has information that Mr. Johns has substantially altered his irrigation system since 1981. If that is the case, a re-evaluation of the irrigation system developed prior to 1981 is not possible. Therefore, without additional information I am unwilling to recommend a re-evaluation of licensed water rights 35-07505, 35-07759, and 35-07953.

However, three alternatives remain for Mr. Johns to consider. First, if he can provide evidence that clearly demonstrates that


Paul Laggis
November 7, 1994
Page 2 - Bingham County

the field reports are incorrect and that the licenses were issued in error, I will accept and review such evidence. Second, if Mr. Johns changed his system to increase his diversion capacity prior to Nov. 19, 1987, and he can clearly demonstrate such, the director has indicated that he will review any application for a new water right that meets those criteria, despite the current moratorium. Third, the moratorium does not prohibit the transfer of existing water rights. Mr. Johns could, therefore, purchase an existing right and apply to transfer it to his land.

In your letter you also asked about permit 35-08143. It was issued to Mr. Johns in 1990. It authorized development of an additional 0.32 cfs of trust water for 16 acres. Mr. Johns submitted proof of beneficial use for this permit in May of 1990. I have enclosed copies of the permit and the proof form for your reference.

If you have any questions, please contact me at (208)327-7946 in Boise.

Sincerely,



Shelley Walter Keen
Water Rights Supervisor

SWK

Enclosures:

- Copy of permit 35-08143
- Copy of proof submitted for 35-08143

UNRECORDED
JUN 27 1995

Boomer & Laggis

HENRY R. (Hank) BOOMER
PAUL S. LAGGIS

ATTORNEYS-AT-LAW
376 Roosevelt - P.O. Box 70
American Falls, Idaho 83211

Telephone
(208) 226-2562
Fax (208) 226-2578

October 24, 1994

RECEIVED

OCT 26 1994

Department of Water Resources
Idaho District Office

Harold Jones
Idaho Department of Water Resources
Eastern Regional Office
900 N. Skyline Dr.
Idaho Falls, ID 83402

Re: LAMAR JOHNS - PERMIT NO. 35-08143

Dear Harold:

I am writing for a couple of reasons; I wanted to make a written request for the Department to re-evaluate Mr. Johns' well and the licenses therefor. Mr. Johns assures me that the well is now and always has provided more than 3.61 c.f.s. of water for his system. We understand that Mr. Johns has made significant improvements to his pump in recent years, which would lead to a difficult re-test by the Department.

Nevertheless, at this time Mr. Johns formally requests consideration be given to a re-test by the Department. In the event that this is not granted, Mr. Johns would like to know of any alternatives which may be available to him through the Department.

The other reason I am writing is to verify the existence of permit #35-08143, registered in the name of Lamar Johns. Mr. Johns would like to know the status of this permit and whether it is "additive" to his existing licenses or if it is under the same restriction that, when used in conjunction with the other licenses, the total amount of water shall not exceed 3.61 c.f.s.

We appreciate your prompt response in this matter and thank you in advance.

Sincerely,

Paul S. Laggis
Paul S. Laggis
Attorney at Law

PSL:esb

cc: Lamar Johns

Post-It™ brand fax transmittal memo 7671		# of pages > 1
To <i>Shelley Keen</i>	From <i>H.C. Jones</i>	
Co. <i>Boise</i>	Co. <i>Eastern</i>	
Dept. <i>IDWR</i>	Phone #	
Fax #	Fax #	

RECORDED

JUN 27 1995

INTER-DEPARTMENT MEMO — 1


FROM HAROLD JONES

DATE 12-28-81

TO ROBYN

SUBJECT Re-exam

I went out with Mr. Johns to well location and he
saw that original findings were correct and will accept same.



SIGNATURE

ACTION REQUIRED

2/23

FROM:

Polym

TO:

Harold Jones - Eastern

RECEIVED

FEB 25 1981

Department of Water Resources
Eastern District Office

do re-exam for P/D as per
response from licensing
letter

Mr Johns. accepts original findings.

HWT 7-14-81



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 12, 1981

LaMar Johns
454 Arthur
American Falls, Idaho 83211

Dear Mr. Johns,

A representative of this Department has made an examination of the works covered by your Permit No. 35-7505, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 556.5 acre feet per year.

Point(s) of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 6S, Rge. 30E, B.M.

Beneficial use: Irrigation of 159 acres within the SE $\frac{1}{4}$, Sec. 7, Twp. 6S, Rge. 30E.

Priority date established: May 6, 1975

Conditions (if any): This right when combined with Right 35-7759 shall provide no more than a total diversion of 3.26 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

DEC 12 1977

TOTAL ACREAGE 160

Range 30E





Diagram of System



DATE OF EXAM 21st day of May, 1979

ACREAGE
Found 2000
Recommended 159a ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 3.0 c.f.s. V = 556.5 AF/Ann. from April 1 to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 3.26 Method of measurement In-line Flow Meter

Total Q recommended 3.0 Meter No. MD64719 Type Badger Condition Standard

Total V recommended 556.5 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:
Measured 1,000 gpm in 41 sec, = 1463.4 gpm ÷ 448.8 gpm/cfs.
= 3.26 cfs
 $\sqrt{= 159a \times 3.5 AF/a = 556.5 AF/yr}$
 $\sqrt{= 3.0 cfs \times 1.9835 AF/cfs \times 214 days = 1273.4 AF/yr}$

SYSTEM DESCRIPTION:
Groundwater is diverted by a 250 HP. 3ph U.S. Electrical motors
"Hollowshaft" vertical induction pump motor - ID# C60152B-612-844574
and by a Weirline vertical turbine pump #15615. Acreage is
irrigated by 6-1/4 mi long lateral wheel lines.

REMARKS:
Capacity measurement was made with 8-1/4 mi wheel lines
turned on and irrigating 200 ac. Recommended via
letter to permit holder that to do a supplemental measurement.
System shown, operated and described by a hired hand.

Examiner's Signature Anthony R. Kozlowski Date Oct 30, 1979

Checked by John D. Connor Date Dec 7, 79

Approved by John Date 2/12/81

Lester Johns has a permit 35-7759 for
the additional 40a of land not covered
under this license located in the E 1/2 SW 1/4 of
Sec 1, T6S, R6E See back for Overlay

MICROFILMED

Overlap review for 35-7505

35-7159 same well
different lands

$$\frac{.8 \text{ cfs}}{40 \text{ AC}} = .02 \text{ cfs/AC}$$

This right 35-7505

$$\frac{3.0 \text{ cfs}}{159 \text{ AC}} = .018$$

Capacity of this system
is 3.26 -

~~RA~~ 2/12/81

MICROFILMED

LA MAR 1045
35-750

Handwritten notes

Handwritten notes

5578

Handwritten notes

Handwritten notes

T

Handwritten notes



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~XXXXXXXXXXXX~~

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 2, 1981

LaMar Johns
Ponderosa Court # 9
American Falls, Idaho 83211

Dear Mr. Johns,

RE: License No. 35-7505

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED

RECEIVED

MAY 14 1981

Robyn

#35-7507

35-7505

35-7608

Department of Water Resources

LAMAR JOHNS

Ponderosa Court #9

Am. Falls, Idaho 83211

Dept. of Water Resources
450 West State Street
Boise, Idaho 83720

Dear Sirs:

This is a Notice to inform
you that I am withdrawing my
Protest on Permit #35-7507 PRIOR
to the issuance of my License.
Thank you.

Sincerely,
Lamar Johns

MICROFILMED

OK to issue
license
TC 4/18

LAMAR JOHNS
Ponderosa Tr Ct. 9th
Fm Falls, IDAHO 83211



Dept. of Water Resources
450 West State Street
Boise, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 12, 1981

LaMar Johns
454 Arthur
American Falls, Idaho 83211

Dear Mr. Johns,

A representative of this Department has made an examination of the works covered by your Permit No. 35-7505, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 556.5 acre feet per year.

Point(s) of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 6S, Rge. 30E, B.M.

Beneficial use: Irrigation of 159 acres within the SE $\frac{1}{4}$, Sec. 7, Twp. 6S, Rge. 30E.

Priority date established: May 6, 1975

Conditions (if any): This right when combined with Right 35-7759 shall provide no more than a total diversion of 3.26 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

RECEIVED
FEB 16 1981

ACTION REQUIRED

2/23

FROM:

Polym

TO:

Harold Jones - Eastern

do re-exam for P/D as per
response from licensing
letter

Field exam
returned to
region 2/23

THOMSON

DEC 12 1977

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)

Other uses: _____

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE 160

MICROFILMED

Range 30





Diagram of System



DATE OF EXAM 21st day of May, 1979

ACREAGE
Found 2000
Recommended 159a ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 3.0 c.f.s. V = 556.5 AF/Ann. from April to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 3.26 Method of measurement In line Flow Meter

Total Q recommended 3.0 Meter No. MO644719 Type Badger Condition Standard

Total V recommended 556.5 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Measured 1,000 gpm in 41 sec. = 1463.4 gpm ÷ 448.8 gpm/cfs = 3.26 cfs

$$V = 159a \times 3.5 \text{ AF/a} = 556.5 \text{ AF/yr}$$

$$V = 3.0 \text{ cfs} \times 1.9835 \text{ AF/day/cfs} \times 214 \text{ days} = 1273.4 \text{ AF/yr}$$

SYSTEM DESCRIPTION:

Groundwater is diverted by a 250 HP. 3ph U.S. Electrical motors, "Holtschaft" vertical induction pump motor - ID# C60152B-612-8414574 and by a wehline vertical turbine pump #15615. Acreage is irrigated by 6-1/4 mi long lateral wheel lines.

REMARKS:

Capacity measurement was made with 8-1/4 mi wheel lines turned on and irrigating 200 ac. Recommended no further authorization that to file a supplemental application for the system shown, operated and described by a hired hand.

Examiner's Signature Anthony R. Kozlowski Date Oct 30, 1979

Checked by John D. Connor Date Dec 7, 79

Approved by John Date 2/12/81

Letter Johns has a permit 35-7759 for the additional 10a of land not covered under this license located in the E 1/2 SW 1/4 of Section 7, T6S, R6E SOE

MICROFILMED

Overlap view for 35-705

35-7159 same well
different lands

$$\frac{.8 \text{ ds}}{40 \text{ AC}} = .02 \text{ ds/AC}$$

This right 35-7505

$$\frac{3.0 \text{ ds}}{159 \text{ AC}} = .018$$

Capacity of this system
is 3.26 -

~~7/11~~ 2/12/81

MICROFILMED

Francis

400 E. 1st St.
in one
improved
lot with
filled in



QIN

Carroll Road

ACTIV

DE

December 8, 1977

Re: Permit No. 33-7505

LeMar Johns
454 Arthur
American Falls, Idaho 83211

Dear Mr. Johns:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in **Idaho Falls.**

Sincerely,

JANICE RENK
Water Rights

RECEIVED

NOV 18 1977

Department of Water Resources
Eastern District Office

Identification No. _____

Permit No. 35-7505

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder LaMar Johns
b) Post Office Address 454 Arthur, American Falls, Idaho 83211
2. Permit Number 35-7505
3. Date of Priority that you are prepared to establish 5-06-75
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: SE ¼ SE ¼, Section 7
Township 6S, Range 30E Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 3.00 for Irrigation purposes from Apr. 1 to Nov. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.00 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Northwest Irrigation Co.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
NA.
b) Describe the agreement or understanding by which you take water from the works:
N.A.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 20" well x 374' deep, 250 hp pump motor, mainline and wheelmoves
b) Describe the type and size of measuring device, which you have installed at your point of diversion: McCrometer
c) Give well driller's name and address and the date the well was completed:
Paul Vollmer, Aberdeen, Idaho; completed Aug. 31, 1975
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Examined 12/9/77

11/19/77

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	30E	7													40	40	40	40	160

Total number of acres irrigated 160

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

11/18/77

(Date)

LaMar Johns
(Signature)

State of Idaho)

) ss.

County of Bonneville)

On this 18th day of November, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

William Wray

Notary Public residing at _____
Idaho Falls, Idaho

My commission expires 6/15/81

MICROFILMED
16

June 6, 1975

Re: Permit No. 35-7505

LaMar Johns
Box 53
Aberdeen, ID 83210

Dear Mr. Johns:

Enclosed is a copy of your approved Application for Permit No. . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

11/10/1975

May 8, 1975

RE: Application for Permit No. 35-7505 JOHNS
Claim to a Water Right No. 35-4039 PALMER BROS.

The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 5-23-75 by MB

RDC:MB

Enc: Legal Notices (2)

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that LaMar Johns, Aberdeen, Idaho, has on 5-6-75, submitted Application No. 35-7505 for a permit to appropriate 3.0 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 7, T. 6S, R. 30E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the SE $\frac{1}{4}$, Sec 7, T. 6S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before June 2, 1975.

R. KEITH HIGGINSON
Director

(4254)

Pub : 5-15, 22

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LaMar Johns,
Aberdeen, Idaho
has on 5-6-75 submitted Application No. 35-7505
for a permit to appropriate 3.0 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 6S, R. 30E, B.M., Bingham County;
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T. 6S, R. 30E, B.M.
to be used from Apr. 1 to Nov. 1
for the irrigation of 160 acres
within the SE $\frac{1}{4}$, Sec. 7, T. 6S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before June 2, 1975.

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho
on May 15 and May 22, 1975

RECORDED

LA - L
NW - A
SW - A

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

35 7505

Item Initial Date

Application No. _____

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

LH 5-6-75

(1) " "

In form to receipt *yes*

(2) " "

Send Copies to:

- NA* Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) " "

- NA* Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) " "

In form for advertising *yes*

(5) " "

Platted on Map No. _____

(6) " "

NA Located within Water District No. _____

(7) " "

Critical groundwater area: yes no *✓*

(8) " "

Groundwater levels:

Declining, Stable, Increasing

(comment) NO NEARBY OBS WELLS

(9) " "

Other rights on the same place of use *NO*

(10) " "

Comments: NO OTHER G.W. RIGHTS PLATTED

(11) MB 5-23-75

Affidavit of Publication received(date) 5-23

(12) MB 6-2-75

Final date for protests JUNE 2, 1975
Protests received: yes no *✓*

(13) LH 6-2-75

All requested information received from agencies or applicant: yes *NA* no

(14) " "

Action recommended:

☒ Approve Deny

5-6-75 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By Loren O. Halmer Date June 2, 1975

MICROFILMED

RECEIVED
JUN 3 1975
Department of Water Resources

[Signature]