



Diagram of System



2S 35E Sec 20

John W. & Robert W. Olson



ARK 7/11/77

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7465 Priority January 9, 1975 Amount 1.44 cfs

THIS IS TO CERTIFY, that JOHN W &/or ROBERT W. OLSEN
of Blackfoot, Idaho, has complied with the terms and conditions of Permit
No. 35-7465 issued pursuant to Application for Permit dated January 9, 1975,
and has submitted proof to the Department of Water Resources on May 18, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.71 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.44</u> cfs and	<u>252 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.44 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
252 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, Twp. 2S,
Rge. 35E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2S	35E	20													40	32			72

Total number of acres irrigated 72

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
November, 19 79.

Director

Identification No. 35 7465
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant John W. Olsen &/or Robert W. Olsen Phone: 785-1325
post office address Rt. #3, Box 230, Blackfoot, Idaho
2. Source of water supply ground water which is a tributary of - - -
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 2S
Range 35E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.6 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or ~~XXXXXXX~~)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.6 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 120 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	35E	20														40	40		80


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John A. Olsen
(Applicant)

1-09-1975
Proposed Priority

Received by MB Date 1-09-75 Time 3:30 p.m.
Preliminary check by LH Fee \$ 35.00
Receipted by MB Date 1-09-75 # 4032
Publication prepared by MB Date 1-10-75
Published in The Blackfoot News
Publication dates Jan. 16 + 23, 1975
Publication approved CW Date 1-27-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC M 30F

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7465, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 80.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10 day of February 19 75.

R. Karl Hijo
Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date
85 1/10/75

Application No. 35-7465

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) 85 "

In form to receipt yes

(2) " "

Send Copies to:

- ☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) " "

- ☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. 25 R35E

(6) " N/A

Located within Water District No. _____

(7) 85 1/10/75

Critical groundwater area: yes _____ no ☒

(8) " "

Groundwater levels:

☐ Declining, ☐ Stable, ☐ Increasing

(comment) No closer obs wells - 1971

(9) " "

Other rights on the same place of use

(10) " "

Comments: No conflicting yr. rights

(11) MB 1-27-75

Affidavit of Publication received (date) Jan 27, 1975

(12) MB 2-3-75

Final date for protests February 3, 1975

Protests received: yes _____ no ☒

(13) RDC 2/3/75

All requested information received from agencies or applicant: yes _____ no _____

(14) " "

Action recommended:

☒ Approve ☐ Deny

1/9/75 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions approval

No special conditions for approval

(15) District E By RDC Date 2/3/75

MICROFILMED

RECEIVED
FEB 5 1975
Department of Water Resources

Copy

RECEIVED

JAN 27 1975

Department of Water Resources
Eastern District Office

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that John W. & or Robert W. Olsen, Route No. 3, Box 230, Blackfoot, Idaho, has on 1-9-75, submitted Application No. 35-7465, for a permit to appropriate 1.6 cubic feet per second of water from a ground-water source by means of well and pump within the NW1/4SE1/4, Sec. 20, T. 2S, R. 35E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 80 acres within the W1/2SE1/4, Sec. 20, T. 2S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before February 3, 1975.

R. KEITH HIGGINSON
Director

(4105)

Pub.: 1-16, 23

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

)
) ss.
)

I, ... do solemnly

swear that I am the of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper consecutive

weeks, the first publication having been made on

the day of 19

and the last publication having been made on the

..... day of 19; that said

notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 24th

day of January 19 75

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1975

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

December 7, 1979

John W. Olsen &/or Robert W. Olsen
Route # 3 Box 230
Blackfoot, Idaho 83221

Dear Mr. Olsen,

RE: Permit No. 35-7465

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

November 13, 1979

Re: Permit No. 35-7465

John W. Olsen &/or Robert W. Olsen
Route #3, Box 230
Blackfoot, ID 83221

Reylemen:

A representative of this Department made an examination of the works covered by your Permit No. 35-7465 on July 11, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.44 cfs Source: groundwater

The maximum quantity diverted shall not exceed ~~2584~~ acre feet per
year.

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, Twp. 2S, Rge. 35E, B.M.

Beneficial use: Irrigation of 72 acres within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20,
Twp. 2S, Rge. 35E, B.M.

Priority date established: January 9, 1975

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

NOV 15 1979

T
2
S





Diagram of System



ARC 7/11/77

55E 20 20

J. D. ...

0

51.0

20.2

A
6.4

30.0

7/77

DATE OF EXAM 7/11/77

ACREAGE
Found 72 ac
Recommended 72 ac

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 1.44 c.f.s. V = 252 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 1.71 cfs Method of measurement In Line Meter
Total Q recommended 1.44 cfs Meter No. 12085 Type Rockwell Condition good
Total V recommended 252 Control Control

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Measured 100 gal in 78 sec, = 769.23 gpm. 1 cfs = 448.9 cfs.
 $769 \div 448.9 = 1.71$ cfs.

$V = 3.5 \times 72 \text{ ac} = 252 \text{ AF/Ann} < 215 \times 1.98 \times 1.44 = 614.09 \text{ AF/Ann}$
ARK 7/11/77

SYSTEM DESCRIPTION:

Water is diverted from a 105' deep well, 16" casing by a U.S. Motors 50 H.P. Pump motor, s/n - 879780, Frame No. 405-4 3ph. and by a peerless pump, s/n - F13734. Average is irrigated by 3- 1/4 mi wheel lines & 1 1/4 mi hand line.

REMARKS:

System shown & described by John W. Olsen.

8 ac are not irrigated. This land is occupied by House barns, and other buildings as well as a small piece of pasture.

Examiner's Signature Anthony R. Kozlowski Date 7/11/77

Checked by Ernest Carlson Date 2-08-78

Approved by _____ Date _____

June 9, 1977

Re: Permit No's. 27-7039 and 35-7465

Mr. John Olsen
Route 3, Box 230
Blackfoot, Idaho 83221

Dear Mr. Olsen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use on Permit No. 35-7465.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this exam will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

Enclosed is a proof of beneficial use affidavit form for your use in completing proof of beneficial use on Permit No. 27-7039. Proof was due on June 1, 1977, so return this affidavit as soon as possible, in order to keep this permit in good standing; otherwise it will have to lapse. If you have any questions regarding either of these matters, please contact us or you may contact our Regional Office in Idaho Falls at 1515 Lincoln Rd., 523-7186.

Sincerely,

JANICE RENK
Water Rights

Jr

Encl.

Identification No. _____
Permit No. 27-7039 ³⁵⁻⁷⁴⁶⁵

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 18 1977

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder JOHN W. or Robert W. OLSEN
b) Post Office Address R # 3 Box 230 Blackfoot, Idaho
2. Permit Number _____
3. Date of Priority that you are prepared to establish JANUARY 1975
4. a) Source from which water was appropriated Well 105 FT. Deep Subterranean Source
b) Location of the point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 20
Township 2S, Range 35E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 1.6 for _____ purposes from 4-1 to 11-1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.6 c.f.s. cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 660 G.P.M. use of Flow meter.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 18" Well cased To Solid lava 105' Total depth. 50 H.P. pump To sprinkler system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 8" Rockwell Flow control
c) Give well driller's name and address and the date the well was completed: Lamar Barrus Basalt, Idaho JAN. 1975
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 6/10/77 by J

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: Silt loam soils, slightly rolling terrain Total 72 acres

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	35E	20													NW ¼ ~~SE~~				40
2S	35E	20													SW ¼				32

Total number of acres irrigated 72

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-12-77

(Date)

John A. Olsen
(Signature)

State of Idaho)
) ss.
County of Bingham)

On this 16th day of May, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

RW Olsen
Notary Public residing at Blackfoot, Idaho

My commission expires 1981

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

February 10, 1975

Re: Permit No. 35-7465

John &/or Robert Olsen
Route 3, Box 230
Blackfoot, Idaho 83221

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 35-7465 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

January 10, 1975

RE: Application for Permit No. 35-7464 WATT
" " " No. 35-7465 Olsen

The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

Bill submitted 1-27-75 by MB

RDC:MB

Enc: Legal Notices (2)

MICROFILMED

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that John W. &-or Robert W. Olsen, Route No. 3, Box 230, Blackfoot, Idaho, has on 1-9-75, submitted Application No. 35-7465, for a permit to appropriate 1.6 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 2S, R. 35E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 80 acres within the W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 20, T. 2S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before February 3, 1975.

R. KEITH HIGGINSON
Director

(4105)

Pub.: 1-16, 23

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John W. &/or Robert W. Olsen,

Route #3, Box 230, Blackfoot, Idaho

has on 1-9-75 submitted Application No. 35-7465

for a permit to appropriate 1.6 cubic feet per second ~~acre feet per annum~~

of water from a ground-water source

by means of well and pump

within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 2S, R. 35E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 80 acres

within the W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 20, T. 2S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before February 3, 1975.

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on January 16 and January 23, 1975.

MICROFILMED

*CW-HA
CW-HA
CW-HA*