



46-15189



SCHEMATIC DIAGRAM OF SYSTEM



✓ Point

Place

TWP


TWP.	RGE.	SEC:	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
45	32E	13	35	39	17	14	39			19									163
																	TOTAL		163

☐ Change P.D. as reflected above	☐ Add P.D. as reflected above	☒ None
☐ Change P.U. as reflected above	☐ Add P.U. as reflected above	☐ Other

Signature John Kappelman Jr.

Date 18 Dec 1980

Date 2/3/81



NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7452 Priority October 30, 1974 Amount 2.73 cfs

THIS IS TO CERTIFY, that Pogl Farms, Inc.
of Springfield, Idaho, has complied with the terms and conditions of Permit
No. 35-7452 issued pursuant to Application for Permit dated October 30, 1974,
and has submitted proof to the Department of Water Resources on October 18, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.70 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>2.73</u> cfs and	<u>489.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.73 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
489.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 13, Twp.
4S, Rge. 32E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4S	32E	13	35	39	17	14	39			19									163

Total number of acres irrigated 163

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
January, 19 83.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 35-7452

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 35 7452

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Pogl Farms, Inc. Phone: 328-2200
post office address c/o Jack Powell, Box 4, Springfield, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 4S
Range 32E B.M. Bingham County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.73 for Irrig. purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: See letter 11/4/74 LOH
2.73
a. ~~3000~~ cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, well and hand sprinkler lines

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 14 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 40,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: N.A.
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4S	32E	13	40	40	20	20	40			20									180

Total number of acres to be irrigated 180

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Land is currently irrigated with surface water from Springfield Canal

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 32 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven Gharboj Pres.
(Applicant)

Proposed Priority 10-30-1974

Received by MB Date 10-30-74 Time 3:10 P.M.
Preliminary check by 74 Fee \$ 65.00
Received by MB Date 10-30-74 # 13123
Publication prepared by MB Date 11-6-74
Published in The Blackfoot News
Publication dates Nov. 14 & 21, 1974
Publication approved MB Date 11-26-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7452, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 16 day of December 19 74.

P. Karl Higgin
Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 35-7452

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use 1.73
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WR 11/1

In form to receipt

(2) " "

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☒ Bureau of Land Management

(3) " "

☒ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☒ Request Information from Applicant

(4) " "

In form for advertising

(5) " "

Platted on Map No. N.A.

(6) " "

Located within Water District No. N.A.

(7) " "

Critical groundwater area: yes ☐ no ☒

(8) " "

Groundwater levels:

☐ Declining, ☒ Stable, ☐ Increasing

(comment) _____

(9) " "

Other rights on the same place of use 35-2134

(10) _____

Comments: 1.92 cfs / 110 AC 50 AC excessive 4.0174
Q should be 2.73 cfs Q = .872 cfs - 3.6 cfs

(11) MB 11/26/74

Affidavit of Publication received (date) 11-26-74

(12) EW 11/27/74

Final date for protests December 2, 1974
Protests received: yes ☐ no ☒

(13) CW 12/2/74

All requested information received from agencies or applicant: yes ☐ no ☐

(14) LH 12-02-74

Action recommended:

☒ Approve ☐ Deny

10-30-74 Proposed Priority

☒ Reason for Reduction Letter 11-4-74

☒ Measuring device required

☐ See attached sheet for other conditions of approval

☐ No special conditions for approval

(15) District Eastern

By Loren O. Halmer

Date 12-02-74

MICROFILMED

RECEIVED
DEPARTMENT OF WATER RESOURCES
12-02-74
Cody
L.H.

AFFIDAVIT of PUBLICATION

County of Bingham
State of Idaho

)
) ss.
)

I, David Mark Brown do solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of general
circulation published each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper having been so
published at Blackfoot, aforesaid for more than one year
past; that said newspaper heretofore complied with all the
provisions of Chapter 154 of the Sessions Laws of Idaho of
1933, approved March 11, 1933, and duly designated,
pursuant to law, a particular day of the week as the day on
which legal notices required by law or by the order of any
Court of competent jurisdiction within the State of Idaho
shall be published to-wit: Friday of each week; that the
notice attached hereto and which is a part of this affidavit
and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive

weeks, the first publication having been made on

the 11th day of November 19 74

and the last publication having been made on the

..... 21st day of November 74

that said
notice was published in the regular and entire issue of every
number of the paper as aforesaid during the period and time
of publication, and that notice was published in the
newspaper and not in a supplement.

David Mark Brown
Subscribed and sworn to before me this 22nd

day of November 19 74

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Pogi Farms, Inc., Box 4,
Springfield, Idaho, has on 10-30-
74, submitted Application No.
35-7452, for a permit to ap-
propriate 2.73 cubic feet per
second of water from a ground-
water source by means of well
and pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T. 4S, R.
32E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 180 acres
within the NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec.
13, T. 4S, R. 32E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before December 2, 1974.

R. KEITH HIGGINSON
Director

(4036)

Pub.: 11-14, 21

30

February 15, 1983

RE: Permit No. 35-7452

Ralph Powell, President
Pog1 Farms, Inc.
P.O. Box 87
Springfield, ID 83277

Dear Mr. Powell:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 12, 1983

RE: Permit No. 35-7452

Ralph Powell, President
Pogl Farms, Inc.
P.O. Box 87
Springfield, ID 83277

Dear Mr. Powell:

Enclosed is a revision of our November 24, 1982, letter. A representative of this Department has made an examination of the works covered by your Permit No. 35-7452, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.73 cfs. Source: groundwater
System capacity is 3.70 cfs.

The maximum quantity diverted shall not exceed 489.0 acre feet
per year.

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 4S, Rge. 32E, Bingham County


Beneficial use: Irrigation of 163 acres within the NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec.
13, Twp. 4S, Rge. 32E

Priority date established: October 30, 1974

Conditions: This right when combined with all other rights shall provide
no more than 0.02 cfs per acre nor more than 3.0 afa per acre for the
lands above.

We apologize again for any inconvenience or undue concern our earlier letters
may have caused. If you do not concur with the above findings, please contact
us within ten (10) days, otherwise a water license will be issued as set forth.

Sincerely,


JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

November 24, 1982

RE: Permit No. 35-7452

Ralph Powell, President
Pog1 Farms, Inc.
P.O. Box 87
Springfield, ID 83277

Dear Mr. Powell:

Enclosed is a revision of our September 14, 1982, letter. A representative of this Department has made an examination of the works covered by your Permit No. 35-7452, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 3.26 cfs Source: groundwater

The maximum quantity diverted shall not exceed 489.0 acre feet per year.

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 4S, Rge. 32E, Bingham County

Beneficial use: Irrigation of 163 acres within the NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 13, Twp. 4S, Rge. 32E

Priority date established: October 30, 1974

Conditions: This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre for the lands above.

We apologize for any inconvenience or undue concern our earlier letter may have caused. If you do not concur with the above findings, please contact us within ten (10) days, otherwise a water license will be issued as set forth.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Jim

Pogl Farms, Inc.
P.O. Box 87
Springfield, ID. 83277

September 24, 1982

RE: Permit No. 35-7452

State of Idaho
Department of Water Resources
State Office, 450 W. State Street
Boise, Idaho

RECEIVED

SEP 27 1982

Department of Water Resources

Mr. Jim Johnson

On the 14 th of September I received a letter from your office stating that a license for 2.41 cfs of water would be issued for Permit No. 35-7452. Our application, which was approved, called for 2.73 cfs of ground water. I want this difference cleared up before a water license is issued.

Sincerely,

Ralph Powell

Ralph Powell

President of Pogl Farms, Inc.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 14, 1982

RE: Permit No. 35-7452

Pogl Farms, Inc.
P.O. Box 4
Springfield, ID 83277

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7452, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.41 cfs Source: groundwater

The maximum quantity diverted shall not exceed 489.0 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 4S, Rge. 32E, Bingham County

Beneficial use: Irrigation of 163 acres within the NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 13,
Twp. 4S, Rge. 32E

Priority date established: October 30, 1974

Conditions (if any): This right when combined with all other rights shall
provide no more than 3.0 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

copy

RECEIVED
SEP 15 1982

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

35-7452

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 5 AUGUST 1980 Accompanied by JACK POWELL Total Q measured 3.70 c.f.s. ✓
If source is surface water, estimate total flow of source _____
Methods of measurement ROCKWELL FLOWMETER Meets Permit requirements? YES

Measurement calculations:

ROCKWELL FLOWMETER:

1660 g in 60 sec.

$$1660 \text{ gpm} \times .00223 \text{ cfs/gpm} = 3.70 \text{ cfs}$$

capacity

$$163 \text{ A} \times 3 \text{ AF/A/Ann} = 489 \text{ AF/Ann}$$

$$2.73 \text{ cfs} \times 1.9835 \text{ AF/Da} \times 214 \text{ Da/Ann} = 1183.8 \text{ AF/Ann}$$

$$489 \text{ AF/Ann} < 1086.6 \text{ AF/Ann}$$

2.73 Per permit

$$\text{Allow } 3.26 \text{ cfs } 163 \times .02 = 3.26 \text{ cfs}$$

$$V = 3.26 \times 1.9835 \times 214 = 1383.8$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	100	U.S. MOTOR	C9983-00-12-6-74	Johnston	PG14854	Rockwell	GOOD	
			85-00099			# 11440		

System Description U.S. motor 100 HP motor (S.N. C9983-00-12-6-74 85-00099) and Johnston Pump (S.N. PG14854) diverts from a groundwater source to a 10" aboveground mainline (that reduces to 8" and 6") and a 4" aboveground mainline, with 8 lateral lines.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

IRRIGATION

Irrigation requirement = 3.0 AFA/Acre

Q (cfs) ✓

V (afa)

FROM

TO

2.414891 April1 Nov.3.263.262.41

Total

Permit limits to 2.73


Remarks PSI gauge recorded 70.1. well is 125 feet deep.

This permit license has been conditioned with license permit no 35-2134 ✓ No overlap
∴ 3.26 cfs should be allowed.

SEE ATTACHED FOR
OVERLAP REVIEW

RC 8/25/82


MAP (Attach Aerial Photo)



4 inches = 1 mile

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 of NE 1/4 Section 13, T.4.S., R.32 E. BM, BINGHAM CO.

Place(s) of Use

TWP.	RGE.	SEC:	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
45	32E	13	35	39	17	14	39			19									163
																	TOTAL		163

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by _____


Date 15 Dec 1980

Date 18 Dec 1980

Date 2/3/81

35-7452

P.O.G.L. Sect 13



Overlap Review for 35-7452

License 35-2134

GW

P/D SENE Sec 13

T4S R32E

(different well)

$$\frac{1.92 \text{ cfs}}{110 \text{ ac}} = .017 \text{ cfs}$$

P/U see attached copy
(some land is
the same)

No Overlap in P/D

Recommend condition P15 ✓

RC 10/8/82

MICROFILMED

Water License No. 20938Amount 1.92 second feet

Water District No. _____

Priority December 2, 1948

THIS IS TO CERTIFY that B. M. PARMELEE
of Springfield, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated December 2, 19 48; that Permit No. 20938
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
2 second feet, was issued thereunder on November 29, 19 49, showing that said works
were completed on the 28th day of November, 19 49; and that on the 1st
day of August, 19 52,

B. M. PARMELEE

of Springfield, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
~~subterranean~~ (subterranean flow) for the purpose of irrigation
under Use Permit No. 20938 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
9 of Licenses at page 5732, on the 8th day of June, 19 56;

The right hereby confirmed dates from December 2, 19 48;

The Point of Diversion is located

in the SE 1/4 NE 1/4, Sec. 13, Tp. 4 S., R. 32 E., B. M. Bingham County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 1.92 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
4 S.	32 E.	13	SE, NW	27	30 ✓
			SW, NE	37	40 ✓
			SE, NE	37	40 ✓
			Total Number of Acres Actually Irrigated - - - 110		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
8th day of June, 19 56.

(SEAL)

MARK R. KULP
State Reclamation Engineer.

35 213
35-2134

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 35-7452.

Name(s) of Permit Holder: Po Gl Farms

Post Office Address: Po Box 4

Springfield Idaho 83277 Tel. No. 378 2200

Source of Water: under Ground

Extent of Use: 100 %

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>2.73 cfs.</u> (acres)
☐ Other	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☒ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date _____

Jack L. Powell
Signature of Permit Holder

MICROFILMED

P.O. GL.

P.O. Box

Springfield, Idaho

83277



RECEIVED

RECEIVED

OCT 18 1979



NOV 29 1979

Department of Water Resources

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

December 13, 1979

RE: Permit No. 35-7452

PO GI Farms
P.O. Box 4
Springfield, Idaho
83277

Dear Sirs:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JACKIE S. DENNING
Senior Clerk

cc: IDWR - State Office

MICROFILMED

November 21, 1979

Pog1 Farms, Inc.
c/o Jack Powell
Box 4
Springfield, ID 83277

Gentlemen:

Re: Permit No. 35-7452

Attention: Jack Powell

Enclosed is the statement of beneficial use postcard you submitted in October.
Please sign the postcard and return it to this office for further processing.

Thank you in advance.

Sincerely,

RITA ELECK
Sr. Secretary

Enclosure

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No.

Name(s) of Permit Holder: P.C. Gil Farms 35-7452

Post Office Address: P.O. Box 4
Springfield Idaho 83222 Tel. No. 325 2200

Source of Water: Under Ground

Extent of Use: ☐ Domestic (number of households)
100 ft ☐ Stockwater (number and type of stock)
☒ Irrigation 2.75 cfs. (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☒ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

POGL FARMS INC.
C/O JACK POWELL
P.O. BOX 4
SPRINGFIELD, ID

101361

SEPTEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 35-7452 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1979. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

December 18, 1974

Re: Permit No. 35-7452

Pog1 Farms, Inc.
c/o Jack Powell
Box 4
Springfield, Idaho 83277

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 35-7452. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

November 6, 1974

RE: Application for Transfer No. 35-2094 Seamons
Application for Permit No. 35-7451 Seamons
" " " No. 35-7452 Pogl Farms, Inc.

The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

Bill submitted 11-26-74 by MB

RDC:MB

Enc: Legal Notices (3)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Pogl Farms, Inc., Box 4, Springfield, Idaho, has on 10-30-74, submitted Application No. 35-7452, for a permit to appropriate 2.73 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T. 4S, R. 32E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 180 acres within the NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 13, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before December 2, 1974.

R. KEITH HIGGINSON
Director

(4036)

Pub.: 11-14, 21

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Pogl Farms, Inc.,

Box 4, Springfield, Idaho

has on 10-30-74 submitted Application No. 35-7452

for a permit to appropriate 2.73 cubic feet per second ~~acre feet per second~~

of water from a ground-water source

by means of well and pump

within the NW 1/4, Sec. 13, T. 4S, R. 32E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 180 acres

within the NE 1/4, E 1/4, Sec. 13, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 2, 1974.

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on November 14 and November 21, 1974

MICROFILMED

CW-L
CW-J
MB-X

November 4, 1974

RE: Application for Permit No. 35-7452

Mr. Jack Powell
Pogl Farms, Inc.
Box 4
Springfield, ID 83277

Dear Mr. Powell:

In reviewing your application we found that 50 acres of land listed on your application is already licensed for 0.87 cfs under License No. 35-2134 in the name of B. M. Parmalee, located in the SE¹/₄, S¹/₂NE¹/₄, Sec. 13, T. 4S, R. 32E, R.M. For this reason, we must reduce the amount of water on your application from 3.6 cfs to 2.73 cfs, so that an excessive diversion will not result. This change will still allow the maximum 0.02 cfs per acre on your acreage.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

LOREN O. HOLMES
Asst. to District Engineer

LOH:mb

MICROFILMED