


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: $\frac{2}{4}$ inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steve Michaelson
(Applicant)

39	39
40	40
40	40

Diagram of System



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7308 Priority July 5, 1973 Amount 3.62 cfs

THIS IS TO CERTIFY, that Glee Michaelson
of American Falls, ID, has complied with the terms and conditions of Permit
No. 35-7308 issued pursuant to Application for Permit dated July 5, 1973,
and has submitted proof to the Department of Water Resources on August 25, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.67 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 15 to November 1	at 3.62 cfs and	833 acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.62 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
833 acre feet per year, said waters to be diverted within the SE 1/4, Sec. 9, Twp. 7S,
Rge 29E, B.M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	9					39	39	40	40	40	40							238

Total number of acres irrigated 238

CONDITION:

The total volume of water diverted under this license and for the same land
on License No. 35-2579 shall not exceed a total of 833 acre feet per year.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
March, 19 79.

Deputy Director

MICROFILMED

Identification No. 35 7308
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Glee Michaelson
post office address Rt. #1, Pleasant Valley, American Falls, Idaho
2. Source of water supply groundwater which is a tributary of n.a.
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 9 Township 7S
Range 29 E.B.M. Power County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into n/a at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.65 cfs ~~xxxxxx cfs~~ irrigation purpose from April 15 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.65 cfs ~~xxxxxx cfs~~ cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Johnson Pump
250 hpr U.S. Electric motor

b. Height of storage dam n/a feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 18 inches; proposed depth of well is 405 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

~~none~~

9. a. Who owns the property at the point of diversion
applicant _____ Mrs. Lydia Hemphill owns the other 120 ac

a. Who owns the property at the point of diversion
applicant
Mrs. Lydell Hemphill owns the other 120 ac

b. Who owns the land to be irrigated or place of use
applicant owns 120 acres


- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

~~applicant to make this filing — applicant is leasing this ground from~~

Mrs. Hemphill on long term lease

10. Remarks.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: $\frac{2}{4}$ inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

md 7-6-73

Received by MD Date 7-5-73 Time 8:00h

Preliminary check by MD Fee \$ 65.00

Received by MD Date 7-5-73 Fee # 11260

Publication prepared by MD Date 7-6-73

Published in Franklin County Press

Publication dates 7-14-73 to 7-19-73

Publication approved MD Date 7/27/73

Priority reduced to 7-5-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MD MD

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7308, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 75.

c. Other: A measuring device of a type approved by this Department shall be

permanently installed and maintained as part of the diverting works.

Maximum rate of diversion shall not exceed 0.02 c.f.s. per acre.

2. Denial of said application is for the following reasons: _____

Witness my hand this 6th day of August 19 73.

Director

WATER LICENSE

Water License No. G-28105 Priority December 7, 1959 Amount 3.01 c.f.s.
(late proof)

THIS IS TO CERTIFY, that Arthur E. Jensen - Assignee - Glee C. & Dorothy A. Michaelson
of American Falls, Idaho, made application for a permit to appropriate the public waters of
the State of Idaho, dated August 14, 1959; that Permit G-28105 was issued pursuant
to said application; that the proposed works were completed on or about 1959,
with a storage/or carrying capacity of 3.01 c.f.s., said works consisting of well, pump,
motor and underground system; and that on December 7, 1964,
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 1099
acre feet per season, with a maximum rate of diversion of 3.01 cubic feet per second of the waters
of under ground water, tributary of _____,
for the purpose of irrigation from April 1 to October 31;
and for _____ from _____ to _____; and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NW 1/4 SE 1/4 9, T. 7 S, R. 29 E, B.M., and
other additional points _____, in the County of
Power; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 1099 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7 S	29 E	9					40			40	40			40	40	40	40	34	314

Total number of acres irrigated 314

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

30th day of January, 19 69.

R. Keith Higgins
State Reclamation Engineer

RECEIVED

JUL 13 1973

25 7308

28105

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>NCY</u>	<u>7/6/73</u>	Application No. <u>35-7308</u> <u>Michaelson</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use — <u>QEXC</u> ☒ Description of Diverting Works ☒ Time required for B/U of water <u>See comments</u> ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>"</u>	<u>"</u>	In form to receipt <u>Yes</u>
	<u>"</u>	<u>"</u>	Send Copies to: <u>N.A.</u> ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>"</u>	<u>"</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>"</u>	<u>"</u>	In form for advertising <u>Yes</u>
(6)	<u>"</u>	<u>"</u>	Located within Water District No. <u>N.A.</u>
(7)	<u>"</u>	<u>"</u>	Critical groundwater area: yes <u>no</u> <u>X</u>
(8)	<u>"</u>	<u>"</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) <u>No nearly d/s wells</u> ☐ Increasing (comment) _____
(9)	<u>"</u>	<u>"</u>	Comments: <u>L35-2579 already covers E/R</u> <u>of the proposed property @ total of</u> <u>200 cfs for 314 acres @ .48 cfs/acre is only</u>
(10)	<u>mb</u>	<u>7-23-73</u>	Affidavit of Publication received (date) <u>7-23-73</u>
(11)	<u>mb</u>	<u>8-1-73</u>	Final date for protests <u>July 30, 1973</u> Protests received: yes <u>no</u> <u>X</u>
(12)	<u>"</u>	<u>"</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(13)	<u>"</u>	<u>"</u>	All requested information received from agencies or applicant yes <u>no</u>
(14)	<u>NCY</u>	<u>7/27/73</u>	Action recommended: ☒ Approve <u>Priority 7/5/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required <u>Diversion rate shall not exceed .02 cfs/acre</u> ☒ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>F</u>	By <u>NCY</u>	Date <u>7/27/73</u>

McGill
Need a copy of 35-2579 & evaluate
QEXC
35 7308

RECOMMENDEDCONDITIONS OF APPROVAL

- ☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.
- ☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.
- ☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.
- ☒ Maximum rate of diversion shall not exceed 0.62 c.f.s. per acre.
- ☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.
- ☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.
- ☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.
- ☐ The proposed well shall not be drilled within _____ feet of another well.
- ☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.
- ☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.
- ☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.
- ☐ Other: _____

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

.....Phyllis Ringe..... being first duly sworn
on oath, states:

That ~~.....she.....~~ is the ~~...principal clerk of...~~ the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ~~....2.....~~
successive weekly issues thereof, the date of the first publica-

tion being the ~~.....12th....~~ day of ~~.....July.....~~, 19~~.....73~~

the date of last publication being the

~~.....19th....~~ day of ~~.....July.....~~, 19~~.....73~~

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

~~.....16.....~~ day of ~~.....July.....~~, 19~~.....73~~

Robert E. Murray
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of, 19

Notary Public
Residing at Am. Falls, Idaho
My Commission
July 15, 1977

LEGAL NOTICE

Published in the Power County
Press, American Falls, Idaho
on July 12 and July 19, 1973

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Glee Michaelson, Rt. 1, Plea-
sant Valley, American Falls,
Idaho has on 7/5/73 submitt-
ed Application No. 35-7308
for a permit to appropriate
4.8 cubic feet per second of
water from a ground-water
source by means of well and
pump within the SE 1/4 NW 1/4,
Sec. 9, T. 7S, R. 29E, B.M.,
Power County; to be used
from Apr. 15 to Nov. 1 for
the irrigation of 240 acres
within the NW 1/4, N 1/2
SW 1/4, Sec. 9, T. 7S, R.
29E, b.m.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Adminis-
tration, 240 South Holmes,
Idaho Falls, Idaho, 83401 on
or before July 30, 1973.

R. KEITH HIGGINSON
Director

35 7308



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 28, 1979

RE: Permit No. 35-7308

Glee Michaelson
Route 1, Pleasant Valley
American Falls, ID 83211

Dear Mr. Michaelson:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

MAILED 1979



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 6, 1979

Re: Permit No. 35-7308

Glee Michaelson
Rt. 1, Pleasant Valley
American Falls, Idaho 83211

Dear Mr. Michaelson:

A representative of this Department made an examination of the works covered by your Permit No. 35-7308 on August 14, 1976, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.62 cfs Source: groundwater

The maximum quantity diverted shall not exceed 833 acre feet per
year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 9, Twp. 7S, Rge. 29E, B. M.

Beneficial use: Irrigation of 238 acres within the NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 9,
Twp. 7S, Rge. 29E, B. M.

Priority date established: July 5, 1973

*

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

***CONDITION:** The total volume of water diverted under this license shall not exceed 833 acre feet per year when combined with License No. 35-2579.

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Glee Michaelson
Postoffice address Rt. 1, Pleasant Valley, American Falls Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(hot springs, stream, etc.)
Tributary to _____

RECEIVED

SEP 8 1975

Department of Water Resources
Eastern District Office

3. Water will be used for the following purposes:

Amount 3.65 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 15 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7308
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 3.65 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 7S N/S, Range 29E E/W, B.M., Section 91, Subdivision SE 1/4 NW 1/4, Power
County _____
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County _____
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County _____

Other Points of Diversions: _____

Description of diverting works: Johnson pump, 250 hp, electric motor, depth 405', 18" casing,
static water 360', dynamic water 360'

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.


TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	9					40	40	40	40	40	40							240

TOTAL ACREAGE

240

Diagram of System

N



State of Idaho

WATER LICENSE

Water License No. Q-28105

Issued December 7, 1959 Amended 3.01 c.f.s.
(late print)

THIS IS TO CERTIFY that Arthur E. Jensen - Assignee - Glen C. & Dorothy A. Michaelson
of American Falls, Idaho made application for a permit to appropriate the public waters of
the State of Idaho, dated August 14, 1959 that Permit Q-28105 was issued pursuant
to said application, that the proposed works were completed on or about 1959
with a storage or carrying capacity of 3.01 c.f.s. said works consisting of well, pump,
motor and underground system and that on December 7, 1964
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 1099
acre feet per season, with a maximum rate of diversion of 3.01 cubic feet per second of the waters
of under ground water tributary of _____
for the purpose of Irrigation from April 1 to October 31
and for _____ from _____ to _____ and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is
located in NW 1/4 SE 9 T. 7 S. R. 29 E. S.M. and
other additional points _____, in the County of
Power and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 1099 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	20W				20W				20W				20W				TOTAL
			20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	20W	
<u>7 E</u>	<u>29 E</u>	<u>9</u>					<u>40</u>			<u>40</u>	<u>40</u>			<u>40</u>	<u>40</u>	<u>40</u>	<u>40</u>	<u>34</u>	<u>314</u>

Total number of acres irrigated 314

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described
as provided by the laws of Idaho

Witness the hand and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

30th day of January

19 69

E. Keith Higgins
State Reclamation Engineer

20125

DATE OF EXAM Aug 19, 1976

ACREAGE
Found 238
Recommended 238

Irrigation Requirement 3.5 Ac Ft/Ac

USE 3.62
Irrigation Q = 323 c.f.s. V = 833 AF/Ann. from Apr 13 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.67 cfs Method of measurement In line Meter

Total Q recommended 323 cfs 3.62 see remarks & calculations Meter No. 13-10-242 Type McCorm Condition Std. Cond.

Total V recommended 833 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

$CR = 2100 \text{ gal/min} = 4.67 \text{ cfs}$
4.76 cfs Allowed - pumping 4.67 cfs 1.53 cfs previous use in
1.14 = 3.62
4.76 cfs - 1.14 = 3.62 cfs Recommended
see under remarks
 $V = 238 \times 3.5 = 833 \text{ AF/Ann}$

SYSTEM DESCRIPTION:

U.S. Motors 350 HP Scott D.7003846
Johnson Pump No Data plate
10" Steel main was 15' to Bored N-S main 12' and
wheel lines of 5/32" reg.

REMARKS:

This system is tied into system irrigating other lands
in Sec 9, 352579 3.0 cfs / 314 AF / 140 Ac overlap = 1.53 cfs
120 Ac overlap = 1.14 cfs (see above)
Well is used exclusively for permitted lands or combined during
emergency conditions

Examiner's Signature Bill Rhoads Date Aug 19, 1976

Checked by Emil M. Polak Date 1/21/77

Approved by _____ Date _____

August 29, 1975

Re: Permit No. 35-7308

Glee Michaelson
Route 1, Pleasant Valley
American Falls, Idaho 83211

Dear Mr. Michaelson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Idaho Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

okj

Identification No. 35 7308

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Glee Michaelson
b) Post Office Address Rt. #1 Pleasant Valley, American Falls, Idaho
2. Permit Number 357308
3. Date of Priority that you are prepared to establish 7/5/1973
4. a) Source from which water was appropriated Ground Water
b) Location of the point of diversion: N 1/4 S 1/4, NW 1/4, Section 9
Township 7S, Range 99 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 3.65 cfs for irrigation purposes from April 15 to Nov 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.65 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measured by Mcrometer flow meter by Paul Carey, Power County Irrig. Co., Irrig. District Mgr.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A.
b) Describe the agreement or understanding by which you take water from the works: N/A.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Johnson pump 250 horsepower electric motor well depth 405' 18" casing static water 360' Dynamic water 360'
b) Describe the type and size of measuring device which you have installed at your point of diversion: Mcrometer flow meter Serial No 7310242
c) Give well driller's name and address and the date the well was completed: Paul Volkmann Sons Aberdeen Idaho
Completed 4/1973
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

8-28-75 ji

100-100000

mfb

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: all of
the NW 1/4 of Sec 9 T7S R29EBM - 160 acres
North 1/2 of the SW 1/4 of Sec 9 T7S R29EBM - 80 acres
Total 240

T	R	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres irrigated 240

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

(Date)

G. W. Michaelson

(Signature)

State of Idaho)
) ss.
 County of Bonne)

On this 13 day of August, 1978, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

[Signature]

Notary Public residing at _____

Notary Public

Residing at Am. Falls, Idaho

My Commission Expires

July 15, 1977

My commission expires _____

● SENDER: Complete items 1 and 2. Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
- ☐ Show to whom, date, & address of delivery.. 35¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

4.

DATE OF DELIVERY

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**

SENDER INSTRUCTIONS

- Print your name, address, and ZIP Code in the space below.
- Complete items 1 and 2 on reverse side.
 - Moisten gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720



July 3, 1975

CERTIFIED MAIL 26908

Re: Permit No. 35-7308

Glee Michaelson
Route 1, Pleasant Valley
American Falls, Idaho 83211

Dear Mr. Michaelson:

One of the conditions of approval of your water Permit No. 35-7308 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

August 6, 1973

Re: Permit No. 35-7308

Mr. Glee Michaelson
Route #1, Pleasant Valley
American Falls, ID 83211

Dear Mr. Michaelson:

Enclosed is a copy of your approved Application for Permit No. 35-7308. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

35 7308

August 1, 1973

Re: Application for Permit No. 35-7308

Mr. Ben Cavaness
Schou and Cavaness
Attorneys at Law
P. O. Box 38
American Falls, Idaho 83211

Dear Mr. Cavaness:

We are returning the application for amendment that was submitted by you on behalf of Mr. Glen Michaelson. As we discussed in our telephone conversation earlier today, the Department will continue processing the above referenced application in the form as originally submitted and make any necessary reductions as specified in our letter of July 13, 1973. An application for amendment could be submitted at a later date should the applicant desire to modify his project. This procedure will have the advantage of avoiding the unnecessary republication and resultant delay. Your cooperation in this matter has been greatly appreciated.

Also enclosed is a small scale map showing our Water Administration District boundaries.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:ab

Enclosures

35 7308

RECEIVED

JUL 30 1973

Department of Water Administration
Eastern District Office

Schou and Cavaness

ATTORNEYS-AT-LAW
P. O. Box 38
American Falls, Idaho
83211

TELEPHONE (208)
226-2562 or 226-2563

L. R. SCHOU
BEN CAVANESS

July 27, 1973

Mr. Norman C. Young
Dept. of Water Administration
240 South Holmes Ave.
Idaho Falls, Idaho 83401

Re: Application #35-7308

Dear Mr. Young:

After conferring with my client, I have determined that this error could best be corrected by an Amendment to the Application. I have enclosed the proposed Amendment for your perusal. Please examine the same and if it meets with your approval, file with the Application and reduce the quantity requested to the maximum allowed by law.

No fee
rec'd

Very truly yours,

NCY

SCHOU & CAVANESS

Ben

Ben Cavaness

Applic for

Amendment

returned

8/1/73

NCY

BC:mh

Encl.

35 7308

July 13, 1973

Re: Application for Permit No. 35-7308 - Glee Michaelson

Mr. Ben Cavaness
Schou and Cavaness
Attorneys-at-Law
P. O. Box 38
American Falls, Idaho 83211

Dear Mr. Cavaness:

In reviewing the above referenced application which you submitted on behalf of Mr. Michaelson we note that it covers the NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 9, T. 7S, R. 29E, B.M. at the rate of 1 inch per acre. This new application duplicates 120 acres in the E $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, of Sec. 9 of License #35-2579. This license has been issued at the rate of .48 inch per acre and therefore, the new application cannot be issued for an amount that would result in the diversion rate exceeding the 1 inch per acre limitation of Sec. 42-202, Idaho Code without adequate justification. Please provide this justification within 25 days from the date of this letter or we will reduce the diversion rate on the present application to 3.65 c.f.s.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

35 7308

July 6, 1973

Re: Application for Permit No. 29-7143 - Twitchell and/or Whiteus
35-7308 - Michaelson

Power County Press
174 Idaho St.
Burley, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

Bill submitted 7-23-73 by mb

Enc: (2) Legal notices

35 7308

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glee Michaelson

Rt. 1, Pleasant Valley, American Falls, Idaho

has on 7/5/73 submitted Application No. 35-7308

for a permit to appropriate 4.8 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source

by means of well and pump

within the SE 1/4, Sec. 9, T. 7S, R. 29E, B.M., Power County;

to be used from Apr. 15 to Nov. 1

for the irrigation of 240 acres

within the N 1/4, N 1/2 SW 1/4, Sec. 9, T. 7S, R. 29E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before July 30, 1973.

R. KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho

on July 12 and July 19, 1973.

35 7308

ACF

July 6, 1973

Re: Application for Permit No. 35-7308 - Glee Michaelson

Mr. Ben Cavaness
Schou and Cavaness
Attorneys-At-Law
P. O. Box 38
American Falls, Idaho 83211

Dear Mr. Cavaness:

Attached herewith is departmental receipt No. 11266 in the amount of 65.00 for the above referenced application for permit which was received in this office under the above date.

Any further correspondence or questions concerning this application or any future filings should be directed to this office. All processing is done through this office and it would save you and your clients time if you would correspond with us instead of our Boise office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

Attachment

35 7308

Schou and Cavaness

ATTORNEYS-AT-LAW
P. O. Box 38
American Falls, Idaho
83211

TELEPHONE (208)
226-2562 or 226-2563

L. R. SCHOU
BEN CAVANESS

July 3, 1973

Mr. Tom McEldowney
Appropriation Examiner
Dept. of Water Administration
Statehouse Annex #2
Boise, Idaho 83707

Re: Glee Michaelson Application

Dear Sir:

Enclosed is the original application for permit and our check in the amount of \$65.00, all relating to the above referenced application. Please examine the same and if all is in order, please place of record.

Very truly yours,

SCHOU & CAVANESS


Ben Cavaness

BC:mh