

Proof of Publication

The Post-Register

RECEIVED
APR 16 1973
Department of Water Administration
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of April, 1973, last publication having been made on the 12th day of April, 1973, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of April, 1973

Karl J. Dale
Notary Public

My commission expires April 5, 1975

B10, 1M

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Neal Sauer, Route No. 5, Idaho Falls, Idaho has on 3/28/73 submitted Application No. 35-7289 for a permit to appropriate 6.4 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 3N, R. 36E, B.M., Bonneville County; to be used from Apr. 1 to Nov. 1 for the irrigation of 480 acres within the W $\frac{1}{2}$ E $\frac{1}{2}$, W $\frac{1}{2}$, Sec. 3, T. 3N, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before April 23, 1973.

R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho on April 5 and April 12, 1973.

35 7289

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7289 Priority March 28, 1973 Amount 6.40 cfs

THIS IS TO CERTIFY, that Sauer Farms, Incorporated
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7289 issued pursuant to Application for Permit dated March 28, 1973,
and has submitted proof to the Department of Water Resources on May 19, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 6.54 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>6.40</u> cfs and	<u>1680</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 6.40 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1680 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 4
Twp. 3N, Rge. 36E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	36E	3		40	40		40	40	40	40	40	40	40	40	40	40			480

Total number of acres irrigated 480

This right when combined with License 35-2905 shall not provide more than 6.54
cubic feet per second.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
October, 19 81.

Director

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

545
750
RECEIVED
Department of Water Resources

I, Neal Sauer, hereby assign to Sauer Farms, Inc.
of Rt. 5 Box 160 Idaho Falls, Idaho (N. Church Farm Rd., Bonn. County, Ida.)
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 35 7289
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 1st day of November, 19 79.

Neal Sauer
Permit Holder

Mildred Sauer
Spouse of Permit Holder

State of Idaho)
County of Bonneville) ss.

On this 1st day of November, 19 79, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

[Signature]
Notary Public residing at

Idaho Falls Idaho

My commission expires:

Lifetime

MICROFILMED

ASSIGNED TO:
Sauer Farms, Inc.
Rt. 5 Box 160
Idaho Falls, ID 83401

Identification No. 35 7289

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Neal Sauer
post office address Rt. #5, Box 131, Idaho Falls, Idaho 83401

2. Source of water supply ground water which is a tributary of - -

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 3N
Range 36E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range 36E B.M. _____

4. Water will be used for the following purposes:

Amount 6.4 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)

(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

a. 6.4 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. electric pump and sprinkler

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 500 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$40,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

35 7289

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	36E	3		40	40		40	40	40	40	40	40	40	40		40	40		480

Total number of acres to be irrigated 480

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This application is for additional flows from a licensed well for new ground.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Neal Sauer
(Applicant)

35 7289

Received by OW Date 3/28/73 Time 10:50APreliminary check by RWD Fee \$ 85.00Received by OW Date 3/28/73Publication prepared by LA Date 3-30-73Published in Last Register, Idaho FallsPublication dates 4-5-12-73Publication approved NCY Date 4/19/73Priority ~~reduced~~ 3-28-73 Reason —Protests filed by: —Copies of protests forwarded by —Hearing held by — Date —Recommended for approval denial by NCY W BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7289, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1978.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: —

Witness my hand this 26 day of April, 19 73.

P. Karl Hing
Director

Proof of Publication

The Post-Register

RECEIVED
1973 APR 13
Department of Water Administration
Boise District Office

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of April, 1973, last publication having been made on the 12th day of April, 1973, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of April, 1973

Karl J. Dale
Notary Public

My commission expires April 5, 1975

B10, 1M

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Neal Sauer, Route No. 5, Idaho Falls, Idaho has on 3/28/73 submitted Application No. 35-7289 for a permit to appropriate 6.4 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 3N, R. 36E, B.M., Bonneville County; to be used from Apr. 1 to Nov. 1 for the irrigation of 480 acres within the W $\frac{1}{2}$ E $\frac{1}{2}$, W $\frac{1}{2}$, Sec. 3, T. 3N, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before April 23, 1973.

R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho on April 5 and April 12, 1973.

35 7289

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>RWS</u>	<u>3/28</u>	Application No. <u>35-7289</u> Name <u>Neal Sauer</u>
(2)	<u>RWS</u>	<u>3/28</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)	<u>N/A</u>		Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>N/A</u>		☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>RWS</u>	<u>3/28</u>	In form for advertising <u>Yes</u>
(6)	<u>OW</u>	<u>4/16/73</u>	Affidavit of Publication received <u>4-16-73</u>
(7)	<u>OW</u>	<u>4/23/73</u>	Final date for protests <u>4-23-73</u> Protests received: yes _____ no <u>✓</u>
(8)	<u>"</u>	<u>"</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(9)	<u>N/A</u>		Located within Water District No. _____
(10)	<u>RWS</u>	<u>3/28</u>	Critical groundwater area: yes _____ no <u>X</u>
(11)	<u>RWS</u>	<u>3/28</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) <u>WIB #27</u> ☐ Increasing (comment) _____
(12)	<u>NG</u>	<u>4/24/73</u>	Comments: <u>No other G.W. rights shown for this land on E.D. plats</u> <u>This app. is for increased flow</u> <u>at well licensed under 27-2115 and for</u> <u>additional land which is in 35 not 27</u> <u>& P.D. on 27-2115 may be listed in wrong 40</u>
(13)	<u>"</u>	<u>"</u>	Action recommended: ☒ Approve Priority <u>3/28/73</u> ☐ Deny Reason for Reduction _____
	<u>"</u>	<u>"</u>	☒ See attached sheet for conditions of approval ☐ No conditions for approval
(14)			District <u>EASTERN</u> By <u>Norman C. Young</u> Date <u>4/20/73</u> Title <u>D.E.</u>

MICROFILMED

35 7289

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☒ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 2, 1981

RE: Permit No. 35-7289

Sauer Farms, Incorporated
Route #5, Box 160
Idaho Falls, ID 83401

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 9, 1981

RE: Permit No. 35-7289

Sauer Farms, Inc.
Route #5, Box 160
Idaho Falls, ID 83401

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7289, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 6.40 cfs Source: a groundwater source

The maximum quantity diverted shall not exceed 1680.0 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, Twp. 3N, Rge. 36E, Bonneville County

Beneficial use: Irrigation of 480 acres within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3,
Twp. 3N, Rge. 36E

Priority date established: March 28, 1973

Conditions (if any): This right when combined with License 35-2905 shall
not provide more than 6.54 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED





Diagram of System



DATE OF EXAM 7/13/77

ACREAGE
Found 480 a
Recommended 480 a

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 6.40 c.f.s. V = 1680 AF/Ann. from April 1 to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 6.54 cfs Method of measurement Annubar ✓
Total Q recommended 6.40 cfs Meter No. Eagle 24067-C Type 12.00 Condition Standard ✓
Total V recommended 1680 Afl/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other None

MEASUREMENT CALCULATION:
measured: 2935 gpm; 2935 gpm ÷ 448.8 gpm/cfs = 6.54 cfs
Volume = 480 a × 3.5 afl/a = 1680 Afl/yr
1.9835 × 6.40 cfs × 21 days = 2716.6 Afl/yr

SYSTEM DESCRIPTION:

600 H.P., G.E. 3 phase motor, S/N FHI 614020. w/ Wayne & Bowler turbine pump. Booster = 250 HP. Westinghouse 3 phase motor S/N 7206 w/ Bryon Jackson turbine pump S/N 7413 0691. System operates 20 1/4 mile hard lines w/ 32 nozzles per line & 5/32 nozzles.

REMARKS:

System shown to agent by Neal Sauer.

only overlap on L-35-2406 for 4.30 cfs from same well for 3000 of land and see it

File S.S. Redney A. Parker Date Oct 31, 1977

Checked by John D. Parker Date 4/15/80

Approved by Jim Date 10/17/81

CONVERSATION MEMORANDUM

DATE

12/31/79

FILE 35-7289

NAME OF PARTY

Neil Sauer

EMPLOYEE

Jan Graver

RE:

Exam for 35-7289

I phoned Mr. Sauer to ask whether the well covered by this permit & license No. 35-6905 were the same. He said yes they were & that he had added a larger pump to the well. The capacity was 6.54 cfs & I told Mr. Sauer we would have to limit the rate from the well for both rights to that amount. Mr. Sauer stated the well could produce more than 6.54 cfs & that he would like to talk with a field examiner concerning the measurement. I have sent the exam to the region as Mr. Sauer will come to the office there sometime after the first of the year.

MICROFILMED

November 14, 1979

Re: Permit No. 35-7289

Sauer Farms, Inc.
Rt. #5, Box 160
Idaho Falls, ID 83401

Gentlemen:

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Enclosed for your records is a copy of the permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:pb

Enclosures



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

June 16, 1977

Re: Permit No's. 35-7423, 35-7289 and 35-7288

Neal Sauer
Route 5, Box 160
Idaho Falls, Idaho 83401

Dear Mr. Sauer:

We acknowledge receipt of the affidavits submitted as proofs of beneficial use for the above referenced permits.

Before licenses can be issued, field examinations must be made by a representative of this Department. We cannot tell during which part of the irrigation season these exams will be made, but our examiner will try to contact you at the time he makes the exams so that you may show him the systems.

We are returning the assignment submitted to us for Permit No. 35-7423 since on November 30, 1976, this permit was assigned from L.B. Holden Farm Co., Inc. to Neal W. Sauer and Sons and so now this permit is already in your name.

If you have any questions regarding the field exams, please contact our Regional Office in Idaho Falls.

Sincerely,

JANICE RENK
Water Rights

Encl.

MICROFILMET

RECEIVED

MAY 19 1977

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Identification No. _____

Permit No. 35-7289

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Neal Sauer
b) Post Office Address Rt. #5, Box 131, Idaho Falls, Idaho 83401
2. Permit Number 35-7289
3. Date of Priority that you are prepared to establish 3-28-73
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 4
Township 3N, Range 36E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 6.40 for Irrigation purposes from Apr. 1 to Nov. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.40 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 600 Hp G.E. motor with peerless pump and 250 Hp booster motor with turbine pump. Well is 20" in diameter, with static water level of 530 feet.
b) Describe the type and size of measuring device which you have installed at your point of diversion: McCrometer for 14" mainline
c) Give well driller's name and address and the date the well was completed: Ray Commons, Rupert, Idaho, completed 1961
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 6/13/73 J

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

[illegible]

Total number of acres irrigated 480

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 19, 1977
(Date)

Neal Sauer
(Signature)

State of Idaho)
) ss.
County of Bonneville)

On this 19th day of May, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Ronald D. Carlson
Notary Public residing at Idaho Falls, Idaho

My commission expires 2/14/78

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 30, 1973

Re: Permit No. 35-7289

Neal Sauer
Route #5, Box 131
Idaho Falls, ID 83401

Dear Mr. Sauer:

Enclosed is a copy of your approved Application for Permit No. 35-7289. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

35 7289

March 30, 1973

Re: Application No. 35-7288 - Neal Sauer
35-7289 - " "

Post Register
P.O. Box 1800
Idaho Falls, ID 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 4-16-73 by BA

NCY:BA
Enc: Legal notices (2)

35 7289

NOTICE OF APPLICATION FOR WATER PERMIT


Notice is hereby given that Neal Sauer, Route #5, Idaho Falls, Idaho

has on 3/28/73 submitted Application No. 35-7289
for a permit to appropriate 6.4 cubic feet per second ~~xx cubic feet per second~~
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 3N, R. 36E, B.M., Bonneville County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 480 acres

within the W $\frac{1}{2}$ E $\frac{1}{2}$, W $\frac{1}{2}$, Sec. 3, T. 3N, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before April 23, 1973.


R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho
on April 5 and April 12, 1973

35 7289