

Affidavit of Publication

RECEIVED

STATE OF IDAHO
COUNTY OF POWER } S.S.

OCT 30 1972

Department of Water Administration
Eastern District Office

Phyllis Ringe being first duly sworn
on oath, states:

That she is the principal clerk of the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 19th day of October, 1972 the date of last publication being the

26th day of October, 1972

(Signed)

Subscribed and sworn to before me this

20 day of Oct, 1972

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of , 19

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
Aug. 20, 1973

LEGAL NOTICE

Published in The Power County Press Oct. 19 and 26, 1972.
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Clarence Gohl, Route #1, American Falls, Idaho has on 10-10-72 submitted Application No. 35-7252 for a permit to appropriate 12.8 cubic feet per second of water from a ground-water source by means of wells and pumps within the SW1/4-NW1/4, Sec. 15; NE1/4NW1/4, NW1/4NE1/4, NW1/4NW1/4, Sec. 22, T. 7S, R. 30 E, B.M., Power County; to be used from Mar. 15 to Nov. 15 for the irrigation of the 640 acres within the S1/2NW1/4, SW1/4, Sec. 15; E1/2NE1/4, Sec. 21; N1/2, Sec. 22, T. 7S, R. 30E, B.M.


If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho 83401 on or before November 6, 1972.


R. KEITH HIGGINSON
Director

35 7252

35-9157

Clarence Gohl





A hand-drawn schematic diagram of a water supply system. On the left, a circular tank is labeled "Pump". A horizontal pipe extends from the pump to the right. This pipe contains two "Valve" symbols, represented by rectangles with an 'X' inside, and a "meter" symbol, represented by a rectangle with a vertical line through its center. The pipe terminates at a vertical line labeled "Buried Mainline", with arrows pointing in both directions along this line. In the top right corner, there is a north arrow pointing upwards, labeled "N".

LH 2/8/77

Well #1. (Typical Installation)

Microfilm

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7252 Priority October 10, 1972 Amount 11.55 cfs

THIS IS TO CERTIFY, that Clarence Gohl
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7252 issued pursuant to Application for Permit dated October 10, 1972,
and has submitted proof to the Department of Water Resources on June 21, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 11.55 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>11.55</u> cfs and	<u>2215.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 11.55 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2215.5 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 15,
NW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 22, Twp. 7S, Rge. 30E in the County of Power

Description and location of place of use

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	30E	15							40	40	40	40	39	39					238
		21	39			40													79
		22	39	39	40	40	39	39	40	40									316

Total number of acres irrigated 633

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26th day of
February, 19 82.

For the Director

Norman C. Young

STATE OF IDAHO

LICENSING

RECEIVED

APPLICATION FOR AMENDMENT OF A PERMIT
JAN 28 1982
Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Clarence Gohl Phone _____
of (address) American Falls, Idaho, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 35-7252, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW 1/4 NW 1/4, Section 15, Township 7S, Range 30E, B.M., ok
County of Power. Other points of diversion: NW 1/4 NW 1/4, SE 1/4 NW 1/4, Sec. 22, Change
Twp. 7S, Rge. 30E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 11.55 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:
NO CHANGE

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? _____
b. Who owns the land to be irrigated or the place of use? _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at _____, this 25 day of January, 19 82.

X Clarence Stahl
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by [Signature] Fee = \$20.00

Received by [Signature] Date 2-25-82 # 21787

Publication prepared by [Signature] Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
APPROVE the above Application for Amendment of Permit No. 35-7252.

Witness my hand this 26th day of February, 19 82

[Signature]
For the Director

MICROFILMED

DWR

Identification No. _____

Application No. _____

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant CLARENCE GOHL
 post office address Route #1 American Falls, Idaho 83211
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 7S
 Range 30E B.M. Power County; additional points of diversion if any: _____
NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 7S, Rge. 30E, B.M., Power County
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, Twp. 7S, Rge. 30E, B.M., Power County
NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 7S, Rge. 30E, B.M., Power County
 b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 12.8 for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated.
 a. 12.8 cubic feet per second ~~and/or~~
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Two (2) 200 HP pumps with 3/4 mile
of main line each, and Ten (10) $\frac{1}{4}$ mile 4 inch sprinkler lines each. One (1)
150 HP pump with $\frac{1}{2}$ mile of main line and six (6) $\frac{1}{4}$ mile sprinkler line.
 b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
 capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
 c. Proposed well diameter is 20 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years
 b. Estimated construction cost is \$ 157,800.00.
8. Description of proposed uses
 a. If water is **not** for irrigation. N.A.
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M.
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water _____.
 (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
7S	30E	15							40	40	40	40	40	40					240
"	"	21	40			40													80
"	"	22	40	40	40	40	40	40	40	40									320


Total number of acres to be irrigated 640

c. Describe any other water rights used for the same purposes as described above. ~~XXXXXXXXXXXXXXXXXXXX~~
~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~ NONE

9. a. Who owns the property at the point of diversion William J. Howard Estate owns NE1/4, Sec. 22;
Clarence Gohl owns the rest.
b. Who owns the land to be irrigated or place of use same as above
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing In process of drawing up a fifteen (15) year lease at \$3,000.00 cash rent per year to develop and farm Twp. 7S, Rge. 30E, NE1/4, Sec. 22, A copy of lease will be forwarded when completed.

10. Remarks Well driller: George Vollmer, American Falls, Idaho 83211
There is no runoff of waste water anticipated.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence Loh
(Applicant)

Received by Da Date 10-10-72 Time 11:30 am
 Preliminary check by NCY Fee \$ 145.00 Receipt # 7038
 Receipted by Da Date 10-10-72
 Publication prepared by Da Date 10-13-72
 Published in Power County Press
 Publication dates 10-14-26-72
 Publication approved NCY Date 11-6-72
 Priority ~~reduced to~~ 10-10-72 Reason ---

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by NCY

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7252, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1977.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13th day of November, 1972.


 Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>NCY</u>	<u>10-10-72</u>	Application No. <u>35-7252</u> Name <u>Clarence Gohl</u>
(2)	<u>"</u>	<u>"</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)	<u>"</u>	<u>"</u>	Send copies to: ☐ Idaho State Health Department <u>NA</u> ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>"</u>	<u>"</u>	☐ Request Special Use Permit from U.S.F.S. <u>NA</u> ☐ Request Easement from B.L.M.
(5)	<u>"</u>	<u>"</u>	In form for advertising <u>yes</u>
(6)	<u>NCY</u>	<u>11/4/72</u>	Affidavit of Publication received <u>10/30/72</u>
(7)	<u>"</u>	<u>"</u>	Final date for protests <u>11/6/72</u> Protests received: yes <u>no</u> ☒
(8)	<u>"</u>	<u>"</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(9)	<u>NCY</u>	<u>10/4/72</u>	Located within Water District No. <u>N.A.</u>
(10)	<u>"</u>	<u>"</u>	Critical groundwater area: yes <u>no</u> ☒
(11)	<u>"</u>	<u>"</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) <u>Snake River Basin</u> ☐ Increasing (comment) _____
(12)	<u>"</u>	<u>"</u>	Comments: <u>Land appears to be located outside of surface irrigated area (County map)</u>
(13)	<u>NCY</u>	<u>11/6/72</u>	Action recommended: ☒ Approve Priority <u>10-10-72</u> ☐ Deny Reason for Reduction _____ <u>"</u> <u>"</u> ☒ See attached sheet for conditions of approval <u>—</u> <u>—</u> ☐ No conditions for approval
(14)	<u>—</u>	<u>—</u>	District <u>EASTERN</u> By <u>Norman C. Young</u> Date <u>11-6-72</u> Title <u>Dist Eng</u>

RECOMMENDEDCONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER

} S.S.

Phyllis Linde

being first duly sworn

on oath, states:

That she is the principal clerk of the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ² successive weekly issues thereof, the date of the first publication being the 19th day of October, 1972

the date of last publication being the

26th day of October, 1972

(Signed) *Phyllis Linde*

Subscribed and sworn to before me this

20 day of Oct. 1972

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of 19

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
Aug. 20, 1973

LEGAL NOTICE

Published in The Power County Press Oct 19 and 26, 1972.
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Clarence Gohl, Route #1, American Falls, Idaho has on 10-10-72 submitted Application No. 35-7252 for a permit to appropriate 12.8 cubic feet per second of water from a ground-water source by means of wells and pumps within the SW1/4-NW1/4, Sec. 15, NE1/4NW1/4, NW 1/4 NE1/4, NW 1/4NW1/4, Sec. 22, T. 7S, R. 30 E, B.M., Power County; to be used from Mar. 15 to Nov. 15 for the irrigation of the 640 acres within the S1/2NW1/4, SW1/4, Sec. 15, E1/2NE1/4, Sec. 21, N1/2, Sec. 22, T. 7S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho 83401 on or before November 6, 1972.

R. KEITH HIGGINSON
Director

35 7252

Clarence Gohl
Rt 1 Box 60
American Falls Id 83211

MICROFILMED

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720



March 4, 1982

RE: Permit No. 35-7252

Clarence Gohl
Route #1
American Falls, ID 83211

Dear Mr. Gohl:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 21787 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures

0721
MAR 10 1982

CONVERSATION MEMORANDUM

DATE 1/21/82FILE 35-7252NAME OF PARTY Clarence GohlEMPLOYEE Jim Johnson

RE: Mr. Gohl called today in reference to
the amendment letter of 1-14-82. Mr. Gohl
said the P/O ^{location} of well #3 (see field exam) was
in error. The correct location should be further
east and located in SW⁴ NE⁴ sec. 22. Since
the field exam showed the well so close to
the boundary line I agreed to correct the
location without requiring a third field exam.
Mr. Gohl also said that he had replaced
the pump in well #3 to 200 H.P. and now
~~single~~ pumped more water than was measured.
I agreed to fill out a new application
for permit for this additional water and
send it to him. He will return the
amendment with the correction made to
the legal description of well number 3.

MICROFILMED

January 14, 1982

RE: Permit No. 35-7252

Clarence Gohl
Route #1,
American Falls, ID 83211

Dear Mr. Gohl:

A representative of this Department made an examination of the works covered by your permit No. 35-7252 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 11.55 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2215.5 acre feet
per year.

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15; NW $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 7S,
Rge. 30E, Power County

Beneficial Use: Irrigation of 633 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 15;
E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 21; N $\frac{1}{2}$, Sec. 22; Twp. 7S, Rge. 30E

Priority date established: October 10, 1972

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. Also, on your permit you proposed an irrigation period of March 15 to November 15. Our office identifies a period of April 1 to November 1 for your area. If you do not concur with this and the above findings or have any questions, please contact within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
JAN 15 1982
WATER DIVISION

35-7252 - Memo to File

A request for re-examination of 35-7252 had been made in the early 70's as the permit holder was not satisfied with the amount of the examiner measured. The first measurements of the 3 wells were obtained from readings provided by In-Line flow meters.

On June 20, 1979, the three wells were re-measured with departmental annubar eqt. It is interesting to note that the annubar measurement obtained last summer was within .05 cfs of the first measurement. ~~I am satisfied that the rate of flow measured with the annubar is accurate and stated here.~~ I am satisfied that the total rate of flow measured from the 3 wells is equivalent to 11.55 cfs & that the original measurement was an accurate reading of the amount being diverted at that time.

Robert A. Parker
Senior Water Recorder

MICROFILMED

Received
July 13, 1973

FIELD REPORT

1. Name of permit holder Clarence Gohl
Post office address Rt #1, American Falls, Idaho Phone 226-2910
Person to contact _____ Phone _____
2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 12.80 c.f.s. for irrigation
AF/Annum (nature of use)

Period of Use from Mar. 15 to Nov. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated.

Max Rate of Diversion 12.80 cubic feet per second and annual volume _____ AF/Annum.

5. **Location of Point(s) of Diversion:**

Township 73 N/S, Range 30 E E/W, B.M., Section 15, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, Power

Township 75 N/S, Range 30E E/W, B.M., Section 22, Subdivision NE $\frac{1}{4}$ NW $\frac{1}{4}$ County Power

Township 73 N/S, Range 30E E/W, B.M., Section 22, Subdivision NW $\frac{1}{4}$ NE $\frac{1}{4}$, County Power

Other Points of Diversions: NW 1/4 NW 1/4 sec 22 Twp 7S Rge 30E. B.M. ^{County} Power Co.

Description of diverting works: Two 200 HP pumps with $3\frac{1}{4}$ mile and $10\frac{1}{4}$ mile 4" sprinkler laterals. One 150 H.P. pump with $\frac{1}{2}$ mile machine, $6\frac{1}{4}$ mile 4" sprinkler laterals

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

640

MICROFILMED

Range 30E






Diagram of System



35-9757

CLAUDE GOHL



RE EXAM

DATE OF EXAM 20th day of June, 1979

ACREAGE
Found 633a
Recommended 633a

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 11.55 c.f.s. V = 2215.5 AF/Ann. from April to Nov
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 11.55 cfs Method of measurement Annubar

Total Q recommended 11.55 Meter No. _____ Type _____ Condition std

Total V recommended 2215.5 AF/yr

Recommended Amendments:

✓ P.D. SEND of sec 22 Twp 7S Rge 30E
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:
See reverse side for calculations, Q well #1 = 4.28 cfs Q well #2 = 4.20 cfs
Q well #3 = 2.97 cfs, Q total = 11.55 cfs capacity
 $V = 633a \times 3.5 \text{ Aft/a} = 2215.5 \text{ AF/yr}$
 $1.9835 \times 214 \times 11.55 = 4902.6 \text{ AF/yr}$

SYSTEM DESCRIPTION:
See reverse side for system description

REMARKS: System shown by permit holder

Examiner's Signature Robert A. Parker Date 11-26-79
Checked by John D. Carlson Date 4/14/80
Approved by Reynolds Date 12/4/81

See 35-7531 different P/O & P/U
No Overlap - No other overlapping rights

MICROFILMED

well #1 (Sond-32.15)

Groundwater is diverted by a 200 H.P. Newman
vertical pump motor #V1124901 and by a Jacuzzi
vertical turbine pump - no I.D. Rumber.
Suck - 140' - pump feeds 10 lines 32 heads each
pressure @ pump = 85 psi

$$Q_{\text{gpm}} = \left(\frac{\text{pipe I.D.}^2}{2} \right) \left(\frac{C}{\text{inches of H}_2\text{O}} \right) = (10)^2 (3.85) \left(\frac{1.26}{5.10} \right) = (100) (3.85) (5.10) = 1963.5 \text{ gpm} \div 4488 \text{ gpm/lfs} = 4.38 \text{ lfs}$$

well #2 - (Sond-32.22)

Groundwater is diverted by a 200 H.P. Newman
vertical pump motor #V1125011 and by
a Jacuzzi vertical turbine pump -

$$Q_{\text{gpm}} = \left(\frac{\text{pipe I.D.}^2}{2} \right) \left(\frac{C}{\text{inches of H}_2\text{O}} \right) = (10)^2 (3.85) \left(\frac{1.26}{1.10} \right) = (100) (3.85) (4.90) = 1886.5 \text{ gpm} \div 4488 \text{ gpm/lfs} = 4.20 \text{ lfs}$$

well #3 (Sond 32.22)

$$Q_{\text{gpm}} = \left(\frac{\text{pipe I.D.}^2}{2} \right) \left(\frac{C}{\text{inches of H}_2\text{O}} \right) = (10)^2 (3.85) \left(\frac{1.26}{1.10} \right) = (100) (3.85) (4.90) = 1886.5 \text{ gpm} \div 4488 \text{ gpm/lfs} = 4.20 \text{ lfs}$$

Groundwater is diverted by a 150 H.P.
U.S. motors vertical pump motor - I.D.#
C2688-01-273 83-05886 and by a
Jacuzzi vertical turbine pump mfr
100 T623 X1-11/16 S/N - 417-22171

$$Q_{\text{gpm}} = \left(\frac{\text{pipe I.D.}^2}{2} \right) \left(\frac{C}{\text{inches of H}_2\text{O}} \right) = (10)^2 (3.85) \left(\frac{1.26}{1.10} \right) = (100) (3.85) (3.46) = 1332.1 \text{ gpm} \div 4488 \text{ gpm/lfs} = 2.97 \text{ lfs}$$

$$Q_{\text{total}} = 4.38 + 4.20 + 2.97 = 11.55 \text{ lfs}$$

capacity

MINIMUM

Well #1 (Typical Installation)

LH 2/8/77





Diagram of System



DATE OF EXAM July 30, 1975

ACREAGE
Found 633
Recommended 633

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 11.50 c.f.s. V = 2215.5 AF/Ann. from April to Nov
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 11.50 cfs Method of measurement in-line meters

Total Q recommended 11.50 cfs Meter No (1) M0556544 Type Badger Condition OK
(2) M0556543
(3) M0556547

Total V recommended 2215.5

Recommended Amendments:

P.D. ☒ Show P.D. in SE 1/4 NW 1/4 sec 22 T7S R30E
Place of Use _____
Other ☒ Period of use
None _____

MEASUREMENT CALCULATION:

$2150 + 1850 + 1160 = 5160 \text{ gpm} / 448.8 = 11.5 \text{ cfs}$
 $V = (3.5)(633) = 2215.5 \text{ AF/Ann}$ LH 2/8/77

SYSTEM DESCRIPTION: Well #1 in SW 1/4 NW 1/4 sec 15 (See Reverse for wells 2 & 3)
Pump: Jacuzzi - No Number
Motor: Newman 200 HP # V1124901
Meter: Badger # M0556544 Q = 2150 gpm
static water at 140' Pump Feeds 10 Lines - 32 heads each
pressure at pump - 85 psi

REMARKS: System shown by owner

Examiner's Signature Loren C. Haines Date 2-8-77
Checked by Anthony R. Kozlowski Date 2/14/77
Approved by _____ Date _____

Well #2 - NW4 NW4 Sec 22

Motor: - 200 HP Newmax #V#125011


Q = 1850 GPM

Pump - Jacuzzi Model 6100/T 621 10x10

SN. - 3F7 22/89

Meter: - Badger

M0556543



Well #3 - SE4 NW4 Sec 22

Motor - 150 HP U.S. Motor - IP # Q2688-01-273

83-05886


Pump - Jacuzzi

Model 100/T623 X1-11/16
SER. NO 4L7-22/71

Q = 1160 GPM

Meter - Badger

M0556547



MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE

June 7, 1978

FROM

TO

SUBJECT

Attached is the field exam for
35-7252 for re-examination
along with a copy of the exam
done on 35-7531. Mr. Gohl's letter
should explain everything.

Jan

SIGNATURE

RECEIVED

MAY 26 1978

Department of Water Resources

May 24, 1978

Dear Sir:

I am writing this in regards to the letter I recieved from you office dated May 22, 1978 wanting me to sign an application for Amendemnt on Permit No. 35-7252. I feel that this examination was inadequate because at that time the flow meters were not accurate due to the wells pumping sand along with water causing undue wear on the meters. A check should have been conducted as was conducted in 1977 on Permit No 35-7531 which was more thorough.

So I request that you give me a re-examination as was stated I could get by your office verbally in a phone confersation on May 23, 1978 and keep the three systems at 10.8 C.F.S.

Sincerely

Clarence Gohl

Clarence Gohl

RECEIVED
MAY 24 1978

ROUGH DRAFT

State of Idaho
Department of Water Resources

ROUGH DRAFT

WATER RIGHT LICENSE

License of Water Right No. 35-7252 Priority Oct. 10, 1972 Amount 11.50 cfs

THIS IS TO CERTIFY, that CLARENCE GOHL
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7252 issued pursuant to Application for Permit dated October 10, 1972,
and has submitted proof to the Department of Water Resources on June 21, 1973,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 11.50 cfs of water from a groundwater source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>irrig.</u>	from <u>Mar. 15</u> to <u>Nov 15</u>	at <u>11.50</u> cfs and	<u>2215.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 11.50 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2215.5 acre feet per year, said waters to be diverted within the SW 1/4 NW 1/4, Sec. 15,
NW 1/4 NW 1/4, SE 1/4 NW 1/4, in the County of Power
Sec. 22, Twp 7S, Rge. 30E, B.M.
Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	30E	15									40	40	40	39	39				238
		21	39			40													79
		22	39	39	40	40	39	39	40	40									316

Total number of acres irrigated 633

Do Not Film

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this _____ day of

19 ____.

ROUGH DRAFT



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

May 22, 1978

Re: Permit No. 35-7252

Clarence Gohl
Route #1
American Falls, ID 83211

Dear Mr. Gohl:

A representative of this Department made an examination of the works covered by your Permit No. 35-7252 on February 8, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 11.50 cfs Source: groundwater

The maximum quantity diverted shall not exceed 2215.5 acre feet per
year.

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15; NW $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22,
Twp. 7S, Rge. 30E, B. M.
Beneficial use: Irrigation of 633 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$,
Sec. 15; E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 21; NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 22, Twp. 7S, Rge. 30E, B. M.

Priority date established: October 10, 1972

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$10.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JAN GROVER
Supervisor,
Water Rights

JG:kw
Encl.

RECEIVED
MAY 24 1978

July 6, 1973

Re: Permit No. 35-7252

**Clarence Gohl
Route #1
American Falls, Idaho 83211**

Dear Mr. Gohl:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

DDR:je

35 7252

RECEIVED

JUN 21 1973

Department of Water Administration
Eastern District Office

Identification No. 35-7252

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Clarence Gohl
- b) Post Office Address Route #1, American Falls, Idaho 83211
2. Permit Number 35-7252
3. Date of Priority that you are prepared to establish 10-10-72
4. a) Source from which water was appropriated Ground water
- b) Location of the point of diversion: SW 1/4 NW 1/4, Section 15
Township 7 S, Range 30 E, Boise Meridian, Other points of diversion:
NE 1/4 NW 1/4, Sec. 22, Twp. 7 S. Rge 30 E.B.M., Power County
NW 1/4 NE 1/4, Sec. 22, Twp. 7 S. Rge 30 E.B.M., Power County
NW 1/4 NW 1/4, Sec. 22, Twp. 7 S. Rge. 30 E.B.M., Power County
5. a) The amount of water and use to which the water has been applied:
 amount 12.8 for Irrigation purposes from March 15 to Nov 15 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 12.8 cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Power County Coop.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works. _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2" 200 H.P. Pumps with 3/4 mile and 10-1/4 Mile 4" Sprinkler laterals. 1 - 150 H.P. Pump with 1/2 mile mainline Six 1/4 Mile 4" Sprinkler Laterals.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: Badger Meter
 c) Give well drillers name and address and date the well was completed 2-13-73; 3-3-73; and 4-28-73. George Volmer, American Falls, Idaho

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
243 S. 1000 E.
IDAHO FALLS, IDAHO 83401

Exam typed 7/5/73 by [signature]

35 7252

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7 S	30 E	15							40	40	40	40	40	40					240
"	"	21	40			40													80
"	"	22	40	40	40	40	40	40	40	40									320

Total number of acres irrigated 640

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-20-73

(Date)

Clarence Lahl

(Signature)

State of Idaho

County of Bingham

ss.

On this 20th day of June, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Joan M. McNeel

Notary Public residing at Blackfoot, Idaho

My commission expires 7/13/1973

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.RECEIVED
State of Idaho Department of Water Administration

1. WELL OWNER

Name Clarence Gohl
Address Rt. 1 Am. Falls, Ida.
Owner's Permit No. 35-7252

7. WATER LEVEL

Static water level 142 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature 50 ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)8. WELL TEST DATA None☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18 inches Total depth 559 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>16</u> inches	<u>1</u> feet	<u>232</u> feet
<u>.250</u> inches	<u>14</u> inches	<u>264</u> feet	<u>404</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation 1/2" inches by 3 inches

Number	From	To
<u>48</u> perforations	<u>136</u> feet	<u>137</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☐ Yes ☐ No To what depth _____ feet
Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Power
SW 1/4 NW 1/4 Sec. 15, T. 7 N. S. R. 30 E. 10

10.

We started 11-12-72 finished Feb. 12-73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Driller's or Firm's Name George Vollmer Number 97
Address Am. Falls, Ida.
Signed By George Vollmer Date 3-21-73

November 13, 1972

Re: 35-7252

Clarence Gohl
Route #1
American Falls, Idaho 83211

Dear Mr. Gohl:

Enclosed is a copy of your approved Application for Permit No. 35-7252. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

35 7252

October 13, 1972

Re: Application No. 35-7252 - Clarence Gohl

Power County Press
174 Idaho St.
American Falls, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:BA
Enc: Legal notice

35 7252

*Bill submitted to
Post Office 10-30-72
ba*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Clarence Gohl, Route #1, American Falls,
Idaho
has on 10-10-72 submitted Application No. 35-7252
for a permit to appropriate 12.8 cubic feet per second ~~were feet per second~~
of water from a ground-water source
by means of wells and pumps
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15; NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 7S, R. 30E, B.M.,
Power County;

to be used from Mar. 15 to Nov. 15 for the irrigation of 640 acres

~~for~~

within the S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 15; E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 21; N $\frac{1}{4}$, Sec. 22, T. 7S, R. 30E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before
November 6, 1972.

R. KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho
on October 19 and October 26, 1972

35 7252

NCY

October 10, 1972

Mr. Clarence Gohl
Route #1
American Falls, ID 83211

Dear Mr. Gohl:

Attached herewith is departmental receipt No. 7008 in the amount of \$145.00 for your application for permit which was recently submitted to this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Attachment

25 7252

October 4, 1972

Mr. Clarence Gohl
Route #1
American Falls, ID 83211

Dear Mr. Gohl:

With reference to our telephone conversation of this day, we are returning your check in the amount of \$80 along with the application for permit you submitted. We have enclosed a retyped copy of your application for your review and approval.

You will note that we have changed the amount of your filing to one amount of 12.8 c.f.s. for irrigation from March 15 to November 15, which is the time allowable for your area. The 12.8 c.f.s. is that amount allowable for 640 acres.

In Item 7, we have changed the time required for the completion of the works and application of the water to the proposed beneficial use to five (5) years, which is the statutory maximum allowable of time.

Under Item 9, it is indicated that you are in the process of preparing a lease; please note the notation. We hope this will meet with your approval.

Please review the enclosed application and make the necessary, if need be, changes or additions, and return the application to this office along with the filing fee for 12.8 c.f.s. which is \$145.00.

Very truly yours,

LOY H. JOHNSON
Water Resource Supervisor

LHJ:ba

Enclosures: Check #92-291 (\$80)
app. for per. (old)
App. for per. (new)

66 7252