


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~2~~ inches equal 1 mile
7

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

LAKEVIEW WARD CORPORATION

Chester Wahlen
(Applicant)

By: Chester Wahlen, Bishop

T
4
S





Diagram of System

JA





State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 35-7231 Priority April 17, 1972 Amount 0.72 cfs

THIS IS TO CERTIFY, that LAKEVIEW WARD CORPORATION
of Sterling, Idaho, has complied with the terms and conditions of Permit
No. 35-7231 issued pursuant to Application for Permit dated April 17, 1972,
and has submitted proof to the Department of Water Administration on June 29, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.84 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:
Amount 0.72 cfs for Irrigation from April 1 to Nov. 1 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 0.72 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18, Twp. 4 S, Rge. 32 E, B.M.

in the county of Bingham; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 126 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4S	32E	18											36						36
													(lot 4)						

Total number of acres irrigated 36

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
November, 19 73.


Director

35 7231

LICENSE ISSUED FOR 72 SEC. FT.
LICENSE PAGE NO. _____

Identification No. **35 7231**
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant LAKEVIEW WARD CORPORATION
post office address c/o Bishop Chester Wahlen, Sterling, Idaho 83279
2. Source of water supply Ground Water which is a tributary of -----
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 18 Township 4S
Range 32E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.8 for irrig. purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.8 cubic feet per second ~~and 368,750~~
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 20hp Electric Pump, PVC Mainline
6" & 5", and 4" aluminum laterals, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 7500.
8. Description of proposed uses:
a. If water is **not** for irrigation: N.A.
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35 7231

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

38

Total number of acres to be irrigated-

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~10~~ inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

LAKEVIEW WARD CORPORATION

Chester Wahlen

(Applicant)

By: Chester Wahlen, Bishop

35 7231

Received by ej Date 4/10/72 Time 8:00 a.m.
Preliminary check by D Fee \$ 25.00
Received by ej Date 4/17/72
Publication prepared by ej Date 4/25/72
Published in Blackfoot News, Blackfoot, ID
Publication dates 5/4&11/72
Publication approved _____ Date _____
Priority reduced to 4-17-72 Reason Fees. 42-202,
I.C.
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7231, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 73.


c. Other: A measuring device of a type approved by this Department shall be

permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27 day of June, 1972.

Deputy Director



Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant LAKEVIEW WARD CORPORATION
 post office address c/o Bishop Chester Wahlen Sterling, Idaho 83279
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 18 Township 4 S
 Range 32 E B.M. Bingham County; additional points of diversion if any: _____
eg
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount .8 for irrigation purpose from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. .8 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. 20 H.P. Electric Pump,
PVC Mainline 6 in and 5 in. and 4 in. aluminum laterals and
sprinkler system.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
 capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 10 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 1 years.
 b. Estimated construction cost is \$ 7500.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M.
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water _____.
 (5) If water is to be used for other purposes describe: _____

35 221

Total number of acres to be irrigated 38


8E

Copyright on of Lakeview, Maryland

b. Who owns the land to be irrigated or place of use.

applicant to make this filing.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

F. Chester Wahlen
(Applicant)

35 7231

4-17-72

Letter C session
Q

Received by uj Date 4-10-72 Time 8:00 A
Preliminary check by D Fee \$ 25.00
Received by uj Date 4-17-72
Publication prepared by uj Date 4/25/72
Published in Blackfoot News, Blackfoot, ID
Publication dates 5/4&11/72
Publication approved CR Date 5-18-72
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

uj 4-20-72
EMR
4/21/72

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 35-7231 Name Lakeview Ward Corporation

Source Ground Water

Point of Diversion SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 4S, R. 32E, B.M., Bingham County

Quantity .8 cfs Use irrigation Period Apr. 1 to Nov. 1

Quantity Use Period

Quantity Use Period

Well Size Diameter 10" Proposed Depth 100' Feet

Use The irrigation of 38 acres.

Date Forwarded Date Returned Received by

COMMENTS: Water level declines have not been noted in this area (W.B. #24).

Aquifer is Snake River Basalt. Static depth to water is about ft. Location is within the Aberdeen-Springfield Canal Co Dist.

RECOMMENDED:

Applied: Qty. 0.76 cfs Use irrig- Period 4/1-11/1 AF/A 3.5 AF 133

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. 0.76 cfs Use irrig. Period 4/1-11/1 AF/A 3.5 AF 133

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved X Denied

Conditions of approval or reason for denial: Accept reduced rate or justify higher rate requested. Retype. Indicate on approval letter that 1"acre is maximum combined diversion rate from all sources.

By N.C.Y. Title District Engineer
NORMAN C. YOUNG Date 4/25/72

RECEIVED

MAY 19 1972

Department of Water Administration
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham }
State of Idaho } ss.

I, Drury R. Brown do solemnly

swear that I am the publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive weeks, the first publication having been made on the 4th day of May, 1972,

and the last publication having been made on the 11th day of May, 1972; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 11th day of May, 1972

Page Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Nov. 10, 1972

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeview Ward Corporation, in care of Bishop Chester Wahlen, Sterling, Idaho, has on 4-17-72 submitted Application No. 35-7231 for a permit to appropriate 38 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 4S, R. 32E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 38 acres within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before May 22, 1972.

R. KEITH HIGGINSON
Director

(3064)
Pub.: 5-4 and 11

35 7231

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 30, 1973

RE: Permit No. 35-7231

Lakeview Ward Corporation
c/o Bishop Chester Wahlen
Sterling, ID 83279

Dear Bishop Wahlen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

35 7231

November 15, 1973

Re: Permit No. 35-7231

Lakeview Ward Corporation
c/o Bishop Chester Wahlen
Sterling, Idaho 83279

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7231 and has found the following:

Quantity of water diverted: 0.84 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.72 cfs

The maximum quantity diverted shall not exceed 126 acre feet per year.

Beneficial use: irrigation of 36 acres within the SW¹/4

(lot # 4) Sec. 18, Twp. 4 S, Rge. 32 E

Point of diversion: SW¹/4 Sec. 18, Twp. 4 S, Rge. 32 E, B.M.

Priority date established: April 17, 1972

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

35 7231

REPORT

TOTAL ACREAGE






Diagram of System

18





DATE OF EXAM July 19, 1973

ACREAGE
Found 36
Recommended 36

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = .72 c.f.s. V = 126 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .84 CFS Method of measurement McCrometer Meter

Total Q recommended .72 CFS Meter No. 726198 Type in line Condition good
flow

Total V recommended 126 AF/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
Pump discharged 935.6 cu. ft in 518 seconds equiv
.84 CFS

SYSTEM DESCRIPTION:
20 HP B.E. Motor # 629A310AEP1 w/ L-B pump # D35185
8" discharge narrows to 6" through meter to buried
main east
 $V(.72)(1.9835)(215) = 307 > 36 \times 3.5 = 126$

REMARKS:
Unable to locate permit holder
Dugan Co Assessor shows 36 acres total in L.4 S.18
Twp 45 Rge 32E per conference 7/19/73 D.F.

Examiner's Signature John Ferebauer Date July 19, 1973

Checked by _____ Date _____

Approved by _____ Date _____

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

RECEIVED

March 15, 1973

MAR 16 1973

Department of Water Administration
Eastern District Office

Church of Jesus Christ of
Latter Day Saints
Lakeview Ward
Springfield, Idaho 83277

Gentlemen:

Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 4S, Rge. 32E, B.M., Sec. 18, SW 1/4 SW 1/4. We have reviewed our records, and the preliminary check has failed to indicate that you have filed an application with this agency. If we have overlooked your permit, please advise us of the number by return mail. If you have indeed not filed an application for permit, and your diversion is other than a single family domestic unit and producing less than 13,000 gallons/day, then you are required to file an application before construction starts and receive a valid permit from this agency before groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25, 1963: Reference: Carl Tappin, State Reclamation Engineer, v.s. Clyde Smith and Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as an illegal act to divert groundwater without the aid of a valid permit or a license on appropriations with a priority junior to March 25, 1963 for other than excluded above.

We will supply you with an application for permit and instructions if you so request. Please contact us for forms or if we can be of any service.

Very truly yours,

Loy H. Johnson

LOY H. JOHNSON

Water Resource Supervisor

LHJ:cw

Approved Application
35-7231
July 27, 1972
[Signature]

35 7231

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

March 15, 1973

Church of Jesus Christ of
Latter Day Saints
Lakeview Ward
Springfield, Idaho 83277

Gentlemen:

Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 4S, Rge. 32E, B.M., Sec. 18, SW 1/4 SW 1/4. We have reviewed our records, and the preliminary check has failed to indicate that you have filed an application with this agency. If we have overlooked your permit, please advise us of the number by return mail. If you have indeed not filed an application for permit, and your diversion is other than a single family domestic unit and producing less than 13,000 gallons/day, then you are required to file an application before construction starts and receive a valid permit from this agency before groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25, 1963: Reference: Carl Tappin, State Reclamation Engineer, v.s. Clyde Smith and Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as an illegal act to divert groundwater without the aid of a valid permit or a license on appropriations with a priority junior to March 25, 1963 for other than excluded above.

We will supply you with an application for permit and instructions if you so request. Please contact us for forms or if we can be of any service.

Very truly yours,

LOY H. JOHNSON
Water Resource Supervisor

LHJ:cw

35 7231

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

RECEIVED
MAR 15 1973
Department of Water Administration
District Office

1. WELL OWNER

Name L.D.S Church
Address John View Wood Spring Field Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 26 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. Now
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 14 inches Total depth 130 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>14</u> inches	<u>±1</u> feet	<u>24</u> feet
<u>250</u> inches	<u>10</u> inches	<u>54</u> feet	<u>90</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 24 feet
Material used in seal ☐ Cement grout ☒ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Bingham
S40 1/4 S42 1/4 Sec. 18, T. 4 N. S. R. 32 E.

10.

Work started April 1972 finished May 1972

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Paul Vollmer & Son 67
Driller's or Firm's Name Number
Box 176 Aberdeen Idaho
Address
Paul Vollmer Jr June 7 1972
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name L.D. S Church
Address John New roads Spring Field Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 26 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 14 inches Total depth 130 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>14</u> inches	<u>±1</u> feet	<u>24</u> feet
<u>250</u> inches	<u>10</u> inches	<u>54</u> feet	<u>90</u> feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 24 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Bingham 35 7231
S40 1/4 Sec. 18, T. 4 N, R. 32 E

10.

Work started April 1972 finished May 1972

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Driller's or Firm's Name Paul Volmer & Son Number 67
Address Box 176 Aberdeen Idaho
Signed By Paul Volmer Jr Date June 1 1972

July 3, 1973

Re: Permit No. 85-7231

**Lakeview Ward Corporation
c/o Bishop Chester Wahlen
Sterling, Idaho 83279**

Dear Bishop Wahlen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

DDR:jc

Identification No. _____

Permit No. 35-7231

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JUN 20 1973 *ok p*
Department of Reclamation

1. a) Name of Permit Holder LAKEVIEW WARD CORPORATION
 b) Post Office Address c/o Bishop Chester Wahlen Sterling, Idaho 83279
2. Permit Number 35-7231
3. Date of Priority that you are prepared to establish 4/10/72
4. a) Source from which water was appropriated GROUND WATER
 b) Location of the point of diversion: SW 1/4 SW 1/4, Section 18
Township 4 S, Range 32 E Boise Meridian, Other points of diversion:
NONE
5. a) The amount of water and use to which the water has been applied:
 amount 0.8 for IRRIG. purposes from APR 1 to NOV 1 incl.
 (cfs and/or acre/feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 8 cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Read meter measuring flow in gals per minute. Average American
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 20 HP ELECTRIC PUMP - 6 & 5 INCH PVC MAINLINE AND 4 INCH LATERAL SPRINKLER SYSTEM.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: PERMANENT IN-LINE MICROMETER MEASURING METER.
 c) Give well drillers name and address and date the well was completed PAUL VOLLMER AND SON BOX 176 ABERDEEN, IDAHO
COMPLETED MAY 1972

Exam typed 7/3/73 by jo

35 7231

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

24461

CERTIFIED NO.

24461

INSURED NO.

DATE DELIVERED

5-9-73

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

Chester Ahler

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

25 7231

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

35-7231

Postmark of Delivering Office

SENDER INSTRUCTIONS

- ↑
- Print in the space below your name, address, including ZIP Code.
 - If special services are desired, check block(s) on other side.
 - Moisten gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

May 1, 1973 CERTIFIED MAIL

24461

Re: Permit No. 35-7231

Lakeview Ward Corporation
c/o Bishop Chester Wahlen
Sterling, Idaho 83279

Gentlemen:

One of the conditions of approval of your water Permit No. 35-7231 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

Enc: Proof affidavit

35 7231

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

RECEIVED

March 15, 1973

MAR 26 1973

Department of Water Administration
Eastern District Office



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Church of Jesus Christ of
Latter Day Saints
Lakeview Ward
Springfield, Idaho 83277

Gentlemen:

Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 4S, Rge. 32E, B.M., Sec. 18, SW 1/4 SW 1/4. We have reviewed our records, and the preliminary check has failed to indicate that you have filed an application with this agency. If we have overlooked your permit, please advise us of the number by return mail. If you have indeed not filed an application for permit, and your diversion is other than a single family domestic unit and producing less than 13,000 gallons/day, then you are required to file an application before construction starts and receive a valid permit from this agency before groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25, 1963: Reference: Carl Tarpin, State Reclamation Engineer, v.s. Clyde Smith and Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as an illegal act to divert groundwater without the aid of a valid permit or a license on appropriations with a priority junior to March 25, 1963 for other than excluded above.

We will supply you with an application for permit and instructions if you so request. Please contact us for forms or if we can be of any service.

Very truly yours,

Loy H. Johnson
LOY H. JOHNSON
Water Resource Supervisor

LHJ:cw

Approved Application
35-7231
July 27, 1972
[Signature]

35 7231

July 27, 1972

C
LAKEVIEW WARD CORPORATION
c/o Bishop Chester Wahlen
Sterling, Idaho 83279

Gentlemen:

C
We are enclosing a copy of your approved application no. 35-7231. Please note the special conditions on page four.

C
Idaho's water law provides that a maximum rate of diversion from any one or more sources at any one time should not exceed one minor inch per acre.

P
If you have any questions on this matter please contact us.

P
Very truly yours,

Y
Donald W. McEldowney
Water District Supervisor

DWM:cd

Enclosures:

April 23, 1972

Re: Application No. 35-7228 - Leslie Pratt
35-7229 - Leslie Pratt
35-7230 - Don C. Carter
35-7231 - Lakeview Ward Corp.
Claim No. 35-4019 - Mrs. Oscar L. Pedersen

The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:RJ

Encs: Legal notices (5)

Bill submitted 5-18-72 - cl

35 7231

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lakeview Ward Corporation, c/o Bishop Chester
Wahlen, Sterling, Idaho

has on 4/17/72 submitted Application No. 35-7231

for a permit to appropriate .8 cubic feet per second ~~XXXXXX feet per second~~

of water from a ground-water source

by means of well and pump

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 4S, R. 32E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 38 acres

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 4S, R. 32E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before May 22, 1972.

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho
on May 4 and 11, 1972.

NCY

35 7231

April 26, 1972

Re: Application for Permit No. 35-7231

Lakeview Ward Corporation
c/o Bishop Chester Wahlen
Sterling, ID 83279

Dear Bishop Wahlen:

Your application for permit No. 35-7231 has been forwarded to this office for processing. We have taken the liberty of retyping the application and are returning it for your signature. Also, there are several items that need clarification before processing can be completed.

1. Section 42-202 of the Idaho Code limits the rate of diversion for irrigation purposes to a maximum of .02 c.f.s. per acre. For the 38 acres to be irrigated under your application, the maximum rate of diversion that we can approve without adequate justification is 0.76 c.f.s. Unless you can provide us within thirty (30) days adequate justification for the higher rate requested, we will reduce the quantity to 0.76 c.f.s.
2. In Item 7a, it is indicated that one year is required for the period of development. If you desire, you may change this to our maximum period of development, which is five years.
3. In Item 9b, it is not indicated who owns the land to be irrigated or place of use.

Please sign the enclosed retyped application and return it to us at your earliest convenience.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bj

Enc: retyped app.

35 7231

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

April 17, 1972

Lakeview Ward Corporation
% Bishop Chester Wahlen
Sterling, Idaho 83279

Dear Bishop Wahlen:

Attached herewith is your Receipt No. 8307 in the amount of \$ 25.00
for your application for permit
which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure